



SCEC TPV31: Nitsche p=1 200 m (Vista 1085893) minus SeisSol at the 30 on-fault stations (blue = early / low)
arrival misfit (s)
final slip misfit (%)
peak slip rate misfit (%)
depth (km)
strike (km)
0
0.2
0.5
1
2.4
3
5
7.5
10
12
0
6
12
-0.03 -0.07 -0.14
-0.02 -0.12 -0.18
-0.07 -0.17 -0.23
-0.09 -0.16 -0.25
-0.04 -0.15 -0.31
-0.03 -0.21 -0.29
-0.06 -0.10 -0.16
-0.01 -0.11 -0.15
-0.02 -0.06 -0.15
-0.07 -0.08 -0.23
0.3
0.2
0.1
0.0
−0.1
−0.2
−0.3
-0.1 -0.8 -4.8
+0.1 +0.2 -3.1
+0.3 +0.0 -3.0
-0.8 -0.1 -3.1
-0.5 -0.9 -2.9
-0.9 -0.8 -2.0
-0.6 -1.2 -2.6
-3.3 -1.5 -2.8
-2.8 -2.4 -4.5
-3.0 -3.4 -2.4
6
4
2
0
−2
−4
−6
-6.3 -25.3 -25.6
+5.2 -11.2 -25.4
-8.0 +0.2 -30.0
-18.0 -28.9 -41.7
-19.0 -28.9 -46.1
-20.4 -29.3 -44.9
-13.6 -18.4 -28.3
-6.9 -23.2 -32.6
-18.3 -17.3 -36.2
-11.1 -20.1 -31.1
40
20
0
−20
−40


SCEC TPV31 station x2_0_x3_0 (strike 0 km, depth 0 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.029 s, final slip -0.12 %, peak slip rate -6.3 %




SCEC TPV31 station x2_0_x3_0.2 (strike 0 km, depth 0.2 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.024 s, final slip +0.10 %, peak slip rate +5.2 %




SCEC TPV31 station x2_0_x3_0.5 (strike 0 km, depth 0.5 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.068 s, final slip +0.29 %, peak slip rate -8.0 %




SCEC TPV31 station x2_0_x3_1 (strike 0 km, depth 1 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.093 s, final slip -0.76 %, peak slip rate -18.0 %




SCEC TPV31 station x2_0_x3_2.4 (strike 0 km, depth 2.4 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.040 s, final slip -0.51 %, peak slip rate -19.0 %





SCEC TPV31 station x2_0_x3_3 (strike 0 km, depth 3 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.026 s, final slip -0.88 %, peak slip rate -20.4 %



SCEC TPV31 station x2_0_x3_5 (strike 0 km, depth 5 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.056 s, final slip -0.56 %, peak slip rate -13.6 %







SeisSol EQdyna Nitsche p=1 200 m (Vista 1085893)

SCEC TPV31 station x2_0_x3_7.5 (strike 0 km, depth 7.5 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.005 s, final slip -3.26 %, peak slip rate -6.9 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 0.005 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress


time (s)

time (s)


time (s)

SeisSol EQdyna Nitsche p=1 200 m (Vista 1085893)

SCEC TPV31 station x2_0_x3_10 (strike 0 km, depth 10 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.020 s, final slip -2.84 %, peak slip rate -18.3 %



SCEC TPV31 station x2_0_x3_12 (strike 0 km, depth 12 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.067 s, final slip -2.97 %, peak slip rate -11.1 %



SCEC TPV31 station x2_6_x3_0 (strike 6 km, depth 0 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.075 s, final slip -0.82 %, peak slip rate -25.3 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 4.602 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress


time (s)


time (s)


time (s)

SeisSol EQdyna Nitsche p=1 200 m (Vista 1085893)

SCEC TPV31 station x2_6_x3_0.2 (strike 6 km, depth 0.2 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.117 s, final slip +0.21 %, peak slip rate -11.2 %










SeisSol EQdyna Nitsche p=1 200 m (Vista 1085893)


SCEC TPV31 station x2_6_x3_0.5 (strike 6 km, depth 0.5 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.174 s, final slip +0.04 %, peak slip rate +0.2 %



SCEC TPV31 station x2_6_x3_1 (strike 6 km, depth 1 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.157 s, final slip -0.13 %, peak slip rate -28.9 %







SeisSol EQdyna Nitsche p=1 200 m (Vista 1085893)

SCEC TPV31 station x2_6_x3_2.4 (strike 6 km, depth 2.4 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.149 s, final slip -0.87 %, peak slip rate -28.9 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 3.491 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress


time (s)


time (s)


time (s)

SeisSol EQdyna Nitsche p=1 200 m (Vista 1085893)

SCEC TPV31 station x2_6_x3_3 (strike 6 km, depth 3 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.206 s, final slip -0.81 %, peak slip rate -29.3 %








SeisSol
EQdyna
Nitsche p=1 200 m (Vista 1085893)

SCEC TPV31 station x2_6_x3_5 (strike 6 km, depth 5 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.102 s, final slip -1.16 %, peak slip rate -18.4 %



SCEC TPV31 station x2_6_x3_7.5 (strike 6 km, depth 7.5 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.109 s, final slip -1.50 %, peak slip rate -23.2 %

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), SeisSol arrival 2.535 s -0.5 / +2.5 s

(c) strike slip (m)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa)

(f) shear / normal stress


time (s)

time (s)


time (s)

SeisSol
EQdyna
Nitsche p=1 200 m (Vista 1085893)


SCEC TPV31 station x2_6_x3_10 (strike 6 km, depth 10 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.059 s, final slip -2.41 %, peak slip rate -17.3 %




SCEC TPV31 station x2_6_x3_12 (strike 6 km, depth 12 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.077 s, final slip -3.41 %, peak slip rate -20.1 %





SCEC TPV31 station x2_12_x3_0 (strike 12 km, depth 0 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.138 s, final slip -4.82 %, peak slip rate -25.6 %



SCEC TPV31 station x2_12_x3_0.2 (strike 12 km, depth 0.2 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.181 s, final slip -3.09 %, peak slip rate -25.4 %










SeisSol EQdyna Nitsche p=1 200 m (Vista 1085893)


SCEC TPV31 station x2_12_x3_0.5 (strike 12 km, depth 0.5 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.229 s, final slip -3.01 %, peak slip rate -30.0 %



SCEC TPV31 station x2_12_x3_1 (strike 12 km, depth 1 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.252 s, final slip -3.06 %, peak slip rate -41.7 %










SeisSol EQdyna Nitsche p=1 200 m (Vista 1085893)

SCEC TPV31 station x2_12_x3_2.4 (strike 12 km, depth 2.4 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.314 s, final slip -2.91 %, peak slip rate -46.1 %









SeisSol
EQdyna
Nitsche p=1 200 m (Vista 1085893)


SCEC TPV31 station x2_12_x3_3 (strike 12 km, depth 3 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.289 s, final slip -1.97 %, peak slip rate -44.9 %





SCEC TPV31 station x2_12_x3_5 (strike 12 km, depth 5 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.164 s, final slip -2.58 %, peak slip rate -28.3 %



SCEC TPV31 station x2_12_x3_7.5 (strike 12 km, depth 7.5 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.155 s, final slip -2.84 %, peak slip rate -32.6 %










SCEC TPV31 station x2_12_x3_10 (strike 12 km, depth 10 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.153 s, final slip -4.46 %, peak slip rate -36.2 %



SCEC TPV31 station x2_12_x3_12 (strike 12 km, depth 12 km)
Nitsche p=1 200 m (Vista 1085893) vs SeisSol: arrival -0.227 s, final slip -2.40 %, peak slip rate -31.1 %

