

SCEC TPV205, strike slip rate at the sixteen on-fault stations (rows: depth 0 / 3 / 7.5 / 12 km; columns: strike -12 / -7.5 / -4.5 / 0 / 4.5 / 7.5 / 12 km)




SCEC TPV205 station x2_-12_x3_0 (strike -12 km, depth 0 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.016 s slip -1.53% peak -28.1%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 5.115 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference




(f) dip slip rate (m/s), autoscaled




DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)

SCEC TPV205 station x2_-7.5_x3_0 (strike -7.5 km, depth 0 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.011 s slip -0.52% peak -1.3%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 4.275 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)

SCEC TPV205 station x2_-4.5_x3_0 (strike -4.5 km, depth 0 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.033 s slip -0.76% peak -6.6%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 3.783 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)


(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference


(f) dip slip rate (m/s), autoscaled


time (s)


DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)


SCEC TPV205 station x2_0_x3_0 (strike 0 km, depth 0 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.024 s slip -0.47% peak -0.4%














DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)

SCEC TPV205 station x2_4.5_x3_0 (strike 4.5 km, depth 0 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.035 s slip -0.47% peak -6.5%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 3.781 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

time (s)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

time (s)

(f) dip slip rate (m/s), autoscaled

time (s)

DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)

SCEC TPV205 station x2_7.5_x3_0 (strike 7.5 km, depth 0 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt -0.000 s slip -0.15% peak -4.4%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 4.268 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

time (s)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

time (s)

(f) dip slip rate (m/s), autoscaled

time (s)

DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)

SCEC TPV205 station x2_12_x3_0 (strike 12 km, depth 0 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.021 s slip -1.37% peak -5.4%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 5.108 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

time (s)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference


time (s)

(f) dip slip rate (m/s), autoscaled

time (s)

DRDG3D 100 m O4
DRDG3D 200 m O4
MFEM mixed-flux RK45 p=2 (gold)
Nitsche p=1 200 m (Vista 1076378)
Nitsche p=1 100 m (Vista 1076419)
Nitsche p=2 200 m (Vista 1075916)

SCEC TPV205 station x2_0_x3_3 (strike 0 km, depth 3 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.036 s slip -0.25% peak -0.3%



SCEC TPV205 station x2_-12_x3_7.5 (strike -12 km, depth 7.5 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt -0.002 s slip -0.13% peak -1.4%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 4.052 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference


(f) dip slip rate (m/s), autoscaled


time (s)

time (s)

DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)


SCEC TPV205 station x2_-7.5_x3_7.5 (strike -7.5 km, depth 7.5 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.030 s slip -0.33% peak -2.6%









time (s)










DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)


SCEC TPV205 station x2_-4.5_x3_7.5 (strike -4.5 km, depth 7.5 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt -0.011 s slip -0.18% peak +0.8%









time (s)










DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)


SCEC TPV205 station x2_0_x3_7.5 (strike 0 km, depth 7.5 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt -0.000 s slip -0.53% peak +1.6%
















DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)

SCEC TPV205 station x2_4.5_x3_7.5 (strike 4.5 km, depth 7.5 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt -0.008 s slip -0.43% peak -0.0%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 1.690 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference




(f) dip slip rate (m/s), autoscaled




DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)

SCEC TPV205 station x2_7.5_x3_7.5 (strike 7.5 km, depth 7.5 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.076 s slip -0.50% peak +1.3%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 3.829 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)

SCEC TPV205 station x2_12_x3_7.5 (strike 12 km, depth 7.5 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.026 s slip -0.32% peak -11.4%

(a) strike slip rate (m/s)

(b) strike slip rate (m/s), DRDG3D 100 m arrival 5.262 s -0.5 / +2.5 s

(c) strike slip (m)

time (s)

(d) strike shear stress (MPa)

(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference

(f) dip slip rate (m/s), autoscaled


time (s)

time (s)


DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)

SCEC TPV205 station x2_0_x3_12 (strike 0 km, depth 12 km)
Nitsche p=2 200 m (Vista 1075916) vs DRDG3D 100 m: dt +0.051 s slip -1.37% peak +2.0%


(a) strike slip rate (m/s)



(b) strike slip rate (m/s), DRDG3D 100 m arrival 2.112 s -0.5 / +2.5 s




(c) strike slip (m)




time (s)


(d) strike shear stress (MPa)



(e) normal stress, compression positive (MPa); axis 120 +- 10 MPa; no DRDG3D reference



(f) dip slip rate (m/s), autoscaled



DRDG3D 100 m O4 | DRDG3D 200 m O4 | MFEM mixed-flux RK45 p=2 (gold) | Nitsche p=1 200 m (Vista 1076378) | Nitsche p=1 100 m (Vista 1076419) | Nitsche p=2 200 m (Vista 1075916)