ROGUE ACCESS POINT DETECTION REPORT

Generated: 2026-04-13 15:35:29 | **Total frames:** 97,290

97290	56	38	18
Total Frames	Unique BSSIDs	Rogue APs	Suspicious APs

Finding Severity Breakdown

Severity	Count	Risk Level
HIGH	63	Critical — immediate action required
MEDIUM	8496	Notable — investigate promptly
LOW	0	Minor — monitor for escalation

Access Point Risk Summary

BSSID	SSID(s)	Score	Findings	Verdict
00:00:00:00:00:07	NETWORK_5, NETWORK_3	2769	1384	ROGUE
00:00:00:00:00:0a	NETWORK_4, NETWORK_3	2011	1005	ROGUE
00:00:00:00:00:0b	NETWORK_5	1997	998	ROGUE
00:00:00:00:00:02	NETWORK_1	1679	839	ROGUE
00:00:00:00:00:08	NETWORK_2, NETWORK_6	1547	773	ROGUE
00:00:00:00:00:03	NETWORK_1, NETWORK_2	1521	760	ROGUE
00:00:00:00:00:06	NETWORK_4	1417	708	ROGUE
00:00:00:00:00:04	NETWORK_1, NETWORK_2	1361	680	ROGUE
00:00:00:00:00:05	NETWORK_3	1237	618	ROGUE
00:00:00:00:00:09	NETWORK_1	369	184	ROGUE
00:00:00:00:00:0c	NETWORK_2	367	183	ROGUE
00:00:00:00:00:12	—	167	83	ROGUE
00:00:00:00:00:11	NETWORK_10, NETWORK_6	66	32	ROGUE

00:00:00:00:00:0f	NETWORK_8	48	23	ROGUE
00:00:00:00:00:29	NETWORK_12	43	21	ROGUE
00:00:00:00:00:24	NETWORK_7	39	19	ROGUE
00:00:00:00:00:25	NETWORK_8	39	19	ROGUE
00:00:00:00:00:18	NETWORK_11	38	18	ROGUE
00:00:00:00:00:1d	NETWORK_12	38	18	ROGUE
00:00:00:00:00:26	NETWORK_9	37	18	ROGUE
00:00:00:00:00:0e	NETWORK_7	36	17	ROGUE
00:00:00:00:00:27	NETWORK_10	35	17	ROGUE
00:00:00:00:00:22	NETWORK_13	32	15	ROGUE
00:00:00:00:00:10	NETWORK_9	28	13	ROGUE
00:00:00:00:00:23	—	25	12	ROGUE
00:00:00:00:00:2c	—	25	12	ROGUE
00:00:00:00:05:fd	NETWORK_46	23	11	ROGUE
00:00:00:00:00:2b	—	21	10	ROGUE
00:00:00:00:00:28	NETWORK_11	19	9	ROGUE
00:00:00:00:00:2a	NETWORK_13	19	9	ROGUE
00:00:00:00:05:03	NETWORK_36	19	9	ROGUE
00:00:00:00:00:19	—	15	7	ROGUE
00:00:00:00:03:0e	NETWORK_8	11	5	ROGUE
00:00:00:00:01:7b	NETWORK_10	7	3	ROGUE
00:00:00:00:06:24	NETWORK_38	7	3	ROGUE
00:00:00:00:03:0a	NETWORK_6	5	2	ROGUE
00:00:00:00:04:4b	NETWORK_22	5	2	ROGUE
00:00:00:00:04:4c	NETWORK_37	5	2	ROGUE
00:00:00:00:00:7c	—	3	1	SUSPICIOUS
00:00:00:00:00:a8	NETWORK_19	3	1	SUSPICIOUS
00:00:00:00:01:22	—	3	1	SUSPICIOUS
00:00:00:00:02:4d	—	3	1	SUSPICIOUS
00:00:00:00:02:b3	NETWORK_12	3	1	SUSPICIOUS
00:00:00:00:04:a4	NETWORK_13	3	1	SUSPICIOUS
00:00:00:00:04:a8	NETWORK_11	3	1	SUSPICIOUS

00:00:00:00:04:df	—	3	1	SUSPICIOUS
00:00:00:00:05:af	NETWORK_7	3	1	SUSPICIOUS
00:00:00:00:06:19	NETWORK_9	3	1	SUSPICIOUS
00:00:00:00:06:59	—	3	1	SUSPICIOUS
00:00:00:00:00:31	—	3	1	SUSPICIOUS
00:00:00:00:02:6c	NETWORK_6	3	1	SUSPICIOUS
00:00:00:00:02:f8	—	3	1	SUSPICIOUS
00:00:00:00:04:76	—	3	1	SUSPICIOUS
00:00:00:00:06:f8	—	3	1	SUSPICIOUS
00:00:00:00:07:c8	NETWORK_67	3	1	SUSPICIOUS
00:00:00:00:08:4d	—	3	1	SUSPICIOUS

Detailed Findings

SSID Spoofing HIGH

SSID 'NETWORK_1' is broadcast by 4 distinct BSSIDs: ['00:00:00:00:00:03', '00:00:00:00:00:09', '00:00:00:00:00:02', '00:00:00:00:00:04']

SSID Spoofing HIGH

SSID 'NETWORK_10' is broadcast by 3 distinct BSSIDs: ['00:00:00:00:00:11', '00:00:00:00:01:7b', '00:00:00:00:00:27']

SSID Spoofing HIGH

SSID 'NETWORK_11' is broadcast by 3 distinct BSSIDs: ['00:00:00:00:00:18', '00:00:00:00:04:a8', '00:00:00:00:00:28']

SSID Spoofing HIGH

SSID 'NETWORK_12' is broadcast by 3 distinct BSSIDs: ['00:00:00:00:00:1d', '00:00:00:00:02:b3', '00:00:00:00:00:29']

SSID Spoofing HIGH

SSID 'NETWORK_13' is broadcast by 3 distinct BSSIDs: ['00:00:00:00:00:22', '00:00:00:00:04:a4', '00:00:00:00:00:2a']

SSID Spoofing HIGH

SSID 'NETWORK_2' is broadcast by 4 distinct BSSIDs: ['00:00:00:00:00:04', '00:00:00:00:00:0c', '00:00:00:00:00:03', '00:00:00:00:00:08']

SSID Spoofing HIGH

SSID 'NETWORK_3' is broadcast by 3 distinct BSSIDs: ['00:00:00:00:00:05', '00:00:00:00:00:0a', '00:00:00:00:00:07']

SSID Spoofing — HIGH

SSID 'NETWORK_4' is broadcast by 2 distinct BSSIDs: ['00:00:00:00:00:06', '00:00:00:00:00:0a']

SSID Spoofing — HIGH

SSID 'NETWORK_5' is broadcast by 2 distinct BSSIDs: ['00:00:00:00:00:07', '00:00:00:00:00:0b']

SSID Spoofing — HIGH

SSID 'NETWORK_6' is broadcast by 4 distinct BSSIDs: ['00:00:00:00:00:08', '00:00:00:00:03:0a', '00:00:00:00:00:11', '00:00:00:00:02:6c']

SSID Spoofing — HIGH

SSID 'NETWORK_7' is broadcast by 3 distinct BSSIDs: ['00:00:00:00:00:0e', '00:00:00:00:05:af', '00:00:00:00:00:24']

SSID Spoofing — HIGH

SSID 'NETWORK_8' is broadcast by 3 distinct BSSIDs: ['00:00:00:00:00:0f', '00:00:00:00:03:0e', '00:00:00:00:00:25']

SSID Spoofing — HIGH

SSID 'NETWORK_9' is broadcast by 3 distinct BSSIDs: ['00:00:00:00:00:10', '00:00:00:00:06:19', '00:00:00:00:00:26']

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:00:02 ('NETWORK_1') RSSI=-61 dBm deviates 6.8 dBm from mean -54.2 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:00:03 ('NETWORK_1') RSSI=-46 dBm deviates 12.1 dBm from mean -58.1 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:00:03 ('NETWORK_2') RSSI=-76 dBm deviates 17.9 dBm from mean -58.1 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:00:04 ('NETWORK_2') RSSI=-46 dBm deviates 11.5 dBm from mean -57.5 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:00:04 ('NETWORK_1') RSSI=-75 dBm deviates 17.5 dBm from mean -57.5 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:00:05 ('NETWORK_3') RSSI=-46 dBm deviates 12.1 dBm from mean -58.1 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:00:06 ('NETWORK_4') RSSI=-46 dBm deviates 11.9 dBm from mean -57.9 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:07 ('NETWORK_5') RSSI=-47 dBm deviates 6.4 dBm from mean -53.4 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:07 ('NETWORK_3') RSSI=-64 dBm deviates 10.6 dBm from mean -53.4 dBm (detected by: z-score, ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:08 ('NETWORK_6') RSSI=-63 dBm deviates 8.7 dBm from mean -54.3 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:08 ('NETWORK_2') RSSI=-63 dBm deviates 8.7 dBm from mean -54.3 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:09 ('NETWORK_1') RSSI=-74 dBm deviates 4.7 dBm from mean -69.3 dBm (detected by: z-score, ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:0a ('NETWORK_3') RSSI=-73 dBm deviates 16.7 dBm from mean -56.3 dBm (detected by: z-score, ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:0a ('NETWORK_4') RSSI=-64 dBm deviates 7.7 dBm from mean -56.3 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:0b ('NETWORK_5') RSSI=-74 dBm deviates 17.6 dBm from mean -56.4 dBm (detected by: z-score, ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:0c ('NETWORK_2') RSSI=-66 dBm deviates 5.4 dBm from mean -71.4 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:0c ('') RSSI=-77 dBm deviates 5.6 dBm from mean -71.4 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:0e ('NETWORK_7') RSSI=-56 dBm deviates 5.7 dBm from mean -61.7 dBm (detected by: z-score, ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:0f ('NETWORK_8') RSSI=-58 dBm deviates 3.2 dBm from mean -61.2 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:10 ('NETWORK_9') RSSI=-56 dBm deviates 4.7 dBm from mean -60.7 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:11 ('NETWORK_10') RSSI=-57 dBm deviates 5.7 dBm from mean -62.7 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:11 ('NETWORK_6') RSSI=-67 dBm deviates 4.3 dBm from mean -62.7 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:12 ('') RSSI=-68 dBm deviates 3.9 dBm from mean -71.9 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:18 ('NETWORK_11') RSSI=-58 dBm deviates 3.5 dBm from mean -61.5 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:19 ('') RSSI=-58 dBm deviates 4.0 dBm from mean -62.0 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:1d ('NETWORK_12') RSSI=-54 dBm deviates 7.0 dBm from mean -61.0 dBm (detected by: z-score, ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:22 ('NETWORK_13') RSSI=-57 dBm deviates 3.5 dBm from mean -60.5 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:23 ('') RSSI=-58 dBm deviates 4.0 dBm from mean -62.0 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:24 ('NETWORK_7') RSSI=-67 dBm deviates 3.3 dBm from mean -63.7 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:25 ('NETWORK_8') RSSI=-68 dBm deviates 4.9 dBm from mean -63.1 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:26 ('NETWORK_9') RSSI=-72 dBm deviates 8.5 dBm from mean -63.5 dBm (detected by: z-score, ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:27 ('NETWORK_10') RSSI=-68 dBm deviates 4.9 dBm from mean -63.1 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:28 ('NETWORK_11') RSSI=-69 dBm deviates 6.1 dBm from mean -62.9 dBm (detected by: z-score, ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:29 ('NETWORK_12') RSSI=-67 dBm deviates 4.5 dBm from mean -62.5 dBm (detected by: ML)

RSSI Anomaly MEDIUM

BSSID 00:00:00:00:00:2a ('NETWORK_13') RSSI=-60 dBm deviates 3.6 dBm from mean -63.6 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:00:2b ('') RSSI=-67 dBm deviates 4.2 dBm from mean -62.8 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:00:2c ('') RSSI=-68 dBm deviates 3.9 dBm from mean -64.1 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:01:7b ('NETWORK_10') RSSI=-68 dBm deviates 5.3 dBm from mean -62.7 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:03:0e ('NETWORK_8') RSSI=-59 dBm deviates 3.0 dBm from mean -62.0 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:05:03 ('NETWORK_36') RSSI=-56 dBm deviates 4.5 dBm from mean -60.5 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:05:fd ('NETWORK_46') RSSI=-63 dBm deviates 5.0 dBm from mean -58.0 dBm (detected by: ML)

RSSI Anomaly — MEDIUM

BSSID 00:00:00:00:06:24 ('NETWORK_38') RSSI=-63 dBm deviates 2.4 dBm from mean -65.4 dBm (detected by: ML)

Probe Response Flood — MEDIUM

BSSID 00:00:00:00:00:02 sent 5155 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_1']

Probe Response Flood — MEDIUM

BSSID 00:00:00:00:00:03 sent 3265 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_1', 'NETWORK_2']

Probe Response Flood — MEDIUM

BSSID 00:00:00:00:00:04 sent 3629 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_2', 'NETWORK_1']

Probe Response Flood — MEDIUM

BSSID 00:00:00:00:00:05 sent 2919 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_3']

Probe Response Flood — MEDIUM

BSSID 00:00:00:00:00:06 sent 3352 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_4']

Probe Response Flood — MEDIUM

BSSID 00:00:00:00:00:07 sent 8337 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_5', 'NETWORK_3']

Probe Response Flood — MEDIUM

BSSID 00:00:00:00:00:08 sent 5615 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_6', 'NETWORK_2']

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:09 sent 282 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_1']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:0a sent 6841 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_3', 'NETWORK_4']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:0b sent 6543 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_5']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:0c sent 256 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_2']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:0e sent 63 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_7']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:0f sent 96 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_8']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:10 sent 63 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_9']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:11 sent 127 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_10', 'NETWORK_6']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:18 sent 62 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_11']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:1d sent 52 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_12']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:22 sent 58 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_13']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:23 sent 27 ProbeResp frames (threshold=3); SSIDs: ['']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:24 sent 53 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_7']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:25 sent 69 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_8']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:26 sent 50 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_9']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:27 sent 50 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_10']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:28 sent 52 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_11']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:29 sent 41 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_12']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:2a sent 42 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_13']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:00:2c sent 4 ProbeResp frames (threshold=3); SSIDs: ['']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:01:7b sent 4 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_10']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:03:0a sent 5 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_6']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:03:0e sent 16 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_8']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:04:4b sent 4 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_22']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:04:4c sent 7 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_37']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:05:03 sent 45 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_36']	

Probe Response Flood	MEDIUM
BSSID 00:00:00:00:05:fd sent 27 ProbeResp frames (threshold=3); SSIDs: ['NETWORK_46']	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:09 ('NETWORK_1') is not in the authorised whitelist	

Unknown BSSID HIGH

BSSID 00:00:00:00:00:0a ('NETWORK_3') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:0b ('NETWORK_5') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:0c ('NETWORK_2') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:0e ('NETWORK_7') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:0f ('NETWORK_8') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:10 ('NETWORK_9') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:11 ('NETWORK_10') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:12 ('') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:18 ('NETWORK_11') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:19 ('') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:1d ('NETWORK_12') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:22 ('NETWORK_13') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:23 ('') is not in the authorised whitelist

Unknown BSSID HIGH

BSSID 00:00:00:00:00:7c ('') is not in the authorised whitelist

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:a8 ('NETWORK_19') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:01:22 ('') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:01:7b ('NETWORK_10') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:02:4d ('') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:02:b3 ('NETWORK_12') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:03:0a ('NETWORK_6') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:03:0e ('NETWORK_8') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:04:4b ('NETWORK_22') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:04:4c ('NETWORK_37') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:04:a4 ('NETWORK_13') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:04:a8 ('NETWORK_11') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:04:df ('') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:05:af ('NETWORK_7') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:05:fd ('NETWORK_46') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:06:19 ('NETWORK_9') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:06:59 ('') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:02 ('NETWORK_1') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:24 ('NETWORK_7') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:25 ('NETWORK_8') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:26 ('NETWORK_9') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:27 ('NETWORK_10') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:28 ('NETWORK_11') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:29 ('NETWORK_12') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:2a ('NETWORK_13') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:2b ('') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:2c ('') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:00:31 ('') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:02:6c ('NETWORK_6') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:02:f8 ('') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:04:76 ('') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:05:03 ('NETWORK_36') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:06:24 ('NETWORK_38') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:06:f8 ('') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:07:c8 ('NETWORK_67') is not in the authorised whitelist	

Unknown BSSID	HIGH
BSSID 00:00:00:00:08:4d ('') is not in the authorised whitelist	

Detection Methodology

This system implements signature-based analysis of IEEE 802.11 wireless frames captured in a simulated campus environment. Six detection rules are applied to identify rogue access points based on frame anomalies, SSID conflicts, and signal behaviour patterns.

Rule	Severity	Description
SSID Spoofing	HIGH	Detects when the same SSID is advertised by more than one distinct BSSID across captures. In a legiti
MAC Inconsistency	HIGH	In Beacon and ProbeResponse frames the transmitter address (addr2) must equal the BSSID field (add
Unknown BSSID	HIGH	When an authorised BSSID whitelist is provided, any BSSID not appearing in that list is flagged immedi
RSSI Anomaly	MEDIUM	Computes the Z-score of each BSSID's RSSI values across all frames. Readings deviating beyond 2.5 s
Probe Response Flood	MEDIUM	A rogue AP acting as a honeypot responds eagerly to every ProbeRequest. Any source BSSID sending
MAC Timestamp Drift	LOW	The MAC-layer timestamp in Beacon frames should advance at the same rate as the system wall clock.

Risk Scoring System

Severity	Points	Verdict Thresholds
HIGH	3 pts	ROGUE (HIGH CONFIDENCE): Score ≥ 5

MEDIUM	2 pts	SUSPICIOUS: Score ≥ 3
LOW	1 pt	LOW RISK: Score < 3

Recommendations

#	Priority	Action
1	HIGH	Immediately isolate and investigate all ROGUE-flagged BSSIDs. Verify physical presence of the device on campus network infras
2	MEDIUM	Monitor SUSPICIOUS-flagged BSSIDs closely. Cross-reference against the authorised AP whitelist maintained by network admin
3	HIGH	Investigate all HIGH-severity SSID Spoofing and MAC Inconsistency findings — these are strong indicators of evil twin or frame ir
4	LOW	Maintain and regularly update the authorised BSSID whitelist. Schedule periodic wireless scans at minimum every 24 hours.
5	LOW	Educate campus users to verify network authenticity before connecting and to avoid networks with unfamiliar or duplicate SSIDs.