

East Crazies Example Soils Scope Of Work

DATE 2026-05-07	AUDIENCE WLG demonstration package	PURPOSE show that the system can produce resource-area scopes of work for a new NEPA project from a structured project intake
EXAMPLE PROJECT East Crazy Inspiration Divide land exchange	FOREST Custer Gallatin National Forest	DISTRICTS Yellowstone Ranger District; Bozeman Ranger District
RESOURCE AREA Soils	This is a planning and contracting support SOW for an early-stage project. It translates the controlling source stack into the fieldwork, analysis, and reporting needed for a defensible soils specialist report or approved issue-screening memo. Project drivers: proposed trail construction or reroute, trailhead improvements, stream/wetland approaches, wet or hydric soils, erosion and sediment delivery, parcel restrictions, access/easement features, grazing-related improvements, and acquired-parcel management. This SOW is not a final agency decision, legal sufficiency review, or NEPA compliance determination.	

DELIVERABLES

1. Fieldwork

- Survey-trigger and screen-out table for each proposed action element, identifying the source authority, required field survey, and reason any survey is not triggered.
- Activity-area, developed-site/permanent-road screen-out, and treatment-unit map set tied to soil map units, slope/stability limits, waterbody interfaces, access/staging, and crossing locations.
- DSD field package for each FW-STD-SOIL-01 activity area: pre-implementation percent DSD, expected post-implementation DSD, disturbance class, GPS/photo/form evidence, and protocol deviations.
- Site-specific soil/BMP observations for erosion, sediment delivery, wet or hydric soils, unstable areas, slopes over 40 percent, temporary access, blading, pits/trenches, burn piles, revegetation, and CWD only where FW-GDL-SOIL-07 or MON-SOIL-02 is triggered.

2. Analysis

- Potentially affected environment and reasonably foreseeable soil impacts for the proposed action, no-action consequences, and any Forest Service-provided alternative.
- FW-STD-SOIL-01 calculation package showing activity-area acreage, existing DSD, expected DSD, 15-percent standard status, restoration/net-improvement need, and any valid screen-out rationale.
- 36 CFR 219.15 Forest Plan consistency table for applicable soil desired conditions, standards, guidelines, suitability components if any, and MON-SOIL-01/MON-SOIL-02 monitoring triggers.
- Design criteria, mitigation, BMP, and monitoring matrix tied to action element, location, source trigger, timing, responsible party, verification method, and whether the measure is required or advisory.
- Data-gap and uncertainty summary identifying only the additional information essential to a reasoned choice among alternatives or to support the issue-screening/FONSI record.

3. Reporting

- Draft and final PDF Soils Specialist Report or Forest Service-approved issue-screening memo.
- Appendix A authority-to-report crosswalk updated for the project and cited in the report.
- Editable report source, final tables, map atlas, GIS package, photo log, field forms, source inventory, metadata/readme, limitations memo, and comment-response log if Forest Service or ID-team comments are provided.
- Concise EA/FONSI support text only where requested by the Forest Service and only from conclusions already supported in the soils report or issue-screening memo.

FIELDWORK/DATA COLLECTION

Field surveys will collect existing soil condition data within the proposed project area to evaluate soil disturbance, stability, sensitivity, and productivity. Field monitoring should be prioritized in areas with higher past disturbance, sensitive soil map units, wet or hydric soils, unstable slopes, erosion or sediment-connectivity risk, and areas expected to receive higher levels of ground disturbance from trail, trailhead, access, crossing, staging, restoration, or parcel-management work.

Before mobilization, prepare a survey-trigger table that ties each proposed action element to the source that requires field verification. If a survey below is not triggered, record the reason in the table.

Methodology

Required fieldwork is based on R1 FSM 2550 soil-quality direction, NFMA and 36 CFR part 219 project consistency requirements, and the Custer Gallatin National Forest Land Management Plan. Use the Forest Service Soil-Disturbance Field Guide, Forest Soil Disturbance Monitoring Protocol, NRCS Web Soil Survey/SSURGO, and National BMP direction as the field and data methods.

- DSD surveys. Required where a management activity could create or add to detrimental soil disturbance in an activity area subject to FW-STD-SOIL-01. Classify and estimate existing DSD and expected DSD for trail construction, trail reroutes, temporary access/staging, restoration, crossing, and parcel-management work. Screen out intensively developed sites, permanent roads, and existing developed-recreation footprints from FW-STD-SOIL-01 calculations; address those areas through BMPs, site design, and watershed controls. Record

compaction, rutting, displacement, puddling, surface erosion, severe burning if present, organic-matter loss, and mass movement. Tie applicable results to FW-STD-SOIL-01 and MON-SOIL-01.

- Soil survey and activity-area delineation. Required for each ground-disturbing action area. Verify soil map units, slope class, landform, drainage position, hydric/wet soil indicators, erosion hazard, revegetation limits, compaction/rutting limits, and sediment connectivity. Define the activity area used for DSD evaluation; for linear trails, document length, width, acreage, and rationale. If a developed-site or permanent-road footprint is screened out of FW-STD-SOIL-01, document the source rationale and the BMP/design controls that still apply.
- Soil sensitivity and productivity survey. Required where soil map units or field indicators show productivity risk, wetness, shallow or restrictive layers, erosion hazard, compaction sensitivity, poor revegetation potential, or other sensitive soil conditions. Identify design changes, restoration needs, or monitoring needed to maintain soil productivity and function.
- Slope, stability, and equipment-constraint survey. Required where mechanized construction, ground-based equipment, temporary access, blading, scarification, pits/trenches, burn piles, steep slopes, or unstable landforms are proposed. Verify sustained grades over 40 percent, high mass-wasting potential, unstable slopes, wet soils, and locations where FW-GDL-SOIL-01 through FW-GDL-SOIL-08 are triggered.
- CWD and organic-substrate survey. Required where vegetation management treatment units trigger FW-GDL-SOIL-07 or MON-SOIL-02. Estimate coarse woody debris where those components apply. Otherwise, document litter, duff, ground cover, and restoration substrate conditions only as existing-condition or BMP-support information.
- Waterbody interface and BMP survey. Required where trail, trailhead, access, crossing, drainage, or restoration work is near streams, wetlands, riparian areas, seeps, springs, swales, drainage paths, or other sediment-routing features. Identify drainage controls, hydrologic disconnection, crossing hardening, wet-weather restrictions, revegetation, decompaction, and inspection needs.

Minimum Survey Record

For each triggered survey location or activity area, record:

- date, observer, weather, soil moisture, access limits, survey trigger, and source driver;
- activity-area ID, action element, soil map unit, GPS identifier, photo IDs, and field form ID;
- protocol used, measurements taken, disturbance class, percent disturbance where required, and linear-feature substitute metric if approved;
- slope, landform, drainage position, hydric/wet soil indicators, unstable-area indicators, productivity or sensitivity indicators, and sediment-connectivity notes;
- BMP, design criterion, mitigation, restoration, monitoring requirement, data gap, or revisit need.

Conduct fieldwork during snow-free conditions when the mineral soil surface, organic cover, and drainage paths can be observed. Conduct a wet-season or post-storm revisit only if waterbody connectivity, runoff, erosion, or sediment delivery cannot be determined during the main survey.

ANALYSIS OUTPUT

Use Appendix A as the authority-to-report control table. The analysis should answer only the soil questions triggered by the proposed action and should tie each conclusion to field evidence, GIS data, cited source direction, or a documented Forest Service assumption.

1. Existing Condition

Summarize the soil setting for each affected activity area:

- soil map unit, slope, landform, drainage, hydric/wet soil indicator, erosion hazard, and revegetation or compaction limitation;
- existing detrimental soil disturbance, route drainage, erosion, sediment connectivity, and restoration need;
- CWD, litter/duff, ground cover, or organic-substrate condition only where the CWD/organic-substrate survey is triggered;

- disposal-parcel and acquisition-parcel soil conditions only where parcel restrictions or future NFS management create a soil issue;
- data gaps that limit effects conclusions.

2. Effects Indicators

Use the same indicators for no action, proposed action, and any Forest Service-provided alternative:

- activity-area acreage for area-based work;
- length, width, crossing count, drainage feature count, wetland/riparian approach count, and representative disturbance class for linear trail work;
- percent detrimental soil disturbance where FW-STD-SOIL-01 applies;
- hydrologic connectivity, erosion risk, revegetation feasibility, wet-soil limitation, unstable-area risk, and restoration need.

Do not force linear trail effects into acreage-only conclusions. Use acreage where it is useful and linear metrics where they better describe the effect.

3. Proposed-Action Effects

Analyze soil effects from the proposed trail construction, trail reroute, trailhead work, crossings, access/staging, restoration, and parcel-management changes. Address whether the action would:

- create, add to, or restore detrimental soil disturbance;
- route sediment toward streams, wetlands, riparian areas, seeps, springs, swales, or drainage paths;
- reduce an existing stream/wetland crossing effect through the Inspiration Divide Trail reroute;
- require erosion, compaction, drainage, topsoil, revegetation, wet-weather, or equipment controls;
- create soil-management obligations on acquired NFS parcels or reduce soil risk through parcel restrictions after conveyance.

4. Forest Plan Consistency

Use Appendix A to document the Forest Plan consistency finding needed for the soils report. The report must state:

- whether FW-STD-SOIL-01 applies, is met, requires restoration, or is not triggered;
- which FW-GDL-SOIL-01 through FW-GDL-SOIL-08 guidelines apply and what design feature or equivalent measure satisfies each one;
- whether MON-SOIL-01 or MON-SOIL-02 monitoring is required or screened out;
- which related road/trail, watershed, riparian, wetland, revegetation, invasive-species, backcountry, or recommended-wilderness components change the soils analysis.

5. Mitigation, BMPs, And Monitoring

Provide one mitigation/BMP/monitoring matrix. Each row must include action element, location, triggering source, soil concern, required measure, timing, responsible party, and verification method. Include only measures tied to a triggered source or a site-specific field finding.

6. Reasonably Foreseeable Effects And Uncertainty

Evaluate reasonably foreseeable soil impacts using the same indicators listed above. Include other actions separate in time, separate in place, outside Forest Service control, or initiated by third parties only where that context assists reasoned decision-making; document the line drawn for that analysis. Potential context includes existing/proposed routes, trailheads, unauthorized routes, drainage, grazing, wetland/riparian disturbance, foreseeable trail or road work, private land development risk after conveyance, and vegetation/restoration actions.

Close the analysis with unresolved assumptions, field limitations, missing design details, and Forest Service decisions needed before the soils conclusions can support later NEPA or implementation files.

REPORTING OUTPUT

1. Draft Soils Specialist Report Or Issue-Screening Memo

Provide a draft report or Forest Service-approved issue-screening memo with:

- project action elements and soils issue triggers;
- field methods and survey-trigger table;
- existing condition by activity area;
- effects indicators and disturbance calculations;
- reasonably foreseeable environmental impacts where triggered, including separate-action context only where documented as useful to reasoned decision-making;
- Forest Plan consistency finding using Appendix A;
- mitigation/BMP/monitoring matrix;
- residual uncertainty, assumptions, and limitations.

Acceptance criteria:

- directly addresses each soil-triggering action element;
- states whether FW-STD-SOIL-01 applies, is met, requires restoration, or is not triggered;
- ties conclusions to Appendix A, field evidence, GIS evidence, official soil data, or specialist judgment;
- distinguishes required mitigation or monitoring from optional design recommendations.

2. NEPA-Ready Soils Summary Text

If requested by the Forest Service, provide concise disclosure text drawn from the soils report or issue-screening memo.

Acceptance criteria:

- summarizes the potentially affected environment, reasonably foreseeable environmental impacts, mitigation/design criteria, and Forest Plan consistency only where supported by the report;
- references the soils report or issue-screening memo instead of duplicating technical detail;
- identifies design criteria or monitoring that must carry into later decision or implementation files.

3. Final Report And Data Package

Provide final report or memo, final PDF, editable source file, Appendix A, final tables, map atlas, GIS layers or geodatabase/geopackage, photo log, field forms, source data inventory, metadata/readme, limitations memo, and comment-response log.

Acceptance criteria:

- resolves Forest Service and ID-team comments;
- preserves source citations, field-data traceability, and the authority-to-report crosswalk;
- documents residual uncertainty and remaining Forest Service decisions;
- final PDF starts with a valid `%PDF-` header.

APPENDIX A. AUTHORITY-TO-REPORT CROSSWALK

Use this appendix as the starting control table for the soils specialist report. Update it only if Forest Service direction, source currentness, or the proposed action changes.

A1. NEPA, USDA NEPA Procedures, And Forest Service NEPA Direction

SOURCE	NEPA; USDA NEPA procedures at 7 CFR part 1b; Forest Service NEPA directives and guidance, including FSH 1909.15 where applicable.
TRIGGER	Federal land exchange, trail, trailhead, access, and parcel-management decisions that need soils effects support for an environmental assessment or issue-screening memo.
REPORT OUTPUT	concise affected environment, methods, reasonably foreseeable environmental impacts, separate-action context if useful and documented, mitigation/monitoring, source citations, and data limitations.
ACCEPTANCE TEST	each conclusion is traceable to reliable existing data, field evidence, or a documented Forest Service assumption; the report does not make the agency decision.

A2. Third-Party Or Consultant-Prepared Analysis

SOURCE	7 CFR section 1b.10 contractor/third-party preparation procedures and Forest Service direction.
TRIGGER	WLG or a consultant prepares soils analysis for Forest Service review.
REPORT OUTPUT	editable report, field forms, GIS/map package, photo log, source inventory, assumptions, limitations, and comment-response log.
ACCEPTANCE TEST	Forest Service can independently review the methods, source citations, field evidence, and assumptions before using the report.

A3. NFMA And 36 CFR Part 219

SOURCE	NFMA; 36 CFR part 219, especially project/activity consistency with the applicable Forest Plan.
TRIGGER	Any NFS project or authorization after approval of the Custer Gallatin Forest Plan.
REPORT OUTPUT	Forest Plan consistency section that addresses applicable desired conditions, standards, guidelines, suitability, and monitoring components.
ACCEPTANCE TEST	the report states whether the action complies with standards, follows guidelines or uses an equally effective design, and avoids foreclosing applicable desired conditions.

A4. Custer Gallatin Forest Plan Soil Desired Conditions

SOURCE	FW-DC-SOIL-01, FW-DC-SOIL-02, and FW-DC-SOIL-03.
TRIGGER	Trail, trailhead, crossing, access, restoration, and parcel-management actions that could affect soil productivity, hydrologic function, erosion, or ground cover.
REPORT OUTPUT	existing-condition and effects discussion for soil productivity, erosion, sediment connectivity, infiltration, ground cover, and restoration feasibility.
ACCEPTANCE TEST	the report explains how the action maintains or moves toward the soil desired conditions, or identifies the design changes needed.

A5. Custer Gallatin Forest Plan Soil Standard

SOURCE	FW-STD-SOIL-01.
TRIGGER	Any management activity that could create or add to detrimental soil conditions in an activity area subject to the standard. Screen out intensively developed sites, developed recreation sites, administrative sites, rock quarries, mines, and permanent roads where the standard does not apply.
REPORT OUTPUT	activity-area delineation, existing DSD estimate, expected DSD estimate, linear-trail metric rationale if used, screen-out rationale where used, and restoration/design measures needed to avoid exceeding the standard.
ACCEPTANCE TEST	the report states whether FW-STD-SOIL-01 applies, is met, requires restoration, or is not triggered.

A6. Custer Gallatin Forest Plan Soil Guidelines

SOURCE	FW-GDL-SOIL-01 through FW-GDL-SOIL-08.
TRIGGER	Ground-based equipment, temporary access, blading, scarification, pits/trenches, burn piles, steep slopes, high mass-wasting potential, CWD, or restoration work.
REPORT OUTPUT	guideline applicability table with action element, location, field finding, design feature, mitigation, or equally effective alternative.
ACCEPTANCE TEST	every triggered guideline is carried into the design criteria or explicitly screened out.

A7. Custer Gallatin Forest Plan Soil Monitoring

SOURCE	MON-SOIL-01 and MON-SOIL-02.
TRIGGER	DSD monitoring where FW-STD-SOIL-01 applies; CWD monitoring where vegetation management treatment units trigger FW-GDL-SOIL-07 or MON-SOIL-02.
REPORT OUTPUT	monitoring recommendation with location, metric, timing, responsible party, and success criterion.
ACCEPTANCE TEST	the report identifies pre/post DSD monitoring and CWD monitoring where triggered, or states why they are not triggered.

A8. Region 1 Soil Management Direction

SOURCE	USDA Forest Service Manual, Region 1 Supplement, FSM 2550 Soil Management.
TRIGGER	Forest Service management activity that could affect soil productivity or create detrimental soil disturbance.
REPORT OUTPUT	regional soil-quality method, DSD threshold logic, productivity-risk discussion, and restoration requirements.
ACCEPTANCE TEST	regional soil direction is visible in the methods, effects indicators, and mitigation/monitoring matrix.

A9. Soil-Disturbance Field Guide And Monitoring Protocol

SOURCE	Forest Service Soil-Disturbance Field Guide and Forest Soil Disturbance Monitoring Protocol.
TRIGGER	Any required DSD survey or soil-disturbance classification.
REPORT OUTPUT	disturbance classes, field forms, photo/GPS evidence, activity-area summary, and protocol deviations.
ACCEPTANCE TEST	disturbance conclusions are repeatable from the field record.

A10. NRCS Web Soil Survey And SSURGO

SOURCE	NRCS Web Soil Survey and SSURGO.
TRIGGER	Every mapped activity area and any parcel where soil limitations affect the proposed action.
REPORT OUTPUT	soil map unit/activity-area crosswalk, limitation ratings, hydric/wet soil indicators, erosion hazard, drainage, revegetation limits, and data limitations.
ACCEPTANCE TEST	official soil data are cited and field-verified where the action creates a soil issue.

A11. National BMPs

SOURCE	Forest Service National Best Management Practices Program.
TRIGGER	Trail, trailhead, access, crossing, drainage, or restoration work with water-quality or sediment-delivery risk.
REPORT OUTPUT	BMP matrix for drainage control, hydrologic disconnection, crossing hardening, sediment control, wet-weather restrictions, decompaction, revegetation, and inspection.
ACCEPTANCE TEST	BMPs are tied to mapped locations and verification methods, not listed generically.

A12. East Crazies Example Action Elements

SOURCE	East Crazies structured intake assumptions and Forest Service project summary for project 63115.
TRIGGER	Sweet Trunk Trail work, Inspiration Divide Trail reroute, Big Timber Canyon Trailhead improvements, stream/wetland approaches, access/easement features, parcel restrictions, grazing improvements, and acquired-parcel management needs.
REPORT OUTPUT	action-element by soil-concern matrix, field-survey trigger table, effects indicators, maps, mitigation/BMP/monitoring matrix, and issue-screening rationale if a full report is not required.
ACCEPTANCE TEST	every soils conclusion is tied to an action element or explicitly screened out.

SOURCES CITED

- National Environmental Policy Act, 42 U.S.C. 4321 et seq.
- National Forest Management Act, 16 U.S.C. 1600 et seq.

- USDA NEPA procedures, 7 CFR part 1b: <https://www.ecfr.gov/current/title-7/subtitle-A/part-1b>
- National Forest System land management planning, 36 CFR part 219: <https://www.ecfr.gov/current/title-36/chapter-II/part-219>
- Forest Service National Directives: <https://www.fs.usda.gov/about-agency/regulations-policies/national-directives>
- Forest Service NEPA Procedures and Guidance: <https://www.fs.usda.gov/about-agency/regulations-policies/nepa/nepa-procedures-and-guidance>
- USDA Forest Service Manual, Region 1 Supplement, FSM 2550 Soil Management: <https://www.fs.usda.gov/im/directives/field/r1/fsm/2500/r1-2550.docx>
- Custer Gallatin National Forest Land Management Plan: <https://www.fs.usda.gov/r01/custergallatin/planning/forest-plan/custer-gallatin-land-management-plan-forest-plan-revision>
- East Crazy Inspiration Divide Land Exchange project summary: <https://www.fs.usda.gov/r01/custergallatin/projects/63115>
- Forest Service Soil Quality Monitoring resources: <https://www.fs.usda.gov/soils/monitoring.shtml>
- Forest Service Soil-Disturbance Field Guide: https://www.fs.usda.gov/t-d/php/library_card.php?p_num=0819+1815P
https://www.fs.usda.gov/rm/pubs_other/rmrs_2009_napper_c001.pdf
- NRCS Web Soil Survey and SSURGO: <https://www.nrcs.usda.gov/resources/data-and-reports/web-soil-survey>
- Forest Service National Best Management Practices Program: <https://www.fs.usda.gov/naturalresources/watershed/bmp.shtml>
- East Crazies example project intake assumptions: land exchange, proposed trail construction, proposed trail reroute, trailhead improvements, parcel restrictions, easements, wetland/riparian interfaces, grazing-related improvements, and acquired-parcel management needs.