



HASIL LABORATORIUM
LABORATORY RESULTS

Nama/Name	: Ny. Tresna Rinekasari	No. Lab/ Lab Number	: Rajal/046/V/21
No. RM/ Medical Record Number	: -	Tanggal Periksa/ Examination Date	: 23 Mei 2021 Jam 10:30 Wib
Tanggal Lahir/ DOB	: 24 September 1969	No. Telepon/ Phone	: 087884261646
Jenis Kelamin/ Gender	: Perempuan	Dokter Pengirim/ From Doctor	: APS
Nama Pasangan/ Spouse's Name	: -	Dokter Penanggung Jawab/ Doctor in Charge	: dr. Fathimah Yasin, MKes, SpPK

Test	Result	Normal Range	Approved Date
Antigen SARS-CoV-2	Negative	Negative	23 Mei 2021


Catatan/ note :

- Hasil negative tidak menyingkirkan kemungkinan terinfeksi SARS-CoV-2 sehingga masih berisiko menularkan ke orang lain, disarankan tes ulang atau tes konfirmasi dengan Swab PCR, bila probabilitas pretes relatif tinggi, terutama bila pasien bergejala atau diketahui memiliki kontak dengan orang yang terkonfirmasi COVID-19

Negative result does not eliminates the possibility of being infected by SARS-CoV-2, so there is a risk of transmitting to other people, so a retest or a confirmation test with a PCR swab is recommended, if the pretest probability is relatively high, especially if the patient is symptomatic or is known to have had contact with a person who is confirmed to have COVID-19.

- Hasil negatif dapat terjadi pada kondisi kuantitas antigen pada spesimen di bawah level deteksi alat.

Negative result may occur when the antigen quantity in the specimen is below the device detection level.

Pemeriksa
Examiner

Ajeng