

306

10



402. Remove K Digits

Notes


[Description \(/problems/remove-k-digits/description/\)](/problems/remove-k-digits/description/)
[Hints \(/problems/remove-k-digits/hints/\)](/problems/remove-k-digits/hints/)
[Submissions \(/problems/remove-k-digits/submissions/\)](/problems/remove-k-digits/submissions/)
[\(/problems/remove-k-digits/discuss/\)](/problems/remove-k-digits/discuss/) > Two algorithms with detailed explanation

Share

Subscribe

Report

Two algorithms with detailed explanation

5.4K

VIEWS



Last Edit: Mar 17, 2018, 10:50 AM



(/pingo) pingo (/pingo) ★ 40

28



The first algorithm is straight-forward. Let's think about the simplest case: how to remove 1 digit from the number so that the new number is the smallest possible? Well, one can simply scan from left to right, and remove the first "peak" digit; the peak digit is larger than its right neighbor. One can repeat this procedure k times, and obtain the first algorithm:

```
string removeKdigits(string num, int k) {
    while (k > 0) {
        int n = num.size();
        int i = 0;
        while (i+1<n && num[i]>num[i+1]) i++;
        num.erase(i, 1);
        k--;
    }
    // trim leading zeros
    int s = 0;
    while (s<(int)num.size()-1 && num[s]=='0') s++;
    num.erase(0, s);

    return num==" " ? "0" : num;
}
```

The above algorithm is a bit inefficient because it frequently remove a particular element from a string and has complexity $O(k*n)$.

One can simulate the above procedure by using a stack, and obtain a $O(n)$ algorithm. Note, when the result stack (i.e. res) pop a digit, it is equivalent as remove that "peak" digit.

```

string removeKdigits(string num, int k) {
    string res;
    int keep = num.size() - k;
    for (int i=0; i<num.size(); i++) {
        while (res.size()>0 && res.back()>num[i] && k>0) {
            res.pop_back();
            k--;
        }
        res.push_back(num[i]);
    }
    res.erase(keep, string::npos);

    // trim leading zeros
    int s = 0;
    while (s<(int)res.size()-1 && res[s]=='0') s++;
    res.erase(0, s);

    return res=="" ? "0" : res;
}

```



Comments: 3

Sort By ▼

Type comment here... (Markdown is supported)

Preview

Post

pinkfloyda (/pinkfloyda) ★ 350 ⌚ Apr 9, 2017, 5:14 PM ⋮

Nice solution, but would you mind share some thinking processes of how to come up with the solution to look for the peak value. When I first came across this problem, I go into a totally different solution which turns out to be wrong.

3 ^ v Share Reply

shenghanfang (/shenghanfang) ★ 0 ⌚ Mar 30, 2017, 4:20 AM ⋮

thanks a lot! !

0 ^ v Share Reply

SNSN2033 (/snsn2033) ★ 0 ⌚ Jan 9, 2017, 6:53 PM ⋮

Brief and clear explanation, thanks!

0 ^ v Share Reply

[Contact Us \(/support/\)](/support/) | [Frequently Asked Questions \(/faq/\)](/faq/) | [Terms of Service \(/terms/\)](/terms/) | [Privacy Policy \(/privacy/\)](/privacy/)

 [United States \(/region/\)](/region/)

 Notes