## Vehicle data

Attribute	Vehicle data
Vehicle Identification No.	SCBGJ23W4DC080532
Model	New Continental GTC CGTC
Date of production	04.07.2012
Year	2013
Sales type	39423B
Engine Code	CMMC
Transmission Code	PES
Axle drive	8A
Equipment	99
Roof color	0X
Exterior color / Paint Code	0X / K7N

## PR Number

Attribute		Description
Doors	0A1	2 doors
Fuel systems	0F4	Fuel system for turbo SI engine
Differentiation for manufacturing process	0FA	Standard manufacturing sequence
Transmission types/gear shift mechanisms	0G7	tiptronic
Fuel tank volume	0M6	Fuel tank
Nameplate set	0NA	Without nameplate set (without model designation)
Tailpipes	0P2	Exhaust tailpipe with trim
foot mats	0TX	With foot mats
Owner's manuals	0XN	Information kit in French and Dutch
Brake systems	1AT	Electronic stability control (ESC)
Shock absorption/suspension system	1BK	4-corner air suspension with electronic shock absorption control
Antifreeze agent	1C2	Antifreeze up to -35 degree Celsius tolerance up to -40 degree C
Trailer hitch	1D0	Without trailer hitch
Activated carbon canister/gasoline particulate filter	1E8	Activated carbon canister
Identification labels	1EX	Special identification label for EC for M1 passenger vehicles
Spare wheel/breakdown kit	1G5	Space-saving spare wheel, same size (same rolling circumference) as original equipment tires
Rear brakes	1KK	Disc brakes in rear

Attribute		Description
Front brakes	1LL	Disc brakes in front
Steering wheels	1MR	Leather-wrapped steering wheel
Steering system	1N3	Speed-related variable steering assist (Servotronic)
Lockable wheel bolts	1PC	Wheel bolts with anti-theft protection (unlockable)
Safety certificates	1QB	Special labels safety certificates for ROW
Vehicle tools and jack	1S1	Vehicle tools and jack
First aid kit/warning triangle	1T3	First aid kit with warning triangle
Folding table	1U8	Without folding table on front seat backrest
Cool box	1W0	Without refrigerator/glove compartment cooling system
Drive type	1X1	Four-wheel drive
Fuel filling volume	1Z0	Initial standard fuel filling
Steering column systems	2C4	Axially and vertically adjustable steering column with memory feature
Tank filler neck for unleaded fuel/fuel type	2G1	Insert for the filling up of unleaded fuel
Bumper	2JN	Comfort bumper, with chrome molding
Bumper systems	2K0	Standard bumpers
Fuel cap/fuel filler door closing mechanism	2W0	Fuel filler cap
Tiptronic control, steering column/ steering wheel	2X4	Tiptronic control on steering column
Type signs	2Z0	Elimination of model designation
Additional child seat anchorage	3B0	Without additional child seat anchors
Center seat belts in rear	3C0	Without seat belts in center, rear
Center console	3D1	Center console
Roof insert/convertible top	3FN	Canvas convertible top, power-operated
Child seat anchors in front	3G0	Without child seat anchora in front (ISOFIX)
Backrest release	3H9	Backrest release for front seats with Easy Entry feature
Seat adjustment	3L5	Both front seats power-adjustable
Door and side trim panels	3LW	Part-leather door and side trim panel
Floor coverings	3ME	Tufted velour floor covering
Flaps/storage compartments in the luggage compartment	3N0	Without storage compartments in trunk
Head restraints in rear	3Q3	head restraint for rear seat
Restraint systems in front	3QC	3-point seat belts, front
Sound insulation measures for interior noises	3W0	Without additional noise suppression measures for passenger compartment
Load-through hatch/ski bag	3X0	not with through-loading aperture
Sun blind for rear/side windows	3Y0	without roll-up sun screen
Outer seat belts in rear	3ZV	3-point seat belts, outer rear
seat heater	4A3	seat heating for front seats, separate controls
Protective side molding	4B1	Protective side strip
Seat ventilation/massage seat	4D5	Seat ventilation/massage seat(s) in front
Closing/opening mechanism tailgate/trunk lid/rear gate	4E7	Tailgate/trunk lid power closing
Door and tailgate/trunk lid locking mechanism	4F2	Central locking system "Keyless Entry"
Windshield	4GF	Heat-reflecting windshield
Side and rear windows	4KS	Side and rear windows
Breakaway interior rearview mirror	4L6	Breakaway interior rearview mirror, auto-dimming

Attribute		Description
Controls (steering wheel/steering column)	4LJ	Controls for adaptive cruise control and cruise control system
Dashboard	4N8	Dashboard with genuine leather
Window regulator	4R4	Power windows with comfort operation and circuit breaker
Armrests for front seats	4S1	Armrests for both front seats
Vanity mirror on the left	4SY	Vanity mirror left (type 2)
Vanity mirror on the right	4TY	Vanity mirror, right (type 2)
Airbag	4UF	Airbag for driver and front passenger with front passenger airbag deactivation
Front passenger seat control	4V0	Without front passenger seat control
Cassette/CD storage compartment	4W0	Without cassette/CD storage
Side airbag	4X1	Side airbag in front
Storage compartment	4Y0	Without storage compartment/safe box
Decorative trims	4ZB	Bright decorative trims
Luggage compartment trim	5A4	Luggage compartment trim (design 1)
Carrier frequency for remote control	5D1	Carrier frequency 433.92 to 434.42 Mhz
Curtains/sunshades	5G0	Without curtains
Rear seats	5KU	Two single seats
Stripes and film all around	5M9	Without stripes
Inserts	5MB	Decorative inserts
Right exterior mirror	5RQ	Exterior mirror, right, convex
Left exterior mirror	5SJ	Left exterior mirror, convex
Head restraints	5ZF	Front head restraints
Fire extinguisher	6A0	without fire extinguisher
Inlaid work	6BA	Without inlaid work
Center armrest in rear	6D0	Without armrest in rear
Decorative films/emblems	6F0	Without decorative films/emblems
Components with special surfaces	6FB	exterior mirror housing in colour of vehicle
Radiator grille	6KD	Radiator grille
Tie down straps/net/pocket	6M0	Without tie down straps/net/pocket
Molded headliner	6NQ	Standard molded headliner
Rear license plate carrier	6P8	Rear license plate carrier
License plate carrier in front	6W5	License plate carrier in front
Exterior mirror adjustment	6XL	Exterior mirrors with memory feature, auto-dimming, power-folding/adjustable/ heated
CD changer/CD player	7A0	Without CD changer/CD player
Theft protection system	7AP	Electronic immobilizer, with anti-theft alarm system, interior monitoring, backup horn and all-door unlocking
Gearshift knob/gearshift handle	7F4	Gearshift knob "Sports"
Tire pressure monitoring system	7K3	Tire pressure monitoring system 433 MHz High
Vehicle class differentiation powertrains/platform parts	7LZ	Vehicle class differentiation -390/4W0-
Scuff plates	7M3	Scuff plates in door apertures
Emission standard	7MG	Emission standard EU5
Storage compartment	7N2	spectacles holder
Lumbar support in backrests	7P1	Power-adjustable lumbar support in front seats
Navigation system	7Q1	Navigation system
CD-ROM/DVD/SD card	7RT	DVD (Europe)
Wind deflector	7S1	Wind deflector

Park distance control         7x8         Park distance control in front and rear plus rear view camera system           Main headlamps         8BP         Bif-functional headlamp with gas discharge lamp           Side lamps         8F2         side-mounted turn signals           Alternators         8GH         Alternator 190 A           Headlight control         8K1         Separate daytime running light           Intermittent windshield wiper control         803         Dynamic headlight range control (self-adjusting while driving)           Key for locking system         8QK         Key for locking system           Key for locking system         8QK         Key for locking system           Centre high-mounted stop lamp         8RT         Center high-mounted stop lamp           Rear combination lamps         8SK         Taillight assemblies with diodes (LED)           cruitse control system         8T3         Adaptive cruise control           rear fog lamp         8TB         rear fog lamp           rear fog lamp         8TB         rear fog lamp           digarette lighter         8Y1         cigarette lighter           Radios         8YY         Radio with navigation device RNS           Engine cooling         8Z0         Standard engine cooling system           Rateman         8EE </th <th>Attribute</th> <th></th> <th>Description</th>	Attribute		Description
Side lamps 8F2 side-mounted turn signals Alternators 8GH Alternator 190 A Headilight control 8K1 Separate daytime running light Intermittent windshield wiper control / light/rain sensor Control control SQ3 Dynamic headlight range control (self-adjusting while driving) Key for locking system Control system 8R1 Center high-mounted stop lamp Rear combination lamps SKK Taillight assemblies with diodes (LED) Cruise control system RT3 Adaptive cruise control Caparette lighter REAR Control system RT3 Adaptive cruise control Caparette lighter REAR Control system RT4 Headlamp washer system RT5 rear fog lamp Cigarette lighter REAR Control system RT7 Headlamp washer system RA1 Headlamp washer system RA2 Control system RA3 Adaptive cruise control RA3 RA4 RA6 SYY RA6 with navigation device RNS Engine cooling REAR SYY RA6 with inavigation device RNS Control system RA6 Control system RA7 Antenna RA6 SYY RA6 with inavigation device RNS Control system RA6 Control system RA7 Antenna RA7 RA6 WYY RA6 with inavigation device RNS Control system RA6 Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7 RA6 WYY RA6 with inavigation device RNS Control system RA7	Park distance control	7X8	Park distance control in front and rear plus rear view camera
Alternators 8GH Alternator 190 A Headlight control 8K1 Separate daytime running light Intermittent windshield wiper ontrol (lightrain sensor control) (lightrain sensor control) (lightrain sensor BQ3 Dynamic headlight range control (self-adjusting while driving) (sey for locking system BQK Key for locking system BQK Key for locking system BQK For locking system BQK For locking system BQK For locking system BQK For for locking system BQK For for locking system BQK For locking BQK For locking System BQK For locking BQK For locking System BQK For locking System BQK For locking BQK F	Main headlamps	8BP	Bi-functional headlamp with gas discharge lamp
Headlight control 8K1 Separate daytime running light Intermittent windshield wiper control/ light/rain sensor sourtorl/ september sourtorl self-adjusting while driving) sets of the source sou	Side lamps	8F2	side-mounted turn signals
Intermittent windshield wiper control (sightrain sensor control) (self-adjusting while driving) (key for locking system control control) (self-adjusting while driving) (key for locking system control) (self-adjusting while driving) (self-adjusting system control) (self-adjusting system condition) (self-adjusting system) (self-	Alternators	8GH	Alternator 190 A
Light/rain sensor	Headlight control	8K1	Separate daytime running light
Key for locking system  8QK Key for locking system  Center high-mounted stop lamp  8R1 Center high-mounted stop lamp  8R1 Center high-mounted stop lamp  8R3 Adaptive cruise control  rear fog lamp  8R1 rear fog lamp  8R1 rear fog lamp  8R1 rear fog lamp  6garette lighter  8V1 cigarette lighter  Readions  8V2 Radio with navigation device RNS  Engine cooling  8Z2 Standard engine cooling system  Radios  RPP Antenna  RPP Smoker's package, ashtrays in front and rear  Neck heating  RPP Sound package  RPP Sound package  Relephone/telematics  Relephone/tel	Intermittent windshield wiper control/ light/rain sensor	8N3	intermittent windscreen wiper with rain sensor
Center high-mounted stop lamp         8R1         Center high-mounted stop lamp           Rear combination lamps         85K         Taillight assemblies with diodes (LED)           cruise control system         813         Adaptive cruise control           rear fog lamp         8TB         rear fog lamp           cigarette lighter         8V1         cigarette lighter           Headlamp washer system         8X1         Headlamp washer system           Radios         8YY         Radio with navigation device RNS           Engine cooling         8Z0         Standard engine cooling system           Antennas         8ZP         Antenna           Heating system/air conditioning system/air conditioning system/air conditioning system of system         9AK         Climatronic with impact pressure control, CFC-free system           Smoker's/non-smoker's version         9JB         Smoker's package, ashtrays in front and rear           Neck heating         9K1         Neck heating           Auxiliary heater         9M0         Without auxiliary heater/parking heater           Seat belt reminder         9P3         Seat belt reminder, electric contact in buckle           Loudspeaker installation         9VP         Sound package           Telephone/telematics         9W4         Phone preparation           M	Headlight range control	8Q3	Dynamic headlight range control (self-adjusting while driving)
Rear combination lamps 85K Taillight assemblies with diodes (LED) cruise control system 873 Adaptive cruise control rear fog lamp 878 rear fog lamp cigarette lighter 871 cigarette lighter Headlamp washer system 8X1 Headlamp washer system Radios 87Y Radio with navigation device RNS Engine cooling 820 Standard engine cooling system Antennas 82P Antenna Heating system/air conditioning 94K Schall system Heating system/air conditioning 94K Schall system Smoker's /non-smoker's version 9JB Smoker's package, ashtrays in front and rear Neck heating 94K1 Neck heating Auxiliary heater 94M0 Without auxiliary heater/parking heater Seat belt reminder 9P3 Seat belt reminder, electric contact in buckle Loudspeaker installation 9VP Sound package Telephone/telematics 9W4 Phone preparation Multimedia/video/DVD/notebook 9WA Without multimedia Connection Connection 9P3 Seat belt reminder level Driving on the left/right side 4V1 Driving on the right Type-approval testing countries/ countries with specific requirements B02 Type approval testing countries/ country-specific prescriptive standards Engine specification DH8 8-cylinder SI engine 4.0 1/373 kW biturbo, FSI, homogeneous base engine is 1V7 Special editions F0A No special purpose vehicle, standard equipment Wheels F71 Alloy wheels 9.51 x 21 Paint finish FB0 Normal paintwork Variants FM0 Basic equipment variant Shock absorption in front Transmission specification G1G 8-speed automatic transmission for four-wheel drive Additional information kit G10 Without additional information kit Decorative inserts G79 No trim strips Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance Batteries Batteries J2Y Batteries	Key for locking system	8QK	Key for locking system
ruise control system 8T3 Adaptive cruise control rear fog lamp 8TB rear fog lamp cigarette lighter 8V1 cigarette lighter Headlamp washer system 8X1 Headlamp washer system Radios 8YY Radio with navigation device RNS Engine cooling 8Z0 Standard engine cooling system Antennas 8ZP Antenna Heating system/air conditioning system Smoker's funn-smoker's version 9JB Smoker's package, ashtrays in front and rear Neck heating 9K1 Neck heating Auxiliary heater 9M0 Without auxiliary heater/parking heater Seat belt reminder 9P3 Seat belt reminder, electric contact in buckle Loudspeaker installation 9VP Sound package Telephone/telematics 9W4 Phone preparation Multimedia/video/DVD/notebook connection Equipment lines A8B base equipment level Driving on the left/right side AV1 Driving on the right Type-approval testing countries/ countries with specific requirements Part set for country-specific prescriptive standards Engine specification DH8 8-cylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7 Special editions FOA no sales compaign version Vehicle specifications FOA No special purpose vehicle, standard equipment Wheels F71 Alloy wheels 9.5 y x 21 Paint finish FB0 Normal paintwork Variants FM0 Basic equipment variant Transmission specification G1G 8-speed automatic transmission for four-wheel drive Additional information kit G10 Without additional information kit Decorative inserts G79 No trim strips Power-operated door (power latching) Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103V optimised roll resistance Batteries D2V Batteries D3V Batteries D4V Batteries D5V Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Center high-mounted stop lamp	8R1	Center high-mounted stop lamp
rear fog lamp cigarette lighter 8V1 Headlamp washer system 8X1 Headlamp washer system 8X2 Sandio with navigation device RNS 8X2 Standard engine cooling system Antennas 8ZP Antenna 8ZP	Rear combination lamps	8SK	Taillight assemblies with diodes (LED)
cigarette lighter Headlamp washer system 8X1 Headlamp washer system Radios 8YY Radio with navigation device RNS Engine cooling 8Z0 Standard engine cooling system Antenna 8ZP Antenna Heating system/air conditioning 9AK Climatronic with impact pressure control, CFC-free system Smoker's inon-smoker's version 9JB Smoker's package, ashtrays in front and rear Neck heating 9K1 Neck heating Auxiliary heater 9M0 Without auxiliary heater/parking heater Seat belt reminder 9P3 Seat belt reminder, electric contact in buckle Loudspeaker installation 9VP Sound package Telephone/telematics 9W4 Phone preparation Multimedia/video/DVD/notebook connection Equipment lines A8B base equipment level Driving on the left/right side AV1 Driving on the right Type-approval testing countries' B02 Type approval country specific prescriptive standards Engine specification DH8 8-cylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7 Special editions F0A No special purpose vehicle, standard equipment Wheels F71 Alloy wheels 9.5 J x 21 Paint finish FB0 Normal paintwork Variants FM0 Basic equipment front Transmission specification G1G 8-speed automatic transmission for four-wheel drive Additional information kit G10 Without additional information kit Decorative inserts Batter jezy Botton Type 255 ZR21 103Y optimised roll resistance Batteries Batteries Battery 280 A (51 Ah) and battery 520 A (92 Ah)	cruise control system	8T3	Adaptive cruise control
Headlamp washer system  Radios  Radiowith navigation device RNS  Standard engine cooling system  Antenna  Reating system/air conditioning system  Pakating system/air conditioning system/air conditioning system/system/sir conditioning system  Smoker's package, ashtrays in front and rear  Neck heating  Pakating  Pakating	rear fog lamp	8TB	rear fog lamp
Radios 8YY Radio with navigation device RNS Engine cooling 8ZO Standard engine cooling system Antennas 8ZP Antenna Heating system/air conditioning 9AK Climatronic with impact pressure control, CFC-free Smoker's package, ashtrays in front and rear Neck heating 9K1 Neck heating Neck heating 9K2 Seat belt reminder, electric contact in buckle Loudspeaker installation 9VP Sound package Telephone/telematics 9W4 Phone preparation Multimedia/video/DVD/notebook 9WA Without autiliary heater/Parking heater Seat belt reminder level Driving on the left/right side AV1 Driving on the right Type-approval testing countries/ countries with specific requirements Part set for country-specific precyriements Part set for country-specific requirements Engine specification DH8 8-cylinder SI engine 4.0 1/373 kW biturbo, FSI, homogeneous base engine is TV7 Special editions E0A no sales compaign version Vehicle specifications F0A No special purpose vehicle, standard equipment Wheels F71 Alloy wheels 9,51 x 21 Paint finish FB0 Normal paintwork Variants FM0 Basic equipment variant Shock absorption in front G02 Shock absorption in front Transmission specification G1G 8-speed automatic transmission for four-wheel drive Additional information kit G10 Without additional information kit Decorative inserts G79 No trim strips Power-operated door (power latching) G22 Door power latching Tires 215/48 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance Batteries	cigarette lighter	8V1	cigarette lighter
Engine cooling 820 Standard engine cooling system Antennas 82P Antenna Heating system/air conditioning system Smoker's/non-smoker's version 9JB Smoker's package, ashtrays in front and rear Neck heating 9K1 Neck heating Auxiliary heater 9M0 Without auxiliary heater/parking heater Seat belt reminder 9P3 Seat belt reminder, electric contact in buckle Loudspeaker installation 9VP Sound package Telephone/telematics 9W4 Phone preparation Multimedia/video/DVD/notebook 9WA Without multimedia Connection Equipment lines A8B base equipment level Driving on the left/right side AV1 Driving on the right Type-approval testing countries/ countries with specific requirements Part set for country-specific prescribite standards Engine specification DH8 8-cylinder SI engine 4.0 l/373 kW biturbo, FSI, homogeneous base engine is TV7 Special editions E0A No special purpose vehicle, standard equipment Wheels F71 Alloy wheels 9.5 J x 21 Paint finish F80 Normal paintwork Variants FM0 Basic equipment variant Shock absorption in front G02 Shock absorption in front Transmission specification G1G 8-speed automatic transmission for four-wheel drive Additional information kit G10 Without additional information kit Dever-operated door (power latching) G72 Door power latching Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance Batteries J2Y Battery S 20 A (51 Ah) and battery 520 A (92 Ah)	Headlamp washer system	8X1	Headlamp washer system
Antennas 8ZP Antenna Heating system/air conditioning 9AK System Smoker's/non-smoker's version 9JB Smoker's package, ashtrays in front and rear Neck heating 9K1 Neck heating Auxiliary heater 9M0 Without auxiliary heater/parking heater Seat belt reminder 9P3 Seat belt reminder, electric contact in buckle Loudspeaker installation 9VP Sound package Telephone/telematics 9W4 Phone preparation Multimedia/video/DVD/notebook 9WA Without multimedia Connection 8WA Without multimedia Connection 9VP Driving on the right Type-approval testing countries/ Countries with specific requirements Part set for country-specific prescriptive standards Engine specification DH8 8-cylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7  Special editions E0A No special purpose vehicle, standard equipment Wheels F71 Alloy wheels 9.51 x 21 Paint finish FB0 Normal paintwork Variants FM0 Basic equipment variant Shock absorption in front G02 Shock absorption in front Transmission specification G1G Without additional information kit G10 Without additional information kit Power-operated door (power latching) G22 Door power latching Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance Batteries J2Y Battery 8 Sactery ackage, ashtrays in front target and transmission for four-wheel drive statering and the transmission for lost stance	Radios	8YY	Radio with navigation device RNS
Heating system/air conditioning system   9AK   Climatronic with impact pressure control, CFC-free system   9JB   Smoker's package, ashtrays in front and rear   Neck heating   9K1   Neck heating   Auxiliary heater   9M0   Without auxiliary heater/parking heater   Seat belt reminder   9P3   Seat belt reminder, electric contact in buckle   Loudspeaker installation   9VP   Sound package   Telephone/telematics   9W4   Phone preparation   Multimedia/video/DVD/notebook   9WA   Without multimedia   Connection   9WA   Without multimedia   Driving on the left/right side   AV1   Driving on the right   Type-approval testing countries/ countries/ countries with specific requirements   Part set for country-specific   BOA   parts set (non-country specific fitting instruction)   Engine specification   DH8   8-cylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7   Special editions   EOA   no sales compaign version   Wheels   F71   Alloy wheels 9.5 J. x 21   Paint finish   FB0   Normal paintwork   Variants   FM0   Basic equipment variant   Shock absorption in front   GO2   Shock absorption in front   Transmission specification   G1G   8-speed automatic transmission for four-wheel drive   Additional information kit   G10   Without additional information kit   Decorative inserts   G19   No trim strips   Power-operated door (power latching)   G22   Door power latching   Tires 215/45 R16 86V   H0M   Tyres 275/35 ZR21 103Y optimised roll resistance   Batteries   J2Y   Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Engine cooling	8Z0	Standard engine cooling system
Smoker's/non-smoker's version 9JB Smoker's package, ashtrays in front and rear  Neck heating 9K1 Neck heating Auxiliary heater 9M0 Without auxiliary heater/parking heater  Seat belt reminder 9P3 Seat belt reminder, electric contact in buckle  Loudspeaker installation 9VP Sound package  Telephone/telematics 9W4 Phone preparation  Multimedia/video/DVD/notebook 9WA Without multimedia connection  Equipment lines A8B base equipment level  Driving on the left/right side AV1 Driving on the right  Type-approval testing countries/ countries with specific requirements  Part set for country-specific requirements  Part set for country-specific fitting instruction)  Parts set for country-specific power is in V7  Special editions E0A no sales compaign version  Vehicle specifications F0A No special purpose vehicle, standard equipment  Wheels F71 Alloy wheels 9.5J x 21  Paint finish FB0 Normal paintwork  Variants FM0 Basic equipment variant  Shock absorption in front G02 Shock absorption in front  Transmission specification G1G 8-speed automatic transmission for four-wheel drive  Additional information kit G10 Without additional information kit  Decorative inserts GT9 No trim strips  Power-operated door (power latching) G22 Door power latching  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Antennas	8ZP	Antenna
Neck heating 9K1 Neck heating Auxiliary heater 9M0 Without auxiliary heater/parking heater Seat belt reminder 9P3 Seat belt reminder, electric contact in buckle Loudspeaker installation 9VP Sound package Telephone/telematics 9W4 Phone preparation Multimedia/video/DVD/notebook connection Equipment lines A8B base equipment level Driving on the left/right side AV1 Driving on the right Type-approval testing countries/ countries with specific requirements Part set for country-specific prescriptive standards Engine specification DH8 8-cylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7 Special editions E0A no sales compaign version Vehicle specifications F0A No special purpose vehicle, standard equipment Wheels F71 Alloy wheels 9.5 J x 21 Paint finish FB0 Normal paintwork Variants FM0 Basic equipment variant Shock absorption in front G02 Shock absorption in front Transmission specification Kit G10 Without auxiliary and battery 520 A (92 Ah) Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)		9AK	Climatronic with impact pressure control, CFC-free
Auxiliary heater 9M0 Without auxiliary heater/parking heater  Seat belt reminder 9P3 Seat belt reminder, electric contact in buckle  Loudspeaker installation 9VP Sound package  Telephone/telematics 9W4 Phone preparation  Multimedia/video/DVD/notebook onnection  Equipment lines A8B base equipment level  Driving on the left/right side AV1 Driving on the right  Type-approval testing countries/ countries with specific requirements  B02 Type approval country Belgium  countries with specific requirements  B0A parts set (non-country specific fitting instruction)  prescriptive standards  Engine specification DH8 3-cylinder SI engine 4.0 l/373 kW biturbo, FSI, homogeneous base engine is TV7  Special editions E0A no sales compaign version  Vehicle specifications F0A No special purpose vehicle, standard equipment  Wheels F71 Alloy wheels 9.5 x 21  Paint finish FB0 Normal paintwork  Variants FM0 Basic equipment variant  Shock absorption in front G02 Shock absorption in front  Transmission specification G1G 8-speed automatic transmission for four-wheel drive  Additional information kit G10 Without additional information kit  Decorative inserts GT9 No trim strips  Power-operated door (power latching)  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Smoker's/non-smoker's version	9JB	Smoker's package, ashtrays in front and rear
Seat belt reminder       9P3       Seat belt reminder, electric contact in buckle         Loudspeaker installation       9VP       Sound package         Telephone/telematics       9W4       Phone preparation         Multimedia/video/DVD/notebook connection       9WA       Without multimedia         Equipment lines       A8B       base equipment level         Driving on the left/right side       AV1       Driving on the right         Type-approval testing countries/ countries/ countries with specific requirements       B02       Type approval country Belgium         Part set for country-specific prequirements       B0A       parts set (non-country specific fitting instruction)         Pert set for country-specific prescriptive standards       B0A       parts set (non-country specific fitting instruction)         Pert set for country-specific prequirements       B0A       parts set (non-country specific fitting instruction)         Pert set for country-specific prequirements       B0A       parts set (non-country specific fitting instruction)         Pert set for country-specific prequirements       B0A       no sales compained set of the fitting instruction of prescriptive standards         English specification       F0A       No special purpose vehicle, standard equipment         Wheels       F71       Alloy wheels 9.51 x 21         Variants       FMO	Neck heating	9K1	Neck heating
Loudspeaker installation9VPSound packageTelephone/telematics9W4Phone preparationMultimedia/video/DVD/notebook connection9WAWithout multimediaEquipment linesA8Bbase equipment levelDriving on the left/right sideAV1Driving on the rightType-approval testing countries/ countries with specific requirementsB02Type approval country BelgiumPart set for country-specific prescriptive standardsB0Aparts set (non-country specific fitting instruction)Engine specificationDH88-cylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7Special editionsE0Ano sales compaign versionVehicle specificationsF0ANo special purpose vehicle, standard equipmentWheelsF71Alloy wheels 9.5] x 21Paint finishFB0Normal paintworkVariantsFM0Basic equipment variantShock absorption in frontG02Shock absorption in frontTransmission specificationG1G8-speed automatic transmission for four-wheel driveAdditional information kitG10Without additional information kitDecorative insertsGT9No trim stripsPower-operated door (power latching)G22Door power latchingTires 215/45 R16 86VH0MTyres 275/35 ZR21 103Y optimised roll resistanceBatteriesJ2YBattery 280 A (51 Ah) and battery 520 A (92 Ah)	Auxiliary heater	9M0	Without auxiliary heater/parking heater
Telephone/telematics 9W4 Phone preparation  Multimedia/video/DVD/notebook 9WA Without multimedia  Equipment lines A8B base equipment level  Driving on the left/right side AV1 Driving on the right  Type-approval testing countries/ countries with specific requirements  Part set for country-specific prescriptive standards  Engine specification DH8 Secylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7  Special editions E0A no sales compaign version  Vehicle specifications F0A No special purpose vehicle, standard equipment  Wheels F71 Alloy wheels 9.5 J x 21  Paint finish FB0 Normal paintwork  Variants FM0 Basic equipment variant  Shock absorption in front G02 Shock absorption in front  Transmission specification  G1G 8-speed automatic transmission for four-wheel drive  Additional information kit G10 Without additional information kit  Decorative inserts GT9 No trim strips  Power-operated door (power latching)  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Seat belt reminder	9P3	Seat belt reminder, electric contact in buckle
Multimedia/video/DVD/notebook connection  Equipment lines A8B base equipment level  Driving on the left/right side AV1 Driving on the right  Type-approval testing countries/ countries/ with specific requirements  B02 Type approval country Belgium  Part set for country-specific requirements  B0A parts set (non-country specific fitting instruction)  Part set for country-specific prescriptive standards  Engine specification DH8 8-cylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7  Special editions E0A no sales compaign version  Vehicle specifications F0A No special purpose vehicle, standard equipment  Wheels F71 Alloy wheels 9.5 J x 21  Paint finish FB0 Normal paintwork  Variants FM0 Basic equipment variant  Shock absorption in front G02 Shock absorption in front  Transmission specification G1G 8-speed automatic transmission for four-wheel drive  Additional information kit G10 Without additional information kit  Decorative inserts GT9 No trim strips  Power-operated door (power latching) GZ2 Door power latching  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Loudspeaker installation	9VP	Sound package
Equipment lines A8B base equipment level  Driving on the left/right side AV1 Driving on the right  Type-approval testing countries/ countries with specific requirements  Part set for country-specific prescriptive standards  Engine specification DH8 8-cylinder SI engine 4.0 l/373 kW biturbo, FSI, homogeneous base engine is TV7  Special editions E0A no sales compaign version  Vehicle specifications F0A No special purpose vehicle, standard equipment  Wheels F71 Alloy wheels 9.5J x 21  Paint finish FB0 Normal paintwork  Variants FM0 Basic equipment variant  Shock absorption in front G02 Shock absorption in front  Transmission specification  G1G 8-speed automatic transmission for four-wheel drive  Additional information kit G10 Without additional information kit  Decorative inserts GT9 No trim strips  Power-operated door (power latching) GZ2 Door power latching  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Telephone/telematics	9W4	Phone preparation
Driving on the left/right side AV1 Driving on the right Type-approval testing countries/ countries with specific requirements  Part set for country-specific prescriptive standards  Engine specification DH8 B-cylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7  Special editions EDA No special purpose vehicle, standard equipment Wheels F71 Alloy wheels 9.5J x 21  Paint finish FB0 Normal paintwork Variants FM0 Basic equipment variant Shock absorption in front G02 Shock absorption in front Transmission specification G1G Additional information kit G10 Without additional information kit Decorative inserts GT9 No trim strips Power-operated door (power latching) GZ2 Door power latching Tyres 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)		9WA	Without multimedia
Type-approval testing countries/ countries with specific requirements  Part set for country-specific prescriptive standards  Engine specification  DH8  8-cylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7  Special editions  E0A  no sales compaign version  Vehicle specifications  F0A  No special purpose vehicle, standard equipment  Wheels  F71  Alloy wheels 9.5 J x 21  Paint finish  FB0  Normal paintwork  Variants  FM0  Basic equipment variant  Shock absorption in front  G02  Shock absorption in front  Transmission specification  G1G  8-speed automatic transmission for four-wheel drive  Additional information kit  G10  Without additional information kit  Decorative inserts  GT9  No trim strips  Power-operated door (power latching)  GZ2  Door power latching  Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries  J2Y  Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Equipment lines	A8B	base equipment level
Part set for country-specific prescriptive standards  Engine specification  DH8  8-cylinder SI engine 4.0 I/373 kW biturbo, FSI, homogeneous base engine is TV7  Special editions  E0A  no sales compaign version  Vehicle specifications  F0A  No special purpose vehicle, standard equipment  Wheels  F71  Alloy wheels 9.5 J x 21  Paint finish  FB0  Normal paintwork  Variants  FM0  Basic equipment variant  Shock absorption in front  G02  Shock absorption in front  Transmission specification  G1G  8-speed automatic transmission for four-wheel drive  Additional information kit  GIO  Without additional information kit  Decorative inserts  GT9  No trim strips  Power-operated door (power latching)  GZ2  Door power latching  Tires 215/45 R16 86V  H0M  Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries	Driving on the left/right side	AV1	Driving on the right
Engine specification  DH8  8-cylinder SI engine 4.0 l/373 kW biturbo, FSI, homogeneous base engine is TV7  Special editions  E0A  no sales compaign version  Vehicle specifications  F0A  No special purpose vehicle, standard equipment  Wheels  F71  Alloy wheels 9.5] x 21  Paint finish  FB0  Normal paintwork  Variants  FM0  Basic equipment variant  Shock absorption in front  G02  Shock absorption in front  Transmission specification  G1G  8-speed automatic transmission for four-wheel drive  Additional information kit  G10  Without additional information kit  Decorative inserts  GT9  No trim strips  Power-operated door (power latching)  GZ2  Door power latching  Tires 215/45 R16 86V  H0M  Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries  J2Y  Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Type-approval testing countries/ countries with specific requirements	B02	Type approval country Belgium
Special editions E0A no sales compaign version  Vehicle specifications F0A No special purpose vehicle, standard equipment  Wheels F71 Alloy wheels 9.5J x 21  Paint finish FB0 Normal paintwork  Variants FM0 Basic equipment variant  Shock absorption in front G02 Shock absorption in front  Transmission specification G1G 8-speed automatic transmission for four-wheel drive  Additional information kit GI0 Without additional information kit  Decorative inserts GT9 No trim strips  Power-operated door (power latching) GZ2 Door power latching  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)		B0A	parts set (non-country specific fitting instruction)
Vehicle specifications  FOA  No special purpose vehicle, standard equipment  Wheels  F71  Alloy wheels 9.5J x 21  Paint finish  FB0  Normal paintwork  Variants  FM0  Basic equipment variant  Shock absorption in front  G02  Shock absorption in front  Transmission specification  G1G  Additional information kit  GIO  Without additional information kit  Decorative inserts  GT9  No trim strips  Power-operated door (power latching)  GZ2  Door power latching  Tires 215/45 R16 86V  H0M  Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries  J2Y  Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Engine specification	DH8	
Wheels F71 Alloy wheels 9.5J x 21  Paint finish FB0 Normal paintwork  Variants FM0 Basic equipment variant  Shock absorption in front G02 Shock absorption in front  Transmission specification G1G 8-speed automatic transmission for four-wheel drive  Additional information kit GI0 Without additional information kit  Decorative inserts GT9 No trim strips  Power-operated door (power latching) GZ2 Door power latching  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Special editions	EOA	no sales compaign version
Paint finish FB0 Normal paintwork  Variants FM0 Basic equipment variant  Shock absorption in front G02 Shock absorption in front  Transmission specification G1G 8-speed automatic transmission for four-wheel drive  Additional information kit GI0 Without additional information kit  Decorative inserts GT9 No trim strips  Power-operated door (power latching) GZ2 Door power latching  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Vehicle specifications	F0A	No special purpose vehicle, standard equipment
Variants FM0 Basic equipment variant Shock absorption in front G02 Shock absorption in front Transmission specification G1G 8-speed automatic transmission for four-wheel drive Additional information kit GI0 Without additional information kit Decorative inserts GT9 No trim strips Power-operated door (power latching) GZ2 Door power latching Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Wheels	F71	Alloy wheels 9.5J x 21
Shock absorption in front G02 Shock absorption in front Transmission specification G1G 8-speed automatic transmission for four-wheel drive Additional information kit GI0 Without additional information kit Decorative inserts GT9 No trim strips Power-operated door (power latching) GZ2 Door power latching Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Paint finish	FB0	Normal paintwork
Transmission specification G1G 8-speed automatic transmission for four-wheel drive Additional information kit GI0 Without additional information kit  Decorative inserts GT9 No trim strips Power-operated door (power latching) GZ2 Door power latching  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Variants	FM0	Basic equipment variant
Additional information kit  Decorative inserts  GT9  No trim strips  Power-operated door (power latching)  GZ2  Door power latching  Tires 215/45 R16 86V  H0M  Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries  J2Y  Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Shock absorption in front	G02	Shock absorption in front
Decorative inserts GT9 No trim strips  Power-operated door (power latching) GZ2 Door power latching  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Transmission specification	G1G	8-speed automatic transmission for four-wheel drive
Power-operated door (power latching) GZ2 Door power latching  Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Additional information kit	GI0	Without additional information kit
Tires 215/45 R16 86V H0M Tyres 275/35 ZR21 103Y optimised roll resistance  Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Decorative inserts	GT9	No trim strips
Batteries J2Y Battery 280 A (51 Ah) and battery 520 A (92 Ah)	Power-operated door (power latching)	GZ2	Door power latching
	Tires 215/45 R16 86V	НОМ	Tyres 275/35 ZR21 103Y optimised roll resistance
Body forms K8K Cabriolet	Batteries	J2Y	Battery 280 A (51 Ah) and battery 520 A (92 Ah)
	Body forms	K8K	Cabriolet

Attribute		Description
Battery charger	KB2	Battery charger (type 2)
Trim panel	KN0	Without trim panel
Steering system setup	LOL	Left-hand drive
Seat trim covers	N1Y	Seat trim covers in leather
Upper part of door trim panel	NQ0	Upper part of door trim panel type 1
Emblems (interior)	NR0	Without emblems (interior)
Sill top/sill cover	NU1	Sill top
	PC8	Convenience Specification
	PK1	Neck Warmer
	PS4	Driving Specification Including Colour Specification
	PSM	Front & Rear Ashtray with Cigar Lighter
	PSR	Standard Brakes With Red Brake Callipers
	PTA	Twin Front Armrests
Front seats	Q1A	Standard seats in front
Child seats	QA0	without child seat
LongLife Service Regime	QG1	LongLife Service Regime
Voice control system/voice control	QH7	Voice control
Chrome package	QJ0	No aluminium/chrome package
Bar compartment	QP0	Without bar compartment
Lighting package (lighting)	QQ0	Without add. lights (interior lighting)
TV reception/digital radio reception	QV0	Without TV reception/digital radio reception
Central display and control unit	QW1	Central control unit in front
Base engine	TV7	8-cylinder SI engine 4.0 l unit 079.E
Dashboard inserts	U5A	Instrument cluster, km/h speedometer
Electric interface for external use	UF1	Electric interface for external use
Clocks	UP0	Analog clock
Tire suppliers	VOD	PIRELLI tyres
Garage door opener	VC1	Garage door opener
Vanity mirror in rear	VE0	Without vanity mirror in rear
Pedal cluster	VF9	Foot pedal unit "lightweight construction"
Ventilation duct in front	VK9	No air duct
Pedestrian protection	VL0	Standard pedestrian detection measures
	Y14	Interior Colour Split (4)
	YE1	With Emblem Stitching
	YSS	Classic Mulliner Styling Specification
	YSW	Stitching to Steering Wheel in Contrasting Colour
	ZBE	Build Country - Belgium