

Leveraging Graphs for Advanced Analytics in Major Team Sports: A Systematic Mapping Study

CRISTIANO RUSSO, Department of Electrical Engineering and Information Technologies, Università degli Studi di Napoli Federico II, Napoli, Italy

CRISTIAN TOMMASINO, Department of Electrical Engineering and Information Technologies, Università degli Studi di Napoli Federico II, Napoli, Italy

ANTONIO MARIA RINALDI, Department of Electrical Engineering and Information Technologies, Università degli Studi di Napoli Federico II, Napoli, Italy

Graph theory, a robust mathematical framework, has emerged as a cornerstone for modeling intricate relationships and patterns inherent in team sports dynamics. This review illustrates the outcomes of a comprehensive Systematic Mapping Study (SMS) conducted to investigate the adoption of graph-based representations, models, and approaches that research groups employ to handle data and information in major team sports analytics. We systematically categorize and map the outlook of diverse graph-based approaches and models, shedding light on their applications, methodologies, and contributions to the ever-evolving field of sports analytics. The results of our study provide a comprehensive overview of the maturation and diversification of methodologies, providing insights into emerging trends. As well we also identify and thoroughly discuss potential research gaps. The present work aims to serve as a valuable reference resource for researchers, practitioners, and enthusiasts seeking to navigate the rich tapestry of graph-based knowledge representation in major team sports analytics. The code to execute the SMS is available at https://github.com/crusso7/systematicmappingstudy

CCS Concepts: • General and reference \rightarrow Surveys and overviews; • Theory of computation \rightarrow Graph algorithms analysis; • Mathematics of computing \rightarrow Graph theory; • Information systems \rightarrow Ontologies; • Computing methodologies \rightarrow Knowledge representation and reasoning.

Additional Key Words and Phrases: Sport Analytics, Graphs, Systematic Mapping Study, Graph Theory, Ontologies, Graph Neural Networks

1 Introduction

Team sports are organized competitive activities involving two or more teams, typically with a standard set of rules, where team members work together to achieve a common objective, i.e. scoring points or goals within a defined time and playing area or field. Such sports, renowned for their strategic intricacies and dynamic nature, have long been a focal point of fascination for enthusiasts worldwide. With the term *major* or *primary* we refer to team sports that are widely played and followed globally or regionally, often identified as a national sport for a specific nation, with professional leagues, large fan bases, and significant cultural or economic impact. Examples include soccer, basketball, baseball, American football, rugby, handball, hockey (ice or field), and cricket. In recent decades, the landscape of primary team sports analysis has witnessed a remarkable evolution, marked

Authors' Contact Information: Cristiano Russo, Department of Electrical Engineering and Information Technologies, Università degli Studi di Napoli Federico II, Napoli, Italy; e-mail: cristiano.russo@unina.it; Cristian Tommasino, Department of Electrical Engineering and Information Technologies, Università degli Studi di Napoli Federico II, Napoli, Italy; e-mail: cristian.tommasino@unina.it; Antonio Maria Rinaldi, Department of Electrical Engineering and Information Technologies, Università degli Studi di Napoli Federico II, Napoli, Italy; e-mail: antoniomaria.rinaldi@unina.it.



This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. © 2025 Copyright held by the owner/author(s).

ACM 1557-7341/2025/10-ART

https://doi.org/10.1145/3773024

by the infusion of cutting-edge technologies [190]. Among these transformative advancements, the application of graph-based approaches has emerged as a pivotal force, reshaping how analysts, coaches, and researchers perceive and interpret the dynamics of team sports [182]. Soccer, often termed the "beautiful game" [89, 92], exemplifies the epitome of team sports global appeal, captivating audiences with its blend of skill, strategy, and athleticism. The advent of graph-based methodologies in the analysis of major team sports, including soccer, has introduced a paradigm shift, offering novel perspectives on player interactions, strategic formations, and the intricate patterns woven into the fabric of the game [43, 182]. While previous reviews [36, 46, 177, 189] have explored facets of sports analytics and technological integration in team sports, a compelling need exists for a dedicated examination of the expansive domain of graph-based approaches. Recognizing the transformative potential and growing significance of such methodologies, this review explores the major team sports landscape comprehensively, elucidating the diverse applications, methodologies, and trends that have materialized at the intersection of graph theory and team sports analytics. In pursuing a more nuanced understanding of the evolving field, it is essential to acknowledge prior reviews contributing to the discourse on sports analytics and technology. While existing reviews may have touched upon broader aspects of sports analytics and technology integration, the depth and breadth of graph-based methodologies in major team sports necessitate a more specialized examination. In fact, as the landscape of sports analytics undergoes continuous transformation, the focus on graph-based approaches in major team sports warrants a dedicated investigation. Petersen et al. [173, 174] have emphasized the importance of systematic mapping studies (SMS) as valuable tools for summarizing research domains and identifying trends. By undertaking a systematic mapping study, this review aims to provide a panoramic view of the existing body of knowledge in the domain, offering insights into emerging trends, potential research gaps, and novel opportunities within graph-based approaches.

The subsequent sections of this work will systematically address key objectives, ranging from identifying prevalent research trends and application areas to examining graph-based techniques and identifying untapped potentials. As major team sports embrace the era of data-driven insights, this review serves as a guiding compass, navigating the intricate web of graph-based methodologies that enrich the analysis and understanding of these captivating athletic endeavors. With this study, we aim to comprehensively explore the multifaceted relationship between graph-based knowledge representations and team sport analysis. Our purpose is to provide a panoramic view of the existing body of knowledge in this domain, shedding light on the diverse applications, methodologies, and trends that have emerged at the intersection of these two domains. In detail, we aim to achieve the following objectives:

- *Identification of Research Trends*: This SMS seeks to discern the predominant research themes and trends that have shaped the subject of our study. By categorizing and classifying existing literature, we aim to uncover the most prominent areas of investigation and innovation.
- Highlighting Application Areas: The study endeavors to categorize applications developed in this field, spanning player performance analysis, tactical decision-making, injury prevention, and other pertinent domains.
- Examination of Artificial Intelligence (AI) Techniques: The SMS will scrutinize the various AI techniques and algorithms employed in soccer-related research. From machine learning to computer vision, we will explore the methodological toolkit researchers and practitioners employ.
- *Identification of Gaps and Opportunities*: This SMS aims to provide insights into future directions for team sport analysis by identifying gaps and areas where research is limited. We endeavor to guide researchers, coaches, and industry professionals toward uncharted territories with untapped potential.
- Fostering Collaboration: our trust is that this study could serve as a catalyst for collaboration among researchers, sports organizations, and technology developers. By presenting an overview of the field, we aim to facilitate interdisciplinary partnerships to drive further innovation.

The paper is structured as follows: Section 2 describes the protocol used to conduct the systematic mapping study, while Section 3 goes into details of the study, providing the answers to our research questions. Section 4 is devoted to discussing results obtained from studying the literature, highlighting gaps and current challenges of the research field. In Section 5 we discern threats to validity of the present study. Lastly, Section 6 draws conclusions by summarizing the main finding of the present study and discusses possible future research directions that deserve to be explored more deeply. A theory background on graph-based representations, details about the protocol for the systematic mapping study, and a more extensive discussion of our results highlighting gaps and current challenges of the research field are provided in the Appendix as supplemental material.

Protocol for the systematic mapping study

In defining our research objectives, we articulate the goals and scope of our Systematic Mapping Study (SMS), pinpointing specific aspects of the research domain to explore. First, we create a comprehensive search strategy by specifying databases, search engines, and sources, incorporating search strings and keywords for thorough coverage. Then, we define inclusion and exclusion criteria involving factors like publication date and study type. The study selection process follows multiple stages, including screening titles, abstracts, and full-text articles. Our data extraction plan involves creating a standardized form capturing key study details. We devise a systematic approach for data synthesis, utilizing thematic analysis and categorization to identify trends, patterns, and gaps. Visualizing the literature entails creating charts or tables for an overview. Implementing a validation process involves multiple researchers to enhance reliability with documented biases or limitations. In preparing a comprehensive report, we detail the SMS process, including the research protocol, search strategy, study selection criteria, data extraction methods, and synthesis outcomes. We iteratively refine research questions and criteria based on emerging findings. This researcher-led protocol ensures a systematic, transparent, and reliable overview of the literature in our research domain.

2.1 Research questions

In Section 1 we have mildly outlined the objectives of this work. Here, in pursuing our goal, we define what are the aims of the study in a clearer and more rigorous way by means of specific research questions, stated as follows:

RQ1: What are the primary research trends and areas of exploration in the integration of graph-based representation techniques within major team sports analysis?

RO2: Which specific application domains within major team sports, such as player performance analysis, tactical decision-making, or injury prevention, have been predominantly influenced by graph-based approaches?

RQ3: What are the prevalent AI techniques and algorithms employed in the implementation of graph-based methodologies in major team sports analysis? How do these techniques contribute to the understanding of team dynamics?

RQ4: In the landscape of graph-based approaches in major team sports, are there identifiable gaps or underexplored areas in current research? What opportunities for further investigation do these gaps present?

RQ5: How can the findings from this SMS inform collaboration and interdisciplinary partnerships among researchers, sports organizations, and technology developers in the context of graph-based approaches in major team sports?

Firstly, RQ1 will guide us in discerning the predominant research themes and trends, offering a panoramic view of the integration of graph-based methodologies within primary team sports analysis. Simultaneously, RQ2 will explore the application areas within major team sports, categorizing the specific domains influenced by graph-based approaches. Expanding our focus, RQ3 delves into the methodological toolkit, examining the AI techniques that underpin graph-based analyses in the context of team sports. RQ4 aims to identify potential gaps and unexplored avenues within the current research landscape, providing valuable insights for future investigations. Lastly, *RQ5* seeks to foster collaboration and engagement, recognizing the potential for interdisciplinary partnerships that can drive innovation within graph-based approaches in major team sports analysis.

2.2 Search strategies and search strings

Developing a comprehensive search strategy for identifying relevant studies on the use of graph-based approaches in team sports requires thoughtful keyword selection and the use of boolean operators to refine search results. To retrieve a comprehensive list of research studies and to get an exhaustive view of literature, our search strategy combines various keywords and search terms, also considering their synonyms, which have been possibly used as an alternative in certain studies. We follow PICO(C) (Population, Intervention, Comparison, Outcome, and Context) criteria [109] to define the search string systematically. As suggested in [174], the last three dimensions (comparison, outcome, and context) usually act as search filters. Hence, their application may restrict the search too much. Based on this reflection, we mainly focused on population and intervention as they are the most relevant for mapping studies.

- **Population**: We identified "team sports" as the main term of this viewpoint since it is the domain of interest of our study.
- **Intervention**: We identified "graph" as the main term of this viewpoint since our research questions aim at investigating how graph-based structures have been applied to the population.
- **Comparison**: This viewpoint is not applicable in this systematic mapping study since no effect of the intervention on the population is expected.
- **Outcome**: We avoided applying this restriction since we do not want to limit our scope to specific outcomes, which could result in an incomplete mapping.
- Context: We identified "analytics" as main term of this view point.

The main term and relative synonyms for each of the PICOC view points are reported in Table 1.

In our study, we considered the following team sports, which are considered the most popular worldwide: soccer (football), basketball, baseball, american football, volleyball, rugby, cricket, hockey, and handball. We did not include other team sports since in our preliminary literature investigation we did not find sufficient cues to consider them relevant to our purposes.

To broaden our search space at the beginning, we tried to use general terms in building the final search string. Moreover, we exploited boolean operators and used parentheses and wildcards to create more complex and comprehensive queries. We also optimized final search queries by avoiding redundant synonym terms.

2.3 Academic Databases

To retrieve a large number of candidate studies that are both consistent and scientifically relevant, we have selected four reputable digital libraries that are well-known in the academic world. These libraries are reported in Table 2.

By leveraging these databases, we aim to gather a diverse and comprehensive set of scholarly articles for our study. In fact, *Web of Science* provides extensive coverage across various disciplines; *IEEE Xplore* is a reputable source for publications related to artificial intelligence and machine learning; *ACM Digital Library* is well-regarded for its collection of articles in the fields of AI and technology; *Scopus*, known for its interdisciplinary approach, was selected to ensure a comprehensive exploration of relevant research across multiple domains.

2.4 Inclusion and exclusion criteria definition

Establishing intelligible criteria for including or excluding studies in a Systematic Mapping Study (SMS) is crucial to support the selection of literature and to ensure its relevance and quality. Table 3 lists the exclusion and

ACM Comput. Surv.

Table 1. PICOC Criteria for team sports analytics and graph structures

-		
View Point	Main Term	Synonyms
Population (P)	team sport	soccer, football, basketball, baseball, volleyball, rugby, cricket, hockey, handball
Intervention (I)	graph	network, graph theory, ontology, se- mantic network, conceptual graph, hybrid model, knowledge graph, probabilistic graphical model, topic map
Comparison (C)	N.A.	N.A.
Outcome (O)	N.A.	N.A.
Context (C)	analytics	analysis, decision making, business intelligence, forecasting, decision-taking, algorithm, prediction, classification, neural network, gnn, machine learning, pattern recognition, artificial intelligence, AI, machine intelligence, cognitive computing, robotic intelligence, automated reasoning, graph database, geometric deep learning

Table 2. Electronic Databases and Search Engines

Database	Link
ACM Digital Library	http://dl.acm.org/
IEEE Xplore	http://ieeexplore.ieee.org/
Web of Science	https://www.webofscience.com/
Scopus	http://www.scopus.com/

inclusion criteria we have defined for our SMS. For the exclusion criteria, studies were dismissed if they were non-peer-reviewed sources, opinion pieces, or retracted articles (EC1); published in languages other than English due to language limitations (EC2); not specifically focused on the subject of interest or not relevant publishers (EC3); or published more than twenty years ago, to prioritize recent research (EC4). Conversely, the inclusion criteria required studies to be peer-reviewed journal articles, conference proceedings, or technical reports (IC1); published in English for consistency (IC2); directly related to the use of graph-based approaches and models in team sports (IC3); and published within the last twenty years, starting from 2004, to ensure the relevance and currency of research findings (IC4).

Table 3. Inclusion and Exclusion Criteria for Literature Review

Criteria	Description	
Exclusion Criteria		
(EC1) Publication Type	Non-peer-reviewed sources, opinion articles and re-	
	tracted articles.	
(EC2) Language	Non-English publications due to language limitations.	
(EC3) Relevance	Studies not relevant or not focused on the subject of our	
	interest.	
(EC4) Date Range	Studies published more than twenty years ago to priori-	
	tize recent research.	
Inclusion Criteria		
(IC1) Publication Type	Peer-reviewed journal articles, conference proceedings,	
	and technical reports.	
(IC2) Language	English-language publications for consistency.	
(IC3) Relevance	Studies directly related to the use of graph-based ap-	
	proaches and models in team sports.	
(IC4) Date Range	Studies published within the last twenty years (starting from year 2004) to ensure the inclusion of recent advance-	
	ments.	

2.5 Quality assessment

In our methodology, the quality assessment stage has been carried out by evaluating the selected primary studies. In particular, we have taken into account the domain covered by this study, that is the use of graph-based structures and their role in the context of a specific study. Given that we already defined *EC3* to discard not relevant works, we decided to avoid imposing stringent criteria on the primary studies, thereby facilitating the acquisition of a broad overview of the topic area [110]. We point out that evaluating the quality of the selected studies was a meticulous process curated by the authors either manually or by using objective quality metrics relating to the editorial placement of the selected studies. This hands-on approach ensured that despite the absence of a formal quality assessment stage, the studies included in our mapping were carefully vetted for relevance and credibility, contributing to the robustness of the overall study. This methodology allows us to encompass diverse perspectives and insights within the field of using graphs and graph-based structures in major team sports analytics. More details about quality assessment in supplementary materials.

3 Systematic Mapping Study Execution

We designed a two-stages semi-automatic selection process, whose entire flow is shown in Figure 1. In detail, for the automatable parts, such as for example the retrieval of articles from academic databases, we have implemented scripts in Python language. Given our base search string, we inspected the academic databases outlined in Section 2.3 to check for the presence of an API and/or a user-friendly web search. Since we want to search for the presence of interesting terms both in the title, abstract and keywords of publications, we built the query for each database prior to perform the search. The date of our last retrieval of works from Digital Libraries is June 09, 2025. We applied the inclusion and exclusion criteria to the search results, directly as filters in web browser search forms or leveraging API methods. To avoid inconsistencies, we manually inspected and filtered results to focus only on relevant items.

ACM Comput. Surv.




Fig. 1. Diagram of the primary studies selection process execution.

To evaluate our search string, we inspect search results and we check for the presence of selected relevant control papers [195, 236, 245, 254]. With this term, we refer to a selection of papers which have been verified in advance as relevant for the subject of the study, i.e. these studies must be present in the results obtained from the digital libraries in response to our engineered search string.

Once we have got the list of research works pertinent to our subject study, we analyze the results to answer the research questions posed in Section 2.1. First, we extract relevant information from the selected studies, key findings and contributions; then we organized and categorized the extracted data to group studies according to relevant features, such as main topics, techniques, or application areas, etc.

Academic Database	Num. Items (raw)	Num. Items (filtered)
Scopus	895	492
Web of Science	389	269
ACM Digital Library	22	22
IEEE Xplore	106	106

Table 4. Number of publications retrieved from academic databases

In Table 4 we report the raw results obtained in term of number of publications found with our search string. As we expected Scopus and Web Of Science libraries return much more results since their scope is much broader than ACM Digital Library and IEEE Xplore, which already limit themselves to the computer science subject area. For Scopus and Web of science we were able to pre-filter results from their websites GUIs, allowing us to reduce the number of works to 492 and 269, respectively. At this stage of the process we have a total of 889 selected works. Starting from this observation, we expect that results from more "focused" libraries are likely to be included in broader libraries, and, in general, it is important to notice that results from individual libraries may overlap

each other, hence we need to elide duplicates. Moreover, 95 papers out of 889 retrieved does not present a DOI, which is an essential attribute for a published scientific article. We counted 106 papers with DOI from IEEE, 444 from Scopus, 17 from ACM and 227 from WOS, summing up to a total of 795 papers with DOIs. On this list, we start removing duplicates by converting the list of items into a set. Such operation reduced the total number of works with DOI to 517, while remaining 95 didn't have a DOI, for a total number of works equal to 612. At this point, we make an attempt to retrieve DOIs for the list of 95 papers from their title by using CrossRef API. This operation allowed us to increase the number of works with DOI to 547. Again, if we consider individual sources, hance with possible duplicates, we have 106 from IEEE, 469 from Scopus, 22 from ACM and 254 from WOS.

Figure 2 provides an overview about how results from individual libraries overlap each other.




Fig. 2. Search results overlap from the selected digital libraries

3.1 Primary studies

After merging the results from all academic databases, we identified 547 primary studies. Subsequently, we have applied the previously defined inclusion/exclusion criteria. We were able to apply quantitative criteria automatically, while we proceeded manually for qualitative ones. For example, we individually investigated this list of publications to exclude works irrelevant to our scope (*EC3*). After applying the criteria, we could consistently reduce the number of publications to be considered. Such a process allowed us to discard 203 works, reducing the number of papers to 344. Following this, we performed a qualitative assessment to further evaluate the remaining studies. This step involved a more in-depth analysis of each paper's methodological rigor, clarity, completeness, and overall contribution to the field. As a result, 8 papers, despite being topically relevant, were excluded due to insufficient quality or lack of scientific robustness. Then, we manually reviewed each study in the result set in order to resolve any doubts about their relevance. These "doubts" referred to papers that were initially included based on search criteria but, upon closer and deeper inspection of their contents, showed limited

or no pertinence to the subject of interest. This manual step enabled a preliminary refinement of the dataset by removing clearly irrelevant works. At the conclusion of this first stage, 254 studies remained in our dataset. In the second stage of the SMS, we have applied the snowballing technique [250]. It is a method used in systematic mapping studies to identify relevant literature by exploring the references and citations of already selected papers. It serves as a complementary approach to traditional database searches, helping researchers uncover studies that might not surface through keyword-based queries alone. There are two primary types of snowballing: Backward Snowballing and Forward Snowballing. The first involves examining the reference lists of selected papers to find earlier works that are pertinent to the research topic. The second entails identifying newer studies that have cited the selected papers, thereby uncovering more recent research developments. By iteratively applying these methods, researchers can expand their literature base, ensuring a more comprehensive understanding of the subject area. This approach is particularly useful for capturing studies that may use different terminology or are not indexed in major databases. In particular, we performed both backward and forward snowballing to ensure the broadest possible coverage for our search results. Starting from the partial result set of papers from the first stage, we execute snowballing and repeat the same steps as in the first stage. The final number of papers included for the analysis is 255. In Table 5 we have included references to primary studies, grouped by sport, to allow the readers having a quick and easy access to all of them. This table already provides food for thought on the distribution of works. In fact, as we can notice, there is a strong dominant presence of studies related to soccer, followed by basketball and volleyball, which are the sports more spread all over the globe.

Table 5. Primary studies

Sport	Studies
Basketball	[4, 6, 7, 32, 33, 40, 42, 54, 55, 57, 74, 83, 124, 128, 130, 134, 135, 150, 160, 166, 171, 193, 203, 206, 209, 213, 218, 252, 253, 262, 265, 268, 270, 271]
Baseball	[96, 205, 207, 208, 275, 276]
Soccer	[1, 2, 8, 14, 16, 17, 19–21, 25–29, 34, 37–39, 44, 47–50, 52, 53, 59–61, 63, 66, 68–73, 75–78, 81, 82, 84, 86, 93, 97, 98, 101, 102, 104, 107, 111, 113, 116, 117, 120, 126, 129, 133, 137, 139, 145–148, 151–156, 159, 162–165, 168–170, 172, 176, 178, 180, 181, 183, 187, 200, 204, 210, 214–216, 220–222, 224, 225, 228, 229, 232, 234–237, 240, 242–246, 248, 256, 258–261, 266, 267, 269, 272, 274, 277]
American Football	[9, 41, 51, 62, 85, 90, 95, 103, 106, 118, 175, 184, 198, 199, 212, 217, 254]
Volleyball	[10-12, 24, 30, 65, 87, 91, 99, 100, 112, 114, 121-123, 127, 136, 140, 142-144, 179, 191, 192, 223, 230, 233, 239, 251, 273]
Hockey	[18, 238]
Rugby	[35, 45, 94, 125, 201, 241]
Cricket	[3, 5, 13, 56, 58, 141, 185, 186, 188, 195, 202, 226, 249, 263]
Handball	[22, 31, 157, 247]
General	[15, 64, 67, 79, 80, 88, 105, 115, 131, 132, 149, 167, 194, 211, 219, 227, 231, 255, 257, 264]

Figure 3 shows the distribution of published works over time within the range of years considered, i.e. from 2004 to 2025. Overall, we can notice the absolute number of primary studies published each year is not very high.




Fig. 3. Distribution of publications per year

However, it is clearly visible from the plot the fact that there is a rising interest of the research community in the field we considered in our study. Starting from 2016 the number of papers per year has increased significantly.




Fig. 4. Citations per year

Figure 4 shows the distribution of citations obtained by relevant works over time within the range of years considered. We point out that here, we refer to the amount of citations, calculated as the sum of citations of all papers published in a year. This is not to be confused with the amount of citations in a year that all papers have gotten.

ACM Comput. Surv.




Fig. 5. Provenance of authors' affiliations by country

Figure 5 highlights which countries provided more contributions to the research field. The chart has been obtained by counting authors affiliations in relevant papers normalized by publications. As we can notice from the map, India and China are the countries with more contributions.

Answering the research questions

RQ1. The first research question we aim to answer emphasizes identifying primary research trends in team sports analysis and evaluating the impact of graph-based representation techniques in this field. Selected primary studies have spotlighted several trends. First, we noted that the development of novel graph-based algorithms and methodologies is tailored to analyze complex interactions and relationships within sports data. Second, integrating graph-based representation techniques in team sports analysis involves a multifaceted exploration of trends. This is due to the diverse semantics that graph elements can assume. Based on these observations, it is useful to provide a taxonomy that emphasizes the classification of the existing literature. The goal is to clarify and bring order to the jungle of diverse tasks pursued and, more generally, on the application areas that have been most investigated by the research communities:

- Motion and Tracking
- Social Network Analysis
- Event Detection/Classification
- Performance Analysis
- Action/Activity Recognition
- Knowledge Representation
- Optimization/Scheduling

The first drift we identified is *Motion and Tracking*. We include in this category all the works focusing on object/player detection and tracking, movement analysis, trajectory prediction and camera selection. Typically, graph structures are employed to represent the intricate dynamics of players on the field vividly. This facilitates

the examination of spatiotemporal patterns, encompassing player trajectories, distances covered, and their interactive behaviors during game-play. Another significant trend revolves around Social Network Analysis for team dynamics. In this context, teams are conceptualized as networks, allowing researchers to delve into team communication and coordination nuances. This includes a detailed analysis of passing networks, shedding light on the intricate flow of information within the team and its implications on overall performance. The exploration of advanced network analysis techniques has been widely adopted to uncover hidden patterns, structures, and dynamics in player interactions, team strategies, and game dynamics. Community Detection emerged in particular as the most investigated sub-task. Event Detection/Classification has emerged as a significant research trend in sports analytics, revolutionizing the way we analyze and understand sporting events. We considered subtasks such as document summarization, event mining and indexing, video captioning, video understanding, and video mining as they have seen increased application in sports analytics. In this domain, graph structures play a crucial role in modeling and representing the complex interactions and relationships between various elements within a sports event. By representing events, players, and their interactions as nodes and edges in a graph, researchers can capture the dynamic and interconnected nature of sports activities. Performance Analysis in sports analytics encompasses a broad range of sub tasks aimed at evaluating and understanding various aspects of player and team performance. This includes match analysis, team ranking, player ranking, lineup prediction, lineup performance prediction, team performance prediction, market prediction, player centrality, tactical pattern analysis. We also included in this category works about human body pose prediction. However, it is important to remark that, in principle, estimating the poses of individuals or objects in images or videos could not be necessarily tied directly to performance evaluation. Graphs serve as a fundamental knowledge representation formalism in this domain, offering a structured framework to model complex relationships and dependencies inherent in sporting data. For instance, in match analysis, graphs can represent player interactions, passing networks, and scoring opportunities, providing valuable insights into team strategies and individual player contributions. Similarly, team ranking and player ranking tasks can benefit from graph-based representations of performance metrics and historical statistics, enabling more accurate assessments and comparisons. Lineup prediction and performance prediction tasks utilize graph structures to model relationships between player attributes, team formations, and match outcomes, aiding in strategic decision-making and performance optimization. Furthermore, tactical pattern analysis leverages graphs to uncover recurring patterns and strategies employed by teams, facilitating adaptive gameplay and opponent scouting. Human body pose prediction tasks utilize graphs to represent skeletal structures and movement trajectories, enabling accurate analysis of player movements and bio-mechanical performance. Another well-established research topic is Action/Activity Recognition at both individual and group levels. Group activity recognition, in particular, is widely investigated for volleyball analytics thanks to the presence of the Volleyball dataset. A good amount of selected works employs ontologies and knowledge graphs for the purest purpose of Knowledge Representation, ontology construction, and knowledge graph query answering. We consider also ontologies as graph-based structures (see Appendix in supplementary materials) since, in principle, an ontology can be always represented as a graph. Finally, we have grouped under the heading Optimization/Scheduling all those works whose main topic is about game scheduling and policy learning, such as multi-agent cooperation learning, multi-Agent Reinforcement Learning, and player policy learning. An interesting research trend emerged from our study stands at the intersection between cognitive computing [138], robotics [196, 197] and team sports. In fact, the cross-disciplinary field of robotics is undergoing a transformative phase, and this is particularly evident in the dimension of cooperative learning within team sports. At the forefront of this evolution stands initiatives like the Google Research Football Framework [119] and the RoboCup [108], which serve as driving forces propelling innovation forward. These platforms not only foster competition but also facilitate collaborative research, offering a playground for exploring intricate dynamics of teamwork and strategy in a controlled environment. Through the convergence of robotics, artificial intelligence, and sports science, researchers are pushing the boundaries of what machines can achieve in team-based scenarios. By

simulating real-world sporting events and leveraging advanced algorithms, these endeavors not only enhance our understanding of team dynamics but also pave the way for breakthroughs in robotics applications beyond the playing field. To allow the reader to quickly find works pertinent to a particular task, in Table 6 we have grouped the studies by the corresponding task they deal with as well as including a column where we highlight which are the graph representation/techniques mainly used by researchers for individual tasks. Regarding the algorithms and

Table 6. Studies grouped by macro-categories of pursued tasks and graph-based approach employed

Task	Studies	Graph-based Representation/Approach
Action/Activity Recognition	[10-12, 18, 24, 30, 38, 60, 65, 76, 87, 88, 99, 100, 106, 112, 127, 129, 131, 140, 171, 179, 217, 219, 223, 238, 239, 241, 251, 257, 273]	graph neural networks, skeleton graphs, hier- archical graphs
Event Detection/Classification	[13, 15, 25–28, 42, 56, 62, 64, 68, 74, 77, 78, 86, 94, 98, 113, 116, 124, 126, 128, 139, 153, 183, 203, 207, 208, 216, 228, 231, 252, 254, 261, 263]	ontologies, probabilis- tic graphical models, hybrid models
Knowledge Representation	[3, 20, 37, 39, 52, 57, 72, 81, 101, 130, 160, 180, 204, 206, 215, 227, 235, 260, 262, 267, 275, 276]	knowledge graphs, on- tologies
Motion and Tracking	[2, 14, 22, 29, 54, 55, 63, 67, 69, 70, 79, 80, 84, 102, 104, 107, 111, 115, 133–135, 150, 152, 154, 164, 166, 167, 169, 170, 192, 194, 209, 224, 229, 232, 234, 240, 242, 245, 248, 253, 258, 259, 264, 265, 272, 277]	relation graphs, graph neural networks
Optimization/scheduling	[1, 41, 53, 105, 178, 193, 225]	probabilistic graphical models, hybrid models
Performance Analysis	[5-7, 31, 32, 40, 45, 47, 49, 71, 82, 83, 97, 120-122, 136, 141-143, 149, 155, 157, 163, 165, 168, 176, 181, 186, 188, 191, 200, 205, 210, 211, 213, 214, 220-222, 236, 237, 243, 244, 246, 255, 256, 266, 268-271, 274]	player interaction net- works, graph neural networks
Social Network Analysis	[4, 8, 9, 16, 17, 21, 33–35, 44, 48, 50, 51, 58, 59, 61, 66, 73, 75, 85, 90, 91, 93, 95, 96, 103, 114, 117, 118, 123, 125, 132, 137, 144–148, 151, 156, 162, 172, 175, 184, 187, 195, 198, 199, 201, 202, 212, 226, 230, 233, 247, 249]	passing networks, community detection algorithms, network centrality metrics

techniques used, we noted a rising interest in integrating machine learning, artificial intelligence, and graph-based models, particularly graph neural networks, which have proven successful in enhancing predictive analytics, game outcomes, tactical decision-making, and player performance evaluation. Integrating heterogeneous data sources such as player statistics, match events, and video footage using graph-based representations is a common approach to uncovering hidden insights and enhancing decision-making capabilities. Implementing graph-based analysis in real-time during live games provides immediate insights for coaches and players. This real-time information aids in dynamic decision-making, such as adjusting tactics based on the evolving game situation. We would like to point out that the definition of a taxonomy is inevitably subjective. In our case, for example, we tried to limit the number of macro-categories. Hence, we sometimes merged tasks that were only partially overlapping from a conceptual point of view.

3.2.2 RQ2. Graph-based methodologies have garnered considerable acceptance within the academic research community as an innovative and successful technique in numerous specialized application domains across major team sports [23, 158, 161, 182]. These applications exploit graph representations to enhance various facets of team sports analysis. From our previous findings, we have noted performance analysis is the most investigated activity. More in detail, one of the most investigated sub-task in sports analytics is the evaluation of players or teams performances by analyzing player interactions, movements, and contributions using graph-based models. Graph-based approaches are widely used to analyze player movements on the field, including trajectories, accelerations, and distances covered. This provides insights into individual player performance and positioning during matches. Graphs can represent player interactions, such as passes, assists, and collaborations. Analyzing these interaction patterns helps assess individual player contributions and team dynamics [23, 182]. Another interesting application domain is that of tactical analysis using graphs, since it has achieved considerable success recently for decision-making by coaches and team managers. Graph-based models contribute to recognizing and analyzing tactical patterns in team strategies. Coaches use these insights to make informed decisions about team formations, playing styles, and strategic adjustments during matches. Representing passing interactions as graphs helps in understanding the flow of information within a team. This information aids coaches in optimizing passing strategies and improving team coordination. Representing opponent teams as graphs enables the identification of weaknesses and strategic planning. Coaches use graph-based insights to formulate game plans that exploit the vulnerabilities of the opposing team. Analyzing historical data of opponents using graph structures assists in predicting and countering opponent tactics. Teams can adjust their strategies based on patterns observed in previous encounters. Utilizing graph-based techniques is possible to optimize team strategies, decision-making processes, and tactical adjustments during matches. Graph-based representations can help analyzing workload distribution, movement patterns, and injury risks to optimize player health and reduce injury occurrence. Graphbased models are employed to model player fatigue and workload, considering factors such as distances covered, sprints, and overall physical exertion. This information is crucial for injury prevention and managing player well-being. Graphs help identify correlations between player interactions (e.g., collisions, physical contacts) and injury risks. This information assists sports scientists and medical staff in implementing preventive measures.

Figure 6 helps to identify which task and which sport are being more studied by research community. For the tasks identified at the beginning of this section we have used some abbreviations in the illustration to keep its visualization more clean. In detail, Act Recog stands for Action/Activity Recognition; Event Det-Cls stands for Event Detection/Classification; KR stands for Knowledge Representation; Mot-Track stands for Motion and Tracking; Optimiz-Sched stands for Optimization/scheduling; Perf. Analysis stands for Performance Analysis; SNA stands for Social Network Analysis.

3.2.3 RQ3. The importance and spread that Artificial Intelligence has in scientific research is undeniable. For this reason, RQ3 was designed for the purpose of observing the technological advances of AI with respect to the object of our study. Investigating selected primary studies, we have identified what are the prevalent AI techniques




Fig. 6. Distribution of publications by task and sport

and algorithms employed in primary team sports analysis. These techniques contribute to the understanding of team dynamics by extracting meaningful patterns, relationships, and insights from complex interactions. As expected, since our focus is on graph-based methodologies, graph neural networks are dominantly present. GNNs are extensively used in team sports analysis to model the relationships between players, with the team represented as a graph. They are able to capture complex dependencies and interactions within the team, which allows for the analysis of dynamic relationships in player networks, passing patterns, and team coordination. Measures of centrality, such as betweenness centrality and eigenvector centrality, are used to identify key players or positions within a team structure. Understanding the centrality of players provides teams with insights into the influential elements that affect team connectivity, the flow of passing, and the dynamics of overall performance. Reinforcement learning is utilized to model decision-making processes within team sports, taking into account the dynamic nature of the game. Reinforcement learning algorithms can adapt strategies based on the evolving interactions and spatial configurations observed during matches, by incorporating graph-based representations. Techniques for clustering, such as k-means clustering, are used to group players based on similar playing styles, positions, or interaction patterns. Clustering aids in identifying player roles and playing patterns, contributing to a more nuanced understanding of team dynamics and enabling personalized coaching strategies. Algorithms for community detection identify groups of tightly connected players within a team, revealing substructures or subteams. Understanding these player communities helps in assessing team cohesion, communication patterns, and the emergence of player subgroups with distinct roles or functions. Deep learning models, such as convolutional neural networks (CNNs) and recurrent neural networks (RNNs), are used to analyze player trajectories and movements. These models contribute to understanding player positioning, movement patterns, and spatial dynamics, enabling coaches to optimize team formations and strategies. Machine learning algorithms, including regression and classification models, are used to predict various aspects of team sports, such as player performance or game outcomes. Predictive models can account for the relational aspects of team

dynamics by incorporating graph-based features, offering more accurate predictions. Comparisons based on quantitative metrics have shown superior performances with respect to traditional approaches for several tasks. For example, regarding Activity/Action Recognition, Wu et al. [251] have shown that Graph Convolutional Networks (GCNs) capture appearance/position relations between actors, outperforming CNN/RNN baselines with an accuracy of 91.8% on Volleyball dataset. In the task of player tracking, Figueroa [70] proved that using graphs to model spatiotemporal dependencies between players allows an improvement of +8.2% vs. Kalman filters in terms of MOTA (Multi-Object Tracking Accuracy). Shitrit et al. [209] have shown that network flow optimizes global trajectories resulting in an improvement in term of fragmentations, which are reduced by 12% in dense crowds. Pallavi et al. [169] proved that graphs resolve occlusions via relational reasoning with an improvement of precision metric (92.1% (vs. 84.7% for non-graph methods). In Social Network Analysis, quantitative metrics mainly used are the previously mentioned network centrality metrics (e.g., betweenness, eigenvector, etc.), and several works [44, 181, 195, 231] have shown high accuracy in win prediction, showing a correlation between centrality dispersion and win rate, and formation identification. These AI techniques collectively contribute to understanding team dynamics in major team sports by capturing the intricate relationships, patterns, and dependencies present in the complex interactions among players. The analysis of graph-based representations provides coaches, analysts, and researchers with actionable insights for strategic decision-making, player development, and overall team performance optimization.

3.2.4 RQ4. Considering the novelty of the research field, there is much room for improvement in exploring potential areas not yet thoroughly investigated where the use of graph structures could mark a change of pace compared to the techniques currently employed. For example, the role of analytics in player decisions by general managers and coaches could be further investigated. Additionally, the wider adoption and acceptance of data analytics in decision-making within clubs present opportunities for further research. Research into the factors influencing team function and performance across various industries could be applied to high-performance sports support team settings. Key variables such as leadership styles, supportive team behavior, communication, and performance feedback could be further explored in the context of team sports. Also, there is potential for further research in the area of tactical performance analysis in team sports. Investigating the associations between different tactical assessment tools could provide valuable insights into player performance and decision-making. Other gaps include the lack of standardization in data collection and analysis, the need for more sophisticated algorithms to analyze complex data, and the need for more research on the impact of graph-based approaches on decision-making. These gaps present several opportunities for further investigation. For example, researchers could explore the use of machine learning algorithms to improve the accuracy of graph-based approaches or investigate the impact of graph-based approaches on team performance and decision-making. These research gaps present opportunities for further exploration and innovation to enhance our understanding of team dynamics, player performance, and decision-making in team sports. They could also lead to the development of more effective strategies and tools for teams and coaches.

3.2.5 RQ5. The findings from this study can significantly inform collaboration and interdisciplinary partnerships among researchers, sports organizations, industry and technology developers in the context of major team sports. By answering previous research questions, we have highlighted areas where further research is needed, or existing methodologies can be improved. Identifying research gaps informs researchers about specific challenges and opportunities, motivating collaborative efforts to address these gaps through joint projects and initiatives. A major gap emerged from the SMS regarding data availability and the challenges related to data standardization and sharing in graph-based sports analytics. Collaborative efforts can be initiated to develop common data standards, protocols, and sharing mechanisms that benefit the entire sports analytics community. From our inquiry into the field, the representation of information by means of graphs has shown great potential; however, their use is still limited. Shared knowledge from the SMS can help build a community of practice around graph-based

sports analytics. This community could facilitate ongoing knowledge exchange, mentorship, and collaboration, further advancing the field. By highlighting the interdisciplinary nature of graph-based sports analytics, we showcased the need for collaboration between data scientists, sports scientists, coaches, and technology experts. This knowledge encourages the formation of interdisciplinary research teams that bring diverse expertise to the table, resulting in more holistic and practical solutions. Researchers can use the SMS findings to disseminate knowledge about the current state of graph-based approaches in sports analytics. Sharing these insights with sports organizations and technology developers provides a comprehensive landscape overview, fostering a shared understanding among stakeholders. Sports organizations can benefit from understanding the practical applications of graph-based approaches revealed in the SMS. This knowledge can inform collaborations with researchers to develop tailored solutions that address specific needs within the organization, such as player performance optimization, injury prevention, or strategic decision-making. Technology developers can gain insights into the current trends and preferences in graph-based sports analytics. This information is valuable for refining existing tools or developing new technologies that align with the needs and preferences of sports organizations. Collaborating with researchers ensures that technological advancements are grounded in robust scientific principles. Sports organizations and technology developers can use the SMS findings to benchmark their current practices against industry standards and emerging trends. This knowledge can inspire collaborations to improve performance analytics methods and stay ahead of the curve in the rapidly evolving field of sports technology. Sharing the SMS findings can contribute to educational initiatives, helping train the next generation of sports analytics professionals. Collaborations between academic institutions, sports organizations, and technology developers can result in joint training programs, workshops, and courses that bridge the gap between theory and practice. By leveraging the insights gained from the SMS, collaboration among researchers, sports organizations, and technology developers can be more targeted, effective, and aligned with the current state of graph-based approaches in major team sports analytics. This collaborative approach drives innovation, advances research, and delivers practical solutions that enhance team performance and sports analysis.

Discussion

In this section, we provide additional considerations on the results of our study. We discuss about current limitations and look into the possible causes. A first reflection concerns the meaning of the entities in the graphs, that is, what nodes and arcs represent. In fact, according to the specific application and research goal, graph components may assume different meaning. Hence, the centrality role and relevancy of a graph in the context of sports analytics may be strongly affected by this aspect. Often, players are viewed as network nodes, connected through relevant information variables such as a ball-passing action. This forms complex patterns of interaction between teammates, often referred to as a ball-passing network. One of the key benefits of this approach is that it highlights the interactional processes established by team players within and between teams as a major focus of performance analysis. While the use of graph-based structures in sports analytics has shown promise, it is not without its limitations and challenges. One of the main issues is the lack of adequate datasets. This makes it difficult to apply graph-based structures consistently and accurately across different sports or even within the same sport. Surprisingly, another aspect that catches the eye when analyzing the selected primary studies concerns the limited conception of graph structures as spatio-temporal graphs, only being addressed by recent literature. Another braking element to the evolution of the field is the dominance of industries over academics. It can be attributed to several factors, and the scarcity of public datasets is indeed a significant constraint that hampers academic research in this area. Another reason for the industry's dominance is the access to proprietary data. Another challenge, as we already briefly mentioned, is the computational complexity associated with graph-based structures. The analysis of complex networks requires sophisticated algorithms and significant computational resources. This can be a barrier for sports organizations with limited technical

capabilities or resources. Additionally, the interpretation of results from graph-based analyses can be complex and require a deep understanding of both the sport and the analytical methods used. While our mapping study outlines a wide range of graph-based methodologies applied to team sports analytics, a closer inspection of the technical intricacies underlying these methods reveals important considerations related to computational complexity, scalability, and real-time applicability. Many recent approaches employ graph neural networks (GNNs), especially graph convolutional networks (GCNs), to model complex spatial-temporal relationships among players. For instance, Wu et al. [251] introduced Actor Relation Graphs (ARGs) for group activity recognition, using sparsified graphs to limit computational overhead. While their model achieves high accuracy, its inference time of approximately 0.2 seconds per video clip underscores the trade-off between model expressiveness and runtime performance—particularly relevant for applications requiring near-real-time responsiveness. Similarly, works like [254] in sports outcome prediction show how permutation-invariant GNN architectures can scale flexibly across sports with varying team sizes. These models effectively capture relational dynamics but are generally trained and evaluated in offline settings, with little emphasis on deployment constraints such as latency, throughput, or memory efficiency. Optimization strategies such as pruning, quantization, or architectural simplification are rarely detailed in the surveyed literature. Graph-based approaches for analyzing multi-agent spatiotemporal data in team sports offer a powerful paradigm for capturing the complex dynamics and interactions inherent in such environments. In Raabe et al. [182], Tactical Graph Networks (TGNets) are introduced as an efficient and lightweight method for encoding contextual relationships among players by translating trajectory data into graph structures. The approach shows state-of-the-art accuracy with significantly reduced computational overhead compared to deep neural alternatives, highlighting high efficiency and moderate scalability especially for tasks like ball recovery prediction in football. Meanwhile, Jiang et al. [100] present a Local-Global Context-Aware Graph Reasoning model (LG-CAGR) for group activity recognition by modeling actor-scene interactions using multi-graphs and attention mechanisms. This model enables scalable reasoning across varying group sizes and scene contexts through localized feature extraction and global scene awareness. However, the added complexity of managing both scene and actor-level reasoning increases computational demand. Both works underscore that while graph-based models offer superior interpretability and flexibility, their scalability is tightly linked to graph construction strategies and the efficiency of reasoning modules, especially when scaling to larger datasets or real-time systems in high-speed sports like basketball or football. Moreover, real-time applicability remains an open challenge. Although several models demonstrate strong predictive performance in retrospective analyses, few report on system-level benchmarks that would be required for live match analysis or in-game decision support. The absence of standardized evaluation protocols for runtime efficiency, graph construction overhead, and end-to-end system performance hinders a complete understanding of the practical feasibility of these methods.

Despite these threats, we believe the potential benefits of graph-based structures in sports analytics are significant, especially when considering the potential insights from other domains. In fact, graphs serve as a powerful and versatile representation formalism across a wide range of domains, enabling the modeling of complex relationships, dynamic interactions, and structured dependencies among entities. Fields such as finance, bioinformatics, autonomous systems, and traffic management have long tackled problems involving dynamic graphs, temporal evolution, and heterogeneous data integration—challenges that are now becoming central in sports contexts. By drawing from these domains, sports analytics can evolve from descriptive and retrospective analyses to more predictive and prescriptive systems or vice-versa. Continued advancements in data collection technologies, machine learning algorithms, and computational resources are likely to mitigate some of these limitations in the future. As the field continues to evolve, it will be important for researchers and practitioners to collaborate closely to ensure that the methods used are both scientifically rigorous and practically relevant. We refer the reader to the "Further Considerations" section (see Appendix in supplementary material), where we discuss in more depth the different concepts covered in this section.

5 Threats to validity

The validity of this Systematic Mapping Study (SMS) is subject to several potential threats, which must be acknowledged and considered to ensure the integrity of our findings. These threats pertain to the comprehensiveness of the search, the selection of studies, and the data extraction process. The following threats are taken into account:

- Publication Bias: A significant threat to validity in any systematic study is publication bias, where positive or statistically significant results are more likely to be published. In this SMS, we have attempted to mitigate this threat by including conference proceedings, technical reports, and non-peer-reviewed sources to capture a broader spectrum of research outcomes.
- Language Bias: Limiting our search to English-language publications may introduce language bias. Studies published in other languages may have been excluded, potentially leading to the omission of valuable insights. We acknowledge this limitation and recommend further research to address language-diverse sources.
- Database Coverage: The comprehensiveness of our search depends on the coverage and indexing of the selected databases. It is possible that some relevant studies were not indexed or available in the chosen sources, potentially affecting the completeness of our findings.
- Search Strategy: Despite our efforts to create an inclusive search strategy, the selection of keywords and search terms may introduce bias. We have attempted to mitigate this by consulting experts and conducting pilot searches to refine our strategy.
- Study Selection: The inclusion and exclusion criteria set for study selection may introduce subjective judgment, potentially leading to the exclusion of studies that could be considered relevant by others. To address this, we employed a clear and predefined set of criteria and conducted inter-rater reliability checks during the selection process.
- Data Extraction: The accuracy and completeness of data extraction rely on the information provided in the selected studies. Inaccurate or incomplete reporting in the source material may introduce bias or affect the categorization of studies. We have taken measures to ensure consistent and objective data extraction, and any uncertainties or ambiguities were discussed and resolved through consensus among the research
- Timeframe Limitation: The choice of a publication date range may introduce temporal bias, potentially excluding older studies that could provide valuable historical context. This limitation is addressed by focusing on the most recent and relevant research within the defined timeframe.

While these potential threats to validity are acknowledged, we have strived to minimize their impact through careful methodology design and transparency in reporting. The findings of this SMS should be interpreted in light of these considerations, and future research in this field should aim to address these limitations for a more comprehensive understanding of the investigated domain.

6 Conclusions

The goal of our mapping study was to systematically understand how graph-based approaches and representations of knowledge have been applied to support team sports analysis. As a result, we were able to uncover the interplay between the two domains and to reveal trends and possible future research directions. To achieve this goal, we defined five RQs and conducted a systematic mapping study. We designed a strict research protocol and followed a systematic and peer-reviewed process to: (1) select our sources of information, (2) extract evidence from them, and (3) analyze the extracted data to answer our RQs. Starting from an initial set of 307 primary studies retrieved from four major computer science digital libraries, the selection process led us to 126 relevant high-quality primary studies. By analyzing the publication space we were able to devise the following: (1) the distribution of the selected primary studies over the publication years allowed us to observe an interesting fact, namely that the last three years have seen a sharp increase in the number of publications. This is an indication that the field of research we have been investigating is young and is attracting increasing interest in the scientific community; (2) the filter applied on publishers and the quality of journal and conference venues significantly reduced the number of papers selected based on the search string we defined. In addition, only a small proportion were published in top-ranked journals or conferences. Together with the observation made above, this allows us to infer that the field still offers vast potential in terms of explorability of research areas, but also that the limitations and challenges (see discussion in Appendix section of supplementary materials), are a major obstacle to the development of the field; and (3) most of the authors' affiliations are located in Asia (India, China) and America (Brazil, USA). The analysis of the data extracted from the selected studies let us answer our (research space) RQs and derive the following main conclusions: (1) several graph-based approaches are being used to represent knowledge in diverse tasks, each with different meaning, with networks of players being the most popular one; (2) social network analysis and community detection algorithms constitute a well-established research trend in the field and stand out from other techniques. This is mainly due to the presence of a "standard" dataset, frequently used for benchmark activities, which collects information of American college football games, as a network. While this can not be neglected, we believe it is of less interest for the intended aim of our study, that is the exploitation of graphs for advanced prediction tasks in sports analytics; (3) the majority of selected primary studies for volleyball investigated the group activity recognition task. As for the previous point, the presence of the "Volleyball dataset" is the driving force of this research branch; (4) the advent of Graph Neural Networks has significantly shoved the research in team sports analytics by means of graphs. Modeling and representing input data as graphs, allow researchers to provide more insights and capture more complex interactions.

Future research in graph-based sports analytics must prioritize three interconnected challenges: enhancing computational scalability, enabling real-time inference, and refining domain-specific models to translate theoretical promise into practical impact. A critical gap persists in the systematic benchmarking of latency and scalability metrics, particularly for latency-sensitive applications like live tactical decision support and broadcast augmentation. To establish methodological credibility, short-term efforts should emphasize experimental rigor—incorporating robust baselines, thorough statistical validation, and fully reproducible pipelines. Applying established Graph Neural Network (GNN) architectures to core tasks (e.g., player positioning, ball trajectory forecasting, and pass outcome prediction) offers a pragmatic pathway to evaluate their operational utility in sporting contexts. Concurrently, developing curated public datasets and open-source tooling is paramount to foster reproducibility and accelerate community-driven innovation. Longer-term advancements hinge on designing GNNs that explicitly encode the intrinsic spatiotemporal and multi-agent dynamics of team sports. Integrating multimodal data streams will be essential to capture the holistic complexity of athlete and team behaviors. Such integration could catalyze the development of real-time decision support systems, transforming in-game analytics. Sustained interdisciplinary collaboration with domain experts is also vital to ensure graph-derived insights yield tangible improvements in training methodologies, athlete health, and strategic periodization. To the best of our knowledge, this research is the first secondary study investigating how graph-based approaches are exploited to advance the field of team sports analytics. As a result of this research, we obtained a fine-grained mapping that describes the current interplay between graphs and team sport analysis. Researchers can leverage this mapping to identify opportunities for future research on new primary studies to be conducted or new applications of graphs for teams sports analytics to be developed. Practitioners can also use the mapping to take an informed decision on which AI technology to possibly adopt in support of their processes.

Acknowledgments

We acknowledge financial support from the PNRR MUR project PE0000013-FAIR.

ACM Comput. Surv.

References

- [1] 2010. In Proceedings of the 7th International Conference on Informatics in Control, Automation and Robotics. SciTePress Science and and Technology Publications, 433-436. doi:10.5220/0002954004330436
- [2] 2023. Machine Learning and Data Mining for Sports Analytics: 9th International Workshop, MLSA 2022, Grenoble, France, September 19, 2022, Revised Selected Papers. Springer Nature Switzerland. doi:10.1007/978-3-031-27527-2
- [3] Sunitha Abburu and R. J. Anandhi. 2010. Concept ontology construction for sports video. In Proceedings of the 1st Amrita ACM-W Celebration on Women in Computing in India (A2CWiC '10). ACM, 1-6. doi:10.1145/1858378.1858428
- [4] Mohammadreza Abdi, Mehrdad Kargari, Babak Teimourpour, and Meysam Alavi. 2025. NBA Playoff Qualification: A Hybrid Machine Learning and Social Network Analysis Approach. In 2025 11th International Conference on Web Research (ICWR). IEEE, 566-571. doi:10.1109/icwr65219.2025.11006193
- [5] Abhinav Agarwalla, Madhav Mantri, and Vishal Singh. 2017. Hierarchical Ranking of Cricket Teams Incorporating Player Composition. Springer International Publishing, 633-638. doi:10.1007/978-3-319-69900-4 80
- [6] Mahboubeh Ahmadalinezhad and Masoud Makrehchi. 2020. Basketball lineup performance prediction using edge-centric multi-view network analysis. Social Network Analysis and Mining 10, 1 (Aug. 2020). doi:10.1007/s13278-020-00677-0
- [7] Mahboubeh Ahmadalinezhad, Masoud Makrehchi, and Neil Seward. 2019. Basketball lineup performance prediction using network analysis. In Proceedings of the 2019 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining (ASONAM '19). ACM, 519-524. doi:10.1145/3341161.3342932
- [8] Amir Hossein Ahmadi, Ahmadi Noori, and Babak Teimourpour. 2020. Social Network Analysis of Passes and Communication Graph in Football by mining Frequent Subgraphs. In 2020 6th International Conference on Web Research (ICWR). IEEE, 1-7. doi:10.1109/icwr49608. 2020.9122303
- [9] Khaled Ahmed, Aboul Ella Hassanien, Ehab Ezzat, and Pei-Wei Tsai. 2016. An Adaptive Approach for Community Detection Based on Chicken Swarm Optimization Algorithm. Springer International Publishing, 281-288. doi:10.1007/978-3-319-48490-7_33
- [10] M. R. Amer and S. Todorovic. 2012. Sum-product networks for modeling activities with stochastic structure. In 2012 IEEE Conference on Computer Vision and Pattern Recognition. IEEE, 1314-1321. doi:10.1109/cvpr.2012.6247816
- [11] Mohamed R. Amer and Sinisa Todorovic. 2016. Sum Product Networks for Activity Recognition. IEEE Transactions on Pattern Analysis and Machine Intelligence 38, 4 (April 2016), 800-813. doi:10.1109/tpami.2015.2465955
- [12] Mohamed R. Amer, Sinisa Todorovic, Alan Fern, and Song-Chun Zhu. 2013. Monte Carlo Tree Search for Scheduling Activity Recognition. In 2013 IEEE International Conference on Computer Vision. IEEE, 1353-1360. doi:10.1109/iccv.2013.171
- [13] Tanu Aneja, Brejesh Lall, and Harsha Malaviya. 2025. Cricket Shot Analysis using Conditional Directed Spatio-Temporal Graph networks. In 2025 IEEE 6th International Conference on Image Processing, Applications and Systems (IPAS). IEEE, 1-7. doi:10.1109/
- [14] Valerio Antonini, Michael Scriney, Alessandra Mileo, and Mark Roantree. 2024. Using a Spatial Grid Model to Interpret Players Movement in Field Sports. Springer Nature Switzerland, 395-400. doi:10.1007/978-3-031-68323-7_36
- [15] Raquel Y.S. Aoki, Renato M. Assuncao, and Pedro O.S. Vaz de Melo. 2017. Luck is Hard to Beat: The Difficulty of Sports Prediction. In Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD '17). ACM, 1367-1376. doi:10.1145/3097983.3098045
- [16] Rodrigo Aquino, Christopher Carling, Luiz H. Palucci Vieira, Guilherme Martins, Gustavo Jabor, João Machado, Paulo Santiago, Júlio Garganta, and Enrico Puggina. 2020. Influence of Situational Variables, Team Formation, and Playing Position on Match Running Performance and Social Network Analysis in Brazilian Professional Soccer Players. Journal of Strength and Conditioning Research 34, 3 (March 2020), 808-817. doi:10.1519/jsc.000000000002725
- [17] Rodrigo Aquino, João Cláudio Machado, Filipe Manuel Clemente, Gibson Moreira Praça, Luiz Guilherme C. Gonçalves, Bruno Melli-Neto, João Victor S. Ferrari, Luiz H. Palucci Vieira, Enrico F. Puggina, and Christopher Carling. 2019. Comparisons of ball possession, match running performance, player prominence and team network properties according to match outcome and playing formation during the 2018 FIFA World Cup. International Journal of Performance Analysis in Sport 19, 6 (Nov. 2019), 1026-1037. doi:10.1080/24748668.2019.1689753
- [18] Farzaneh Askari, Cyril Yared, Rohit Ramaprasad, Devin Garg, Anjun Hu, and James J. Clark. 2024. Video Interaction Recognition using an Attention Augmented Relational Network and Skeleton Data. In 2024 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW). IEEE, 3225-3234. doi:10.1109/cvprw63382.2024.00328
- [19] Huberto Ayanegui and Fernando Ramos. [n. d.]. Recognizing Patterns of Dynamic Behaviors Based on Multiple Relations in Soccer Robotics $\textit{Domain.} \ Springer \ Berlin \ Heidelberg, 33-40. \ doi: 10.1007/978-3-540-77046-6_5$
- [20] Liang Bai, Songyang Lao, Gareth J.F. Jones, and Alan F. Smeaton. 2007. Video Semantic Content Analysis based on Ontology. In International Machine Vision and Image Processing Conference (IMVIP 2007). IEEE. doi:10.1109/imvip.2007.44
- [21] Binazir Balegh and Saeed Farzi. 2017. Community detection in social networks using a novel algorithm without parameter. In 2017 IEEE 4th International Conference on Knowledge-Based Engineering and Innovation (KBEI). IEEE, 0355-0359. doi:10.1109/kbei.2017.8325002

- [22] Manuel Bassek, Dominik Raabe, Alexander Banning, Daniel Memmert, and Robert Rein. 2023. Analysis of contextualized intensity in Men's elite handball using graph-based deep learning. *Journal of Sports Sciences* 41, 13 (July 2023), 1299–1308. doi:10.1080/02640414. 2023.2268366
- [23] Manuel Bassek, Dominik Raabe, Alexander Banning, Daniel Memmert, and Robert Rein. 2023. Analysis of contextualized intensity in Men's elite handball using graph-based deep learning. Journal of Sports Sciences 41, 13 (2023), 1299–1308. doi:10.1080/02640414.2023. 2268366
- [24] Lian Beenhakker, Fahim Salim, Dees Postma, Robby van Delden, Dennis Reidsma, and Bert-Jan van Beijnum. 2020. How Good is Good Enough?: The Impact of Errors in Single Person Action Classification on the Modeling of Group Interactions in Volleyball. In Proceedings of the 2020 International Conference on Multimodal Interaction (ICMI '20). ACM, 278–286. doi:10.1145/3382507.3418846
- [25] M. Bertini, R. Cucchiara, A. del Bimbo, and C. Torniai. [n. d.]. Video Annotation with Pictorially Enriched Ontologies. In 2005 IEEE International Conference on Multimedia and Expo. IEEE, 1428–1431. doi:10.1109/icme.2005.1521699
- [26] M. Bertini, R. Cucchiara, A. Del Bimbo, and C. Torniai. 2005. Domain Knowledge Extension with Pictorially Enriched Ontologies. Springer Berlin Heidelberg, 652–660. doi:10.1007/11556121_80
- [27] Marco Bertini, Alberto Del Bimbo, and Carlo Torniai. 2005. Automatic video annotation using ontologies extended with visual information. In Proceedings of the 13th annual ACM international conference on Multimedia (MM05). ACM, 395–398. doi:10.1145/1101149. 1101235
- [28] Marco Bertini, Alberto Del Bimbo, and Carlo Torniai. 2005. Enhanced ontologies for video annotation and retrieval. In *Proceedings of the 7th ACM SIGMM international workshop on Multimedia information retrieval (MM&Sec '05)*. ACM, 89–96. doi:10.1145/1101826.1101843
- [29] Andraz Bezek. 2005. Discovering strategic multi-agent behavior in a robotic soccer domain. In *Proceedings of the fourth international joint conference on Autonomous agents and multiagent systems (AAMAS05)*. ACM, 1177–1178. doi:10.1145/1082473.1082681
- [30] Cunling Bian, Wei Feng, and Song Wang. 2022. Self-Supervised Representation Learning for Skeleton-Based Group Activity Recognition. In Proceedings of the 30th ACM International Conference on Multimedia (MM '22). ACM, 5990-5998. doi:10.1145/3503161.3547822
- [31] Mario Borges and John Seeley. 2022. Passing Networks: An Examination of the Prevalence of Positions in Positional Attack in Handball. Springer International Publishing, 53–60. doi:10.1007/978-3-030-99333-7_8
- [32] Quentin Bourgeais, Rodolphe Charrier, Eric Sanlaville, and Ludovic Seifert. 2024. A temporal graph model to study the dynamics of collective behavior and performance in team sports: an application to basketball. Social Network Analysis and Mining 14, 1 (April 2024). doi:10.1007/s13278-024-01253-6
- [33] Quentin Bourgeais, Rodolphe Charrier, Eric Sanlaville, and Ludovic Seifert. 2025. Temporal passing network in basketball: the effect of time pressure on the dynamics of team organization at micro and meso levels. Psychology of Sport and Exercise 80 (Sept. 2025), 102882. doi:10.1016/j.psychsport.2025.102882
- [34] Raphael Brito E Sousa, Sarah Da Glória Teles Bredt, Pablo Juan Greco, Filipe Manuel Clemente, Israel Teoldo, and Gibson Moreira Praça. 2019. Influence of limiting the number of ball touches on players' tactical behaviour and network properties during football small-sided games. International Journal of Performance Analysis in Sport 19, 6 (Nov. 2019), 999–1010. doi:10.1080/24748668.2019.1689751
- [35] Laurent Bulteau, Niels Grüttemeier, Christian Komusiewicz, and Manuel Sorge. 2021. Your rugby mates don't need to know your colleagues: Triadic closure with edge colors. J. Comput. System Sci. 120 (Sept. 2021), 75–96. doi:10.1016/j.jcss.2021.03.001
- [36] Rory Bunker and Teo Susnjak. 2022. The application of machine learning techniques for predicting match results in team sport: A review. *Journal of Artificial Intelligence Research* 73 (2022), 1285–1322.
- [37] Michael Burch. 2016. Visual analysis of compound graphs. In 2016 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC). IEEE, 54–58. doi:10.1109/vlhcc.2016.7739664
- [38] Alejandro Cartas, Coloma Ballester, and Gloria Haro. 2022. A Graph-Based Method for Soccer Action Spotting Using Unsupervised Player Classification. In *Proceedings of the 5th International ACM Workshop on Multimedia Content Analysis in Sports (MM '22)*. ACM, 93–102. doi:10.1145/3552437.3555691
- [39] Debanjan Chaudhuri, Md. Rashad Al Hasan Rony, Simon Jordan, and Jens Lehmann. 2019. Using a KG-Copy Network for Non-goal Oriented Dialogues. Springer International Publishing, 93–109. doi:10.1007/978-3-030-30793-6_6
- [40] Liang-Hua Chen, Hsin-Wen Chang, and Hsiang-An Hsiao. 2017. Player Trajectory Reconstruction from Broadcast Basketball Video. In Proceedings of the 2nd International Conference on Biomedical Signal and Image Processing (ICBIP 2017). ACM, 72–76. doi:10.1145/3133793.3133801
- [41] Sheng Chen, Alan Fern, and Sinisa Todorovic. 2015. Person count localization in videos from noisy foreground and detections. In 2015 IEEE Conference on Computer Vision and Pattern Recognition (CVPR). IEEE, 1364–1372. doi:10.1109/cvpr.2015.7298742
- [42] Yung-Hui Chen and Lawrence Y. Deng. 2011. Event Mining and Indexing in Basketball Video. In 2011 Fifth International Conference on Genetic and Evolutionary Computing. IEEE, 247–251. doi:10.1109/icgec.2011.98
- [43] Yi-Shan Cheng, Acer Yu-Chan Chang, and Kenji Doya. 2025. Information-Theoretical Analysis of Team Dynamics in Football Matches. Entropy 27, 3 (2025), 224. doi:10.3390/e27030224
- [44] Yoonjae Cho, Jaewoong Yoon, and Sukjun Lee. 2018. Using social network analysis and gradient boosting to develop a soccer win-lose prediction model. *Engineering Applications of Artificial Intelligence* 72 (June 2018), 228–240. doi:10.1016/j.engappai.2018.04.010

- [45] Paolo Cintia, Michele Coscia, and Luca Pappalardo. 2016. The Haka network: Evaluating rugby team performance with dynamic graph analysis. In 2016 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining (ASONAM). IEEE, 1095-1102. doi:10.1109/asonam.2016.7752377
- [46] João Gustavo Claudino, Daniel de Oliveira Capanema, Thiago Vieira de Souza, Julio Cerca Serrão, Adriano C Machado Pereira, and George P Nassis. 2019. Current approaches to the use of artificial intelligence for injury risk assessment and performance prediction in team sports: a systematic review. Sports medicine-open 5 (2019), 1-12.
- [47] Filipe Manuel Clemente. 2018. Performance outcomes and their associations with network measures during FIFA World Cup 2018. International Journal of Performance Analysis in Sport 18, 6 (Nov. 2018), 1010-1023. doi:10.1080/24748668.2018.1545180
- [48] Filipe Manuel Clemente, Fernando Manuel Lourenço Martins, Dimitris Kalamaras, P. Del Wong, and Rui Sousa Mendes. 2015. General network analysis of national soccer teams in FIFA World Cup 2014. International Journal of Performance Analysis in Sport 15, 1 (March 2015), 80-96. doi:10.1080/24748668.2015.11868778
- [49] Filipe Manuel Clemente, Fernando Manuel Lourenço Martins, and Rui Sousa Mendes. 2015. Argentina's Network Analysis in FIFA World Cup 2014: A Case Study. Springer International Publishing, 85-93. doi:10.1007/978-3-319-25855-3_7
- [50] Filipe Manuel Clemente, Fernando Manuel Lourenço Martins, P. Del Wong, Dimitris Kalamaras, and Rui Sousa Mendes. 2015. Midfielder as the prominent participant in the building attack: A network analysis of national teams in FIFA World Cup 2014. International Journal of Performance Analysis in Sport 15, 2 (Aug. 2015), 704-722. doi:10.1080/24748668.2015.11868825
- [51] Adam Cooper. 2023. Exploring the coaching journeys of non-professional football players to professional football coaches. Sports Coaching Review (July 2023), 1-22. doi:10.1080/21640629.2023.2240169
- [52] Hai Cui, Tao Peng, Tie Bao, Ridong Han, Jiayu Han, and Lu Liu. 2022. Stepwise relation prediction with dynamic reasoning network for multi-hop knowledge graph question answering. Applied Intelligence 53, 10 (Sept. 2022), 12340-12354. doi:10.1007/s10489-022-04127-6
- [53] Leonardo da Silva Costa and Flavio Tonidandel. 2019. Comparison and Analysis of the DVG+A* and Rapidly-Exploring Random Trees Path-Planners for the RoboCup-Small Size League. In 2019 Latin American Robotics Symposium (LARS), 2019 Brazilian Symposium on Robotics (SBR) and 2019 Workshop on Robotics in Education (WRE). IEEE, 1-6. doi:10.1109/lars-sbr-wre48964.2019.00009
- [54] Devavrat Vivek Dabke and Bernard Chazelle. 2022. Extracting Semantic Information from Dynamic Graphs of Geometric Data. Springer International Publishing, 474-485. doi:10.1007/978-3-030-93413-2_40
- [55] Fahad Daniyal, Murtaza Taj, and Andrea Cavallaro. 2009. Content and task-based view selection from multiple video streams. Multimedia Tools and Applications 46, 2-3 (Sept. 2009), 235-258. doi:10.1007/s11042-009-0355-z
- [56] Fang Deng, Zhantu Liang, Lijun Xu, and Xin Wu. 2024. Cricket Action Classification Based on Skeleton Data Extracted by OpenPifPaf. In 2024 20th International Conference on Natural Computation, Fuzzy Systems and Knowledge Discovery (ICNC-FSKD). IEEE, 1-5. doi:10.1109/icnc-fskd64080.2024.10702198
- [57] Lawrence Y. Deng and Yi-Jen Liu. 2008. Semantic Analysis and Video Event Mining in Sports Video. In 22nd International Conference on Advanced Information Networking and Applications - Workshops (aina workshops 2008). IEEE, 1517-1522. doi:10.1109/waina.2008.167
- [58] Paramita Dey, Maitreyee Ganguly, and Sarbani Roy. 2017. Network centrality based team formation: A case study on T-20 cricket. Applied Computing and Informatics 13, 2 (July 2017), 161-168. doi:10.1016/j.aci.2016.11.001
- [59] Paramita Dey, Maitreyee Ganguly, Priya Sengupta, and Sarbani Roy. 2017. Small World Network Formation and Characterization of Sports Network. Springer Singapore, 619-627. doi:10.1007/978-981-10-3153-3_61
- [60] Uwe Dick, Maryam Tavakol, and Ulf Brefeld. 2021. Rating Player Actions in Soccer. Frontiers in Sports and Active Living 3 (July 2021). doi:10.3389/fspor.2021.682986
- [61] Francisco Dillon, Silvia Aguirre Jiménez, David Rojas, Juan Esteban Dillon, and Grace Andino. 2024. Decoding the Game: How Graph Theory Helps Teams Win Soccer Games. Springer Nature Switzerland, 215-226. doi:10.1007/978-3-031-74751-9_20
- [62] Yi Ding and Guoliang Fan. 2009. Sports Video Mining via Multichannel Segmental Hidden Markov Models. IEEE Transactions on Multimedia 11, 7 (Nov. 2009), 1301-1309. doi:10.1109/tmm.2009.2030828
- [63] Haozhe Du, Zhike Chen, Yufeng Wang, Zheyuan Huang, Yunkai Wang, and Rong Xiong. 2021. Multi-Agent Trajectory Prediction Based on Graph Neural Network. In 2021 IEEE International Conference on Real-time Computing and Robotics (RCAR). IEEE, 632-637. doi:10.1109/rcar52367.2021.9517404
- [64] Kun Duan, Dhruv Batra, and David J. Crandall. 2015. Human pose estimation via multi-layer composite models. Signal Processing 110 (May 2015), 15-26. doi:10.1016/j.sigpro.2014.09.014
- [65] Yutai Duan and Jianming Wang. 2021. Learning Key Actors and Their Interactions for Group Activity Recognition. Springer International Publishing, 53-65. doi:10.1007/978-3-030-88013-2_5
- [66] Ashley M. Duguay, Todd M. Loughead, and James M. Cook. 2019. Athlete Leadership as a Shared Process: Using a Social-Network Approach to Examine Athlete Leadership in Competitive Female Youth Soccer Teams. The Sport Psychologist 33, 3 (Sept. 2019), 189-202. doi:10.1123/tsp.2018-0019
- [67] Dennis Fassmeyer, Moritz Cordes, and Ulf Brefeld. 2025. Interactive sequential generative models for team sports. Machine Learning 114, 2 (Jan. 2025). doi:10.1007/s10994-024-06648-2

- [68] Tao Feng, Kaifan Ji, Ang Bian, Chang Liu, and Jianzhou Zhang. 2022. Identifying players in broadcast videos using graph convolutional network. Pattern Recognition 124 (April 2022), 108503. doi:10.1016/j.patcog.2021.108503
- [69] Guilherme C. G. Fernandes, Stiven S. Dias, Marcos R. O. A. Maximo, and Marcelo G. S. Bruno. 2020. Cooperative Localization for Multiple Soccer Agents Using Factor Graphs and Sequential Monte Carlo. IEEE Access 8 (2020), 213168–213184. doi:10.1109/access.2020.3040602
- [70] P. Figueroa, N. Leite, R.M.L. Barros, I. Cohen, and G. Medioni. 2004. Tracking soccer players using the graph representation. In Proceedings of the 17th International Conference on Pattern Recognition, 2004. ICPR 2004. IEEE, 787–790 Vol.4. doi:10.1109/icpr.2004.1333890
- [71] Oğuz Findik and Emrah Özkaynak. 2020. Link Prediction on Networks Created from UEFA European Competitions. Springer International Publishing, 207–217. doi:10.1007/978-3-030-52856-0_16
- [72] ALICIA G. D. FRANCO, OTAVIO F. B. SILVEIRA, FLAVIO B. GONZAGA, and IAGO A. CARVALHO. 2025. Descriptor: Soccer Player Transfer Dataset (SPTD). IEEE Data Descriptions (2025), 1–9. doi:10.1109/ieeedata.2025.3569490
- [73] Katrien Fransen, S. Alexander Haslam, Clifford J. Mallett, Niklas K. Steffens, Kim Peters, and Filip Boen. 2017. Is perceived athlete leadership quality related to team effectiveness? A comparison of three professional sports teams. *Journal of Science and Medicine in Sport* 20, 8 (Aug. 2017), 800–806. doi:10.1016/j.jsams.2016.11.024
- [74] Keisuke Fujii, Koh Takeuchi, Atsushi Kuribayashi, Naoya Takeishi, Yoshinobu Kawahara, and Kazuya Takeda. 2025. Estimating Counterfactual Treatment Outcomes Over Time in Complex Multiagent Scenarios. IEEE Transactions on Neural Networks and Learning Systems 36, 2 (Feb. 2025), 2103–2117. doi:10.1109/tnnls.2024.3361166
- [75] Lucas G. S. Félix, Carlos M. Barbosa, Iago A. Carvalho, Vinícius da F. Vieira, and Carolina Ribeiro Xavier. 2020. Forecasting Soccer Market Tendencies Using Link Prediction. Springer International Publishing, 663–675. doi:10.1007/978-3-030-58799-4_48
- [76] Thomas Gabel and Fabian Sommer. 2023. Instance-Based Opponent Action Prediction in Soccer Simulation Using Boundary Graphs. Springer International Publishing, 14–26. doi:10.1007/978-3-031-28469-4_2
- [77] Ryota Goka, Yuya Moroto, Keisuke Maeda, Takahiro Ogawa, and Miki Haseyama. 2022. Shoot Event Prediction from Soccer Videos by Considering Players' Spatio-Temporal Relations. In 2022 IEEE 11th Global Conference on Consumer Electronics (GCCE). IEEE, 406–407. doi:10.1109/gcce56475.2022.10014347
- [78] Ryota Goka, Yuya Moroto, Keisuke Maeda, Takahiro Ogawa, and Miki Haseyama. 2023. Prediction of Shoot Events by Considering Spatio-temporal Relations of Multimodal Features. In 2023 International Conference on Consumer Electronics - Taiwan (ICCE-Taiwan). IEEE, 793-794. doi:10.1109/icce-taiwan58799.2023.10226862
- [79] Colin Graber and Alexander Schwing. 2020. Dynamic Neural Relational Inference for Forecasting Trajectories. In 2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW). IEEE, 4383–4392. doi:10.1109/cvprw50498.2020.00517
- [80] Colin Graber and Alexander G. Schwing. 2020. Dynamic Neural Relational Inference. In 2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR). IEEE. doi:10.1109/cvpr42600.2020.00854
- [81] Stephan Gspandl, Andreas Hechenblaickner, Michael Reip, Gerald Steinbauer, Máté Wolfram, and Christoph Zehentner. 2012. The Ontology Lifecycle in RoboCup: Population from Text and Execution. Springer Berlin Heidelberg, 389–401. doi:10.1007/978-3-642-32060-633
- [82] Jose Guillermo Guarnizo Marin and Martin Mellado Arteche. 2016. Robot Soccer Strategy Based on Hierarchical Finite State Machine to Centralized Architectures. IEEE Latin America Transactions 14, 8 (Aug. 2016), 3586–3596. doi:10.1109/tla.2016.7786338
- [83] Tianxiao Guo, Yixiong Cui, Weifan Min, Wenjie Zhang, Jing Mi, and Yanfei Shen. 2022. Exploring the relationship between basketball rotation and competitive performance using substitution network analysis. Journal of Sports Sciences 40, 24 (Dec. 2022), 2704–2713. doi:10.1080/02640414.2023.2189216
- [84] Wang Hai-hua and Li Dong-liang. 2010. Optimal obstacle avoidance path planning in robot soccer. In 2010 The 2nd Conference on Environmental Science and Information Application Technology. IEEE, 748–750. doi:10.1109/esiat.2010.5567246
- [85] Mustafa Hajeer, Dipankar Dasgupta, Alexander Semenov, and Jari Veijalainen. 2014. Distributed evolutionary approach to data clustering and modeling. In 2014 IEEE Symposium on Computational Intelligence and Data Mining (CIDM). IEEE, 142–148. doi:10.1109/ cidm.2014.7008660
- [86] Raffay Hamid, Ram Krishan Kumar, Matthias Grundmann, Kihwan Kim, Irfan Essa, and Jessica Hodgins. 2010. Player localization using multiple static cameras for sports visualization. In 2010 IEEE Computer Society Conference on Computer Vision and Pattern Recognition. IEEE, 731–738. doi:10.1109/cvpr.2010.5540142
- [87] Rui He, Zehua Fu, Qingjie Liu, Yunhong Wang, and Xunxun Chen. 2022. Sparse Relation Graph for Group Activity Recognition. In 2022 IEEE 24th International Workshop on Multimedia Signal Processing (MMSP). IEEE, 1–5. doi:10.1109/mmsp55362.2022.9949142
- [88] Rui He, Zehua Fu, Qingjie Liu, Yunhong Wang, and Xunxun Chen. 2023. Learning group interaction for sports video understanding from a perspective of athlete. Frontiers of Computer Science 18, 4 (Dec. 2023). doi:10.1007/s11704-023-2525-y
- [89] Dennis Hemphill. 2005. Deeper inside the beautiful game. Journal of the Philosophy of Sport 32, 1 (2005), 105-115.
- [90] Lv Hui, Lei Tao, Huang Xianglin, Gao Hongxiao, and Bi Zengfeng. 2017. Detection algorithm based on closeness rank and signal transimission. In 2017 IEEE 2nd Advanced Information Technology, Electronic and Automation Control Conference (IAEAC). IEEE, 443–447. doi:10.1109/iaeac.2017.8054053

- [91] Marta Hurst, Manuel Loureiro, Beatriz Valongo, Lorenzo Laporta, T. Pantelis Nikolaidis, and José Afonso. 2016. Systemic Mapping of High-Level Women's Volleyball using Social Network Analysis: The Case of Serve (K0), Side-out (KI), Side-out Transition (KII) and Transition (KIII). International Journal of Performance Analysis in Sport 16, 2 (Aug. 2016), 695-710. doi:10.1080/24748668.2016.11868917
- [92] Noel Hyndman, Irvine Lapsley, and Christina Philippou. 2024. Exploring a Soccer Society: dreams, themes and the beautiful game. Accounting, Auditing & Accountability Journal 37, 2 (2024), 433-453.
- [93] Sebastian Immler, Philipp Rappelsberger, Arnold Baca, and Juliana Exel. 2021. Guardiola, Klopp, and Pochettino: The Purveyors of What? The Use of Passing Network Analysis to Identify and Compare Coaching Styles in Professional Football. Frontiers in Sports and Active Living 3 (Oct. 2021). doi:10.3389/fspor.2021.725554
- [94] Taichi Ishiwatari, Makiko Azuma, Takuya Handa, Masaki Takahashi, Takahiro Mochizuki, and Masanori Sano. 2022. Audio Visual Graph Attention Networks for Event Detection in Sports Video. In 2022 30th European Signal Processing Conference (EUSIPCO). IEEE, 553-557. doi:10.23919/eusipco55093.2022.9909552
- [95] Vidyadhari Jami and G Ram Mohana Reddy. 2016. A hybrid community detection based on evolutionary algorithms in social networks. In 2016 IEEE Students' Conference on Electrical, Electronics and Computer Science (SCEECS). IEEE, 1-6. doi:10.1109/sceecs.2016.7509309
- [96] Danielle Jarvie. 2018. Do Long-time Team-mates Lead to Better Team Performance? A Social Network Analysis of Data from Major $League\ Baseball.\ \textit{Sports\ Medicine\ } 48,\,11\ (Aug.\,2018),\,2659-2669.\ doi:10.1007/s40279-018-0970-910-097$
- [97] Xinyuan Ji and Zihao Wang. 2022. Research on Teaming Strategies Based on Network Science. In 2022 International Conference on Electronics and Devices, Computational Science (ICEDCS). IEEE, 209-213. doi:10.1109/icedcs57360.2022.00053
- [98] Kai Jiang, Xiaowu Chen, Yu Zhang, and Qinping Zhao. 2012. Video event representation and inference on And-Or graph. Computer Animation and Virtual Worlds 23, 3-4 (May 2012), 145-154. doi:10.1002/cav.1452
- [99] Xiaoyong Jiang. 2025. Research on Action Posture Feature Extraction of Volleyball Players Based on AR Technology. In 2025 IEEE International Conference on Electronics, Energy Systems and Power Engineering (EESPE). IEEE, 419-425. doi:10.1109/eespe63401.2025.
- [100] Xue Jiang, Linbo Qing, Jianglan Huang, Li Guo, and Yonghong Peng. 2024. Unveiling group activity recognition: Leveraging Local-Global Context-Aware Graph Reasoning for enhanced actor-scene interactions. Engineering Applications of Artificial Intelligence 133 (July 2024), 108412. doi:10.1016/j.engappai.2024.108412
- [101] Benjamin Johnston, Fangkai Yang, Rogan Mendoza, Xiaoping Chen, and Mary-Anne Williams. 2008. Ontology Based Object Categorization for Robots. Springer Berlin Heidelberg, 219-231. doi:10.1007/978-3-540-89447-6_21
- [102] Seong-Wook Joo and Rama Chellappa. 2007. A Multiple-Hypothesis Approach for Multiobject Visual Tracking. IEEE Transactions on Image Processing 16, 11 (Nov. 2007), 2849-2854. doi:10.1109/tip.2007.906254
- [103] Maninder Kaur and Abhay Mahajan. 2017. Community Detection in Complex Networks: A Novel Approach Based on Ant Lion Optimizer. Springer Singapore, 22-34. doi:10.1007/978-981-10-3322-3_3
- [104] Gabin Kayumbi, Pier Luigi Mazzeo, Paolo Spagnolo, Murtaza Taj, and Andrea Cavallaro. 2008. Distributed visual sensing for virtual top-view trajectory generation in football videos. In Proceedings of the 2008 international conference on Content-based image and video retrieval (CIVR08). ACM, 535-542. doi:10.1145/1386352.1386420
- [105] Meriem Khelifa, Dalila Boughaci, and Esma Aïmeur. 2018. A Novel Graph-Based Heuristic Approach for Solving Sport Scheduling Problem. Springer International Publishing, 229–241. doi:10.1007/978-3-319-98334-9_16
- [106] S. Khokhar, I. Saleemi, and M. Shah. 2013. Multi-agent event recognition by preservation of spatiotemporal relationships between probabilistic models. Image and Vision Computing 31, 9 (Sept. 2013), 603-615. doi:10.1016/j.imavis.2013.06.004
- [107] Ivan Khokhlov, Vladimir Litvinenko, Ilya Ryakin, and Konstantin Yakovlev. 2020. Planning to Score a Goal in Robotic Football with Heuristic Search. Springer International Publishing, 148-159. doi:10.1007/978-3-030-60337-3_15
- [108] Hiroaki Kitano, Minoru Asada, Yasuo Kuniyoshi, Itsuki Noda, Eiichi Osawa, and Hitoshi Matsubara. 1997. RoboCup: A challenge problem for AI. AI magazine 18, 1 (1997), 73-73. doi:10.1609/aimag.v18i1.1276
- [109] Barbara Kitchenham, Stuart Charters, et al. 2007. Guidelines for performing systematic literature reviews in software engineering.
- [110] Barbara A Kitchenham, David Budgen, and O Pearl Brereton. 2010. The value of mapping studies-A participant-observer case study. In 14th international conference on evaluation and assessment in software engineering (ease). 1–9.
- [111] Jelle R. Kok, Matthijs T.J. Spaan, and Nikos Vlassis. 2005. Non-communicative multi-robot coordination in dynamic environments. Robotics and Autonomous Systems 50, 2-3 (Feb. 2005), 99-114. doi:10.1016/j.robot.2004.08.003
- [112] Longteng Kong, Zhaofeng He, Man Zhang, and Yunzhi Xue. 2022. Group Activity Representation Learning with Self-supervised Predictive Coding. Springer Nature Switzerland, 207-219. doi:10.1007/978-3-031-18913-5_16
- [113] Georgios Kontes and Michail Lagoudakis. 2007. Coordinated Team Play in the Four-Legged RoboCup League. In 19th IEEE International Conference on Tools with Artificial Intelligence(ICTAI 2007). IEEE, 109-116. doi:10.1109/ictai.2007.164
- [114] Florian Korte and Martin Lames. 2019. Passing Network Analysis of Positional Attack Formations in Handball. Journal of Human Kinetics 70, 1 (Nov. 2019), 209-221. doi:10.2478/hukin-2019-0044
- [115] Maria Koshkina and James H. Elder. 2025. Towards Long-Term Player Tracking with Graph Hierarchies and Domain-Specific Features. In 2025 IEEE/CVF Winter Conference on Applications of Computer Vision Workshops (WACVW). IEEE, 1175-1185. doi:10.1109/wacvw65960.

2025.00140

- [116] Roland Kovacs and Laszlo Toka. 2022. Predicting Player Transfers in the Small World of Football. Springer International Publishing, 39–50. doi:10.1007/978-3-031-02044-5_4
- [117] Pavlina Krockel, Alexander Piazza, and Kathrin Neuhofer. 2017. Dynamic Network Analysis of the Euro2016 Final: Preliminary Results. In 2017 5th International Conference on Future Internet of Things and Cloud Workshops (FiCloudW). IEEE, 114–119. doi:10.1109/ficloudw. 2017.98
- [118] Li Kuang, Zhiyong Zhao, Feng Wang, Yuanxiang Li, Fei Yu, and Zhijie Li. 2014. A differential evolution box-covering algorithm for fractal dimension on complex networks. In 2014 IEEE Congress on Evolutionary Computation (CEC). IEEE, 693–699. doi:10.1109/cec.2014.6900383
- [119] Karol Kurach, Anton Raichuk, Piotr Stańczyk, Michał Zając, Olivier Bachem, Lasse Espeholt, Carlos Riquelme, Damien Vincent, Marcin Michalski, Olivier Bousquet, and Sylvain Gelly. 2020. Google Research Football: A Novel Reinforcement Learning Environment. Proceedings of the AAAI Conference on Artificial Intelligence 34 (Apr. 2020), 4501–4510. doi:10.1609/aaai.v34i04.5878
- [120] Shitanshu Kusmakar, Sergiy Shelyag, Ye Zhu, Dan Dwyer, Paul Gastin, and Maia Angelova. 2020. Machine Learning Enabled Team Performance Analysis in the Dynamical Environment of Soccer. IEEE Access 8 (2020), 90266–90279. doi:10.1109/access.2020.2992025
- [121] L. Laporta, J. Afonso, and I. Mesquita. 2018. The need for weighting indirect connections between game variables: Social Network Analysis and eigenvector centrality applied to high-level men's volleyball. *International Journal of Performance Analysis in Sport* 18, 6 (Nov. 2018), 1067–1077. doi:10.1080/24748668.2018.1553094
- [122] Lorenzo Laporta, José Afonso, Beatriz Valongo, and Isabel Mesquita. 2019. Using social network analysis to assess play efficacy according to game patterns: a game-centred approach in high-level men's volleyball. *International Journal of Performance Analysis in Sport* 19, 5 (Sept. 2019), 866–877. doi:10.1080/24748668.2019.1669007
- [123] Lorenzo Laporta, Alexandre Medeiros, Nicole Vargas, Henrique Castro, Cristiana Bessa, Paulo João, Gustavo Costa, and José Afonso. 2021. Coexistence of Distinct Performance Models in High-Level Women's Volleyball. *Journal of Human Kinetics* 78 (March 2021), 161–173. doi:10.2478/hukin-2021-0048
- [124] Dong-Liang Lee, Lawrence Y Deng, and YIJEN LIU. 2007. Video event mining and content management system using shot ontology description. In Proceedings of the 11th WSEAS International Conference on Computers. 38–43.
- [125] Jordan S. Lefebvre, Danielle Alexander, Shane N. Sweet, and Gordon A. Bloom. 2021. A mixed-methods case study examining the developmental networks of athletes in a wheelchair rugby team. *Psychology of Sport and Exercise* 56 (Sept. 2021), 102000. doi:10.1016/j.psychsport.2021.102000
- [126] Mingzhe Li, Yiping Duan, Xiaoming Tao, and Changwen Chen. 2024. OARNet: Object-Attribute-Relation Network for Predicting Soccer Events. *IEEE Transactions on Multimedia* 26 (2024), 9216–9227. doi:10.1109/tmm.2024.3387724
- [127] Wei Li, Tianzhao Yang, Xiao Wu, Xian-Jun Du, and Jian-Jun Qiao. 2022. Learning Action-guided Spatio-temporal Transformer for Group Activity Recognition. In Proceedings of the 30th ACM International Conference on Multimedia (MM '22). ACM, 2051–2060. doi:10.1145/3503161.3547825
- [128] Wei-Hong Li, Benchao Li, and Wei-Shi Zheng. 2018. PersonRank: Detecting Important People in Images. In 2018 13th IEEE International Conference on Automatic Face & Gesture Recognition (FG 2018). IEEE, 234–241. doi:10.1109/fg.2018.00042
- [129] Xingyao Li and Rizwan Ullah. 2023. An image classification algorithm for football players' activities using deep neural network. Soft Computing 27, 24 (Oct. 2023), 19317–19337. doi:10.1007/s00500-023-09321-3
- [130] Ying Li, Jie Cao, and Yongbin Wang. 2019. Implementation of Intelligent Question Answering System Based on Basketball Knowledge Graph. In 2019 IEEE 4th Advanced Information Technology, Electronic and Automation Control Conference (IAEAC). IEEE, 2601–2604. doi:10.1109/iaeac47372.2019.8997747
- [131] Zhengcen Li, Xinle Chang, Yueran Li, and Jingyong Su. 2024. Skeleton-Based Group Activity Recognition via Spatial-Temporal Panoramic Graph. Springer Nature Switzerland, 252–269. doi:10.1007/978-3-031-73202-7_15
- [132] Chao Liang, Changsheng Xu, and Hanqing Lu. 2010. Personalized Sports Video Customization Using Content and Context Analysis. International Journal of Digital Multimedia Broadcasting 2010 (2010), 1–20. doi:10.1155/2010/836357
- [133] Dawei Liang, Yang Liu, Qingming Huang, and Wen Gao. 2005. A Scheme for Ball Detection and Tracking in Broadcast Soccer Video. Springer Berlin Heidelberg, 864–875. doi:10.1007/11581772_76
- [134] Liu Liang. 2024. Dynamic Tracking Optimization of Basketball Trajectory Based on Graph Neural Network. In 2024 IEEE 2nd International Conference on Sensors, Electronics and Computer Engineering (ICSECE). IEEE, 197–201. doi:10.1109/icsece61636.2024.10729609
- [135] Xianhui Liang. 2024. Basketball detection and trajectory prediction using <scp>IoT</scp> for assisting physical training. *Internet Technology Letters* 8, 3 (Aug. 2024). doi:10.1002/itl2.565
- [136] Manuel Loureiro, Marta Hurst, Beatriz Valongo, Pantelis Nikolaidis, Lorenzo Laporta, and José Afonso. 2017. A Comprehensive Mapping of High-Level Men's Volleyball Gameplay through Social Network Analysis: Analysing Serve, Side-Out, Side-Out Transition and Transition. Montenegrin Journal of Sports Science and Medicine 6, 2 (Sept. 2017), 35–41. doi:10.26773/mjssm.2017.09.005
- [137] M. Syafiq M. Fauzi, K. Imran, and Zulkifli Mohamed. 2023. Social Network Analysis and Data Visualization of Football Performance Preceded to the Goal Scored. Springer Nature Singapore, 57–74. doi:10.1007/978-981-99-0297-2_6

- [138] Kurosh Madani, Antonio M Rinaldi, Cristiano Russo, and Cristian Tommasino. 2023. A combined approach for improving humanoid robots autonomous cognitive capabilities. Knowledge and Information Systems 65, 8 (2023), 3197-3221.
- [139] Habeebullah Manack and Terence L Van Zyl. 2020. Deep Similarity Learning for Soccer Team Ranking. In 2020 IEEE 23rd International Conference on Information Fusion (FUSION). IEEE, 1-7. doi:10.23919/fusion45008.2020.9190564
- [140] Keming Mao, Peiyang Jin, Yi Ping, and Bo Tang. 2022. Modeling multi-scale sub-group context for group activity recognition. Applied Intelligence 53, 1 (April 2022), 1149-1161. doi:10.1007/s10489-022-03470-y
- [141] Sai Siddartha Maram and Arjav Jain. 2020. Asking Graphs "How Did I Play?" Generating Graphs through Images Via Signals. In Proceedings of the 3rd International Workshop on Multimedia Content Analysis in Sports (MM '20). ACM. doi:10.1145/3422844.3423050
- [142] Joao Bernardo Martins, Jose Afonso, Patrícia Coutinho, Ricardo Fernandes, and Isabel Mesquita. 2021. The Attack in Volleyball from the Perspective of Social Network Analysis: Refining Match Analysis through Interconnectivity and Composite of Variables. Montenegrin Journal of Sports Science and Medicine 10, 1 (March 2021), 45-54. doi:10.26773/mjssm.210307
- [143] João Bernardo Martins, Isabel Mesquita, Ademilson Mendes, Letícia Santos, and José Afonso. 2021. Inter-player variability in game patterns in high-level women's volleyball: A study with Outside Hitters (Near vs. Away) using Social Network Analysis. [Variabilidad entre jugadores en los patrones de juego en el voleibol femenino de alto nivel: Un estudio con bateadores externos (Cerca versus Lejos) usando Análisis de Redes Sociales]. RICYDE. Revista internacional de ciencias del deporte 17, 65 (July 2021), 234-250. doi:10.5232/ricyde2021.06503
- [144] João Bernardo Martins, Isabel Mesquita, Ademilson Mendes, Letícia Santos, and José Afonso. 2021. Inter-team variability in high-level women's volleyball from the perspective of Social Network Analysis: an analysis in critical game scenarios. International Journal of Performance Analysis in Sport 21, 4 (June 2021), 564-578. doi:10.1080/24748668.2021.1924524
- [145] M. Syukri Mazlan, K. Imran Sainan, and Zulkifli Mohamed. 2023. Data Visualization of Football Using Degree of Centrality. Springer Nature Singapore, 75-93. doi:10.1007/978-981-99-0297-2_7
- [146] Scott McLean, Paul Salmon, Adam Gorman, Karl Dodd, and Colin Solomon. 2021. The Communication and Passing Contributions of Playing Positions in a Professional Soccer Team. Journal of Human Kinetics 77 (Jan. 2021), 223-234. doi:10.2478/hukin-2020-0052
- [147] Scott Mclean, Paul M Salmon, Adam D Gorman, Karl Dodd, and Colin Solomon. 2018. Integrating communication and passing networks in football using social network analysis. Science and Medicine in Football 3, 1 (May 2018), 29-35. doi:10.1080/24733938.2018.1478122
- [148] Scott Mclean, Paul M. Salmon, Adam D. Gorman, Nicholas J. Stevens, and Colin Solomon. 2018. A social network analysis of the goal scoring passing networks of the 2016 European Football Championships. Human Movement Science 57 (Feb. 2018), 400-408. doi:10.1016/j.humov.2017.10.001
- [149] Bruno Melli Neto, Enrico Fuini Puggina, Rafael Pombo Menezes, João Cláudio Machado, Ricardo Vanella, and Rodrigo Aquino. 2021. Análise de redes sociais no esporte pela ótica da abordagem ecológica: um ensaio teórico. Pensar en Movimiento: Revista de Ciencias del Ejercicio y la Salud 19, 2 (Sept. 2021), e45918. doi:10.15517/pensarmov.v19i2.45918
- [150] Haili Meng. 2023. Basketball Training System Based on 3D Motion Intelligent Recognition Technology. In 2023 2nd International Conference on 3D Immersion, Interaction and Multi-sensory Experiences (ICDIIME). IEEE, 384-388. doi:10.1109/icdiime59043.2023.00080
- [151] Niels Mertens, Filip Boen, Niklas K. Steffens, S. Alexander Haslam, and Katrien Fransen. 2021. Will the real leaders please stand up? The emergence of shared leadership in semi-professional soccer teams. Journal of Science and Medicine in Sport 24, 3 (March 2021), 281-290. doi:10.1016/j.jsams.2020.09.007
- [152] O. Miller, A. Averbuch, and E. Navon. 2008. Tracking of Moving Objects in Video Through Invariant Features in Their Graph Representation. EURASIP Journal on Image and Video Processing 2008 (2008), 1-14. doi:10.1155/2008/328052
- [153] Clarissa Miranda-Peña, Hector G. Ceballos, Laura Hervert-Escobar, and Miguel Gonzalez-Mendoza. 2021. Predicting Soccer Results Through Sentiment Analysis: A Graph Theory Approach. Springer International Publishing, 422-435. doi:10.1007/978-3-030-77980-1_32
- [154] Parham Moradi, Mohammad Ebrahim Shiri, and Negin Entezari. 2010. Automatic Skill Acquisition in Reinforcement Learning Agents Using Connection Bridge Centrality. Springer Berlin Heidelberg, 51-62. doi:10.1007/978-3-642-17604-3_6
- [155] Pedro Emílio Drumond Moreira, Gustavo Fernandes Barbosa, Cristiano Da Conceição Ferreira Murta, Juan Carlos Pérez Morales, Sarah Da Glória Teles Bredt, Gibson Moreira Praça, and Pablo Juan Greco. 2019. Network analysis and tactical behaviour in soccer small-sided and conditioned games: influence of absolute and relative playing areas on different age categories. International Journal of Performance Analysis in Sport 20, 1 (Dec. 2019), 64-77. doi:10.1080/24748668.2019.1705642
- [156] Gibson Moreira Praça and Pablo Juan Greco. 2017. Network analysis in small-sided and conditioned soccer games: the influence of additional players and playing position. Kinesiology 49, 2 (2017), 185-193. doi:10.26582/k.49.2.8
- [157] Alexis Mortelier, François Rioult, and John Komar. 2024. Design of a Handball Tactics Observatory Based on Dynamic Sub-graphs. Springer Nature Switzerland, 149-166. doi:10.1007/978-3-031-69073-0_13
- [158] Alexis Mortelier, François Rioult, and John Komar. 2024. Design of a handball tactics observatory based on dynamic sub-graphs. In International Sports Analytics Conference and Exhibition. Springer, 149-166.
- [159] Samya Muhuri, Susanta Chakraborty, and Sanjit K. Setua. 2020. Differentiate the Game Maker in Any Soccer Match Based on Social Network Approach. IEEE Transactions on Computational Social Systems 7, 6 (Dec. 2020), 1399-1408. doi:10.1109/tcss.2020.3036546

- [160] G. Nagarajan and R. I. Minu. 2015. Multimodal Fuzzy Ontology Creation and Knowledge Information Retrieval. Springer India, 697–706. doi:10.1007/978-81-322-2674-1 66
- [161] Banoth Thulasya Naik, Mohammad Farukh Hashmi, and Neeraj Dhanraj Bokde. 2022. A Comprehensive Review of Computer Vision in Sports: Open Issues, Future Trends and Research Directions. Applied Sciences 12, 9 (2022). doi:10.3390/app12094429
- [162] Mrinal Kanti Nath and Tapan Chowdhury. 2024. Team performance analysis in football match using network analysis-based approach. Social Network Analysis and Mining 14, 1 (Jan. 2024). doi:10.1007/s13278-023-01180-y
- [163] Laurent Navarro, Pierre-Eddy Dandrieux, Karsten Hollander, and Pascal Edouard. 2022. Digitalization in Professional Football: An Opportunity to Estimate Injury Risk. Springer International Publishing, 366–375. doi:10.1007/978-3-031-14844-6_30
- [164] Gonçalo Neto, Hugo Costelha, and Pedro Lima. 2004. Topological Navigation in Configuration Space Applied to Soccer Robots. Springer Berlin Heidelberg, 551–558. doi:10.1007/978-3-540-25940-4_51
- [165] Yair Neuman and Dan Vilenchik. 2019. Modeling Small Systems Through the Relative Entropy Lattice. IEEE Access 7 (2019), 43591–43597. doi:10.1109/access.2019.2907067
- [166] Yuri Nishikawa, Hitoshi Sato, and Jun Ozawa. 2017. Performance evaluation of multiple sports player tracking system based on graph optimization. In 2017 IEEE International Conference on Big Data (Big Data). IEEE, 2903–2910. doi:10.1109/bigdata.2017.8258259
- [167] Yuri Nishikawa, Hitoshi Sato, and Jun Ozawa. 2018. Multiple sports player tracking system based on graph optimization using low-cost cameras. In 2018 IEEE International Conference on Consumer Electronics (ICCE). IEEE, 1–4. doi:10.1109/icce.2018.8326126
- [168] Juan Ortega, Carlos Evangelio, Filipe Clemente, Fernando Martins, and Sixto González-Víllora. 2016. Analysis of Physiological, Technical, and Tactical Analysis during a Friendly Football Match of Elite U19. Sports 4, 2 (June 2016), 35. doi:10.3390/sports4020035
- [169] V. Pallavi, J. Mukherjee, A.K. Majumdar, and Shamik Sural. 2008. Graph-Based Multiplayer Detection and Tracking in Broadcast Soccer Videos. IEEE Transactions on Multimedia 10, 5 (Aug. 2008), 794–805. doi:10.1109/tmm.2008.922869
- [170] V. Pallavi, Jayanta Mukherjee, Arun K. Majumdar, and Shamik Sural. 2008. Ball detection from broadcast soccer videos using static and dynamic features. Journal of Visual Communication and Image Representation 19, 7 (Oct. 2008), 426–436. doi:10.1016/j.jvcir.2008.06.007
- [171] Zhiguo Pan and Chao Li. 2020. Robust basketball sports recognition by leveraging motion block estimation. Signal Processing: Image Communication 83 (April 2020), 115784. doi:10.1016/j.image.2020.115784
- [172] Kyoung-Jin Park and Alper Yilmaz. 2010. Social Network Approach to Analysis of Soccer Game. In 2010 20th International Conference on Pattern Recognition. IEEE, 3935–3938. doi:10.1109/icpr.2010.957
- [173] Kai Petersen, Robert Feldt, Shahid Mujtaba, and Michael Mattsson. 2008. Systematic mapping studies in software engineering. In 12th International Conference on Evaluation and Assessment in Software Engineering (EASE) 12. 1–10.
- [174] Kai Petersen, Sairam Vakkalanka, and Ludwik Kuzniarz. 2015. Guidelines for conducting systematic mapping studies in software engineering: An update. *Information and software technology* 64 (2015), 1–18.
- [175] Valeria Policastro, Dario Righelli, Annamaria Carissimo, Luisa Cutillo, and De Feis, Italia. 2021. ROBustness In Network (robin): an R Package for Comparison and Validation of Communities. *The R Journal* 13, 1 (2021), 292. doi:10.32614/rj-2021-040
- [176] Gibson Moreira Praça, Raphael Brito e Sousa, and Pablo Juan Greco. 2019. Influence of Aerobic Power on Youth Players' Tactical Behavior and Network Properties during Football Small-Sided Games. Sports 7, 3 (March 2019), 73. doi:10.3390/sports7030073
- [177] Zhiqiang Pu, Yi Pan, Shijie Wang, Boyin Liu, Min Chen, Hao Ma, and Yixiong Cui. 2024. Orientation and decision-making for soccer based on sports analytics and Al: A systematic review. *IEEE/CAA Journal of Automatica Sinica* 11, 1 (2024), 37–57.
- [178] Zhiqiang Pu, Huimu Wang, Boyin Liu, and Jianqiang Yi. 2023. Cognition-Driven Multiagent Policy Learning Framework for Promoting Cooperation. IEEE Transactions on Games 15, 3 (Sept. 2023), 388–398. doi:10.1109/tg.2022.3186386
- [179] Mengshi Qi, Yunhong Wang, Annan Li, and Jiebo Luo. 2020. Sports Video Captioning via Attentive Motion Representation and Group Relationship Modeling. IEEE Transactions on Circuits and Systems for Video Technology 30, 8 (Aug. 2020), 2617–2633. doi:10.1109/tcsvt. 2019.2921655
- [180] Jing Qiu, Lin Qi, Jianliang Wang, and Guanghua Zhang. 2017. A hybrid-based method for Chinese domain lightweight ontology construction. International Journal of Machine Learning and Cybernetics 9, 9 (March 2017), 1519–1531. doi:10.1007/s13042-017-0661-0
- [181] Dominik Raabe, Reinhard Nabben, and Daniel Memmert. 2022. Graph representations for the analysis of multi-agent spatiotemporal sports data. Applied Intelligence 53, 4 (June 2022), 3783–3803. doi:10.1007/s10489-022-03631-z
- [182] Dominik Raabe, Reinhard Nabben, and Daniel Memmert. 2023. Graph representations for the analysis of multi-agent spatiotemporal sports data. Applied Intelligence 53, 4 (2023), 3783–3803. doi:10.1007/s10489-022-03631-z
- [183] Pegah Rahimian, Hyunsung Kim, Marc Schmid, and Laszlo Toka. 2024. Pass Receiver and Outcome Prediction in Soccer Using Temporal Graph Networks. Springer Nature Switzerland, 52–63. doi:10.1007/978-3-031-53833-9_5
- [184] E. Raju, M. A. Hameed, and K. Sravanthi. 2015. Detecting communities in social networks using unnormalized spectral clustering incorporated with Bisecting K-means. In 2015 IEEE International Conference on Electrical, Computer and Communication Technologies (ICECCT). IEEE, 1–5. doi:10.1109/icecct.2015.7226081
- [185] Manas Ramteke and Vijayalaxmi Biradar. 2024. Advancing Pose Correction Efficiency Through Video Analysis and Incremental Learning in Diverse Domains. Springer Nature Singapore, 369–379. doi:10.1007/978-981-97-7880-5_31

- [186] Kaushik Ravichandran, Lalit Gattani, Advithi Nair, and Bhaskarjyoti Das. 2020. A Novel Graph Based Approach to Predict Man of the Match for Cricket. Springer Singapore, 600-611. doi:10.1007/978-981-15-6318-8_48
- [187] Haolin Ren, Benjamin Renoust, Guy Melançon, Marie-Luce Viaud, and Shin'ichi Satoh. 2018. Exploring Temporal Communities in Mass Media Archives. In Proceedings of the 26th ACM international conference on Multimedia (MM '18). ACM, 1247-1249. doi:10.1145/ 3240508.3241392
- [188] Muhammad Ashar Reza, Papineni Sai Charan, Pranit Prasant Pai, Pratham R. Shetty, R. Bharathi, and B. J. Sandesh. 2025. Winning Formula: Data-Driven Cricket Team Selection and Match Prediction. Springer Nature Singapore, 141-158. doi:10.1007/978-981-97-8526-
- [189] Markel Rico-González, José Pino-Ortega, Amaia Méndez, Filipe Clemente, and Arnold Baca. 2023. Machine learning application in soccer: a systematic review. Biology of sport 40, 1 (2023), 249-263.
- [190] Markel Rico-González, José Pino-Ortega, Fabio Y Nakamura, Felipe Arruda Moura, Daniel Rojas-Valverde, and Asier Los Arcos. 2020. Past, present, and future of the technological tracking methods to assess tactical variables in team sports: A systematic review. Proceedings of the Institution of Mechanical Engineers, Part P 234, 4 (2020), 281-290. arXiv:https://doi.org/10.1177/1754337120932023 doi:10.1177/1754337120932023
- [191] Augusto Cezar Rodrigues Rocha, Lorenzo Laporta, Claudio Andre Barbosa de Lira, Henrique Modenesi, Lucas Savassi Figueiredo, and Gustavo De Conti Teixeira Costa. 2021. Complex I in male elite volleyball: an interactional analysis according to reception location. International Journal of Performance Analysis in Sport 22, 1 (Nov. 2021), 77-89. doi:10.1080/24748668.2021,2003961
- [192] Augusto Cezar Rodrigues Rocha, Lorenzo Laporta, Geovana Pires Rodrigues, Claudio Andre Barbosa de Lira, Henrique de Oliveira Castro, and Gustavo de Conti Teixeira Costa. 2023. Is it possible for the reception and the player-receiver to influence the offensive construction in volleyball? An ecological vision and Intragame procedural relationships in high-level teams. International Journal of Performance Analysis in Sport 23, 4 (July 2023), 319-333. doi:10.1080/24748668.2023.2229204
- [193] Roman Rodriguez-Aguilar, Rodrigo Infante-Escudero, and Jose Antonio Marmolejo-Saucedo. 2020. A Hybrid Model for Improving the Performance of Basketball Lineups. Springer International Publishing, 61-71. doi:10.1007/978-3-030-48149-0_5
- [194] James Rosswog and Kanad Ghose. 2010. Efficiently detecting clusters of mobile objects in the presence of dense noise. In Proceedings of the 2010 ACM Symposium on Applied Computing (SAC'10). ACM, 1095-1102. doi:10.1145/1774088.1774315
- [195] Sarbani Roy, Paramita Dey, and Debajyoti Kundu. 2018. Social Network Analysis of Cricket Community Using a Composite Distributed Framework: From Implementation Viewpoint. IEEE Transactions on Computational Social Systems 5, 1 (March 2018), 64-81. doi:10. 1109/tcss.2017.2762430
- [196] Cristiano Russo, Kurosh Madani, and Antonio Maria Rinaldi. 2020. An unsupervised approach for knowledge construction applied to personal robots. IEEE Transactions on Cognitive and Developmental Systems 13, 1 (2020), 6-15.
- [197] Cristiano Russo, Kurosh Madani, and Antonio M Rinaldi. 2021. Knowledge acquisition and design using semantics and perception: a case study for autonomous robots. Neural Processing Letters 53, 5 (2021), 3153-3168.
- [198] Dibakar Saha and Partha Sarathi Mandal. 2021. A Distributed Algorithm for Overlapped Community Detection in Large-Scale Networks. In 2021 International Conference on COMmunication Systems & NETworkS (COMSNETS). IEEE, 483-491. doi:10.1109/comsnets51098. 2021.9352856
- [199] Aparna Sarswat and Guddeti Ram Mohana Reddy. 2018. A Novel Hybrid Algorithm for Overlapping Community Detection in Social Network Using Community Forest Model and Nash Equilibrium. Springer Singapore, 491-500. doi:10.1007/978-981-10-8639-7_51
- [200] Koh Sasaki. 2019. Defence performance analysis: Social network analysis. In Journal of Human Sport and Exercise 2019 Summer Conferences of Sports Science (SUMMER19). Universidad de Alicante. doi:10.14198/jhse.2019.14.proc5.63
- [201] Koh Sasaki, Takumi Yamamoto, Masahiko Miyao, Takashi Katsuta, and Ichiro Kono. 2017. Network centrality analysis to determine the tactical leader of a sports team. International Journal of Performance Analysis in Sport 17, 6 (Nov. 2017), 822-831. doi:10.1080/24748668.
- [202] K. Sathiyakumari and M. S. Vijaya. 2016. Community Detection Based on Girvan Newman Algorithm and Link Analysis of Social Media. Springer Nature Singapore, 223-234. doi:10.1007/978-981-10-3274-5_18
- [203] Luca Scofano, Alessio Sampieri, Giuseppe Re, Matteo Almanza, Alessandro Panconesi, and Fabio Galasso. 2024. About Latent Roles in Forecasting Players in Team Sports. Neural Processing Letters 56, 2 (Feb. 2024). doi:10.1007/s11063-024-11532-0
- [204] Zahra Sepasdar, Sushant Gautam, Cise Midoglu, Michael A. Riegler, and Pål Halvorsen. 2024. Soccer-GraphRAG: Applications of GraphRAG in Soccer. Springer Nature Switzerland, 1-10. doi:10.1007/978-3-031-71382-8_1
- [205] Zifei Shan, Shiyingxue Li, and Yafei Dai. 2012. GameRank: Ranking and Analyzing Baseball Network. In 2012 International Conference on Social Informatics. IEEE, 244-251. doi:10.1109/socialinformatics.2012.21
- [206] Weitao Shi, Han Wang, and Xin Lou. 2023. Multi-modal graph reasoning for structured video text extraction. Computers and Electrical Engineering 107 (April 2023), 108641. doi:10.1016/j.compeleceng.2023.108641
- [207] Huang-Chia Shih and Chung-Lin Huang. [n. d.]. Detection of the highlights in baseball video program. In 2004 IEEE International Conference on Multimedia and Expo (ICME) (IEEE Cat. No.04TH8763) (ICME-04). IEEE, 595-598. doi:10.1109/icme.2004.1394262

- [208] H.-C. Shih and C.-L. Huang. 2005. MSN: Statistical Understanding of Broadcasted Baseball Video Using Multi-Level Semantic Network. IEEE Transactions on Broadcasting 51, 4 (Dec. 2005), 449–459. doi:10.1109/tbc.2005.854169
- [209] Horesh Ben Shitrit, Jerome Berclaz, Francois Fleuret, and Pascal Fua. 2014. Multi-Commodity Network Flow for Tracking Multiple People. IEEE Transactions on Pattern Analysis and Machine Intelligence 36, 8 (Aug. 2014), 1614–1627. doi:10.1109/tpami.2013.210
- [210] Frutuoso G.M. Silva, Abel J.P. Gomes, Quoc Trong Nguyen, Fernando M.L. Martins, and Filipe M. Clemente. 2017. A new tool for network analysis on team sports the ultimate performance analysis tool. In 2017 International Conference on Engineering, Technology and Innovation (ICE/ITMC). IEEE, 439–445. doi:10.1109/ice.2017.8279918
- [211] Frutuoso G. M. Silva, Quoc Trong Nguyen, Acácio F. P. P. Correia, Filipe Manuel Clemente, and Fernando Manuel Lourenço Martins. 2018. uPATO—Overview of the Application. Springer International Publishing, 5–17. doi:10.1007/978-3-319-99753-7_2
- [212] Jyothish Soman and Ankur Narang. 2011. Fast Community Detection Algorithm with GPUs and Multicore Architectures. In 2011 IEEE International Parallel & Distributed Processing Symposium. IEEE, 568–579. doi:10.1109/jpdps.2011.61
- [213] Fabian Spaeh and Charalampos E. Tsourakakis. 2024. Markovletics: Methods and A Novel Application for Learning Continuous-Time Markov Chain Mixtures. In Proceedings of the ACM Web Conference 2024 (WWW '24). ACM, 4160–4171. doi:10.1145/3589334.3645491
- [214] Balasubramaniam Srinivasan. 2017. A Social Network Analysis of Football Evaluating Player and Team Performance. In 2017 Ninth International Conference on Advanced Computing (ICoAC). IEEE, 242–246. doi:10.1109/icoac.2017.8441301
- [215] Christopher Stanton and Mary-Anne Williams. 2004. Grounding Robot Sensory and Symbolic Information Using the Semantic Web. Springer Berlin Heidelberg, 757–764. doi:10.1007/978-3-540-25940-4_75
- [216] Shi-bai Sun and Rong-yi Cui. 2014. Player classification algorithm based on digraph in soccer video. In 2014 IEEE 7th Joint International Information Technology and Artificial Intelligence Conference. IEEE, 459–463. doi:10.1109/itaic.2014.7065092
- [217] Eran Swears and Anthony Hoogs. 2012. Learning and recognizing complex multi-agent activities with applications to american football plays. In 2012 IEEE Workshop on the Applications of Computer Vision (WACV). IEEE, 409–416. doi:10.1109/wacv.2012.6163027
- [218] Bruno M. Sá-Freire, Gabriel R. G. Barbosa, João Lucas L. Gonçalves, Jake Schuster, and Hugo Rios-Neto. 2025. GraphEIV: A Framework for Estimating the Expected Immediate Value in Basketball Using Graph Neural Networks. Springer Nature Switzerland, 29–40. doi:10. 1007/978-3-031-86692-0 3
- [219] David Tahmoush and Claire Bonial. 2015. Applying attributes to improve human activity recognition. In 2015 IEEE Applied Imagery Pattern Recognition Workshop (AIPR). IEEE, 1–4. doi:10.1109/aipr.2015.7444553
- [220] Shunsuke Takagi and Yohei Nakada. 2023. Formation Analysis Method for Team Sports Using Deep Graph Convolutional Neural Network with Geometric Formation Features as Input. In 2023 IEEE Ninth Multimedia Big Data (BigMM). IEEE, 27–31. doi:10.1109/bigmm59094.2023.00011
- [221] Shunsuke Takagi and Yohei Nakada. 2024. Enhancing Formation Analysis Using Multi-layer Graph Convolutional Neural Networks and Geometric Formation Features. In 2024 Joint 13th International Conference on Soft Computing and Intelligent Systems and 25th International Symposium on Advanced Intelligent Systems (SCIS&ISIS). IEEE, 1–6. doi:10.1109/scisisis61014.2024.10760047
- [222] Ting Tan and Yan Zhong Zhao. 2020. Neural Network Model Of Message Passing in Team Cooperation. In 2020 International Conference on Computer Engineering and Application (ICCEA). IEEE, 396–399. doi:10.1109/iccea50009.2020.00092
- [223] M. R. Tejonidhi, C. V. Aravinda, S. V. Aruna Kumar, C. K. Madhu, and A. M. Vinod. 2025. Optimizing Group Activity Recognition With Actor Relation Graphs and GCN-LSTM Architectures. IEEE Access 13 (2025), 55957–55969. doi:10.1109/access.2025.3552668
- [224] Masakiyo Teranishi, Kazushi Tsutsui, Kazuya Takeda, and Keisuke Fujii. 2023. Evaluation of Creating Scoring Opportunities for Teammates in Soccer via Trajectory Prediction. Springer Nature Switzerland, 53–73. doi:10.1007/978-3-031-27527-2_5
- [225] Xiaofeng Tong, Tao Wang, Wenlong Li, Yimin Zhang, Bo Yang, Fei Wang, Lifeng Sun, and Shiqiang Yang. [n. d.]. A Three-Level Scheme for Real-Time Ball Tracking. Springer Berlin Heidelberg, 161–171. doi:10.1007/978-3-540-73417-8_23
- [226] Rudra M. Tripathy, Amitabha Bagchi, and Mona Jain. 2013. Complex Network Characteristics and Team Performance in the Game of Cricket. Springer International Publishing, 133–150. doi:10.1007/978-3-319-03689-2_9
- [227] Nikos Tsolakis, Nikolaos Vryzas, Charalampos Dimoulas, Christoniki Maga-Nteve, Georgios Meditskos, and Stefanos Vrochidis. 2023. An Ontology-Based Framework for Sports Media Data Interpretation. In 2023 14th International Conference on Information, Intelligence, Systems & Applications (IISA). IEEE, 1–8. doi:10.1109/iisa59645.2023.10345944
- [228] Vassilis Tzouvaras, Giorgos Stamou, and Stefanos Kollias. 2004. Semi-automatic Extraction of Semantics from Football Video Sequences. Springer Berlin Heidelberg, 486–495. doi:10.1007/978-3-540-24674-9_51
- [229] Achmad Ubaidillah, Achmad Fiqhi Ibadillah, Imam Turmudzi, and Aeri Rachmad. 2022. Representation of Soccer Robotics in The Fastest Trajectory Tracking. In 2022 IEEE 8th Information Technology International Seminar (ITIS). IEEE, 90–95. doi:10.1109/itis57155. 2022.10010172
- [230] Mette van Kruijsbergen, Jan Robert Pijpers, and Rebecca Ivana Hutter. 2020. Determining and Improving Shared Leadership in an Elite Junior Volleyball Team. *The Sport Psychologist* 34, 2 (June 2020), 162–169. doi:10.1123/tsp.2019-0041
- [231] Pedro O. S. Vaz de Melo, Virgilio A. F. Almeida, Antonio A. F. Loureiro, and Christos Faloutsos. 2012. Forecasting in the NBA and other team sports: Network effects in action. ACM Transactions on Knowledge Discovery from Data 6, 3 (Oct. 2012), 1–27. doi:10.1145/2362383.2362387

- [232] Brandon Victor, Aiden Nibali, Zhen He, and David L. Carey. 2021. Enhancing trajectory prediction using sparse outputs: application to team sports. Neural Computing and Applications 33, 18 (March 2021), 11951-11962. doi:10.1007/s00521-021-05888-w
- [233] Pedro Henrique Cavalcante Vieira, Lorenzo Laporta, Gustavo Ferreira Pedrosa, Augusto Faria de Paula Santana, Auro Barreiros Freire, Crislaine Couto Rangel, Claudio Andre Barbosa de Lira, Filipe Manuel Clemente, Thiago José Leonardi, and Gustavo De Conti Teixeira Costa. 2024. Sequencing of game complexes in women's volleyball: are there differences according to the set played? Human Movement 25, 4 (Dec. 2024), 96-104. doi:10.5114/hm/194773
- [234] M. Villalta and F. Siles. 2018. Parallelization of a Multipartite Graph Matching Algorithm for Tracking Multiple Football Players. In 2018 Fifth International Conference on Parallel, Distributed and Grid Computing (PDGC). IEEE, 568-574. doi:10.1109/pdgc.2018.8745720
- [235] Anirudh Vyas, Sangram Gaikwad, and Chiranjoy Chattopadhyay. 2017. A Graphical Model for Football Story Snippet Synthesis from Large Scale Commentary. Springer International Publishing, 480-485. doi:10.1007/978-3-319-69900-4_61
- [236] Anamaya Vyas, Arsh Parnami, and Manas Ranjan Prusty. 2023. Graph theory-based mathematical modeling and analysis to predict a football dream team. Knowledge and Information Systems 65, 4 (March 2023), 1523-1547. doi:10.1007/s10115-023-01849-y
- [237] Boren Wang and Zongwei Luo. 2017. PageRank Approach to Ranking Football Teams' Network. In Proceedings of the 10th EAI International Conference on Simulation Tools and Techniques (SIMUTOOLS '17). ACM, 136-140. doi:10.1145/3173519.3173533
- [238] Chuanchuan Wang and Ahmad Sufril Azlan Mohamed. 2023. Attention Relational Network for Skeleton-Based Group Activity Recognition. IEEE Access 11 (2023), 129230-129239. doi:10.1109/access.2023.3332651
- [239] Haoting Wang, Kan Li, and Xin Niu. 2021. Learning Action Correlation and Temporal Aggregation for Group Representation. Springer International Publishing, 823–833. doi:10.1007/978-3-030-80119-9_53
- [240] Hao Wang, Craig Reeson, and Carlos M. Carvalho. 2011. Dynamic Financial Index Models: Modeling Conditional Dependencies via Graphs. Bayesian Analysis 6, 4 (Dec. 2011). doi:10.1214/11-ba624
- [241] Jiaxuan Wang, Ruigeng Wang, Gaël Gendron, Shahrokh Heidari, David Arturo Soriano Valdez, Gibrán Alfonso Zazueta Cruz, Stephen Hallett, Mitchell Rogers, Alexander Woodward, Alfonso Gastelum Strozzi, Riki Mitchel, Mengjie Zhang, Michael Witbrock, and Patrice Delmas. 2024. Causal Behaviour Modelling for Player Action Prediction in Rugby League Using Graph Neural Networks. In 2024 39th International Conference on Image and Vision Computing New Zealand (IVCNZ). IEEE, 1-6. doi:10.1109/ivcnz64857.2024.10794449
- [242] Jin Wang, Tong Wang, Xiao Wang, and Xiangping Meng. 2009. Multi-robot decision making based on coordination graphs. In 2009 International Conference on Mechatronics and Automation. IEEE, 2393-2398. doi:10.1109/icma.2009.5246091
- [243] Shijie Wang, Yi Pan, Zhiqiang Pu, Boyin Liu, and Jianqiang Yi. 2023. Deconfounded Opponent Intention Inference for Football Multi-Player Policy Learning. In 2023 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS). IEEE, 8054-8061. doi:10.1109/iros55552.2023.10341469
- [244] Shiiie Wang, Yi Pan, Zhiqiang Pu, Jianqiang Yi, Yanyan Liang, and Du Zhang. 2023. Heterogeneous-graph Attention Reinforcement Learning for Football Matches. In 2023 International Joint Conference on Neural Networks (IJCNN). IEEE, 1-7. doi:10.1109/ijcnn54540. 2023.10191648
- [245] Xin Wang and Yingqing Guo. 2023. The intelligent football players' motion recognition system based on convolutional neural network and big data. Heliyon 9, 11 (Nov. 2023), e22316. doi:10.1016/j.heliyon.2023.e22316
- [246] Zhe Wang, Petar Veličković, Daniel Hennes, Nenad Tomašev, Laurel Prince, Michael Kaisers, Yoram Bachrach, Romuald Elie, Li Kevin Wenliang, Federico Piccinini, William Spearman, Ian Graham, Jerome Connor, Yi Yang, Adrià Recasens, Mina Khan, Nathalie Beauguerlange, Pablo Sprechmann, Pol Moreno, Nicolas Heess, Michael Bowling, Demis Hassabis, and Karl Tuyls. 2024. TacticAI: an AI assistant for football tactics. Nature Communications 15, 1 (March 2024). doi:10.1038/s41467-024-45965-x
- [247] Stacy Warner, Matthew T. Bowers, and Marlene A. Dixon. 2012. Team Dynamics: A Social Network Perspective. Journal of Sport Management 26, 1 (Jan. 2012), 53-66. doi:10.1123/jsm.26.1.53
- [248] Tom Warnke and Adelinde M. Uhrmacher. 2016. Spatiotemporal Pattern Matching in RoboCup. Springer International Publishing, 89-104. doi:10.1007/978-3-319-45889-2 7
- [249] A. N. Wickramasinghe and Roshan D. Yapa. 2018. Cricket Match Outcome Prediction Using Tweets and Prediction of the Man of the Match using Social Network Analysis: Case Study Using IPL Data. In 2018 18th International Conference on Advances in ICT for Emerging Regions (ICTer). IEEE, 1-1. doi:10.1109/icter.2018.8615563
- [250] Claes Wohlin. 2014. Guidelines for snowballing in systematic literature studies and a replication in software engineering. In Proceedings of the 18th International Conference on Evaluation and Assessment in Software Engineering (London, England, United Kingdom) (EASE '14). Association for Computing Machinery, New York, NY, USA, Article 38, 10 pages. doi:10.1145/2601248.2601268
- [251] Jianchao Wu, Limin Wang, Li Wang, Jie Guo, and Gangshan Wu. 2019. Learning Actor Relation Graphs for Group Activity Recognition. In 2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR). IEEE, 9956–9966. doi:10.1109/cvpr.2019.01020
- [252] Lifang Wu, Zhou Yang, Jiaoyu He, Meng Jian, Meng Jian, Yaowen Xu, Dezhong Xu, and Chang Wen Chen. 2019. Ontology Based Global and Collective Motion Patterns for Event Classification in Basketball Videos. IEEE Transactions on Circuits and Systems for Video Technology (2019), 1-1. doi:10.1109/tcsvt.2019.2912529
- [253] Qiang Wu. 2018. Combination of Adaptive Object Model for Basketball Tracking. In 2018 International Conference on Robots & Intelligent System (ICRIS). IEEE, 539-543. doi:10.1109/icris.2018.00139

- [254] Peter Xenopoulos and Claudio Silva. 2021. Graph Neural Networks to Predict Sports Outcomes. In 2021 IEEE International Conference on Big Data (Big Data). IEEE, 1757–1763. doi:10.1109/bigdata52589.2021.9671833
- [255] Vincent Xia, Kavirath Jain, Akshay Krishna, and Christopher G. Brinton. 2018. A network-driven methodology for sports ranking and prediction. In 2018 52nd Annual Conference on Information Sciences and Systems (CISS). IEEE, 1–6. doi:10.1109/ciss.2018.8362324
- [256] Shaorong Xie, Yang Li, Xinzhi Wang, Han Zhang, Zhenyu Zhang, Xiangfeng Luo, and Hang Yu. 2024. Hierarchical relationship modeling in multi-agent reinforcement learning for mixed cooperative-competitive environments. *Information Fusion* 108 (Aug. 2024), 102318. doi:10.1016/j.inffus.2024.102318
- [257] Zhao Xie, Chang Jiao, Kewei Wu, Dan Guo, and Richang Hong. 2024. Active Factor Graph Network for Group Activity Recognition. IEEE Transactions on Image Processing 33 (2024), 1574–1587. doi:10.1109/tip.2024.3362140
- [258] Xichen Xing, Buyun Wang, and Jun Cheng. 2024. Incremental CBS: Adaptive Multi-Agent Pathfinding in Dynamic Environments. In 2024 7th International Conference on Robotics, Control and Automation Engineering (RCAE). IEEE, 164–169. doi:10.1109/rcae62637.2024. 10834259
- [259] Hongkai Xiong, Dayu Zheng, Qingxiang Zhu, Botao Wang, and Yuan F. Zheng. 2013. A Structured Learning-Based Graph Matching Method for Tracking Dynamic Multiple Objects. IEEE Transactions on Circuits and Systems for Video Technology 23, 3 (March 2013), 534–548. doi:10.1109/tcsvt.2012.2210801
- [260] Peixi Xiong, Huayi Zhan, Xin Wang, Baivab Sinha, and Ying Wu. 2019. Visual Query Answering by Entity-Attribute Graph Matching and Reasoning. In 2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR). IEEE, 8349–8358. doi:10.1109/cvpr.2019.00855
- [261] Muhammad Yahya, Abdul Wahid, Lan Yang, John G. Breslin, Evgeny Kharlamov, and Muhammad Intizar Ali. 2024. Link Prediction in Industrial Knowledge Graphs: A Case Study on Football Manufacturing. IEEE Access 12 (2024), 89804–89817. doi:10.1109/access.2024. 3419911
- [262] Yichao Yan, Ning Zhuang, Bingbing Ni, Jian Zhang, Minghao Xu, Qiang Zhang, Zheng Zhang, Shuo Cheng, Qi Tian, Yi Xu, Xiaokang Yang, and Wenjun Zhang. 2022. Fine-Grained Video Captioning via Graph-based Multi-Granularity Interaction Learning. IEEE Transactions on Pattern Analysis and Machine Intelligence 44, 2 (Feb. 2022), 666–683. doi:10.1109/tpami.2019.2946823
- [263] Pratham Yashwante, Yash Patil, Bhavika Wani, and Suvarna Chaure. 2024. A Hybrid Deep Learning Model for Automated Cricket Commentary Generation. In 2024 IEEE 6th International Conference on Cybernetics, Cognition and Machine Learning Applications (ICCCMLA). IEEE, 67–72. doi:10.1109/icccmla63077.2024.10871604
- [264] Raymond A. Yeh, Alexander G. Schwing, Jonathan Huang, and Kevin Murphy. 2019. Diverse Generation for Multi-Agent Sports Games. In 2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR). IEEE, 4605–4614. doi:10.1109/cvpr.2019.00474
- [265] Le Yin and Rui He. 2021. RETRACTED: Target state recognition of basketball players based on video image detection and FPGA. Microprocessors and Microsystems 80 (Feb. 2021), 103340. doi:10.1016/j.micpro.2020.103340
- [266] Öznur İlayda Yılmaz and Şule Gündüz Öğüdücü. 2022. Learning football player features using graph embeddings for player recommendation system. In Proceedings of the 37th ACM/SIGAPP Symposium on Applied Computing (SAC '22). ACM, 577–584. doi:10.1145/3477314.3507257
- [267] Huayi Zhan, Peixi Xiong, Xin Wang, Xin WANG, and Lan Yang. 2022. Visual question answering by pattern matching and reasoning. Neurocomputing 467 (Jan. 2022), 323–336. doi:10.1016/j.neucom.2021.10.016
- [268] Tao Zhang, Gongzhu Hu, and Qi Liao. 2013. Analysis of offense tactics of basketball games using link prediction. In 2013 IEEE/ACIS 12th International Conference on Computer and Information Science (ICIS). IEEE, 207–212. doi:10.1109/icis.2013.6607842
- [269] Xinyan Zhang, Shangnan Zhou, and Tongtong Wang. 2023. Improving Team Strategy in Football Competition Based on Graph Theory Model and Algorithm Analysis. In 2023 4th International Conference on Machine Learning and Computer Application (ICMLCA 2023). ACM, 47–50. doi:10.1145/3650215.3650226
- [270] Kai Zhao, Guangxin Tan, Zehong Chen, Jinluo Axi, and Qian Huang. 2024. Improving Basketball Prediction Performance with Graph Attention Networks and K-means Clustering. In Proceedings of the 2024 International Conference on Sports Technology and Performance Analysis (ICSTPA 2024). ACM, 227–234. doi:10.1145/3723936.3723970
- [271] Aihua Zheng, Jixin Ma, Bin Luo, Miltos Petridis, Sulan Zhai, and Jin Tang. 2009. Temporal Pattern Recognition in Video Clips Detection. In 2009 Eighth IEEE/ACIS International Conference on Computer and Information Science. IEEE, 416–421. doi:10.1109/icis.2009.144
- [272] Dayu Zheng, Hongkai Xiong, and Yuan F. Zheng. 2011. A structured learning-based graph matching for dynamic multiple object tracking. In 2011 18th IEEE International Conference on Image Processing. IEEE, 2333–2336. doi:10.1109/icip.2011.6116107
- [273] Yan Zhou, Siqi Tan, Dongli Wang, and Jinzhen Mu. 2021. Actor Spatiotemporal Relation Networks for Group Activity Recognition. In 2021 11th International Conference on Information Science and Technology (ICIST). IEEE, 505-510. doi:10.1109/icist52614.2021.9440644
- [274] Guangyu Zhu, Changsheng Xu, Qingming Huang, Yong Rui, Shuqiang Jiang, Wen Gao, and Hongxun Yao. 2009. Event Tactic Analysis Based on Broadcast Sports Video. *IEEE Transactions on Multimedia* 11, 1 (Jan. 2009), 49–67. doi:10.1109/tmm.2008.2008918
- [275] Long Zhu, Yuanhao Chen, Yifei Lu, Chenxi Lin, and Alan Yuille. 2008. Max Margin AND/OR Graph learning for parsing the human body. In 2008 IEEE Conference on Computer Vision and Pattern Recognition. IEEE, 1–8. doi:10.1109/cvpr.2008.4587787
- [276] Long (Leo) Zhu, Yuanhao Chen, Chenxi Lin, and Alan Yuille. 2010. Max Margin Learning of Hierarchical Configural Deformable Templates (HCDTs) for Efficient Object Parsing and Pose Estimation. *International Journal of Computer Vision* 93, 1 (Aug. 2010), 1–21.

doi:10.1007/s11263-010-0375-1

[277] Lin Zishen, Li Wei, and Li Maoqing. 2009. Modeling decision and cooperation of multi-agent system using Petri net. In 2009 4th International Conference on Computer Science & Education. IEEE, 643–646. doi:10.1109/iccse.2009.5228350

Received 15 April 2024; revised 13 October 2025; accepted 17 October 2025

