Service Software Page 1 of 30

Quality Assurance (04-May-2020, 11:24:00, #141814)

Coil Check Body_18 Success (04-May-2020, 11:24:00 » 04-May-2020, 11:35:24)

Comments (0)

#	Timestamp	Comment
No	comments for	this function.

Summary

Summary

	Status
098_Body_18_H_Tra	OK
098_Body_18_F_Tra	OK
098_Body_18_L_Sag	ОК
098_Body_18_R_Sag	ОК
Program Result	Success

Details


Protocol: 098_Body_18_H_Tra

Coil Info

Coil ID	Serial Number	Part Number
Body_18	31566	10496530

Coil:

B11_B12_B13_B14_B15_B16_B21_B22_B23_B24_B25_B26_B31_B32_B33_B34_B35_B36





Service Software Page 2 of 30

Value	Min
54.2	43.0

Brightness


Parabola Fit			
Value Min Ma			
731	400	1600	

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B11

Signal



S/N

Parabola Fit		
Value Min		
58.5	45.0	

Brightness


Parabola	Fit
	573

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B12

Service Software Page 3 of 30



S/N

Parabola Fit		
Value Min		
64.9	45.0	

Brightness


Parabola Fit	
513	

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B13

Signal



S/N

Parabola Fit		
Value	Min	
66.7	50.0	

Service Software Page 4 of 30


Parabola	Fit
	328

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B14

Signal



S/N

Parabola Fit		
Value	Min	
57.4	42.0	

Brightness


Parabola	Fit
5	504

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B15

Service Software Page 5 of 30



S/N

Parabola Fit		
Value	Min	
58.5	45.0	

Brightness


Parabola	Fit
5	557

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B16

Signal



S/N

Parabola Fit		
Value	Min	
64.0	45.0	

Service Software Page 6 of 30


Parabola	Fit
5	30

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B21

Signal



S/N

Parabola Fit		
Value	Min	
53.7	42.0	

Brightness


Parabola	Fit
	583

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B22

Service Software Page 7 of 30



S/N

Parabola Fit		
Value	Min	
58.3	42.0	

Brightness


Parabola Fit
518

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B23

Signal



S/N

Parabola Fit		
Value	Min	
53.7	42.0	

Service Software Page 8 of 30


Parabol	а	Fit
	6	71

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B24

Signal



S/N

Parabola Fit		
Value	Min	
52.1	40.0	

Brightness


Parabola	Fit
	519

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B25

Service Software Page 9 of 30



S/N

Parabola Fit	
Value Min	
60.6	45.0

Brightness


Parabola	Fit
6	324

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B26

Signal



S/N

Parabola Fit		
Value Min		
61.6	42.0	

Service Software Page 10 of 30


Parabola	а	Fi	it
	5	4	6

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B31

Signal



S/N

Parabola Fit		
Value	Min	
57.0	40.0	

Brightness


Parabola	Fit
4	36

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B32

Service Software Page 11 of 30



S/N

Parabo	la Fit
Value	Min
55.5	40.0

Brightness


Parabola	Fit
	63

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B33

Signal



S/N

Parabola Fit			
Value Min			
64.1	45.0		

Service Software Page 12 of 30


Parabola	Fit
	519

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B34

Signal



S/N

Parabola Fit		
Value	Min	
61.0	42.0	

Brightness


Parabola	1	F	it
	6	1	2

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B35

Service Software Page 13 of 30



S/N

Parabola Fit		
Value	Min	
57.7	42.0	

Brightness


Parabola Fit
460

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Coil: B36

Signal



S/N

Parabola Fit			
Value	Min		
58.0	42.0		

Service Software Page 14 of 30

Parabola	3	Fit
	5	93

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	324	V

Protocol: 098_Body_18_F_Tra


Coil Info

Coil ID	Serial Number	Part Number
Body_18	31566	10496530

Coil:

B11_B12_B13_B14_B15_B16_B21_B22_B23_B24_B25_B26_B31_B32_B33_B34_B35_B36

Signal



S/N

Parabola Fit			
Value Min			
52.9	42.0		

Brightness


Parabola Fit			
Value	Min	Max	
756	400	1600	

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B11

Service Software Page 15 of 30



S/N

Parabola Fit		
Value	Min	
55.0	40.0	

Brightness


Parabola Fit
477

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B12

Signal



S/N

Parabola Fit		
Value	Min	
61.3	50.0	

Service Software Page 16 of 30


Parabola	Fit
	720

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	٧

Coil: B13

Signal



S/N

Parabola Fit		
Value	Min	
62.0	40.0	

Brightness


Parabola	Fit
5	542

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B14

Service Software Page 17 of 30



S/N

Parabola Fit		
Value	Min	
65.3	45.0	

Brightness


Parabola	Fit
6	85

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B15

Signal



S/N

Parabola Fit		
Value	Min	
56.9	42.0	

Service Software Page 18 of 30


Parabola	Fit
,	499

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B16

Signal



S/N

Parabola Fit		
Value	Min	
56.1	42.0	

Brightness


Parabola	Fit
	630

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B21

Service Software Page 19 of 30



S/N

Parabola Fit		
Value	Min	
55.5	40.0	

Brightness


Parabola	Fit
6	664

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B22

Signal



S/N

Parabola Fit		
Value	Min	
57.9	40.0	

Service Software Page 20 of 30


Parabola	Fit
Į	566

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B23

Signal



S/N

Parabo	la Fit
Value	Min
53.9	40.0

Brightness


<u> </u>	
Parabola	Fit
7	703

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B24

Service Software Page 21 of 30



S/N

Parabola Fit		
Value	Min	
53.7	40.0	

Brightness


Parabola	Fit
Ę	37

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B25

Signal



S/N

Parabola Fit		
Value	Min	
53.4	38.0	

Service Software Page 22 of 30


Parabola	Fit
ŗ	558

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B26

Signal



S/N

Parabola Fit		
Value	Min	
53.6	40.0	

Brightness


Parabola I	Fit
50	07

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B31

Service Software Page 23 of 30



S/N

Parabola Fit		
Value	Min	
60.1	43.0	

Brightness


Parabola	Fit
6	34

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B32

Signal



S/N

Parabola Fit		
Value	Min	
62.8	45.0	

Service Software Page 24 of 30


Parabol	a Fit
	559

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B33

Signal



S/N

Parabola Fit		
Value	Min	
58.8	45.0	

Brightness


Parabola	Fit
(669

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B34

Service Software Page 25 of 30



S/N

Parabola Fit		
Value	Min	
57.2	42.0	

Brightness


Parabola	Fit
Ę	527

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B35

Signal



S/N

Parabola Fit		
Value Min		
62.4	45.0	

Service Software Page 26 of 30


Parabola	Fit
ļ	582

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V

Coil: B36

Signal



S/N

Parabo	la Fit
Value	Min
57.2	42.0

Brightness

Parabola	Fit
4	198

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	326	V


Protocol: 098_Body_18_L_Sag

Coil Info

Coil ID	Serial Number	Part Number
Body_18	31566	10496530

Coil: B22

Service Software Page 27 of 30



S/N

Parabola Fit		
Value	Min	
53.9	38.0	

Brightness


Parabola Fit
547

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

Coil: B23

Signal



S/N

Parabola Fit		
Value	lue Min	
49.9	38.0	

Service Software Page 28 of 30


Parabola	a Fit
	622

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

Coil: B26

Signal



S/N

Parabola Fit		
Value Min		
55.4	38.0	

Brightness

Parabola	Fit	
	449	١

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V


Protocol: 098_Body_18_R_Sag

Coil Info

Coil ID	Serial Number	Part Number	
Body_18	31566	10496530	

Coil: B22

Service Software Page 29 of 30



S/N

Parabola Fit		
Value Min		
51.0	38.0	

Brightness


Parabola F	it
43:	2

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	305	V

Coil: B23

Signal



S/N

Parabola Fit		
Value	Min	
50.0	38.0	

Service Software Page 30 of 30


Parabola	Fit
a	:17

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	305	V

Coil: B26

Signal



S/N

Parabola Fit		
Value	Min	
48.8	38.0	

Brightness

Parabola	Fit
	184

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	305	V