

## Quality Assurance (04-May-2020, 12:03:31, #141814)

Coil Check HandWrist\_16 Success (04-May-2020, 12:03:31 » 04-May-2020, 12:07:32)

### Comments (0)

#	Timestamp	Comment
No comments for this function.		

### Summary

Summary

	Status
098_HandWrist_16_Tra	OK
Program Result	Success

### Details

#### Protocol: 098\_HandWrist\_16\_Tra


Coil Info

Coil ID	Serial Number	Part Number
HandWrist_16	3349	10499848

Coil:

HW11\_HW12\_HW13\_HW14\_HW21\_HW22\_HW23\_HW24\_HW31\_HW32\_HW33\_HW34\_HW35\_HW36\_HW37\_HW38

Signal



S/N

Parabola Fit	
Value	Min
57.4	42.0

Brightness


Parabola Fit		
Value	Min	Max
1214	750	3000

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

Coil: HW11

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
33.9	27.0	45.4	27.0

Brightness

Parabola Fit	With Noise Image
709	709


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW12**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
30.3	24.0	42.5	24.0

Brightness

Parabola Fit	With Noise Image
706	706


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW13**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
41.4	30.0	41.6	30.0

Brightness

Parabola Fit	With Noise Image
712	712


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW14**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
41.8	31.0	41.8	31.0

Brightness

Parabola Fit	With Noise Image
609	609


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW21**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
26.8	19.0	28.0	19.0

Brightness


Parabola Fit	With Noise Image
417	417

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW22**

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
58.6	43.0	56.2	43.0

Brightness


Parabola Fit	With Noise Image
1212	1212

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW23**

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
28.0	23.0	30.3	23.0

Brightness

Parabola Fit	With Noise Image
489	489


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW24**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
49.6	40.0	53.7	40.0

Brightness

Parabola Fit	With Noise Image
1108	1108


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW31**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
40.8	29.0	39.4	29.0

Brightness

Parabola Fit	With Noise Image
490	490


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW32**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
56.7	29.0	58.2	29.0

Brightness

Parabola Fit	With Noise Image
1284	1284


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW33**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
41.6	14.0	41.6	14.0

Brightness

Parabola Fit	With Noise Image
658	658


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW34**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
60.1	23.0	59.4	23.0

Brightness

Parabola Fit	With Noise Image
640	640


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW35**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
39.1	28.0	40.3	28.0

Brightness

Parabola Fit	With Noise Image
471	471


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW36**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
56.4	48.0	59.3	48.0

Brightness

Parabola Fit	With Noise Image
1295	1295

Homogeneity and Transmitter Amplitude


Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW37**

---

Signal





S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
31.1	24.0	42.7	24.0

Brightness

Parabola Fit	With Noise Image
674	674


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V

**Coil: HW38**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
59.1	48.0	59.8	48.0

Brightness

Parabola Fit	With Noise Image
650	650

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	308	V