

Quality Assurance (04-May-2020, 12:17:46, #141814)

Coil Check HeadNeck_20 Success (04-May-2020, 12:17:47 » 04-May-2020, 12:22:16)

Comments (0)

#	Timestamp	Comment
No comments for this function.		

Summary

Summary

	Status
098_HeadNeck_20_HE_Tra	OK
098_HeadNeck_20_NE_Tra	OK
Program Result	Success

Details


Protocol: 098_HeadNeck_20_HE_Tra

Coil Info

Coil ID	Serial Number	Part Number
HeadNeck_20	31052	10496540

Coil: H11_H12_H13_H14_H21_H22_H23_H24_H31_H32_H33_H34_H41_H42_H43_H44

Signal



S/N

Parabola Fit	
Value	Min
74.8	58.0

Brightness


Parabola Fit		
Value	Min	Max
819	400	1600

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H11

Signal



S/N

Parabola Fit	
Value	Min
44.8	33.0

Brightness


Parabola Fit
442

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H12

Signal



S/N

Parabola Fit	
Value	Min
50.3	37.0

Brightness


Parabola Fit
441

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H13

Signal



S/N

Parabola Fit	
Value	Min
44.8	33.0

Brightness


Parabola Fit
450

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H14

Signal



S/N

Parabola Fit	
Value	Min
52.3	39.0

Brightness


Parabola Fit
443

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H21

Signal



S/N

Parabola Fit	
Value	Min
49.5	35.0

Brightness


Parabola Fit
523

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H22

Signal



S/N

Parabola Fit	
Value	Min
58.3	40.0

Brightness


Parabola Fit
515

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H23

Signal



S/N

Parabola Fit	
Value	Min
46.4	32.0

Brightness


Parabola Fit
472

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H24

Signal



S/N

Parabola Fit	
Value	Min
59.5	45.0

Brightness


Parabola Fit
557

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H31

Signal



S/N

Parabola Fit	
Value	Min
31.0	15.0

Brightness


Parabola Fit
204

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H32

Signal



S/N

Parabola Fit	
Value	Min
31.5	21.0

Brightness


Parabola Fit
369

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H33

Signal



S/N

Parabola Fit	
Value	Min
24.7	11.0

Brightness


Parabola Fit
204

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H34

Signal



S/N

Parabola Fit	
Value	Min
32.1	20.0

Brightness


Parabola Fit
355

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H41

Signal



S/N

Parabola Fit	
Value	Min
35.1	17.0

Brightness


Parabola Fit
254

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H42

Signal



S/N

Parabola Fit	
Value	Min
31.9	20.0

Brightness


Parabola Fit
325

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H43

Signal



S/N

Parabola Fit	
Value	Min
31.0	15.0

Brightness


Parabola Fit
197

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V

Coil: H44

Signal



S/N

Parabola Fit	
Value	Min
40.2	27.0

Brightness

Parabola Fit
410

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	320	V


Protocol: 098_HeadNeck_20_NE_Tra

Coil Info

Coil ID	Serial Number	Part Number
HeadNeck_20	31052	10496540

Coil: N11_N12_N21_N22

Signal



S/N

Parabola Fit	
Value	Min
32.5	24.0

Brightness


Parabola Fit
199

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	317	V

Coil: N11

Signal



S/N

Parabola Fit	
Value	Min
21.4	17.0

Brightness


Parabola Fit
148

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	317	V

Coil: N12

Signal



S/N

Parabola Fit	
Value	Min
23.2	18.0

Brightness


Parabola Fit
190

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	317	V

Coil: N21

Signal



S/N

Parabola Fit	
Value	Min
30.3	25.0

Brightness


Parabola Fit
163

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	317	V

Coil: N22

Signal



S/N

Parabola Fit	
Value	Min
30.3	24.0

Brightness

Parabola Fit
183

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	317	V