

## Quality Assurance (04-May-2020, 11:11:51, #141814)

---

**Coil Check Body\_18 Success (04-May-2020, 11:11:51 » 04-May-2020, 11:23:15)**

---

### Comments (0)

---

#	Timestamp	Comment
No comments for this function.		

### Summary

---

Summary

	Status
098_Body_18_H_Tra	OK
098_Body_18_F_Tra	OK
098_Body_18_L_Sag	OK
098_Body_18_R_Sag	OK
Program Result	Success

### Details

---

#### Protocol: 098\_Body\_18\_H\_Tra

---

Coil Info


Coil ID	Serial Number	Part Number
Body_18	30138	10496530

**Coil:**

**B11\_B12\_B13\_B14\_B15\_B16\_B21\_B22\_B23\_B24\_B25\_B26\_B31\_B32\_B33\_B34\_B35\_B36**

---

Signal



S/N

Parabola Fit

Value	Min
55.4	43.0

Brightness

Parabola Fit		
Value	Min	Max
741	400	1600


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B11**

---

Signal



S/N

Parabola Fit	
Value	Min
60.9	45.0

Brightness

Parabola Fit
582


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B12**

---

Signal



S/N

Parabola Fit	
Value	Min
63.8	45.0

Brightness

Parabola Fit
581


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B13**

---

Signal



S/N

Parabola Fit	
Value	Min
66.9	50.0

Brightness

--

**Parabola Fit**

633


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B14**

---

Signal



S/N

**Parabola Fit**

Value	Min
59.1	42.0

Brightness

**Parabola Fit**

552


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B15**

---

Signal



S/N

Parabola Fit	
Value	Min
59.7	45.0

Brightness

Parabola Fit
616


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B16**

---

Signal



S/N

Parabola Fit	
Value	Min
64.4	45.0

Brightness

Parabola Fit
596


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B21**

---

Signal



S/N

Parabola Fit	
Value	Min
52.9	42.0

Brightness

Parabola Fit
559


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B22**

---

Signal



S/N

Parabola Fit	
Value	Min
56.8	42.0

Brightness

Parabola Fit
547


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B23**

---

Signal



S/N

Parabola Fit	
Value	Min
56.9	42.0

Brightness

**Parabola Fit**

622


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B24**

---

Signal



S/N

**Parabola Fit**

Value	Min
55.2	40.0

Brightness

**Parabola Fit**

600

Homogeneity and Transmitter Amplitude


Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B25**

---

Signal





S/N

Parabola Fit	
Value	Min
67.8	45.0

Brightness

Parabola Fit
670


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B26**

---

Signal



S/N

Parabola Fit	
Value	Min
59.1	42.0

Brightness

Parabola Fit
578


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B31**

---

Signal



S/N

Parabola Fit	
Value	Min
56.1	40.0

Brightness

Parabola Fit
461


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B32**

---

Signal



S/N

Parabola Fit	
Value	Min
51.6	40.0

Brightness

Parabola Fit
509


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B33**

---

Signal



S/N

Parabola Fit	
Value	Min
62.8	45.0

Brightness

--

**Parabola Fit**

572


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B34**

---

Signal



S/N

**Parabola Fit**

Value	Min
58.9	42.0

Brightness

**Parabola Fit**

591


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B35**

---

Signal



S/N

Parabola Fit	
Value	Min
58.1	42.0

Brightness

Parabola Fit
547


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V

**Coil: B36**

---

Signal



S/N

Parabola Fit	
Value	Min
54.8	42.0

Brightness

Parabola Fit
545

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	330	V


**Protocol: 098\_Body\_18\_F\_Tra**

Coil Info

Coil ID	Serial Number	Part Number
Body_18	30138	10496530

**Coil:****B11\_B12\_B13\_B14\_B15\_B16\_B21\_B22\_B23\_B24\_B25\_B26\_B31\_B32\_B33\_B34\_B35\_B36**

Signal



S/N

Parabola Fit	
Value	Min
55.6	42.0

Brightness


Parabola Fit		
Value	Min	Max
750	400	1600

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B11**

Signal



S/N

Parabola Fit	
Value	Min
56.9	40.0

Brightness

Parabola Fit
506


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B12**

---

Signal



S/N

Parabola Fit	
Value	Min
68.5	50.0

Brightness

--

Parabola Fit
722


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B13**

---

Signal



S/N

Parabola Fit	
Value	Min
59.2	40.0

Brightness

Parabola Fit
594

Homogeneity and Transmitter Amplitude


Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B14**

---

Signal





S/N

Parabola Fit	
Value	Min
67.1	45.0

Brightness

Parabola Fit
730


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B15**

---

Signal



S/N

Parabola Fit	
Value	Min
59.6	42.0

Brightness

**Parabola Fit**

594


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B16**

---

Signal



S/N

**Parabola Fit**

Value	Min
59.7	42.0

Brightness

**Parabola Fit**

609


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B21**

---

Signal



S/N

Parabola Fit	
Value	Min
55.1	40.0

Brightness

Parabola Fit
625


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B22**

---

Signal



S/N

Parabola Fit	
Value	Min
60.8	40.0

Brightness

--

**Parabola Fit**

595


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B23**

---

Signal



S/N

**Parabola Fit**

Value	Min
48.9	40.0

Brightness

**Parabola Fit**

607


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B24**

---

Signal



S/N

Parabola Fit	
Value	Min
56.1	40.0

Brightness

Parabola Fit
636


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B25**

---

Signal



S/N

Parabola Fit	
Value	Min
54.0	38.0

Brightness

--

Parabola Fit
573


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B26**

---

Signal



S/N

Parabola Fit	
Value	Min
54.9	40.0

Brightness

Parabola Fit
553


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B31**

---

Signal



S/N

Parabola Fit	
Value	Min
61.1	43.0

Brightness

Parabola Fit
611


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B32**

---

Signal



S/N

Parabola Fit	
Value	Min
69.9	45.0

Brightness

--

Parabola Fit
652


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B33**

---

Signal



S/N

Parabola Fit	
Value	Min
64.0	45.0

Brightness

Parabola Fit
634

Homogeneity and Transmitter Amplitude


Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B34**

---

Signal





S/N

Parabola Fit	
Value	Min
61.3	42.0

Brightness

Parabola Fit
612


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B35**

---

Signal



S/N

Parabola Fit	
Value	Min
60.5	45.0

Brightness

--

**Parabola Fit**

617


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Coil: B36**

---

Signal



S/N

**Parabola Fit**

Value	Min
56.9	42.0

Brightness

**Parabola Fit**

566

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	332	V

**Protocol: 098\_Body\_18\_L\_Sag**

---


Coil Info

Coil ID	Serial Number	Part Number
Body_18	30138	10496530

**Coil: B22**

---

Signal



S/N

Parabola Fit	
Value	Min
54.4	38.0

Brightness

Parabola Fit
548


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	307	V

**Coil: B23**

---

Signal



S/N

Parabola Fit	
Value	Min
48.8	38.0

Brightness

**Parabola Fit**


560

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	307	V

**Coil: B26**

Signal



S/N

**Parabola Fit**

Value	Min
55.3	38.0

Brightness

**Parabola Fit**

515

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	307	V


**Protocol: 098\_Body\_18\_R\_Sag**

Coil Info

Coil ID	Serial Number	Part Number
Body_18	30138	10496530

**Coil: B22**

Signal



S/N

Parabola Fit	
Value	Min
49.8	38.0

Brightness

Parabola Fit
466


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: B23**

---

Signal



S/N

Parabola Fit	
Value	Min
49.3	38.0

Brightness

--

**Parabola Fit**

565


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: B26**

---

Signal



S/N

**Parabola Fit**

Value	Min
48.6	38.0

Brightness

**Parabola Fit**

492

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V