

## Quality Assurance (04-May-2020, 12:13:18, #141814)

Coil Check ShoulderSmall\_16 Success (04-May-2020, 12:13:19 » 04-May-2020, 12:16:39)

### Comments (0)

#	Timestamp	Comment
No comments for this function.		

### Summary

Summary

	Status
098_ShoulderSmall_16_Tra	OK
Program Result	Success

### Details

Protocol: 098\_ShoulderSmall\_16\_Tra


Coil Info

Coil ID	Serial Number	Part Number
ShoulderSmall_16	4225	10500082

Coil:

SHS1\_SHS2\_SHS3\_SHS4\_SHS5\_SHS6\_SHS7\_SHS8\_SHS9\_SHS10\_SHS11\_SHS12\_SHS13\_SHS14\_SHS15\_SHS16

Signal



S/N

Parabola Fit	
Value	Min
62.5	45.0

Brightness


Parabola Fit		
Value	Min	Max
812	450	1800

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

Coil: SHS10

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
35.7	20.0	36.4	20.0

Brightness

Parabola Fit	With Noise Image
337	337


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS11**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
25.3	15.0	26.3	15.0

Brightness

Parabola Fit	With Noise Image
234	234


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS12**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
37.9	20.0	38.6	20.0

Brightness

Parabola Fit	With Noise Image
384	384


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS13**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
26.2	12.0	26.9	12.0

Brightness

Parabola Fit	With Noise Image
233	233


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS14**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
19.4	12.0	19.5	12.0

Brightness

Parabola Fit	With Noise Image
145	145


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS15**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
27.0	12.0	26.9	12.0

Brightness

Parabola Fit	With Noise Image
212	212


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS16**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
37.2	22.0	38.3	22.0

Brightness

Parabola Fit	With Noise Image
361	361


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS1**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
22.3	10.0	23.4	10.0

Brightness

Parabola Fit	With Noise Image
204	204


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS2**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
21.9	12.0	23.1	12.0

Brightness

Parabola Fit	With Noise Image
181	181


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS3**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
18.8	10.0	19.1	10.0

Brightness

Parabola Fit	With Noise Image
143	143


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS4**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
26.7	15.0	27.3	15.0

Brightness


Parabola Fit	With Noise Image
235	235

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS5**

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
31.4	20.0	32.7	20.0

Brightness


Parabola Fit	With Noise Image
285	285

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS6**

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
25.1	12.0	24.5	12.0

Brightness


Parabola Fit	With Noise Image
222	222

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS7**

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
34.1	15.0	35.3	15.0

Brightness

Parabola Fit	With Noise Image
327	327


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS8**

Signal





S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
20.3	15.0	21.6	15.0

Brightness

Parabola Fit	With Noise Image
166	166


Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V

**Coil: SHS9**

---

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
24.0	15.0	24.3	15.0

Brightness

Parabola Fit	With Noise Image
200	200

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	306	V