Service Software Page 1 of 9

Quality Assurance (04-May-2020, 12:07:42, #141814)

Coil Check ShoulderLarge_16 Success (04-May-2020, 12:07:43 » 04-May-2020, 12:12:13)

Comments (0)

#	Timestamp	Comment
No comments for		this function.

Summary

Summary

	Status
098_ShoulderLarge_16_Tra	ОК
Program Result	Success

Details

Protocol: 098_ShoulderLarge_16_Tra


Coil Info

Coil ID	Serial Number	Part Number
ShoulderLarge_16	4294	10500081

Coil:

SHL1_SHL2_SHL3_SHL4_SHL5_SHL6_SHL7_SHL8_SHL9_SHL10_SHL11_SHL12_SHL13_SHL14_SHL15_SHL16

Signal



S/N

Parabola Fit
Value Min
64.8 45.0

Brightness


Parabola Fit
Value Min Max
714 350 1400

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	317	٧

Coil: SHL10

Service Software Page 2 of 9



S/N

Parabo	la Fit	With Noise Image		
Value Min		Value	Min	
28.5	20.0	28.7	20.0	

Brightness


Parabola Fit	With Noise Image
205	205

Homogeneity and Transmitter Amplitude

Variable	Value	Unit	
Transmitter Amplitude	317	٧	

Coil: SHL11

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
25.8	15.0	27.4	15.0

Brightness


Parabola Fit	With Noise Image
197	197

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	317	V

Coil: SHL12

Service Software Page 3 of 9



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
32.1	18.0	32.6	18.0

Brightness


Parabola Fit	With Noise Image
337	337

Homogeneity and Transmitter Amplitude

Variable	Value	Unit	
Transmitter Amplitude	317	٧	

Coil: SHL13

Signal



S/N

Parabo	la Fit	With Noise Image	
Value	Min	Value	Min
30.2	15.0	30.9	15.0

Brightness


Parabola Fit	With Noise Image
250	250

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	317	/

Coil: SHL14

Service Software Page 4 of 9



S/N

Parabo	la Fit	With Noise	Image
Value	Min	Value	Min
14.8	6.0	15.6	6.0

Brightness

Parabola Fit	With Noise Image
90	90

Homogeneity and Transmitter Amplitude


Variable

Value Unit

Coil: SHL15

Transmitter Amplitude

Signal



S/N

Parabola Fit		With Nois	e Image
Value	Min	Value	Min
21.4	10.0	21.8	10.0

Brightness

Parabola Fit	With Noise Image	
138	138	

Homogeneity and Transmitter Amplitude

Variable


Value Unit

Variable Value Unit

Transmitter Amplitude 317 V

Coil: SHL16

Service Software Page 5 of 9



S/N

Parabola Fit		With Nois	e Image
Value	Min	Value	Min
31.1	20.0	32.9	20.0

Brightness


Parabola Fit	With Noise Image
217	217

Homogeneity and Transmitter Amplitude

Variable	Value	Unit	
Transmitter Amplitude	317	٧	

Coil: SHL1

Signal



S/N

Parabo	la Fit	With Nois	e Image
Value	Min	Value	Min
23.6	15.0	23.7	15.0

Brightness

Parabola Fit	With Noise Image
140	140

Homogeneity and Transmitter Amplitude


Variable

Value Unit

ue	Oilit
17	V
•) /

Coil: SHL2

Service Software Page 6 of 9



S/N

Parabola Fit		With Nois	e Image
Value	Min	Value	Min
17.4	10.0	18.1	10.0

Brightness


F	Parabola Fit	With Noise	Image
	115		115

Homogeneity and Transmitter Amplitude

Variable	Value	Unit	
Transmitter Amplitude	317	٧	

Coil: SHL3

Signal



S/N

Parabola Fit		With Noise Imag	
Value	Min	Value	Min
41.5	23.0	46.0	23.0

Brightness

Parabola Fit	With Noise Image
287	287

Homogeneity and Transmitter Amplitude


Variable

Value Unit

Variable	value	Oiiit
Transmitter Amplitude	317	V

Coil: SHL4

Service Software Page 7 of 9



S/N

O/1.1				
Parabola Fit		With Noise Image		
Value	Min	Value	Min	
27.0	15.0	28.0	15.0	

Brightness

Parabola Fit	With Noise Image
234	234

Homogeneity and Transmitter Amplitude


Variable

Value Unit

Variable	Value	Unit	
Transmitter Amplitude	317	V	

Coil: SHL5

Signal



S/N

Parabola Fit		With Noise Imag	
Value	Min	Value	Min
25.3	12.0	26.3	12.0

Brightness

Parabola Fit	With Noise Image
197	197

Homogeneity and Transmitter Amplitude


Variable

Value Unit

Variable	Value	Unit
Transmitter Amplitude	317	/

Coil: SHL6

Service Software Page 8 of 9



S/N

Parabo	la Fit	With Noise Image	
Value	Min	Value	Min
23.9	12.0	24.1	12.0

Brightness


Parabola Fit	With Noise Image
204	204

Homogeneity and Transmitter Amplitude

Variable	Value	Unit	
Transmitter Amplitude	317	V	

Coil: SHL7

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
33.1	15.0	34.0	15.0

Brightness


Parabola Fit	With Noise Image
305	305

Homogeneity and Transmitter Amplitude

Variable	Value	Unit
Transmitter Amplitude	317	/

Coil: SHL8

Service Software Page 9 of 9



S/N

Parabola Fit		With Noise Image	
Value	Min	Value	Min
17.1	10.0	17.7	10.0

Brightness


Parabola Fit	With Noise Image
114	114

Homogeneity and Transmitter Amplitude

Variable	Value	Unit	
Transmitter Amplitude	317	٧	

Coil: SHL9

Signal



S/N

Parabola Fit		With Noise Image	
Value	Min	Value Min	
14.4	12.0	14.9	12.0

Brightness

Parabola Fit	With Noise Image
104	104

Homogeneity and Transmitter Amplitude

Variable	Value	Unit	
Transmitter Amplitude	317	٧	