


SCANNING AND ENUMERATION

Muhammad Usman Arshad
usmanarshdch@gmail.com

1. IP address and hostname

Ip address is = 192.168.145.130

Hostname = Metasploitable2




```
msfadmin@metasploitable:~$ ifconfig
eth0
    Link encap:Ethernet  HWaddr 00:0c:29:fa:dd:2a
    inet addr:192.168.145.130  Bcast:192.168.145.255  Mask:255.255.255.0
    inet6 addr: fe80::20c:29ff:fefa:dd2a/64 Scope:Link
    UP BRDGCAST RUNNING MULTICAST MTU:1500  Metric:1
    RX packets:41 errors:0 dropped:0 overruns:0 frame:0
    TX packets:65 errors:0 dropped:0 overruns:0 carrier:0
    collisions:0 txqueuelen:1000
    RX bytes:4305 (4.2 KB)  TX bytes:6826 (6.6 KB)
    Interrupt:17 Base address:0x2000

lo
    Link encap:Local Loopback
    inet addr:127.0.0.1  Mask:255.0.0.0
    inet6 addr: ::1/128 Scope:Host
    UP LOOPBACK RUNNING MTU:16436  Metric:1
    RX packets:93 errors:0 dropped:0 overruns:0 frame:0
    TX packets:93 errors:0 dropped:0 overruns:0 carrier:0
    collisions:0 txqueuelen:0
    RX bytes:19405 (19.0 KB)  TX bytes:19405 (19.0 KB)

msfadmin@metasploitable:~$
```

2. Open ports and services running

Open ports and running services scanned using nmap -sV -p- 192.168.145.130 on kali linux.




```
cheema@cheemaboy:~$ nmap -sV -p- 192.168.145.130
Starting Nmap 7.98 ( https://nmap.org ) at 2026-04-16 04:11 -0400
Nmap scan report for 192.168.145.130 (192.168.145.130)
Host is up (0.0024s latency).
Not shown: 65535 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
21/tcp    open  ftp          vsftpd 2.3.4
22/tcp    open  ssh          OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
23/tcp    open  telnet       Linux telnetd
25/tcp    open  smtp         Postfix smtpd
53/tcp    open  domain       ISC BIND 9.4.2
80/tcp    open  http         Apache httpd 2.2.8 ((Ubuntu) DAV/2)
111/tcp   open  rpcbind      2 (RPC #100000)
139/tcp   open  netbios-ssn  Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp   open  netbios-ssn  Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
512/tcp   open  exec?
513/tcp   open  login        OpenBSD or Solaris rlogind
514/tcp   open  tcpwrapped
1099/tcp  open  java-rmi     GNU Classpath gmicregistry
1524/tcp  open  bindshell    Metasploitable root shell
1946/tcp  open  nfs          2.4 (rpc #100003)
2121/tcp  open  ftp          ProFTPD 1.3.1
3306/tcp  open  mysql        MySQL 5.0.51a-ubuntu0
3632/tcp  open  distccd     distccd v1 ((GNU) 4.2.4 - 8.3.7)
5432/tcp  open  postgresql   PostgreSQL DB 8.3.0 - 8.3.7
5900/tcp  open  vnc          VNC (protocol 3.3)
6080/tcp  open  x11          (access denied)
6667/tcp  open  irc          UnrealIRCd
6697/tcp  open  irc          UnrealIRCd
8080/tcp  open  ajp13        Apache/2.2.8 (Ubuntu)
8180/tcp  open  http         Apache Tomcat/Coyote JSP engine 1.1
8787/tcp  open  drb          Ruby DRB RMI (Ruby 1.8; path /usr/lib/ruby/1.8/drbc)
10443/tcp open  java-rmi     GNU Classpath gmicregistry
55289/tcp open  mountd       1-3 (RPC #100005)
57162/tcp open  status       1 (RPC #100024)
58589/tcp open  nlockmgr     1-4 (rpc #100021)
MAC Address: 00:0C:29:FA:DD:2A (VMware)
Service Info: Hosts: metasploitable.localdomain, irc.Metasploitable.LAN; OS: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/.
Nmap done: 1 IP address (1 host up) scanned in 138.84 seconds

cheema@cheemaboy:~$
```


3. Operating system detected

Open ports and operating system detected using nmap -O 192.168.145.130 command



4. Any vulnerabilities flagged by Nmap


Multiple vulnerabilities flagged by `nmap -script vuln 192.168.145.130 scan`



5. Any users/shares found during enumeration


After running enumeration commands like `nmap -script smb-enum-users 192.168.145.130` and `nmap -script smb-enum-shares 192.168.145.130` I have found following details

users



```
Session Actions Edit View Help
Host script results:
| smb-enum-users:
| METASPLOITABLE\backup (RID: 1068)
|   Full name: backup
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\bin (RID: 1004)
|   Full name: bin
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\daemon (RID: 1002)
|   Full name: daemon
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\dhcp (RID: 1202)
|   Full name: dhcp
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\distccd (RID: 1222)
|   Full name: distccd
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\ftp (RID: 1214)
|   Full name: ftp
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\games (RID: 1010)
|   Full name: games
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\gnats (RID: 1082)
|   Full name: gnats
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\ircd (RID: 1078)
|   Full name: ircd
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\klog (RID: 1206)
|   Full name: klog
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\libbuild (RID: 1200)
|   Full name: libbuild
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\list (RID: 1076)
|   Full name: list
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\mail (RID: 1016)
|   Full name: mail
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\man (RID: 1012)
|   Full name: man
|   Flags: Normal user account, Account disabled
| METASPLOITABLE\msfadmin (RID: 3000)
```

shares



```
Session Actions Edit View Help
MAC Address: 00:0C:29:FA:D0:2A (VMware)
Host script results:
| smb-enum-shares:
| account used: <blank>
| \\192.168.145.130\ADMIN$:
|   Type: STYPE_IPC
|   Comment: IPC Service (metasploitable server (Samba 3.0.20-Debian))
|   Users: 1
|   Max Users: <unlimited>
|   Path: C:\tmp
|   Anonymous access: <none>
| \\192.168.145.130\print$:
|   Type: STYPE_IPC
|   Comment: IPC Service (metasploitable server (Samba 3.0.20-Debian))
|   Users: 1
|   Max Users: <unlimited>
|   Path: C:\tmp
|   Anonymous access: READ/WRITE
| \\192.168.145.130\print$:
|   Type: STYPE_DISKTREE
|   Comment: Printer Drivers
|   Users: 1
|   Max Users: <unlimited>
|   Path: C:\var\lib\samba\printers
|   Anonymous access: <none>
| \\192.168.145.130\tmp:
|   Type: STYPE_DISKTREE
|   Comment: oh noes!
|   Users: 1
|   Max Users: <unlimited>
|   Path: C:\tmp
|   Anonymous access: READ/WRITE
|
| Nmap done: 1 IP address (1 host up) scanned in 1.11 seconds
|
| (cheena@cheenaboy:~)
| $
```