



1. Install GitHub Desktop
[Download GitHub Desktop | GitHub Desktop](#)
2. Sign in to GitHub Desktop
3. Basics of GitHub:





4. Open GitHub Desktop and select the CSIT314 & clone it




^ your screen should look like this


5. Under "Current branch", click on "New Branch":




6. You will be switched to your new branch automatically. STAY IN THAT BRANCH.
 - a. Branches will help us preview your changes to prevent random additions from bricking the code
7. To begin making changes, click on "Open in Visual Studio Code"



8. Saving changes to the GitHub repo: **(DO NOT MAKE ANY REAL COMMITS YET. FOR EXAMPLE PURPOSES ONLY)**




^ NOTE: add a comment so that the rest of the team knows what changes you have made. UPDATE THE [README.md](#) AS WELL!!!!!!!!!!!!!!
Example:




9. Click commit:


****there will be a popup, just click 'Yes'




^ this will move the changes to the main branch:




10. When clicking 'OK' on sync changes, will be prompted to login to GitHub again.




11. Back on GitHub Desktop, the change is reflected on VSC:




Changes in main branch:



12. Updating current branch from main:




If there are any changes:



^ Pull origin to update your version of the code

13. Running the website:

- Under 'Repository', click on 'Open in command prompt':



- Run the following commands:


```
C:\Users\chuu\Documents\GitHub\CSIT314>py -3 -m venv .venv
C:\Users\chuu\Documents\GitHub\CSIT314>.venv\Scripts\activate
(.venv) C:\Users\chuu\Documents\GitHub\CSIT314>pip install flask
Collecting flask
```

^ flask only needs to be installed once.


```
(.venv) C:\Users\chuu\Documents\GitHub\CSIT314>flask --app flaskr init-db
Initialized the database.

(.venv) C:\Users\chuu\Documents\GitHub\CSIT314>flask --app flaskr run
* Serving Flask app 'flaskr'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [29/Sep/2026 12:34:39] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [29/Sep/2026 12:34:39] "GET /static/style.css HTTP/1.1" 200 -
```

- Go to <http://127.0.0.1:5000> and observe changes!!!!!!!!!!




IMPORTANT NOTE: when you first run the website and make changes (for example registering and adding a new post), you will see stuff like this:



IF YOU WISH FOR DATABASE TO REMEMBER CHANGES, PUSH THESE CHANGES TO A BRANCH FIRST.

When new environment is created, database does NOT remember changes:



After closing and re-opening command prompt:

