NEXGO UN20

Version 0.1 Issued Oct 2021

NEXGOGLOBAL.COM

© 2021 NEXGO | The information contained in this document is subject to change without notice. All pictures shown are for illustration purpose only, actual product and software may vary. NEXGO and the NEXGO logo are either trademarks or registered trademarks of NEXGO in the China and/or other countries. All other trademarks or brand names are the properties of their respective holders.



Appearance





Specifications

Operating System Based on Android 11	Processor Quad-Core, Cortex A53, 2.0GHz	Memory 2GB RAM + 8GB ROM 1GB RAM + 8GB ROM (Optional) 2GB RAM + 16GB ROM (Optional)
Communication 4G(Optional), WiFi, LAN, BT	Camera Front: 2MP 5MP(Optional) Bottom: 2MP	Display 5.0", 1280*720, HD Capacitive Touchscreen, Multi-Touch
Card Readers Magistrate cards: Track 1/2/3 Smart Cards: ISO 7816 Contactless/NFC Cards: ISO 14443 Type	Peripheral Ports 1 x USB Type-A, 1 x USB Type-C 1 x LAN, 2 x RS232 1 x MDB Master & Executive, 1 x MDB Slave	Slots 1 x SIM, 2 x SIM(Optional) 1 x SD3.0(Optional) 2 x SAM (extendable to 4, optional)
A/B/C FeliCa (Optional)	1 x Digital I/O, 1 x SMA(Optional) 1 x HDMI	Environmental Operating Temperature: -20°C to 70°C Storage Temperature: -40°C to 85°C Relative Humidity: 10% to 95%(Non-Condensing)
Positioning GPS, BEIDOU or GLONASS	Power DC:12~48V(Digital I/O, MDB Slave, Master & Executive), RS232 AC:19~30V(MDB Master & Executive)	
Waterproof and Dustproof Match IP65 standard	Audio Built-in Speaker	Certifications (planning) PCI 6.x, EMV L1&L2, EMV CL1, QPBOC L1, Quickpass, Paypass, Paywave, TQM, JCB, Discover, Amex. IP65, IK08, ATEX, CE, RoHS
Physical 146*101*57mm Cutout size: 108.7mm*86.4mm		



THANK YOU!

