Select a definition   SAMPLE_API_NETCORE v1

SAMPLE_API_NETCORE 1.0 OAS3

https://localhost:44373/swagger/v1/swagger.json

User_   ⌃

| GET | /api/User_/GetUsers | ⌃ |

Parameters   Cancel

No parameters

| Execute | Clear |

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:44373/api/User_/GetUsers' \
  -H 'accept: text/plain'
```

Request URL

```
https://localhost:44373/api/User_/GetUsers
```

Server response

| Code | Details |

Code	Details

200

Response body

```
[
  {
    "id": 1,
    "userName": "chutinh                                                        ",
    "passWord": "chutinh
",
    "fullName": "chutinh",
    "email": null,
    "phoneNumber": null,
    "address": null,
    "department": null,
    "position": null,
    "roleId": null,
    "status": null,
    "isDeleted": null,
    "groupId": "MEMBER",
    "userType": null
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri,02 Sep 2022 18:26:24 GMT
server: Microsoft-IIS/10.0
x-powered-by: ASP.NET
```

Responses

Code	Description	Links

Code	Description	Links
200	Success	*No links*

Media type

<div style="border:1px solid green;">text/plain</div>

Controls `Accept` header.

Example Value   Schema

```
[
  {
    "id": 0,
    "userName": "string",
    "passWord": "string",
    "fullName": "string",
    "email": "string",
    "phoneNumber": "string",
    "address": "string",
    "department": "string",
    "position": "string",
    "roleId": 0,
    "status": 0,
    "isDeleted": true,
    "groupId": "string",
    "userType": "string"
  }
]
```

GET	/api/User_/{id}	⌄

PUT	/api/User_/{id}	⌄

DELETE	/api/User_/{id}	⌄

POST	/api/User_	⌄

WeatherForecast   ⌃

GET	/WeatherForecast	⌄

Schemas ∧

C_User

WeatherForecast