

Home / Developer resources / API

Error codes

Learn more about error codes and how to resolve them.

📋 Copy for LLM

📄 View as Markdown



REVIEWING ERRORS

Stripe logs every successful or failed API request your integration makes. Use [Workbench](#) to review errors and monitor your integration.

Some [API errors](#) include a [code](#) attribute to help you [resolve them](#). You can also trigger specific [error codes](#) for testing.

The following table describes Stripe error codes. When an API error has a `code` value, its [doc_url](#) attribute contains a link to that error code’s entry in the table.

Card decline errors

If a card issuer declines a charge and you get an API error, the error includes a [decline_code](#) that describes the reason. Stripe [decline codes](#) are more specific than card issuer decline codes.

ERROR CODE	DESCRIPTION
Filter...	
<code>account_closed</code>	The customer’s bank account has been closed.
<code>account_country_invalid_address</code>	The country of the business address provided doesn’t match the country of the account. Businesses must be located in the same country as the account.
<code>account_error_country_change_requires_additional_steps</code>	Your account has already onboarded as a Connect platform. Changing your country requires additional steps. Contact Stripe support for more information.

ERROR CODE	DESCRIPTION
Q	
<code>account_invalid</code>	The account ID provided as a value for the <code>Stripe-Account</code> header is invalid. Check that your requests are specifying a valid account ID.
<code>account_number_invalid</code>	The bank account number provided is invalid (for example, missing digits). Bank account information varies from country to country. We recommend creating validations in your entry forms based on the bank account formats we provide.
<code>acss_debit_session_incomplete</code>	The ACSS debit session isn't ready to transition to complete status yet. Try the request again later.
<code>alipay_upgrade_required</code>	This method for creating Alipay payments isn't supported anymore. Upgrade your integration to use Sources instead.
<code>amount_too_large</code>	The specified amount is greater than the maximum amount allowed. Use a lower amount and try again.
<code>amount_too_small</code>	The specified amount is less than the minimum amount allowed. Use a higher amount and try again.
<code>api_key_expired</code>	The API key provided has expired. Obtain your current API keys from the Dashboard and update your integration to use them.
<code>authentication_required</code>	The payment requires authentication to proceed. If your customer is off session , notify your customer to return to your application and complete the payment. If you provided the <code>error_on_requires_action</code> parameter, then your customer should try another card that doesn't require authentication.
<code>balance_insufficient</code>	The transfer or payout couldn't be completed because the associated account doesn't have a sufficient balance available. Create a new transfer or payout using an amount less than or equal to the account's available balance.
<code>balance_invalid_parameter</code>	Invalid parameter was provided in the balance method object. Check our API documentation or the returned error message for more context.

ERROR CODE	DESCRIPTION
Q	
<code>bank_account_bad_routing_numbers</code>	The bank account is known to not support the currency in question.
<code>bank_account_declined</code>	The bank account provided can't be used to charge, either because it isn't verified yet or it isn't supported.
<code>bank_account_exists</code>	The bank account provided already exists on the specified Customer object. If the bank account should also be attached to a different customer, include the correct customer ID when making the request again.
<code>bank_account_restricted</code>	The customer's account can't be used with the payment method.
<code>bank_account_verification_failed</code>	The bank account can't be verified, either because the microdeposit amounts provided don't match the actual amounts, or because verification has failed too many times.
<code>bank_account_unusable</code>	The bank account provided can't be used. A different bank account must be used.
<code>bank_account_unverified</code>	Your Connect platform is attempting to share an unverified bank account with a connected account.
<code>billing_invalid_mandate</code>	The Subscription or Invoice attempted payment on a PaymentMethod without an active mandate. To create Subscription or Invoice payments with this PaymentMethod, it must be confirmed on-session with a PaymentIntent or SetupIntent first.
<code>bitcoin_upgrade_required</code>	This method for creating Bitcoin payments isn't supported anymore. Upgrade your integration to use Sources instead.
<code>card_decline_rate_limit_exceeded</code>	This card has been declined too many times. You can try to charge this card again after 24 hours. We suggest reaching out to your customer to make sure they've entered all of their information correctly and that there are no issues with their card.
<code>card_declined</code>	The card has been declined. When a card is declined, the error returned also includes the <code>decline_code</code> attribute with the reason why the card was

ERROR CODE	DESCRIPTION
Q	declined. To learn more, see decline codes .
<code>cardholder_phone_number_required</code>	You must have a <code>phone_number</code> on file for Issuing Cardholders who will be creating EU cards. You can't create EU cards without a <code>phone_number</code> on file for the cardholder. See the 3DS Secure for more details.
<code>capture_charge_authorization_expired</code>	The charge can't be captured as the authorization has expired. Refer to the payment method's documentation to learn more.
<code>capture_unauthorized_payment</code>	The charge you're attempting to capture has not been authorized for capturing payment.
<code>charge_already_captured</code>	The charge you're attempting to capture has already been captured. Update the request with an uncaptured charge ID.
<code>charge_already_refunded</code>	The charge you're attempting to refund has already been refunded. Update the request to use the ID of a charge that has not been refunded.
<code>charge_disputed</code>	The charge you're attempting to refund has been charged back. See Disputes to learn how to respond to the dispute.
<code>charge_exceeds_source_limit</code>	This charge would cause you to exceed your rolling-window processing limit for this source type. Retry the charge later, or contact us to request a higher processing limit.
<code>charge_exceeds_transaction_limit</code>	This charge would cause you to exceed your processing limit for this payment type. Contact us to request a higher processing limit.
<code>charge_expired_for_capture</code>	The charge can't be captured because the authorization has expired. Authorization and capture charges must be captured within a set number of days (7 by default).
<code>charge_invalid_parameter</code>	One or more provided parameters wasn't allowed for the given operation on the Charge. See our API reference or the returned error message to see which values weren't correct for that Charge.

ERROR CODE	DESCRIPTION
Q	
<code>clearing_code_unsupported</code>	The clearing code provided isn't supported.
<code>country_code_invalid</code>	The country code provided was invalid.
<code>country_unsupported</code>	Your platform attempted to create a custom account in a country that's not yet supported. Make sure that users can only sign up in countries supported by custom accounts .
<code>coupon_expired</code>	The coupon provided for a subscription or order has expired. Either create a new coupon, or use an existing one that's valid.
<code>customer_max_payment_methods</code>	v2 Account: You've reached the maximum number of saved payment methods for this customer-configured v2 Account (<code>acct_...</code>). Detach some PaymentMethods from the v2 Account or use a different customer account. v1 Customer: You've reached the maximum number of PaymentMethods for this Customer. Either detach some PaymentMethods from this Customer or proceed with a different Customer.
<code>customer_max_subscriptions</code>	The maximum number of subscriptions for a customer has been reached. Contact us if you're receiving this error.
<code>customer_tax_location_invalid</code>	v2 Account: The customer's address is missing or invalid for tax purposes. For a v2 Account, provide a country and postal code on the Account: for individuals use <code>identity.individual.address.country</code> and <code>identity.individual.address.postal_code</code>; for businesses use <code>identity.business_details.address.country</code> and <code>identity.business_details.address.postal_code</code>. v1 Customer: The customer address is missing or not valid for tax purposes. Provide a country as a two-letter ISO code and a postal_code, at minimum. See how to collect customer addresses.
<code>debit_not_authorized</code>	The customer has notified their bank that this payment was unauthorized.
<code>email_invalid</code>	The email address is invalid (for example, not properly formatted). Check that the email address is properly formatted and only includes

ERROR CODE	DESCRIPTION
Q	allowed characters.
expired_card	The card has expired. Check the expiration date or use a different card.
financial_connections_account_inactive	Data can't be refreshed on inactive Financial Connections accounts.
financial_connections_no_successful_transaction_refresh	Transaction data can only be retrieved for accounts that have at least one successful transaction refresh.
forwarding_api_inactive	The Vault and Forward API is currently not accessible with this account and configuration. Contact us if you're receiving this error.
forwarding_api_invalid_parameter	Invalid parameter was provided in the Vault and Forward API. Check our API documentation or the returned error message for more context.
forwarding_api_retryable_upstream_error	The destination endpoint appears to be offline or unresponsive, preventing Stripe from completing the request. Retry the request later.
forwarding_api_upstream_connection_error	Stripe didn't receive a response from the destination endpoint. This typically indicates a problem with the destination endpoint, rather than with Stripe.
forwarding_api_upstream_connection_timeout	The request to the destination endpoint timed out. This typically indicates a problem with the destination endpoint, rather than with Stripe.
forwarding_api_upstream_error	The destination endpoint appears to be offline or unresponsive, preventing Stripe from completing the request. You might want to investigate the state of the request on the third party because bytes might have been sent and the third-party state could be indeterminate.
idempotency_key_in_use	The idempotency key provided is currently being used in another request. This occurs if your integration is making duplicate requests simultaneously.

ERROR CODE	DESCRIPTION
Q	
<code>incorrect_address</code>	The card's address is incorrect. Check the card's address or use a different card.
<code>incorrect_cvc</code>	The card's security code is incorrect. Check the card's security code or use a different card.
<code>incorrect_number</code>	The card number is incorrect. Check the card's number or use a different card.
<code>incorrect_zip</code>	The card's postal code is incorrect. Check the card's postal code or use a different card.
<code>instant_payouts_config_disabled</code>	This connected account isn't eligible for Instant Payouts. Ask the platform to enable Instant Payouts.
<code>instant_payouts_limit_exceeded</code>	You've reached your daily processing limits for Instant Payouts.
<code>instant_payouts_unsupported</code>	Instant Payouts aren't available for this request. See Instant payouts for detailed requirements and supported configurations.
<code>insufficient_funds</code>	The customer's account has insufficient funds to cover this payment.
<code>intent_invalid_state</code>	Intent isn't in the state that's required to perform the operation.
<code>intent_verification_method_missing</code>	Intent doesn't have verification method specified in its <code>PaymentMethodOptions</code> object.
<code>invalid_card_type</code>	The card provided as an external account isn't supported for payouts. Provide a non-prepaid debit card instead.
<code>invalid_characters</code>	This value provided to the field contains characters that are unsupported by the field.

ERROR CODE	DESCRIPTION
<code>invalid_charge_amount</code>	The specified amount is invalid. The charge amount must be a positive integer in the smallest currency unit, and not exceed the minimum or maximum amount .
<code>invalid_cvc</code>	The card's security code is invalid. Check the card's security code or use a different card.
<code>invalid_expiry_month</code>	The card's expiration month is incorrect. Check the expiration date or use a different card.
<code>invalid_expiry_year</code>	The card's expiration year is incorrect. Check the expiration date or use a different card.
<code>invalid_mandate_reference_prefix_format</code>	The provided prefix used to generate the mandate reference is invalid.
<code>invalid_number</code>	The card number is invalid. Check the card details or use a different card.
<code>invalid_source_usage</code>	The source can't be used because it isn't in the correct state (for example, a charge request is trying to use a source with a <code>pending</code> , <code>failed</code> , or <code>consumed</code> status). Check the status of the source you're attempting to use.
<code>invalid_tax_location</code>	The specified location is invalid. Check the Supported address formats for the address formats supported when calculating tax.
<code>invoice_no_customer_line_items</code>	An invoice can't be generated for the specified customer as there are no pending invoice items. Verify that the correct customer is being specified or create any necessary invoice items first.
<code>invoice_no_payment_method_types</code>	An invoice can't be finalized because there are no payment method types available to process the payment. Your invoice template settings or the invoice's payment_settings might be restricting which payment methods are available, or you might need to activate more payment methods in the Dashboard.

ERROR CODE	DESCRIPTION
Q	
<code>invoice_no_subscription_line_items</code>	An invoice can't be generated for the specified subscription as there are no pending invoice items. Verify that the correct subscription is being specified or create any necessary invoice items first.
<code>invoice_not_editable</code>	The specified invoice can no longer be edited. Instead, consider creating additional invoice items that will be applied to the next invoice. You can either manually generate the next invoice or wait for it to be automatically generated at the end of the billing cycle.
<code>invoice_on_behalf_of_not_editable</code>	You can't update the <code>on_behalf_of</code> property of an invoice after the invoice has been assigned a number.
<code>invoice_payment_intent_requires_action</code>	This payment requires additional user action before it can be completed successfully. Payment can be completed using the <code>PaymentIntent</code> associated with the invoice.
<code>invoice_upcoming_none</code>	There is no upcoming invoice on the specified customer to preview. Only customers with active subscriptions or pending invoice items have invoices that can be previewed.
<code>livemode_mismatch</code>	Test and live mode API keys, requests, and objects are only available within the corresponding mode.
<code>lock_timeout</code>	This object can't be accessed right now because another API request or Stripe process is currently accessing it. If you see this error intermittently, retry the request. If you see this error frequently and are making multiple concurrent requests to a single object, make your requests serially or at a lower rate. See the Object lock timeouts for more details.
<code>missing</code>	Both a customer and source ID have been provided, but the source hasn't been saved to the customer. To create a charge for a customer with a specified source, you must first save the card details.
<code>no_account</code>	The bank account couldn't be located.
<code>not_allowed_on_standard_account</code>	Transfers and payouts on behalf of a Standard connected account aren't allowed.

ERROR CODE	DESCRIPTION
<code>out_of_inventory</code>	One or more line items are out of stock. If more stock is available, update the inventory's orderable quantity and try again.
<code>parameter_invalid_empty</code>	One or more required values weren't provided. Make sure requests include all required parameters.
<code>parameter_invalid_integer</code>	One or more of the parameters requires an integer, but the values provided were a different type. Make sure that only supported values are provided for each attribute. Refer to the API reference to see the type of data each attribute supports.
<code>parameter_invalid_string_blank</code>	One or more values provided only included whitespace. Check the values in your request and update any that contain only whitespace.
<code>parameter_invalid_string_empty</code>	One or more required string values is empty. Make sure that string values contain at least one character.
<code>parameter_missing</code>	One or more required values are missing. Check our API documentation to see which values are required to create or modify the specified resource.
<code>parameter_unknown</code>	The request contains one or more unexpected parameters. Remove these and try again.
<code>parameters_exclusive</code>	Two or more mutually exclusive parameters were provided. See the API reference or the returned error message to see which values are permitted when creating or modifying the specified resource.
<code>payment_intent_amount_reconfirmation_required</code>	You provided information that changed the total amount of your PaymentIntent. Show the updated amount to your customer and try again.
<code>payment_intent_action_required</code>	The provided payment method requires customer actions to complete, but <code>error_on_requires_action</code> was set. To add this payment method to your integration, we recommend that you first upgrade your integration to handle actions .

ERROR CODE	DESCRIPTION
Q	
<code>payment_intent_authentication_failure</code>	The provided payment method has failed authentication. Provide a new payment method to attempt to fulfill this <code>PaymentIntent</code> again.
<code>payment_intent_automatic_tax_incomplete</code>	When <code>automatic_tax[enabled]=true</code> , you must provide enough location information to accurately determine tax rates for the buyer to confirm the <code>PaymentIntent</code> and collect taxes.
<code>payment_intent_incompatible_payment_method</code>	The <code>PaymentIntent</code> expected a payment method with different properties than what was provided.
<code>payment_intent_invalid_parameter</code>	One or more provided parameters wasn't allowed for the given operation on the <code>PaymentIntent</code> . See the API reference or the returned error message to see which values weren't correct for that <code>PaymentIntent</code> .
<code>payment_intent_konbini_rejected_confirmation_number</code>	The <code>confirmation_number</code> provided in <code>payment_method_options[konbini]</code> was rejected by the processing partner at time of <code>PaymentIntent</code> confirmation.
<code>payment_intent_mandate_invalid</code>	The provided mandate is invalid and can't be used for the payment intent.
<code>payment_intent_payment_attempt_expired</code>	The latest payment attempt for the <code>PaymentIntent</code> has expired. Check the <code>last_payment_error</code> property on the <code>PaymentIntent</code> for more details, and provide a new payment method to attempt to fulfill this <code>PaymentIntent</code> again.
<code>payment_intent_payment_attempt_failed</code>	The latest payment attempt for the <code>PaymentIntent</code> has failed. See the <code>last_payment_error</code> property on the <code>PaymentIntent</code> for more details, and provide a new payment method to attempt to fulfill this <code>PaymentIntent</code> again.
<code>payment_intent_unexpected_state</code>	The <code>PaymentIntent</code> 's state was incompatible with the operation you were trying to perform.
<code>payment_method_bank_account_already_verified</code>	This bank account has already been verified.

ERROR CODE	DESCRIPTION
Q	
<code>payment_method_bank_account_blocked</code>	This bank account has failed verification in the past and can't be used. Contact us if you want to attempt to use these bank account credentials.
<code>payment_method_billing_details_address_missing</code>	The PaymentMethod's billing details is missing address details. Update the missing fields and try again.
<code>payment_method_currency_mismatch</code>	The currency specified doesn't match the currency for the attached payment method. A payment can only be created for the same currency as the corresponding payment method.
<code>payment_method_customer_decline</code>	The customer didn't approve the payment. Provide a new payment method to attempt to fulfill this intent again.
<code>payment_method_invalid_parameter</code>	Invalid parameter was provided in the payment method object. See the API reference or the returned error message for more context.
<code>payment_method_invalid_parameter_testmode</code>	The parameter provided for payment method isn't allowed to be used in testmode. See the API reference or the returned error message for more context.
<code>payment_method_microdeposit_failed</code>	Microdeposits were failed to be deposited into the customer's bank account. Check the account, institution, transit numbers, and currency type.
<code>payment_method_microdeposit_verification_amounts_invalid</code>	You must provide exactly two microdeposit amounts.
<code>payment_method_microdeposit_verification_amounts_mismatch</code>	The amounts provided don't match the amounts that were sent to the bank account.
<code>payment_method_microdeposit_verification_attempts_exceeded</code>	You've exceeded the number of allowed verification attempts.

ERROR CODE	DESCRIPTION
Q	
<code>payment_method_microdeposit_verification_descriptor_code_mismatch</code>	The verification code provided doesn't match the one sent to the bank account.
<code>payment_method_microdeposit_verification_timeout</code>	Payment method should be verified with microdeposits within the required period.
<code>payment_method_not_available</code>	The payment processor for the provided payment method is temporarily unavailable. Try a different payment method or retry later with the same payment method.
<code>payment_method_provider_decline</code>	The payment or setup attempt was declined by the issuer or customer. Check the <code>last_payment_error</code> or <code>last_setup_error</code> property on the <code>PaymentIntent</code> or <code>SetupIntent</code> respectively for more details, and provide a new payment method to attempt to fulfill this intent again.
<code>payment_method_provider_timeout</code>	The payment method failed due to a timeout. Check the <code>last_payment_error</code> or <code>last_setup_error</code> property on the <code>PaymentIntent</code> or <code>SetupIntent</code> respectively for more details, and provide a new payment method to attempt to fulfill this intent again.
<code>payment_method_unactivated</code>	The operation can't be performed because the payment method used hasn't been activated. Activate the payment method in the Dashboard , then try again.
<code>payment_method_unexpected_state</code>	The provided payment method's state was incompatible with the operation you were trying to perform. Confirm that the payment method is in an allowed state for the given operation before attempting to perform it.
<code>payment_method_unsupported_type</code>	The API only supports payment methods of certain types.
<code>payouts_limit_exceeded</code>	You've reached your daily processing limits for this payout type.

ERROR CODE	DESCRIPTION
Q	
<code>payouts_not_allowed</code>	Payouts have been disabled on the connected account. Check the connected account's status to see if any additional information needs to be provided, or if payouts have been disabled for another reason .
<code>platform_account_required</code>	Only Stripe Connect platforms can work with other accounts. You can set up a Stripe Connect platform in the Dashboard .
<code>platform_api_key_expired</code>	The API key provided by your Connect platform has expired. This occurs if your platform has either generated a new key or the connected account has been disconnected from the platform. Obtain your current API keys from the Dashboard and update your integration, or contact the user and reconnect the account.
<code>postal_code_invalid</code>	The postal code provided was incorrect.
<code>processing_error</code>	An error occurred while processing the card. Try again later or with a different payment method.
<code>product_inactive</code>	The product this SKU belongs to is no longer available for purchase.
<code>progressive_onboarding_limit_exceeded</code>	Progressive onboarding limit has been reached for the platform.
<code>promotion_code_customer_missing_first_time</code>	A customer must be specified before applying a promotion code that is restricted to first-time transactions.
<code>promotion_code_customer_not_first_time</code>	This promotion code can't be redeemed because the associated customer has prior transactions. The promotion code is restricted to first-time customers only.
<code>rate_limit</code>	Too many requests hit the API too quickly. We recommend an exponential backoff of your requests.
<code>refer_to_customer</code>	The customer has stopped the payment with their bank. Contact them for details and to arrange payment.

ERROR CODE	DESCRIPTION
Q	
<code>refund_disputed_payment</code>	You can't refund a disputed payment.
<code>resource_already_exists</code>	A resource with a user-specified ID (for example, plan or coupon) already exists. Use a different, unique value for <code>id</code> and try again.
<code>resource_missing</code>	The ID provided isn't valid. Either the resource doesn't exist, or an ID for a different resource has been provided.
<code>return_intent_already_processed</code>	You can't confirm this refund as it's already processed.
<code>routing_number_invalid</code>	The bank routing number provided is invalid.
<code>secret_key_required</code>	The API key provided is a publishable key, but a secret key is required. Obtain your current API keys from the Dashboard and update your integration to use them.
<code>sepa_unsupported_account</code>	Your account doesn't support SEPA payments.
<code>setup_attempt_failed</code>	The latest setup attempt for the SetupIntent has failed. Check the <code>last_setup_error</code> property on the SetupIntent for more details, and provide a new payment method to attempt to set it up again.
<code>setup_intent_authentication_failure</code>	The provided payment method has failed authentication. Provide a new payment method to attempt to fulfill this SetupIntent again.
<code>setup_intent_invalid_parameter</code>	One or more provided parameters wasn't allowed for the given operation on the SetupIntent. See the API reference or the returned error message to see which values weren't correct for that SetupIntent.
<code>setup_intent_mandate_invalid</code>	The provided mandate is invalid and can't be used for the setup intent.

ERROR CODE	DESCRIPTION
Q	
<code>setup_intent_setup_attempt_expired</code>	The latest setup attempt for the SetupIntent has expired. Check the last_setup_error property on the SetupIntent for more details, and provide a new payment method to attempt to complete this SetupIntent again.
<code>setup_intent_unexpected_state</code>	The SetupIntent's state was incompatible with the operation you were trying to perform.
<code>shipping_address_invalid</code>	The shipping address information can't be used to accurately determine tax rates. Verify that address fields such as zip code, state, or province have been added correctly.
<code>shipping_calculation_failed</code>	Shipping calculation failed because the information provided was either incorrect or couldn't be verified.
<code>sku_inactive</code>	The SKU is inactive and no longer available for purchase. Use a different SKU, or make the current SKU active again.
<code>state_unsupported</code>	Occurs when providing the <code>legal_entity</code> information for a U.S. custom account, if the provided state isn't supported. (This is mostly associated states and territories.)
<code>status_transition_invalid</code>	The requested status transition isn't valid.
<code>stripe_tax_inactive</code>	Stripe Tax hasn't been activated on your account. See the setup documentation to get started.
<code>tax_id_invalid</code>	The tax ID number provided is invalid (for example, missing digits). Tax ID information varies from country to country, but must be at least nine digits.
<code>tax_id_prohibited</code>	A tax identifier may not be provided on this payment method as it isn't required.
<code>taxes_calculation_failed</code>	Tax calculation for the order failed.

ERROR CODE	DESCRIPTION
Q	
<code>terminal_location_country_unsupported</code>	Terminal is currently only available in some countries. Locations in your country can't be created in live mode.
<code>terminal_reader_busy</code>	Reader is currently busy processing another request. See the integration guide for details on how to handle this error.
<code>terminal_reader_hardware_fault</code>	Reader can no longer accept payments as an unrecoverable hardware fault has been detected. Contact Stripe support and provide your reader's serial number for replacement.
<code>terminal_reader_invalid_location_for_activation</code>	Reader can't be activated in the currently registered Location. Register the reader to a new Location. See Manage locations for more information.
<code>terminal_reader_invalid_location_for_payment</code>	Reader can't take payments in the currently registered Location. Register the reader to a new Location. See Manage locations for more information.
<code>terminal_reader_offline</code>	Reader is currently offline. Ensure the reader is powered on and connected to the internet before retrying your request. See the integration guide for details on how to handle this error.
<code>terminal_reader_timeout</code>	There was a timeout when sending this command to the reader. See the integration guide for details on how to handle this error.
<code>testmode_charges_only</code>	Your account hasn't been activated and can only make test charges. Activate your account in the Dashboard to begin processing live charges.
<code>tls_version_unsupported</code>	Your integration is using an older version of TLS that's unsupported. You must be using TLS 1.2 or above.
<code>token_already_used</code>	The token provided has already been used. You must create a new token before you can retry this request.
<code>token_in_use</code>	The token provided is currently being used in another request. This occurs if your integration is making duplicate requests simultaneously.

ERROR CODE	DESCRIPTION
Q	
<code>transfer_source_balance_parameters_mismatch</code>	When creating a Transfer, the <code>payments</code> parameter in <code>source_balance</code> shouldn't be passed in when balance <code>type</code> is set to <code>issuing</code> .
<code>transfers_not_allowed</code>	The requested transfer can't be created. Contact us if you're receiving this error.
<code>url_invalid</code>	The URL provided is invalid.

Was this page helpful?

-  Need help? [Contact Support](#).
-  Chat with Stripe developers on [Discord](#).
-  Check out our [changelog](#).
-  Questions? [Contact Sales](#).
-  LLM? [Read llms.txt](#).

Powered by [Markdoc](#)

