



SQL S3-PR03-RLS-Inventory-Check



```
1 SELECT relname AS table_name, relrowsecurity AS rls_enabled
2 FROM pg_class c
3 JOIN pg_namespace n ON n.oid = c.relnamespace
4 WHERE n.nspname = 'public' AND c.relkind = 'r';
```

Results Explain Chart Export ▾

table_name	rls_enabled
usermodule_rights	true
salesdetail	true
product	true
pricehist	true
sales	true
user_module	true
customer	true
user	true
module	true
rights	true

USER rights

🚩 --- HOPE CMS PERMISSION & VISIBILITY SCAN ---	debugger_eval_code:2:11
👤 SESSION: chynna.cardona@neu.edu.ph (Admin User)	debugger_eval_code:13:11
🔍 DETECTED ROLE: USER	debugger_eval_code:14:11
-----	debugger_eval_code:15:11
📁 RESOURCE VISIBILITY:	debugger_eval_code:26:11
- Customer Table : ✅ GRANTED	debugger_eval_code:29:13
- Sales Table : ✅ GRANTED	debugger_eval_code:29:13
- Product Table : ✅ GRANTED	debugger_eval_code:29:13
- Sales Summary View : ✅ GRANTED	debugger_eval_code:29:13
- Product Revenue View : ✅ GRANTED	debugger_eval_code:29:13
- See INACTIVE records : ❌ NO (Filtered by RLS)	debugger_eval_code:35:11
+	debugger_eval_code:38:11
🔧 OPERATION CAPABILITIES:	debugger_eval_code:43:11
+ ADD CUSTOMER: ❌ BLOCKED	debugger_eval_code:44:11
📝 EDIT CUSTOMER: ❌ BLOCKED	debugger_eval_code:45:11
🗑️ SOFT-DELETE: ❌ BLOCKED	debugger_eval_code:49:11
🔒 RLS INSERT GATE: ❌ LOCKED (Secure)	debugger_eval_code:51:11
-----	debugger_eval_code:52:11
🏁 SCAN COMPLETE	

ADMIN rights

🚩 --- HOPE CMS PERMISSION & VISIBILITY SCAN ---	debugger_eval_code:2:11
👤 SESSION: chynna.cardona@neu.edu.ph (Admin User)	debugger_eval_code:13:11
🔍 DETECTED ROLE: ADMIN	debugger_eval_code:14:11
-----	debugger_eval_code:15:11
📁 RESOURCE VISIBILITY:	debugger_eval_code:26:11
- Customer Table : ✅ GRANTED	debugger_eval_code:29:13
- Sales Table : ✅ GRANTED	debugger_eval_code:29:13
- Product Table : ✅ GRANTED	debugger_eval_code:29:13
- Sales Summary View : ✅ GRANTED	debugger_eval_code:29:13
- Product Revenue View : ✅ GRANTED	debugger_eval_code:29:13
- See INACTIVE records : ✅ YES (Authorized)	debugger_eval_code:35:11
+	debugger_eval_code:38:11
🔧 OPERATION CAPABILITIES:	debugger_eval_code:43:11
+ ADD CUSTOMER: ✅ ALLOWED	debugger_eval_code:44:11
📝 EDIT CUSTOMER: ✅ ALLOWED	debugger_eval_code:45:11
🗑️ SOFT-DELETE: ❌ BLOCKED	debugger_eval_code:49:11
🔒 RLS INSERT GATE: 🔓 OPEN (Authorized)	debugger_eval_code:51:11
-----	debugger_eval_code:52:11
🏁 SCAN COMPLETE	

SUPERADMIN rights

🚩 --- HOPE CMS PERMISSION & VISIBILITY SCAN ---	debugger_eval_code:2:11
👤 SESSION: chynna.cardona@neu.edu.ph (Admin User)	debugger_eval_code:13:11
🔍 DETECTED ROLE: SUPERADMIN	debugger_eval_code:14:11
-----	debugger_eval_code:15:11
📁 RESOURCE VISIBILITY:	debugger_eval_code:26:11
- Customer Table : ✅ GRANTED	debugger_eval_code:29:13
- Sales Table : ✅ GRANTED	debugger_eval_code:29:13
- Product Table : ✅ GRANTED	debugger_eval_code:29:13
- Sales Summary View : ✅ GRANTED	debugger_eval_code:29:13
- Product Revenue View : ✅ GRANTED	debugger_eval_code:29:13
- See INACTIVE records : ✅ YES (Authorized)	debugger_eval_code:35:11
+	debugger_eval_code:38:11
🔧 OPERATION CAPABILITIES:	debugger_eval_code:43:11
+ ADD CUSTOMER: ✅ ALLOWED	debugger_eval_code:44:11
📝 EDIT CUSTOMER: ✅ ALLOWED	debugger_eval_code:45:11
🗑️ SOFT-DELETE: ✅ ALLOWED (Update Status)	debugger_eval_code:49:11
🔒 RLS INSERT GATE: 🔓 OPEN (Authorized)	debugger_eval_code:51:11
-----	debugger_eval_code:52:11
🏁 SCAN COMPLETE	

Ensure NO HARD DELETES:

```
1  /* DOCS/FINAL-RLS-AUDIT: HARD DELETE PROOF
3  | A 'No Rows Found' result proves that Hard Deletes are architecturally blocked.
4  */
5  SELECT
6  | schemaname,
7  | tablename,
8  | policyname,
9  | roles,
10 | cmd -- This identifies the operation (SELECT, INSERT, UPDATE, DELETE)
11 FROM pg_policies
12 WHERE schemaname = 'public'
13 AND cmd = 'DELETE';
```

Results Explain Chart Export

Source Primary Database Role postgres Run

Success. No rows returned

```
Switched to a new branch docs/final-rls-audit
goku@isangbilyongsaging:~/Customer-Management-System$ grep -r "DELETE FROM" .
./node_modules/undici/lib/cache/sqlite-cache-store.js:      `DELETE FROM cacheInterceptorV${VERSION} WHERE url = ?`
./node_modules/undici/lib/cache/sqlite-cache-store.js:      `DELETE FROM cacheInterceptorV${VERSION} WHERE deleteAt <= ?`
./node_modules/undici/lib/cache/sqlite-cache-store.js:      DELETE FROM cacheInterceptorV${VERSION}
```

These are **not our code**. They are internal background processes for a library (Undici) managing its own temporary cache. Our actual application code contains **zero** hard delete commands. This proves that your frontend and backend logic are strictly following the "Soft Delete Only" rule.

Ensure that ADMIN cannot Deactivate/ change status of SUPERADMIN

CROSS-USER PROTECTION CHECK

ID: chynna.cardona@neu.edu.ph | ROLE: ADMIN | NAME: Admin User

Targeting Superadmin Account: jcesperanza@neu.edu.ph

SUCCESS: Update Blocked (Code: 42501)

Verdict: ADMIN is successfully restricted from deactivating SUPERADMIN.

SCAN COMPLETE

debugger_eval code:12:11
debugger_eval code:13:11
debugger_eval code:14:11
debugger_eval code:27:19
debugger_eval code:38:23
debugger_eval code:39:23
debugger_eval code:54:11
debugger_eval code:55:11

Admin User junio28@gmail.com	SUPERADMIN	ACTIVE	System Protected	
Admin User na.cardona@neu.edu.ph	ADMIN	ACTIVE	Activate	Deactivate
Admin User allen30@gmail.com	ADMIN	ACTIVE	Activate	Deactivate
Chynna Cardona onachynnam@gmail.com	USER	ACTIVE	Activate	Deactivate
Jesperanza esperanza@neu.edu.ph	SUPERADMIN	ACTIVE	System Protected	