

1 Env-level style=

1.1 All items thesis style

Via env-level `style=thesis`:

HYPOTHESIS A First.

HYPOTHESIS B Second.

Via per-item `style=thesis`:

HYPOTHESIS A First.

HYPOTHESIS B Second.

Refs: HYPOTHESIS A, HYPOTHESIS B.

1.2 Env style for nameless items

Item (1) First (should be “Item (1)”).

Item (2) Second (should be “Item (2)”).

Refs: Item (1), Item (2).

1.3 Per-item style= overrides env style

HYPOTHESIS C Thesis style (from env).

Override Proposition style (per item overrides env).

2 Env-level item-key defaults

2.1 Important ordering note

`“\begin{prop}[name=foo]”` (nameless style chosen; counter not stepped):

(foo) bar

`“\begin{prop}\item[name=foo]”` (named style; proposition bold):

foo bar

`“\begin{prop}[style=proposition, name=foo]”` (same as item-level):

foo bar

2.2 counter= as env default (combined with style=)

Via env-level counter=P and style=proposition:

P1

P2

Via per-item counter=P:

P3

P4

Refs: **P1**, **P2**, **P3**, **P4**.

2.3 Per-item key overrides env default

P5 First P.

2 This item uses numpropi instead.

P6 Back to P.

Refs: **P5** (P), **2** (numpropi), **P6** (P).

3 propformlabel and items=

3.1 Basic use: leftmargin from first label

Preview label is “” (before any prop).

- (3) At open, label previewed as “(3)”.
- (4) After first item, `\propformlabel = “(4)”`.
- (5) After second item, `\propformlabel = “(5)”`.

3.2 items= for a longer list: size for last expected label

- (6) Margin is sized for “(6)” (shown at open).
- (7) Second item.
- (8) Third item.

After the list the counter has advanced by 3 (not 20).

3.3 propformlabel with a named style

P7 First P with sized margin.

P8 Second P with sized margin.

Refs: **P7**, **P8**.

3.4 propformlabel with widelevelone

Item (9) First (margin sized for “Item (9)”).

Item (10) Second.

3.5 Using propformlabel with labelindent

Item (11) First (flush label, margin = label width + labelsep).

Item (12) Second.

4 \propoptions item-key defaults

4.1 Persistent counter= default

(13) First P.

(14) Second P.

(15) Third P (continues from previous).

(16) Fourth P.

Refs: ??, ??, ??, ??.

4.2 Env-arg overrides propoptions

(17) P-numbered (from propoptions).

(18) numpropi-numbered (env overrides propoptions).

(19) Back to P (propoptions restored).

Refs: ?? (P), ?? (numpropi), ?? (P).

4.3 Group-scoped \propoptions

Before group: numpropi style.

(20) Numbered item (numpropi).

Inside group: P style.

(21) P-numbered (group scope).

(22) P-numbered (group scope).

After group: numpropi restored.

(23) Numbered item (numpropi again).

Refs: ??, ??, ??, ??.

5 Global default style changes

FIRST CLAIM Should now be thesis style (small-caps, flush).

SECOND CLAIM Also thesis.

Refs: FIRST CLAIM, SECOND CLAIM.