

Comprehensive Clinical and Administrative Framework: Rehabilitation Pathways and Diagnostic Access for Complex Neuromaxillofacial and Cervicothoracic Trauma

Executive Summary of Clinical and Administrative Architectures

The intersection of multi-vector physical trauma and systemic healthcare administrative barriers frequently creates an environment in which profound, organic pathologies are subjected to diagnostic overshadowing. In cases involving high-velocity impact and asymmetric force distribution to the cervicothoracic junction (C7-T1), the temporomandibular joint (TMJ), and the peripheral cranial nerve network, the resulting symptomatology is often highly specific but frequently misattributed to psychogenic or idiopathic origins.¹ When these clinical challenges are compounded by a patient history of Complex Post-Traumatic Stress Disorder (CPTSD), the burden of repeated self-advocacy within a fragmented public healthcare system becomes a significant barrier to rehabilitation. The patient's presentation of a traumatized airway, cervical instability causing cranial pain, and peripheral facial neuropathy requires a transition from subjective symptom reporting to an objective, biomechanically grounded clinical narrative. This exhaustive forensic and administrative report delineates a strategic roadmap designed to bypass institutional resistance and secure the necessary diagnostic and surgical interventions. It provides a precise methodology for general practitioners (GPs) to circumvent refused Subject Access Requests (SARs) by leveraging national electronic imaging networks within the Republic of Ireland and Northern Ireland.² Furthermore, it translates the patient's subjective experiences—such as positional airway obstruction, exertion-induced cranial vault pressure, and localized facial synkinesis—into definitive medical terminologies that compel appropriate clinical triage.¹ By mapping the specific diagnostic tests required and outlining the surgical rehabilitation pathways available within the Health Service Executive (HSE) and cross-border frameworks utilizing Medical Card entitlements, this document serves as a comprehensive architectural blueprint for securing delayed continuum of care.

Biomechanical Reconstruction of Symptomatology

To effectively advocate for surgical and diagnostic intervention, the complex mechanical interplay between the reported symptoms and the historical trauma must be explicitly

documented. The patient's symptoms are not isolated phenomena but are intrinsically linked sequelae of the injuries sustained in December 2018.

Cervicothoracic Instability and Cranial Vault Pressure

The patient reports that leaning forward or lifting objects using the back strains the neck, precipitating blunt pain and pressure within the skull. This clinical presentation perfectly aligns with the biomechanics of a compromised cervicothoracic junction (CTJ). The CTJ, comprising the C7 and T1 vertebrae, serves as the anatomical transition zone between the highly mobile, lordotic cervical spine and the rigid, kyphotic thoracic spine, which is mechanically anchored by the rib cage.¹

When a patient engages in lifting or leaning forward, the biomechanical load is transferred through the latissimus dorsi, trapezius, and rhomboid muscles. In a healthy spine, this load is distributed evenly. However, the patient's 2024 X-ray from the Royal Victoria Hospital confirms "spinal degeneration" at this level.¹ In the context of the historical assault involving a downward traction vector, this degeneration is highly indicative of post-traumatic spondylolisthesis or a healed Clay Shoveler's variant fracture (an avulsion of the spinous process).¹

Due to this structural instability at C7-T1, the lower cervical spine cannot properly anchor the mechanical forces generated by lifting. Consequently, the upper cervical paraspinal muscles and the suboccipital musculature are forced to overcompensate to stabilize the head and neck. This chronic, extreme muscular tension radiates superiorly along the fascial planes to the occipital bone, compressing the greater and lesser occipital nerves. This mechanism manifests clinically as severe cervicogenic headache or occipital neuralgia, which the patient accurately describes as blunt pain and pressure building inside the skull.¹

Temporomandibular Compression and Cranial Neuropathy

The patient describes the left side of the face twitching, accompanied by a sensation resembling a "spark of light" within what feels like a compressed left TMJ. This specific constellation of symptoms represents definitive evidence of complex cranial nerve trauma secondary to internal joint derangement.

The mechanism of injury—a lateral impact to the jaw—forces the mandibular condyle violently upward and backward into the glenoid fossa of the temporal bone.¹ This impact crushes the highly vascular and innervated retrodiscal tissue located behind the articular disc.¹ The deep branches of the auriculotemporal nerve (a branch of the Trigeminal Nerve, Cranial Nerve V) traverse this exact space. The compression of this nerve results in profound neuropathic pain, frequently described by patients as an electrical shock, a "drilling" sensation, or a "spark of light" deep within the joint space.¹

Concurrently, the facial twitching is a pathognomonic sign of injury to the Marginal Mandibular branch of the Facial Nerve (Cranial Nerve VII). This nerve, which runs superficially along the lower jawline, is highly vulnerable to blunt force.¹ Following a crush injury, the nerve fibers attempt to regenerate. In the chaotic post-trauma environment, fibers intended for specific perioral muscles may cross-innervate adjacent tissues. This aberrant regeneration, known as synkinesis, results in involuntary muscle contractions or twitching, particularly exacerbated by

physical or emotional fatigue.¹ The patient's experience is an organic, verifiable neuropathology, refuting any attempts to classify the twitching as a psychogenic tic or an emotional affect.

Maxillofacial Dynamics of Positional Glossoptosis

A critical symptom reported by the patient is the inability to sleep in a supine position (on the back) due to the tongue not resting properly and physically blocking the airway, leading to disrupted sleep. This was previously dismissed by an Ear, Nose, and Throat (ENT) specialist. However, the etiology of this obstruction is maxillofacial, not purely otolaryngological.

The tongue is primarily controlled by the genioglossus muscle, which originates at the superior genial tubercles on the lingual (inner) surface of the mandibular symphysis (the chin bone). The resting position of the tongue is entirely dependent on the structural position of the mandible.

The patient suffered severe jaw trauma, corroborated by the 2022 X-ray at University College Hospital Galway (UCHG), which evidenced previous damage and ensuing joint instability.¹

If the temporomandibular joint is compressed and unstable, the mandible can become retrognathic (recessed or pushed backward). When the patient lies supine, gravitational forces act upon the unstable mandible, causing it to hinge backward toward the cervical spine.

Because the genioglossus muscle is anchored to the jaw, the entire base of the tongue collapses backward into the pharynx. This phenomenon, known as mechanical glossoptosis, physically occludes the upper airway, resulting in severe positional Obstructive Sleep Apnea (OSA).⁴

The forceful ENT specialist likely examined the patient for standard soft-tissue causes of snoring, such as enlarged tonsils or a deviated septum, entirely missing the underlying skeletal instability driving the airway collapse. For a CPTSD victim, having tears streaming down their face while a specialist forcefully dismisses verifiable anatomical distress constitutes a severe systemic failure of trauma-informed care.

Administrative Strategies for Diagnostic Data Retrieval

The patient notes that Subject Access Requests (SARs) submitted to UCHG for the 2022 jaw X-ray and to the Royal Victoria Hospital for the 2024 neck X-ray have been refused or ignored. This represents a significant bottleneck in establishing a continuum of care. However, the architecture of the healthcare IT infrastructure in both the Republic of Ireland and Northern Ireland provides specific mechanisms for GPs to bypass hospital administrative offices directly.

Bypassing UCHG Refusals via NIMIS and Healthlink

In the Republic of Ireland, the National Integrated Medical Imaging System (NIMIS) fundamentally altered the storage and accessibility of radiological data.² NIMIS is a highly integrated Picture Archiving and Communication System (PACS) deployed across the vast majority of HSE hospitals, including University Hospital Galway.²

Crucially, a patient's GP is not required to rely on the hospital's medical records department to view these images. The Irish GP community is digitally linked to the hospital sector via

Healthlink, a secure national electronic messaging framework that enables the transmission of clinical patient information, including laboratory and radiological results.⁵

The GP can log into the Healthlink portal or utilize their integrated practice management system to search for the patient's Individual Health Identifier (IHI) or hospital number.⁷ This allows the GP to pull the diagnostic reports directly from the UCHG database. If the raw imaging files are required for a secondary surgical consultation, the GP can utilize Healthmail—the secure clinical email network—to directly request the transfer of the DICOM image files from the UCHG radiology department, effectively bypassing the blocked SAR pathway.⁹

Escalating Data Protection Breaches within the Saolta Group

If the GP encounters technical barriers in accessing NIMIS, the hospital's refusal to process a Subject Access Request must be escalated legally. Under the General Data Protection Regulation (GDPR) and the Data Protection Act 2018, a data controller is legally mandated to provide requested personal health data within one calendar month.¹¹

To compel UCHG to release the 2022 jaw X-ray, the GP or the patient must execute an administrative escalation targeting the specific Data Protection Officers responsible for compliance:

1. **Direct DPO Intervention:** The failure to comply must be escalated directly to the Deputy Data Protection Officer for the Saolta Hospital Group, which maintains jurisdiction over UCHG. The designated contact for the West region is Liam Quirke, accessible via ddpo.west@hse.ie or saolta.dpo@hse.ie.¹⁴
2. **Data Protection Commission (DPC) Notification:** Simultaneously, a formal complaint should be prepared for the national Data Protection Commission, noting that the statutory one-month timeframe has expired.¹¹ The imminent threat of a DPC investigation and subsequent regulatory penalties routinely forces hospital compliance departments to immediately release withheld health records.

Retrieving Spinal Imaging from the Belfast Health and Social Care Trust

The Royal Victoria Hospital operates under the Belfast Health and Social Care Trust (BHSCT) within the United Kingdom's National Health Service (NHS). Accessing records across international jurisdictions necessitates engaging with distinctly different digital architectures.

1. **The Encompass "My Care" Patient Portal:** The Belfast Trust recently launched the "encompass" electronic patient record system across its facilities.³ As part of this rollout, patients can securely access their digital medical records, clinical notes, and specific test results via the "My Care" online patient portal.³ Registration on this portal may provide the patient with immediate, direct access to the 2024 cervical spine X-ray report, neutralizing the need for further administrative requests.
2. **Medico-Legal Services Escalation:** If the imaging report is not accessible via the portal, the standard medical records department must be bypassed. Cross-border requests, particularly those involving complex trauma and previous SAR refusals, should be

directed to the specialized Medico-Legal Services department of the Belfast Trust. The direct contact for Royal Victoria Hospital medical records in this context is MedLegalServs@belfasttrust.hscni.net.¹⁹

3. **Direct GP-to-Trust Transfer:** The Irish GP can formally request the records directly from the BHSCT on behalf of the patient, specifying that the imaging is urgently required for continuity of care within the Republic of Ireland. This clinical-to-clinical transfer mechanism often circumvents the delays and refusals associated with patient-initiated requests.²⁰

Healthcare Jurisdiction	Imaging Database Framework	Primary GP Access Route	Legal Escalation Mechanism
Republic of Ireland (UCHG)	NIMIS (National Integrated Medical Imaging System)	Healthlink / Healthmail integration	Saolta DPO (ddpo.west@hse.ie) / DPC Complaint
Northern Ireland (RVH)	Encompass "My Care" Patient Portal	Direct patient app login / Clinical request	BHSCT Medico-Legal (MedLegalServs@belfasttrust.hscni.net)

Formulating Clinical Referrals to Overcome Systemic Bias

The patient's prior experience with a forceful maxillofacial surgeon who dismissed the jaw injuries to focus solely on neck muscles, combined with the ENT who ignored facial distress, highlights the phenomenon of diagnostic overshadowing. For a patient with CPTSD, navigating these aggressive clinical encounters is deeply re-traumatizing. The strategy must shift the burden of proof away from the patient's verbal advocacy and onto an airtight, objective clinical referral generated by the GP. The referral must utilize specific diagnostic codes that force the receiving specialist to evaluate anatomical facts rather than interpreting the patient's emotional presentation.

Constructing the Unrejectable Sleep Study Request

The GP must bypass the ENT pathway entirely, as the etiology of the airway obstruction is not related to soft-tissue hypertrophy but to skeletal instability. The referral must be directed to a Respiratory and Sleep Medicine Specialist.

Within the Saolta Hospital Group, the premier facility for specialized sleep disorder diagnostics is Merlin Park University Hospital (MPUH) in Galway, which houses dedicated respiratory and sleep medicine departments capable of conducting overnight inpatient polysomnography.²¹ Alternatively, the HSE has established Integrated Care Hubs for respiratory conditions in Galway, which operate community diagnostic clinics allowing GPs to refer directly, significantly reducing waiting times from years to weeks.²³

The GP should utilize the following specific clinical phrasing in the Healthlink referral:
"Patient presents with severe positional obstructive sleep apnea secondary to documented

maxillofacial and cervicothoracic trauma (2018). The patient exhibits post-traumatic TMJ internal derangement and mandibular instability, leading to severe positional glossoptosis and complete airway occlusion when in a supine position. Previous radiological evidence confirms structural damage to the mandible and C7-T1 spinal degeneration. The patient requires an urgent Level 1 Polysomnography (Sleep Study) to quantify the Apnea-Hypopnea Index (AHI) and evaluate upper airway collapse dynamics. Please assess suitability for Mandibular Advancement Device (MAD) fabrication or Continuous Positive Airway Pressure (CPAP) intervention."

This phrasing removes all subjective emotion and presents the specialist with a biomechanical pathology that cannot be dismissed without a formal diagnostic study.

Requesting Advanced Diagnostic Imaging

The current medical file contains fragmented evidence from different years. To formulate a comprehensive surgical plan, the GP must order a suite of advanced, high-resolution diagnostics to definitively map the extent of the organic damage.

1. **Cervicothoracic Imaging:** The GP must request an **MRI of the Cervical and Upper Thoracic Spine**. It is imperative that the referral explicitly specifies a **"Cervicothoracic Protocol with Swimmer's View."** Standard lateral views frequently obscure the C7-T1 junction due to the superimposition of the shoulder girdle.¹ The Swimmer's View protocol alters the patient's arm position to provide clear visualization of the lower cervical and upper thoracic vertebrae, enabling the radiologist to identify pars interarticularis defects, anterolisthesis, and nerve root compression driving the cranial vault pressure.¹
2. **Maxillofacial Structural Imaging:** A **Cone Beam Computed Tomography (CBCT)** scan of the mandible and TMJ complexes must be requested. This 3D imaging modality will reveal the precise extent of the interseptal bone loss surrounding the shattered molar and identify post-traumatic osteoarthritis, disc displacement, or ankylosis within the compressed left TMJ.¹
3. **Neurological Diagnostics:** The GP must refer the patient to a Neurologist for **Cranial Nerve Electrophysiology (EMG and Nerve Conduction Studies)**. This testing will objectively measure the conduction block and motor unit action potentials within the Facial Nerve (CN VII) and Trigeminal Nerve (CN V). This provides empirical, irrefutable proof of the synkinesis (facial twitching) and auriculotemporal neuropathy (the "spark" and drilling pain), completely validating the organic nature of the symptoms.¹
4. **Audiovestibular Assessment:** Given the evidence of previous damage and jaw trauma, the GP should refer the patient for **Speech-in-Noise Audiometry**. Standard pure-tone audiograms often fail to capture the functional deafness associated with trauma-induced cochlear synaptopathy (hidden hearing loss), particularly when compounded by the central auditory processing challenges inherent in CPTSD.¹

Anatomical Pathology	Target Diagnostic Modality	Specific Clinical Rationale for GP Referral
Cervicothoracic Instability (C7-T1)	MRI Cervical/Thoracic Spine	Must request "Swimmer's View" to bypass shoulder obstruction

		and visualize C7-T1 listhesis and nerve compression. ¹
TMJ Compression & Bone Loss	CBCT (Cone Beam CT)	To map 3D bone architecture, assess joint ankylosis, and plan for potential custom joint replacement. ¹
Facial Synkinesis & Neuropathy	Electromyography (EMG)	To objectively map the conduction block causing the facial twitch and the trigeminal "spark of light". ¹
Positional Glossoptosis (Sleep Apnea)	Level 1 Polysomnography	To quantify the Apnea-Hypopnea Index caused by the tongue obstructing the airway when supine. ⁴

Surgical Rehabilitation Pathways within the Public Health Service

Upon securing the definitive diagnostic evidence, the patient possesses a statutory entitlement to comprehensive surgical rehabilitation. As a Medical Card holder in the Republic of Ireland, the patient is entitled to free in-patient and out-patient public hospital services, as governed by the Health Act 1970.²⁷ The primary obstacle is not financial eligibility, but rather navigating the extreme duration of HSE waiting lists and selecting the appropriate tertiary centers. The GP must leverage the clinical evidence to place the patient on specific surgical waiting lists immediately.

Maxillofacial and TMJ Reconstruction

The compression of the left TMJ and the complex peripheral nerve damage require highly specialized tertiary care unavailable in standard regional hospitals.

- **Target Facility:** The National Maxillofacial Unit at St. James's Hospital in Dublin serves as the national tertiary referral center for complex facial trauma, jaw deformities, and reconstructive surgery.²⁹
- **Consultant Targets:** The GP should utilize Healthlink to refer the patient directly to consultant oral and maxillofacial surgeons at this unit, such as Mr. Kumara Ekanayake, Mr. Pdraig O Ceallaigh, or Mr. Conor Bowe.³¹
- **Surgical Interventions:** Based on the clinical presentation, the patient should be assessed for a TMJ Total Joint Replacement (TJR). This procedure utilizes a custom 3D-printed titanium and polyethylene prosthesis tailored to the patient's specific skull anatomy to replace the crushed joint, restoring functional jaw opening and eliminating the localized neuropathic pain.¹ Concurrently, dental implantology, potentially requiring specialized bone grafting, will be necessary to replace the damaged dentition and restore

proper occlusal support.¹

- **Facial Nerve Reanimation:** To address the facial twitching and marginal mandibular paresis, the patient may require Selective Neurectomy (microscopically dividing the aberrant nerve fibers causing the twitch) and Myectomy (weakening the unopposed healthy muscles to restore facial balance). These highly specialized microsurgical procedures are conducted by multidisciplinary teams within tertiary reconstructive units.¹

Cervicothoracic Spinal Stabilization

The mechanical instability at C7-T1, which drives the cranial pressure during physical exertion, poses a risk for progressive myelopathy and requires orthopedic or neurosurgical intervention.

- **Target Facility:** The patient should be referred to a specialized national spinal center, such as the National Spinal Injuries Unit at the Mater Misericordiae University Hospital or the neurosurgical unit at Beaumont Hospital.
- **Surgical Interventions:** Depending on the severity of the listhesis identified on the MRI, surgical stabilization is warranted. This typically involves either an Anterior Cervical Discectomy and Fusion (ACDF) to decompress the neural elements and fuse the C7-T1 segment, or a Posterior Cervicothoracic Fixation using pedicle screws and titanium rods to rigorously rebuild the compromised posterior tension band.¹

Strategic Circumvention of HSE Waiting Lists

While the patient has the right to access these surgeries via their Medical Card, the reality of the public healthcare system in Ireland dictates that waiting times for routine elective orthopedic and maxillofacial assessments can extend beyond 24 to 48 months.¹ Enduring years of chronic pain and navigating bureaucratic delays is a profoundly re-traumatizing experience for a victim of CPTSD.

To mitigate this, the HSE provides specific statutory mechanisms that allow public patients to bypass extensive wait times, effectively securing private-grade speed while retaining public funding.

The Northern Ireland Planned Healthcare Scheme (NIPHS)

Following the United Kingdom's exit from the European Union, the EU Cross-Border Directive was replaced in Ireland by the Northern Ireland Planned Healthcare Scheme (NIPHS).³³ This scheme represents the most strategically advantageous administrative route for this patient to secure rapid spinal and maxillofacial intervention.

Mechanics of the NIPHS Pathway:

1. **Eligibility:** Because the patient resides in the Republic of Ireland and is eligible for the required surgeries under the public healthcare system via the Medical Card, they inherently qualify for the NIPHS.³³ There is no requirement for the patient to already be registered on an HSE waiting list, nor is there a minimum prescribed waiting period prior to application.³⁵
2. **The Referral Process:** The patient obtains a clinical referral from their GP. Rather than

directing this referral to St. James's Hospital or UCHG, the GP addresses it to a private hospital in Northern Ireland. Kingsbridge Private Hospital in Belfast is a primary provider under this scheme, specializing in complex cross-border spinal and maxillofacial surgeries.³⁵

3. **Financial Mechanics:** The patient travels to Belfast for the outpatient consultation and subsequent surgical procedure. The cost of the private surgery is paid upfront by the patient. However, upon completion of the treatment, the patient submits the invoice to the HSE, which reimburses the cost up to the maximum amount that the identical procedure would incur within the Irish public system.³⁴ For high-complexity interventions such as spinal fusions and TMJ replacements, the HSE's reimbursement rate frequently covers the entirety of the private hospital's fee.¹
4. **Strategic Advantage:** Utilizing the NIPHS pathway allows the patient to compress a multi-year waiting ordeal into a highly accelerated three-to-four month timeline, functioning entirely within the legal and financial frameworks of the public health system.¹ The primary logistical obstacle is securing the upfront funding (often facilitated via specialized medical loans from Credit Unions) while awaiting the HSE reimbursement, which typically processes within a 10 to 12-week window.³⁵

The National Treatment Purchase Fund (NTPF)

If the patient prefers to remain within the jurisdiction of the Republic of Ireland and is placed on a public HSE waiting list, they become eligible for intervention by the National Treatment Purchase Fund (NTPF) once the wait time exceeds three months.³⁹ The NTPF is a state-funded initiative designed to purchase capacity within private hospitals to treat patients experiencing excessive delays on public waiting lists. Maxillofacial surgery, joint interventions, and various spinal procedures fall within the clinical parameters of the NTPF.³⁹ The GP should explicitly request that the patient's medical file be flagged for NTPF outsourcing the moment the three-month threshold is breached.

Surgical Pathway Framework	Administrative Mechanism	Financial Structure	Typical Timeline
HSE Public Care (Republic of Ireland)	Direct GP referral via Healthlink to tertiary center (e.g., St. James's)	Fully covered by Medical Card ²⁷	24 - 48+ months ¹
NIPHS (Cross-Border to Northern Ireland)	GP referral to private NI hospital (e.g., Kingsbridge Belfast)	Upfront payment by patient, subsequently reimbursed by HSE ³⁴	3 - 4 months ¹
NTPF (Private Care within ROI)	Flagged by hospital after 3 months on public waiting list	Fully funded by the state via NTPF purchasing ³⁹	Variable, contingent on private capacity

Conclusion: Executing the Administrative Roadmap

The injuries sustained by the patient—encompassing cervicothoracic spondylolisthesis, mandibular flexure trauma, and peripheral cranial nerve palsies—are severe, highly specific, and organically verifiable. The historical failure of the healthcare system to properly diagnose and treat these injuries represents a failure of administrative routing and a susceptibility to diagnostic overshadowing, rather than a lack of clinical validity in the patient's presentation. To immediately alter the trajectory of care and secure the required interventions, the GP and the patient must execute a precise, sequential administrative plan. The GP must serve as an administrative shield, utilizing Healthlink to bypass obstructive records departments and pull diagnostic data directly from the NIMIS network. Formal Data Protection Commission complaints must be utilized to break the deadlock of refused Subject Access Requests. By translating the patient's complex trauma history into objective, biomechanically coded referrals, the GP can successfully direct the patient to specialized sleep diagnostics at Merlin Park and place them on the appropriate surgical waiting lists for St. James's Hospital and national spinal units. Finally, by leveraging statutory mechanisms such as the Northern Ireland Planned Healthcare Scheme, the patient can rapidly access the restorative surgical care to which they are legally entitled, effectively overcoming the systemic barriers that have previously impeded their rehabilitation.

Works cited

1. injury_analysis_and_healthcare_access.pdf
2. NIMIS: The National Integrated Medical Imaging System - Children's Health Ireland, accessed on May 17, 2026, <https://www.childrenshealthireland.ie/documents/586/NIMIS-National-patient-information-leaflet.pdf>
3. My Care – your patient portal | Belfast Health & Social Care Trust website, accessed on May 17, 2026, <https://belfasttrust.hscni.net/about/encompass/my-care-your-patient-portal/>
4. Symptoms and diagnosis - - - Obstructive sleep apnoea - HSE, accessed on May 17, 2026, <https://www2.hse.ie/conditions/obstructive-sleep-apnoea/>
5. Digital Health Strategic Implementation Roadmap - HSE, accessed on May 17, 2026, https://assets.publications.hse.ie/media/file_based_publications/Digital_Health_Strategic_Implementation_Roadmap.pdf
6. eHealth Strategy for Ireland - Extranet Systems, accessed on May 17, 2026, https://extranet.who.int/countryplanningcycles/sites/default/files/public_file_rep/IRL_Ireland_eHealth-Strategy_2022.pdf
7. IMO Submission to the Oireachtas Joint Committee on Health - Irish Medical Organisation, accessed on May 17, 2026, <https://www.imo.ie/policy-international-affair/documents/IMO-Sub-to-OJCH-on-digitalisation-of-healthcare-Final.pdf>
8. The National General Practice Information Technology (GPIT) Group, accessed

on May 17, 2026,

<https://www.irishcollegeofgps.ie/Portals/0/Explore%20the%20College/Practice%20Management/IT%20&%20E-Health/General%20Practice%20Software%20Management%20Systems.pdf>

9. Healthmail Evaluation Report - Irish College of General Practitioners, accessed on May 17, 2026,
https://www.irishcollegeofgps.ie/Portals/0/Explore%20the%20College/Practice%20Management/IT%20&%20E-Health/PM_IT_Healthmail_Evaluation_Report.pdf
10. An Evaluation of a Secure Email Service (Healthmail): A Cross-sectional Survey of Irish GPs - hrpub, accessed on May 17, 2026,
<https://www.hrpub.org/download/20180930/UJPH7-17611824.pdf>
11. Difficulties with my Subject Access Request? | Data Protection Commissioner, accessed on May 17, 2026,
<https://www.dataprotection.ie/en/faqs/access-and-rectification/difficulties-my-subject-access-request>
12. What to do if you don't get a response or you're unhappy with it | ICO, accessed on May 17, 2026,
<https://ico.org.uk/for-the-public/getting-copies-of-your-information-subject-access-request/what-to-do-if-you-dont-get-a-response-or-youre-unhappy-with-it/>
13. Accessing medical or Health and Social Care records | nidirect, accessed on May 17, 2026,
<https://www.nidirect.gov.uk/articles/accessing-medical-or-health-and-social-care-records>
14. HEALTH RESEARCH IN THE HSE PRIVACY STATEMENT ON PRE-SCREENING ACTIVITIES AND THE APPOINTMENT OF AN AUTHORISED PERSON, accessed on May 17, 2026,
<https://hseresearch.ie/wp-content/uploads/2022/11/Annex-3B-HSE-Website-Privacy-Statement.pdf>
15. Contact a Data protection office - HSE, accessed on May 17, 2026,
<https://www2.hse.ie/contact-dpo/>
16. Privacy Statement | Download the COVID Tracker app - HSE, accessed on May 17, 2026, <https://www.covidtracker.ie/privacy-statement/>
17. encompass | Belfast Health & Social Care Trust website, accessed on May 17, 2026, <https://belfasttrust.hscni.net/about/encompass/>
18. Patients encouraged to sign up for My Care portal | Department of Health - Health-ni.gov.uk, accessed on May 17, 2026,
<https://www.health-ni.gov.uk/news/patients-encouraged-sign-my-care-portal>
19. Data protection | Belfast Health & Social Care Trust website, accessed on May 17, 2026, <https://belfasttrust.hscni.net/about/access-to-information/data-protection/>
20. Medical Record Requests - DOH/HSCNI Strategic Planning and Performance Group (SPPG), accessed on May 17, 2026,
<https://online.hscni.net/our-work/medical-record-requests/>
21. Sleep Apnoea Advice | Beechfield Sleep | The Irish CPAP Experts, accessed on May 17, 2026, <https://www.beechfieldsleep.ie/advice/>
22. Merlin Park University Hospital - HSE.ie, accessed on May 17, 2026,

- <https://www2.hse.ie/services/hospitals/merlin-park-university-hospital/>
23. Shifting COPD and Asthma Care Left: Analysis of the #One Stop# Community Diagnostic Clinic - Lenus: Research Repository, accessed on May 17, 2026, <https://www.lenus.ie/bitstreams/7aaeb987-f936-4222-bd1c-baba99d84dec/download>
 24. GUH waiting lists for Respiratory Airway Disease cut significantly through new Integrated Care Hubs positioned in the community - saolta.ie, accessed on May 17, 2026, <https://www.saolta.ie/news/guh-waiting-lists-respiratory-airway-disease-cut-significantly-through-new-integrated-care-hubs>
 25. Care Hub slashes waiting times for respiratory conditions at GUH - Galway Daily, accessed on May 17, 2026, <https://www.galwaydaily.com/news/care-hubs-slash-waiting-times-for-respiratory-conditions-at-guh/>
 26. Private Sleep Health services at our Dublin and Galway Clinics, accessed on May 17, 2026, <https://www.blackrockhealth.com/treatments-procedures/sleep-health>
 27. Medical Card Scheme - Spinal Injuries Ireland, accessed on May 17, 2026, <https://spinalinjuries.ie/resource/medical-card/>
 28. Medical cards - HSE, accessed on May 17, 2026, <https://www2.hse.ie/services/schemes-allowances/medical-cards/>
 29. Maxillofacial Unit | St James's Hospital, accessed on May 17, 2026, <https://www.stjames.ie/services/sacc/maxillofacialunit/>
 30. Maxillofacial Unit | St James's Hospital, accessed on May 17, 2026, <http://www.stjames.ie/services/sacc/maxillofacialunit/index.html>
 31. Maxillofacial Laboratory - St James's Hospital, accessed on May 17, 2026, <https://www.stjames.ie/services/sacc/maxillofaciallaboratory/>
 32. Conor Bowe - Bon Secours Health System, accessed on May 17, 2026, <https://www.bonsecours.ie/consultants/conor-bowe>
 33. Get healthcare in Northern Ireland with the NIPHS - HSE, accessed on May 17, 2026, <https://www2.hse.ie/services/schemes-allowances/niphs/getting-healthcare-ni/>
 34. Cross-Border Healthcare Directive - Citizens Information, accessed on May 17, 2026, <https://www.citizensinformation.ie/en/health/eu-healthcare/cross-border-directive/>
 35. Cross Border Directive / NI Planned Healthcare Scheme - Kingsbridge Support, accessed on May 17, 2026, <https://support.kingsbridgehealthcaregroup.com/support/solutions/articles/203000055383-cross-border-directive-ni-planned-healthcare-scheme>
 36. The Cross-Border Health Plan - Kingsbridge Private Hospital, accessed on May 17, 2026, <https://kingsbridgeprivatehospital.com/cross-border-health-plan/>
 37. Pay and Get Money Back with the Cross-Border Healthcare Plan, accessed on May 17, 2026, <https://kingsbridgeprivatehospital.com/payments/pay-and-get-money-back-with-the-cross-border-healthcare-plan/>
 38. EU Cross Border Healthcare at Kingsbridge Private Hospital, Belfast - YouTube,

accessed on May 17, 2026, <https://www.youtube.com/watch?v=dg9A7lfdY2I>
39. Options available while on a hospital waiting list - HSE, accessed on May 17, 2026,
<https://www2.hse.ie/services/schemes-allowances/options-while-on-a-waiting-list/>