shp-30p-red: absolute difference surface flux of SO2 – SH–sea surface flux of BC – SH–sea surface concentration surface concentration of SO4 – SH–sea surface concentration of SO2 – SH–sea 0e+00 -8.0e-13 mmrso4 (kg kg – 1) nmrbc (kg kg-1) emiso2 (kg m⁻² s⁻ (kg kg – 1) 2e-14 _1 0e_12 0e+00 2000 2001 2002 2003 2004 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 Year Year Year Year Year upwelling longwave flux at TOA – SH–sea upwelling shortwave flux at TOA – SH-sea net radiative flux at TOA – SH–sea incident shortwave flux at TOA – SH–sea upwelling clear-sky longwav flux at TOA - SH-sea 6e-02 5e-02 $rsut (W m^{-2})$ 7.5e-06 rlutcs (Wm-2)36_02 rsut (W m-2) -sdt (W m-0e+00 1e-02 rint + I 0e+00 -6e-02 2000 2001 2002 2003 2004 2002 2003 2004 2000 2001 2002 2003 2004 2002 2003 2004 2000 2001 2000 2001 2002 2003 2004 2000 2001 Year Year Year Year Year upwelling clear-sky shortway flux at TOA - SH-sea clear-sky net radiative flux at TOA - SH-sea implied cloud response dry deposition rate of BC – SH–sea wet deposition rate of BC – SH–sea rsutcs $(W m^{-2})$ at TOA – SH–sea 5.2e-17 4 8e-16 m^{-2} vetbc (kg m^{-2} s⁻¹) 2.8edrybc (kg m⁻² s⁻ rlutcs + rsutcs (W 3e - 021e-02 rlutcs -0e+00 -3e-02 -1e-02 rsut – rlut + 2002 2003 2004 2000 2001 2002 2003 2004 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2000 2001 Year Year Year Year Year total deposition rate of BC – SH–sea dry deposition rate of SO2 – SH–sea wet deposition rate of SO2 – SH-sea dry deposition rate of SO4 – SH-sea wet deposition rate of SO4 – SH-sea -2 5e-15 wetso2 (kg m⁻² s⁻¹ 1.5e-02 dryso2 (kg $\mathrm{m}^{-2}\,\mathrm{s}^{-1}$ $(kg m^{-2} s^{-1}$ wetso4 (kg m⁻² 1.0e-02 -5.5e-15 dryso4 5.0e-03 0.0e+002000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 Year Year Year Year Year cloud cover total deposition rate of S – SH–sea Ice water path - SH-sea Dimethyl sulphide (DMS) mole fractic ambient aerosol optical thickness at 550nm – SH–se percentage - SH-sea 1e-02 clivi (kg m⁻²) 0e+00 _lom lom) smb 2.5e-13 ctc od550aeı ession 0.0e+00 -5e-03 -1e-02 -3e-0420002001200220032004 2000 2001 2002 2003 2004 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 Year Year Year Year Year SO4 lifetime SO₂ lifetime load load load of so2 - SH-sea of so4 - SH-sea of bc - SH-sea - SH-sea - SH-sea wetso4) (days oadso2/emiso2 (days) 2e-10 -2e-09 loadso2 (kg m⁻²) oadbc (kg m⁻²) (dryso4 + -4e-09 -5e-09 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2000 2001 2002 2003 2004 2001 2002 2004 2000 2001 2002 2003 Year Year Year Year Year

NorESM2

6.7e-21

4.1e-21

1.5e-21

56-02

0e+00

-5e-02

0e+00

-1e-02

4 8e-16

2.4e-16

1.1e-17

-2.2e-16

7.5e-03

5.0e-03

2.5e-03

0.0e + 0.0

rlut (Wm-2)

rsutcs (W m-2)

 $drybc + wetbc (kg m^{-2} s^{-1})$

dyso2 + wetso2)/2 + (dyso4 + wetso4)/3

 $loadso4 (kg m^{-2})$

-1.0e-08

-1.5e-08

CAM-ATRAS

CESM1

F3SM

GEOS

GFDI -FSM4

GISS modelE

 $(kg m^{-2} s^{-1})$

emibc $(kg m^{-2} s^{-1})$