


Feature		Scenario			Step				
Name	Duration	T	P	F	S	T	P	F	S
Login functionality	3 m 1.166 s	5	0	5	0	24	5	5	14

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login functionality	Login with valid credentials
2		Login with invalid credentials
3		Login with valid email and invalid password
4		Login with invalid username and valid password
5		Login without providing any credentials


FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Login functionality	5	0	5	0	3 m 1.166 s

SCENARIOS SUMMARY

-- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login functionality	Login with valid credentials	4	1	1	2	36.229 s
2		Login with invalid credentials	5	1	1	3	36.054 s
3		Login with valid email and invalid password	5	1	1	3	35.583 s
4		Login with invalid username and valid password	5	1	1	3	35.532 s
5		Login without providing any credentials	5	1	1	3	37.750 s

DETAILED SECTION -- 6 --

# **Login functionality**

FAILED	DURATION - 3 m 1.166 s	Scenarios		Steps	
		Total - 5		Total - 24	
/ 4:46:30.835 pm // 4	1:49:32.001 pm /	Pass - 0	5	Pass - 5	24
		Fail - 5		Fail - 5	27
		Skip - 0		Skip - 14	

### **Login with valid credentials**




#	Step / Hook Details	Status	Duration
1	Given User able to see the the brand element	PASSED	0.604 s
2	When User enters valid username "Admin" into email field	FAILED	30.048 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name='usernam]"} (Session info: chrome=115.0.5790.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.19.0-50-generic', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [f071e0eff1b2a904b84a98d14c27f328, findElement {using=xpath, value=//input[@name='usernam]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.573.90 (386bc09e8f4f, userDataDir: /tmp/.com.google.Chrome.K9083p}, goog:chromeOptions: {debuggerAddress: localhost:37331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:37331/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f071e0eff1b2a904b84a98d14c27f328 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)		

**DETAILED SECTION** 

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at utility.helper.sendText(helper.java:71) at pages.loginPage.enterUsername(loginPage.java:26) at stepDefinitions.login.user_enters_valid_username_into_email_field(login.java:23) at ?.User enters valid username "Admin" into email field(file:///home/cibi/IdeaProjects/Cucumber_Hybrid_Framework/src/test/resources/Features/login.feature:7) * Not displayable characters are replaced by '?'.		
3	And User enters valid password "admin123" into password field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.000 s
	AFTER - hooks.hook.tearDown(io.cucumber.java.Scenario)  Login_with_valid_credentials  Table 1.5	PASSED	0.205 s


### **Login with invalid credentials**



#	Step / Hook Details	Status	Duration
1	Given User able to see the the brand element	PASSED	0.397 s
2	When User enters valid username "username" into email field	FAILED	30.054 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath","selector":"/linput(@name='usernam")"} (Session info: chrome=115.0.5790.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/mo-such-element-exception Build info: version: '4.10.0", revision: '614d967899' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '519.0-50-generic,' java version: '20.0.1' Driver info: org. openga.selenium.chrome.ChromeDriver Command: [L4fd265242b9f0e685604695792f50da, findElement (using=xpath, value=//input(@name='usernam']) Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: (chromedriverVersion: 114.0.5735.90 (386bc0988f4/, userDataDir: /tmp/.com.google.Chrome.M51ET3), goog:chromeOptions: (debuggerAddress: localhost:43409), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:43409/devtoo, se:cdp/ersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300001, snnhandledPromptBehavior: dismiss and notify, webauthrexension:redBolb: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: 14f265524b9f0ec85c0cd95792f50da at java.base/java.lang.reflect.Constructor-handleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.cateException(W3CHttpResponseCodec.java:132) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openg		
3	And User enters valid password "password" into password field	SKIPPED	0.001 s
4	And User clicks on Login button  Then User should get a prepar werning message about evadentials mismatch	SKIPPED	0.001 s
5	Then User should get a proper warning message about credentials mismatch	SKIPPED	0.001 s
	AFTER - hooks.hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.230 s
	Login_with_invalid_credentials		

#	Step / Hook Details	Status	Duration
	Crange example to the first of		

# Login with valid email and invalid password




#	Step / Hook Details	Status	Duration
1	Given User able to see the the brand element	PASSED	0.429 s
2	When User enters valid username "Admin" into email field	FAILED	30.029 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//input[@name='usernam']"} (Session info: chrome=115.0.5790.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.19.0-50-generic', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [a0200bb34f8ef3e082c94b516fd3eac9, findElement {using=xpath, value=//input[@name='usernam']]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: /tmp/.com.google.Chrome.7DyV4Z}, goog:chromeOptions: {debuggerAddress: localhost:43063}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:43063/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a0200bb34f8ef3e082c94b516fd3eac9 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:132)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

DETAILED SECTION

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at utility.helper.sendText(helper.java:71) at pages.loginPage.enterUsername(loginPage.java:26) at stepDefinitions.login.user_enters_valid_username_into_email_field(login.java:23) at ?.User enters valid username "Admin" into email field(file:///home/cibi/IdeaProjects/Cucumber_Hybrid_Framework/src/test/resources/Features/login.feature:18) * Not displayable characters are replaced by '?'.		
3	And User enters valid password "password" into password field	SKIPPED	0.001 s
4	And User clicks on Login button	SKIPPED	0.001 s
5	Then User should get a proper warning message about credentials mismatch	SKIPPED	0.000 s
	AFTER - hooks.hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.215 s
	Login_with_valid_email_and_invalid_password		
	Legin    September   September		

### Login with invalid username and valid password




#	Step / Hook Details	Status	Duration
1	Given User able to see the the brand element	PASSED	0.373 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
2	When User enters valid username "username" into email field	FAILED	30.024 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  {"method":"xpath","selector":"/input[@name='usernam"]"} (Session info: chrome=115.0.5790.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webforve/troubleshooting/errors/eno-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.19.0-50-generic', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome. ChromeDriver Command: [117bb9e955601Ja753167a666abbac39a, findElement {using=xpath, value=//input[@name=!usernam]]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: //tmp/.com.google.Chrome.ZxsXNV), goog:chromeOptions: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: //tmp/.com.google.Chrome.ZxsXNV), goog:chromeOptions: {chromedriverVersion: 115.0.5790.110, setVindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn.extension.credBiob: true, webauthn:extension.argeBiob: true, webauthn:extension:ninpin.length: true, webauthn:extension:nirpif: true, webauthn:extension:nirpi		
3	And User enters valid password "admin123" into password field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User should get a proper warning message about credentials mismatch	SKIPPED	0.000 s
	AFTER - hooks.hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.194 s
	Login_with_invalid_username_and_valid_password		

#	Step / Hook Details	Status	Duration
	Cange ess.  Legis  When the small of the sma		

# **Login without providing any credentials**



#	Step / Hook Details	Status	Duration
1	Given User able to see the the brand element	PASSED	0.753 s
2	When User don't enter username into username field	FAILED	30.076 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@name='usernam]"} (Session info: chrome=115.0.5790.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.19.0-50-generic', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [31935c510f585b374f442e51eb3b221c, findElement {using=xpath, value=//input[@name='usernam]}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: /tmp/.com.google.Chrome.YHxD4b}, goog:chromeOptions: {debuggerAddress: localhost:33893}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:33893/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 31935c510f585b374f442e51eb3b221c at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:132)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at utility.helper.sendText(helper.java:71) at pages.loginPage.enterUsername(loginPage.java:26) at stepDefinitions.login.user_don_t_enter_username_into_username_field(login.java:43) at ?.User don't enter username into username field(file:///home/cibi/IdeaProjects/Cucumber_Hybrid_Framework/src/test/resources/Features/login.feature:30) * Not displayable characters are replaced by '?'.		
3	And User don't enter password into password field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User should get a proper warning message about credentials required	SKIPPED	0.000 s
	AFTER - hooks.hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.221 s
	Login_without_providing_any_credentials		
	Crange exa		