


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login functionality	1 m 16.975 s	5	0	5	0	24	0	5	19

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Login functionality	Login with valid credentials
2		Login with invalid credentials
3		Login with valid email and invalid password
4		Login with invalid username and valid password
5		Login without providing any credentials

FEATURES SUMMARY -- 4 -



#	Feature Name	T	P	F	S	Duration
1	Login functionality	5	0	5	0	1 m 16.975 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login functionality	Login with valid credentials	4	0	1	3	18.968 s
2		Login with invalid credentials	5	0	1	4	14.482 s
3		Login with valid email and invalid password	5	0	1	4	14.654 s
4		Login with invalid username and valid password	5	0	1	4	14.433 s
5		Login without providing any credentials	5	0	1	4	14.425 s

DETAILED SECTION -- 6 --

Login functionality

FAILED	DURATION - 1 m 16.975 s	Scenarios		Steps	
		Total - 5		Total - 24	
/ 11:49:37.844 PM //	11:50:54.819 PM /	Pass - 0	5	Pass - 0	24
		Fail - 5	· ·	Fail - 5	2-7
		Skip - 0		Skip - 19	

Login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given User able to see the the brand element	FAILED	10.072 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//div[@class='orangehrm-login-log]"} (Session info: chrome=115.0.5790.170) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.2.0-26-generic', java.version: '11.0.20' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [e44d0cbc748bd5555ea5c8016b332e10, findElement {using=xpath, value=//div[@class='orangehrm-login-log]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.170, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: /tmp/.org.chromium.Chromium}, goog:chromeOptions: {debuggerAddress: localhost:40347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:40347/devtoo, se:cdpVersion: 115.0.5790.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e44d0cbc748bd5555ea5c8016b332e10 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocationsElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at utility.helper.elementToBeDisplayed(helper.java:69) at pages.loginPage.visibilityBrandElement(loginPage.java:22) at stepDefinitions.login.user_able_to_see_the_the_brand_element(login.java:18) at ?.User able to see the the brand element(file:///home/cibi/IdeaProjects/Cucumber_Hybrid_Framework/src/test/resources/Features/login.feature:4) * Not displayable characters are replaced by '?'.		
2	When User enters valid username "Admin" into email field	SKIPPED	0.000 s
3	And User enters valid password "admin123" into password field	SKIPPED	0.001 s
4	And User clicks on Login button	SKIPPED	0.000 s
	AFTER - hooks.hook.tearDown(io.cucumber.java.Scenario) Login_with_valid_credentials	PASSED	0.183 s


Login with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User able to see the the brand element	FAILED	10.040 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath";"selector":"//div[@class='orangehrm-login-log]"} (Session info: chrome=115.0.5790.170) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '0.40bc5406b' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.2.0-26-generic', java-version: 11.0.20' Driver info: org. openga.selenium.chrome.ChromeDriver Command: [94/12249dba61.cac0fee7769465b4b366, IndElement (Using=xpath, value=/Idiv[@class="orangehrm-login-login-glo		
2	When User enters valid username "username" into email field	SKIPPED	0.001 s
3	And User enters valid password "password" into password field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User should get a proper warning message about credentials mismatch	SKIPPED	0.000 s
	AFTER - hooks.hook.tearDown(io.cucumber.java.Scenario) Login with invalid credentials	PASSED	0.183 s
	Login_witi_invalid_crederitials		

#	Step / Hook Details	Status	Duration
	Grange ENA Legis Section of the Control of the		

Login with valid email and invalid password




#	Step / Hook Details	Status	Duration
1	Given User able to see the the brand element	FAILED	10.039 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='orangehrm-login-log]"} (Session info: chrome=115.0.5790.170) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '0.40bc5406b' System info: os.name: 'Linux', os.arch: amd64', os.version: '6.2.0-26-generic', java.version: '11.0.20' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [227b0e4e5b4ce538c0aa2d16f019f56b, findElement {using=xpath, value=//div[@class='orangehrm-login-log]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.170, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: /tmp/.org.chromium.Chromium}, goog:chromeOptions: {debuggerAddress: localhost:43139}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:43139/devtoo, se:cdpVersion: 115.0.5790.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 227b0e4e5b4ce538c0aa2d16f019f56b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.OpelegatingConstructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHt		

DETAILED SECTION

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at utility.helper.elementToBeDisplayed(helper.java:69)		
	at pages.loginPage.visibilityBrandElement(loginPage.java:22)		
	at stepDefinitions.login.user_able_to_see_the_the_brand_element(login.java:18)		
	at ?.User able to see the the brand element(file:///home/cibi/IdeaProjects/Cucumber_Hybrid_Framework/src/test/resources/Features/login.		
	feature:4)		
	* Not displayable characters are replaced by '?'.		
2	When User enters valid username "Admin" into email field	SKIPPED	0.001 s
3	And User enters valid password "password" into password field	SKIPPED	0.001 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User should get a proper warning message about credentials mismatch	SKIPPED	0.000 s
	AFTER - hooks.hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.218 s
	Login_with_valid_email_and_invalid_password		
	Crange sou. Logia Province sous; A s		

-- 10 --

Login with invalid username and valid password




#	Step / Hook Details	Status	Duration
1	Given User able to see the the brand element	FAILED	10.026 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
#	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='orangehrm-login-log']"} (Session info: chrome=115.0.5790.170) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.2.0-26-generic', java.version: '11.0.20' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [bf46c33ad4802296c05a0a6c03d65d6d, findElement {using=xpath, value=//div[@class='orangehrm-login-log']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.170, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d3oc2ca5, userDataDir: /tmp/.org.chromium.Chromium}, goog:chromeOptions: {debuggerAddress: localhost:46247}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:46247/devtoo, se:cdpVersion: 115.0.5790.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bf46c33ad4802296c05a0a6c03d65d6d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at utility.helper.elementToBeDisplayed(helper.java:69)		
	at pages.loginPage.visibilityBrandElement(loginPage.java:22)		
	at stepDefinitions.login.user_able_to_see_the_the_brand_element(login.java:18)		
	at ?.User able to see the the brand element(file:///home/cibi/IdeaProjects/Cucumber_Hybrid_Framework/src/test/resources/Features/login.		
	feature:4)		
_	* Not displayable characters are replaced by '?'.	0.455==	1
2	When User enters valid username "username" into email field	SKIPPED	0.000 s
3	And User enters valid password "admin123" into password field	SKIPPED	0.000 s
4	And User clicks on Login button	SKIPPED	0.000 s
5	Then User should get a proper warning message about credentials mismatch	SKIPPED	0.000 s
	AFTER - hooks.hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.216 s
	Login_with_invalid_username_and_valid_password		

#	Step / Hook Details	Status	Duration
	Cange ess. Legh When we will: A will When we will Whe		

Login without providing any credentials



#	Step / Hook Details	Status	Duration
1	Given User able to see the the brand element	FAILED	10.085 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='orangehrm-login-log']"} (Session info: chrome=115.0.5790.170) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.2.0-26-generic', java.version: '11.0.20' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7c5441095c89252e167756d4166b82f9, findElement {using=xpath, value=//div[@class='orangehrm-login-log']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.170, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5, userDataDir: /tmp/.org.chromium.Chromium), goog:chromeOptions: {debuggerAddress: localhost:44109}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:44109/devtoo, se:cdpVersion: 115.0.5790.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7c5441095c89252e167756d4166b82f9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.OelegatingConstructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.codec.w3c.W3CHttpRespon		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at utility.helper.elementToBeDisplayed(helper.java:69) at pages.loginPage.visibilityBrandElement(loginPage.java:22) at stepDefinitions.login.user_able_to_see_the_the_brand_element(login.java:18) at ?.User able to see the the brand element(file:///home/cibi/IdeaProjects/Cucumber_Hybrid_Framework/src/test/resources/Features/login.feature:4) * Not displayable characters are replaced by '?'.		
2	When User don't enter username into username field	SKIPPED	0.000 s
3	And User don't enter password into password field	SKIPPED	0.001 s
4	And User clicks on Login button	SKIPPED	0.001 s
5	Then User should get a proper warning message about credentials required	SKIPPED	0.000 s
	AFTER - hooks.hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.223 s
	Login_without_providing_any_credentials		
	Crange EM_ Logic Logic		