

```
No.      Time      Source      Destination      Protocol Length Info
  1 0.000000 2602:f79a::1 2804:1eb0:103:c121:ad55:b075:da7b:d842 TLSv1.2 99 Application Data
Frame 1: 99 bytes on wire (792 bits), 99 bytes captured (792 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:44.544681000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:44.544681000 UTC
Epoch Arrival Time: 1737488024.544681000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 0.000000000 seconds]
Frame Number: 1
Frame Length: 99 bytes (792 bits)
Capture Length: 99 bytes (792 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:tcp:tls]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2602:f79a::1, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... 000 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0010 1000 0010 1110 0111 = Flow Label: 0x282e7
Payload Length: 45
Next Header: TCP (6)
Hop Limit: 60
Source Address: 2602:f79a::1
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 0]
Transmission Control Protocol, Src Port: 443, Dst Port: 52233, Seq: 1, Ack: 1, Len: 25
Source Port: 443
Destination Port: 52233
[Stream index: 0]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 25]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 706629421
[Next Sequence Number: 26 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 2343903113
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 1... = Push: Set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 8
[Calculated window size: 8]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf35a [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.000000000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 25]
[Bytes sent since last PSH flag: 25]
```

```

TCP payload (25 bytes)
Transport Layer Security
  TLSv1.2 Record Layer: Application Data Protocol: Hypertext Transfer Protocol
    Content Type: Application Data (23)
    Version: TLS 1.2 (0x0303)
    Length: 20
    Encrypted Application Data: f8c2f12436d4916af147d1ab605588fad7cbc82e
    [Application Data Protocol: Hypertext Transfer Protocol]
No.      Time            Source                Destination          Protocol Length Info
  2 0.000501        2804:1eb0:103:c121:ad55:b075:da7b:d842 2602:f79a::1        TLSv1.2  103    Application Data
Frame 2: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:44.545182000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:44.545182000 UTC
  Epoch Arrival Time: 1737488024.545182000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000501000 seconds]
  [Time delta from previous displayed frame: 0.000501000 seconds]
  [Time since reference or first frame: 0.000501000 seconds]
  Frame Number: 2
  Frame Length: 103 bytes (824 bits)
  Capture Length: 103 bytes (824 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ipv6:tcp:tls]
  [Coloring Rule Name: TCP]
  [Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv6 (0x86dd)
  [Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2602:f79a::1
  0110 .... = Version: 6
  .... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
  .... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
  .... .... 000 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  .... 0110 0000 0001 0101 0001 = Flow Label: 0x60151
  Payload Length: 49
  Next Header: TCP (6)
  Hop Limit: 64
  Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
    [Address Space: Global Unicast]
  Destination Address: 2602:f79a::1
    [Address Space: Global Unicast]
  [Stream index: 0]
Transmission Control Protocol, Src Port: 52233, Dst Port: 443, Seq: 1, Ack: 26, Len: 29
  Source Port: 52233
  Destination Port: 443
  [Stream index: 0]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 29]
  Sequence Number: 1 (relative sequence number)
  Sequence Number (raw): 2343903113
  [Next Sequence Number: 30 (relative sequence number)]
  Acknowledgment Number: 26 (relative ack number)
  Acknowledgment number (raw): 706629446
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x018 (PSH, ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 1... = Push: Set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
  [TCP Flags: .....AP...]
  Window: 512
  [Calculated window size: 512]
  [Window size scaling factor: -1 (unknown)]
  Checksum: 0xb23a [unverified]

```

```
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.000501000 seconds]
  [Time since previous frame in this TCP stream: 0.000501000 seconds]
[SEQ/ACK analysis]
  [This is an ACK to the segment in frame: 1]
  [The RTT to ACK the segment was: 0.000501000 seconds]
  [Bytes in flight: 29]
  [Bytes sent since last PSH flag: 29]
TCP payload (29 bytes)
Transport Layer Security
  TLSv1.2 Record Layer: Application Data Protocol: Hypertext Transfer Protocol
    Content Type: Application Data (23)
    Version: TLS 1.2 (0x0303)
    Length: 24
    Encrypted Application Data: 5f08cbac41d1fcd8debf36c8fde508243c7a08c251ffed72
    [Application Data Protocol: Hypertext Transfer Protocol]
No.      Time                Source                Destination                Protocol Length Info
   3 0.007457          2602:f79a::1          2804:1eb0:103:c121:ad55:b075:da7b:d842 TCP          74      443 → 52233 [ACK] Seq=26
Ack=30 Win=8 Len=0
Frame 3: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:44.552138000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:44.552138000 UTC
  Epoch Arrival Time: 1737488024.552138000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.006956000 seconds]
  [Time delta from previous displayed frame: 0.006956000 seconds]
  [Time since reference or first frame: 0.007457000 seconds]
  Frame Number: 3
  Frame Length: 74 bytes (592 bits)
  Capture Length: 74 bytes (592 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ipv6:tcp]
  [Coloring Rule Name: TCP]
  [Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv6 (0x86dd)
  [Stream index: 0]
Internet Protocol Version 6, Src: 2602:f79a::1, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
  0110 .... = Version: 6
  ....0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
  ....0000 00.. .... = Differentiated Services Codepoint: Default (0)
  ....00..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  ....0010 1000 0010 1110 0111 = Flow Label: 0x282e7
  Payload Length: 20
  Next Header: TCP (6)
  Hop Limit: 60
  Source Address: 2602:f79a::1
    [Address Space: Global Unicast]
  Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
    [Address Space: Global Unicast]
  [Stream index: 0]
Transmission Control Protocol, Src Port: 443, Dst Port: 52233, Seq: 26, Ack: 30, Len: 0
  Source Port: 443
  Destination Port: 52233
  [Stream index: 0]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0. = SYN: Absent
    [Completeness Flags: ..DA..]
  [TCP Segment Len: 0]
  Sequence Number: 26 (relative sequence number)
  Sequence Number (raw): 706629446
  [Next Sequence Number: 26 (relative sequence number)]
  Acknowledgment Number: 30 (relative ack number)
  Acknowledgment number (raw): 2343903142
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0... = ECN-Echo: Not set
```

```

.....0. .... = Urgent: Not set
.....1 .... = Acknowledgment: Set
.....0... = Push: Not set
.....0.. = Reset: Not set
.....0. = Syn: Not set
.....0 = Fin: Not set
[TCP Flags: .....A....]
Window: 8
[Calculated window size: 8]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x8647 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.007457000 seconds]
[Time since previous frame in this TCP stream: 0.006956000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 2]
[The RTT to ACK the segment was: 0.006956000 seconds]
No.      Time                Source                Destination          Protocol Length Info
  4 0.481426          192.168.100.26        140.82.114.25        TCP           55      52374 → 443 [ACK] Seq=1 Ack=1 Win=509 Len=1
Frame 4: 55 bytes on wire (440 bits), 55 bytes captured (440 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:45.026107000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:45.026107000 UTC
Epoch Arrival Time: 1737488025.026107000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.473969000 seconds]
[Time delta from previous displayed frame: 0.473969000 seconds]
[Time since reference or first frame: 0.481426000 seconds]
Frame Number: 4
Frame Length: 55 bytes (440 bits)
Capture Length: 55 bytes (440 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.....0. .... = LG bit: Globally unique address (factory default)
.....0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.....0. .... = LG bit: Globally unique address (factory default)
.....0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 140.82.114.25
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 41
Identification: 0x4dcf (19919)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x89d1 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 140.82.114.25
[Stream index: 0]
Transmission Control Protocol, Src Port: 52374, Dst Port: 443, Seq: 1, Ack: 1, Len: 1
Source Port: 52374
Destination Port: 443
[Stream index: 1]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 487737410
[Next Sequence Number: 2 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 858659664

```

```

0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x0884 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.00000000 seconds]
  [Time since previous frame in this TCP stream: 0.00000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 1]
  [Bytes sent since last PSH flag: 1]
TCP payload (1 byte)
TCP segment data (1 byte)
No.    Time                Source                Destination          Protocol Length Info
   5 0.567836          140.82.114.25         192.168.100.26       TCP           66      443 → 52374 [ACK] Seq=1 Ack=2 Win=73 Len=0
SLE=1 SRE=2
Frame 5: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
        Interface description: Wi-Fi
      Encapsulation type: Ethernet (1)
      Arrival Time: Jan 21, 2025 16:33:45.112517000 Hora oficial do Brasil
      UTC Arrival Time: Jan 21, 2025 19:33:45.112517000 UTC
      Epoch Arrival Time: 1737488025.112517000
      [Time shift for this packet: 0.00000000 seconds]
      [Time delta from previous captured frame: 0.086410000 seconds]
      [Time delta from previous displayed frame: 0.086410000 seconds]
      [Time since reference or first frame: 0.567836000 seconds]
      Frame Number: 5
      Frame Length: 66 bytes (528 bits)
      Capture Length: 66 bytes (528 bits)
      [Frame is marked: False]
      [Frame is ignored: False]
      [Protocols in frame: eth:ethertype:ip:tcp]
      [Coloring Rule Name: TCP]
      [Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 140.82.114.25, Dst: 192.168.100.26
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 52
  Identification: 0xd2b8 (53944)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 50
  Protocol: TCP (6)
  Header Checksum: 0x52dd [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 140.82.114.25
  Destination Address: 192.168.100.26
  [Stream index: 0]
Transmission Control Protocol, Src Port: 443, Dst Port: 52374, Seq: 1, Ack: 2, Len: 0
  Source Port: 443
  Destination Port: 52374
  [Stream index: 1]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present

```

```

.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 858659664
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 2 (relative ack number)
Acknowledgment number (raw): 487737411
1000 .... = Header Length: 32 bytes (8)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 73
[Calculated window size: 73]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x0977 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), SACK
  TCP Option - No-Operation (NOP)
    Kind: No-Operation (1)
  TCP Option - No-Operation (NOP)
    Kind: No-Operation (1)
  TCP Option - SACK 1-2
    Kind: SACK (5)
    Length: 10
    left edge = 1 (relative)
    right edge = 2 (relative)
    [TCP SACK Count: 1]
    [D-SACK Left Edge = 1 (relative)]
    [D-SACK Right Edge = 2 (relative)]
    D-SACK Sequence
      [Expert Info (Warning/Sequence): D-SACK Sequence]
      [D-SACK Sequence]
      [Severity level: Warning]
      [Group: Sequence]

[Timestamps]
  [Time since first frame in this TCP stream: 0.086410000 seconds]
  [Time since previous frame in this TCP stream: 0.086410000 seconds]
[SEQ/ACK analysis]
  [This is an ACK to the segment in frame: 4]
  [The RTT to ACK the segment was: 0.086410000 seconds]
No.    Time    Source    Destination    Protocol Length Info
  6 1.184440 2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP 1286 57454 → 443 Len=1224
Frame 6: 1286 bytes on wire (10288 bits), 1286 bytes captured (10288 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:45.729121000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:45.729121000 UTC
  Epoch Arrival Time: 1737488025.729121000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.616604000 seconds]
  [Time delta from previous displayed frame: 0.616604000 seconds]
  [Time since reference or first frame: 1.184440000 seconds]
  Frame Number: 6
  Frame Length: 1286 bytes (10288 bits)
  Capture Length: 1286 bytes (10288 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ipv6:udp:data]
  [Coloring Rule Name: UDP]
  [Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)

```

```
.... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb
Payload Length: 1232
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454
Destination Port: 443
Length: 1232
Checksum: 0x5fbd [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 1]
[Timestamps]
[Time since first frame: 0.00000000 seconds]
[Time since previous frame: 0.00000000 seconds]
UDP payload (1224 bytes)
Data (1224 bytes)
0000 41 f4 ff db d5 d2 10 94 30 5e cd d3 e3 45 a0 92 A.....0^...E..
0010 48 86 a2 d7 4e e9 f5 d8 bf 91 43 bb 9d f8 b8 2b H...N.....C....+
0020 b5 05 c5 e2 89 80 06 bc 86 01 6b a9 4f 81 6a f0 .....k.O.j.
0030 55 05 6e 74 28 95 61 69 e1 f0 53 b6 e0 37 66 d5 U.nt(.ai..S..7f.
0040 b5 42 06 ed b1 ed fb 41 c6 71 db a4 ee b0 aa b8 .B.....A.q.....
0050 e8 3b 8a 55 4c 5d a9 89 50 5f 43 74 67 00 b2 60 .;..UL]..P_Ctg..`
0060 39 7a 54 bc 1b 9e d0 42 29 9a fb 64 db 8d ae b5 9zT....B)..d....
0070 ec 4b be c9 81 a9 ad d6 d0 c9 eb 2d 50 d3 9f 7e .K.....-P..~
0080 c5 99 22 8d 6e 50 49 14 f1 f3 03 8d 58 85 5c 50 ..".nPI.....X.\P
0090 00 06 40 a2 ce 76 51 2d 04 34 73 b0 08 19 ff 54 ..@..vQ-.4s....T
00a0 ab 73 bd e5 e0 33 2b 70 cc c0 b3 9c 20 75 bb c9 .s...3+p.... u..
00b0 ce 2d 44 d3 de 94 ce e4 bd 89 73 27 a4 c3 6e f6 ..D.....s'..n.
00c0 db 1e 51 d0 34 29 33 79 42 84 c3 36 50 23 4f c8 ..Q.4)3yB..6P#0.
00d0 4e d5 bd 44 c5 d1 31 da 5f 07 3b 5b 08 70 70 8a N...D...1...;[.pp.
00e0 43 c9 d2 b4 7c 41 95 3e 33 14 d8 c7 94 92 29 61 C...|A.>3.....)a
00f0 05 ad a3 21 bc ba a0 6e 25 4b 9b 76 98 8b 72 8a ...!....n%K.v..r.
0100 a0 7f f0 21 b0 01 d4 05 1c 60 1d 33 62 95 e8 19 ...!.....`3b...
0110 8f 56 37 9b 7e 81 f2 e0 00 7c 67 31 c7 73 e9 28 .V7.~....|g1.s.(
0120 12 4c f1 4d 84 28 3f 14 ae 61 59 5a 04 92 49 95 .L.M.(?...aYZ..I.
0130 fe 32 85 c3 f8 0a 33 66 4d a4 44 16 07 63 0d b4 .2....3fM.D..c..
0140 d5 48 29 21 cb c8 46 9d 6b 18 1a 2a f7 ae de b5 .H)!..F.k..*....
0150 05 e5 ea 81 97 02 0d 8d cd 2c bc 81 d5 61 12 0c .....a...
0160 6d 23 ee 82 c9 e3 77 de b8 4e 18 90 c2 1b 9c 4f m#....w..N.....O
0170 74 2f 4f 60 da f9 fd cf e4 1d dc 83 01 86 e7 49 t/O`.....I
0180 b8 78 1e 06 cd d1 ad e0 9f 4b 44 26 b1 49 66 fe .x.....KD&.If.
0190 cc ba bd 2f 7d f4 cb 0f 2b dd a1 e0 c6 52 0e b0 .../}...+....R..
01a0 1c c2 62 c5 eb cd 11 bc cc e0 f6 6c ab 7f 06 c7 ..b.....1....
01b0 19 35 29 08 0d 64 24 8a a9 bf dd bd ef b7 82 f3 .5)..d$.
01c0 d7 c0 fb cc ec 1c b3 4f ff 66 40 78 e2 0f f4 a4 .....O.f@x....
01d0 af e9 7f fb 86 b6 b8 5f 91 f1 e2 09 7a d9 a0 74 ....._.....z..t
01e0 a8 ec 03 4f cf 6b ce a4 bc 90 0a 96 ac e7 a8 58 ...O.k.....X
01f0 d8 8b 0a d1 0d 67 c4 1f c5 0a c5 9a 4e a0 fc ab .....g.....N...
0200 d6 a1 5e 9c 01 33 5d 9e 47 9d 68 40 ac 29 43 bb ..^..3].G.h@.)C.
0210 82 5b 6d 63 dc d6 44 59 01 80 d3 dc 82 a2 d5 20 .[mc..DY.....
0220 09 e0 04 43 49 9b eb e3 f7 04 14 1d 24 20 24 76 58 ...CI.....$ $vX
0230 19 76 c0 7a 96 86 98 0d 4f 52 59 fc 7b 53 b5 76 .v.z....ORY.{S.v
0240 df 42 e6 b5 74 67 ec 0a 63 24 1c 44 1c c7 7c e8 .B..tg..c$.D..|.
0250 f4 4c 99 94 46 21 69 1a df 80 c1 be 0a 15 b5 09 .L..F!i.....
0260 fd 9e 60 98 41 fe 6e 1e 7d 2b 36 00 c0 93 f6 a4 ..`.A...}+6.....
0270 db f3 43 a1 b9 a4 09 9c 32 08 4a 27 23 c0 ee ad ..C.....2.J'#...
0280 a0 06 31 8d 40 49 95 e9 98 a5 50 b1 c8 25 15 f0 ..1.@I....P..%..
0290 20 da f5 59 7a f3 c5 7f ed b8 e0 42 0a 36 b6 88 ..Yz3.....B.6..
02a0 90 72 7c 9a df f7 01 e7 04 aa f3 0b 53 1a 20 8b .r|.....S. .
02b0 4e 4c 6e b6 52 8f 7c 07 f0 89 f8 af 50 6d 67 ed NLn.R.|.....Pmg.
02c0 6d 2e 4b 29 c2 00 ea 65 3d 3d 62 0e 7d 4d 80 f3 m.K)...e=b.}M..
02d0 61 9a ae 74 db 1a 7b 24 6a c6 11 b5 60 7e d2 49 a..t...{$j...~.I
02e0 12 b6 6b 01 de 46 fe 6e 8d 7a a7 c7 63 86 0a 34 ..k..F...z...c..4
02f0 54 ef c1 71 60 f5 d9 86 74 68 ff 08 c7 28 f2 60 T..q`...th...(`
0300 48 06 53 e5 0a 2f b5 c6 a3 03 d4 5f 62 42 f1 56 H.S../....._bB.V
0310 d8 35 15 27 2d 25 b7 a2 03 04 69 df 89 39 98 48 .5.'-%....i..9.H
0320 df 13 04 97 fd 9b 6a 84 e6 9d 4e cb 14 fb 6d e6 .....j...N...m.
0330 26 d8 8a d2 5e 97 b5 7e 11 9d 97 5e 8c 08 ae 6b &...^...~...^...k
0340 79 4e 2b 19 99 40 f6 f4 53 c2 e8 47 90 22 26 e7 yN+..@..S..G."&.
0350 63 ab 9b b6 63 5a f5 76 46 9e 91 2e 07 3a d6 52 c...cZ.vF.....:R
0360 cd ee 1b db 3d 85 a4 68 dd d2 f5 93 af fd 64 e7 ....=..h.....d.
0370 7b 99 60 c0 79 6f 75 df ba 41 a8 b1 a6 15 80 42 {...`.you..A.....B
0380 bd ce f6 b9 f9 8e 01 e0 f2 43 70 2e 34 c2 50 3b .....Cp.4.P;
0390 ab 30 63 13 a5 f8 d6 0c e0 f0 ad 40 38 cf 3f 8c .0c.....@8.?.
03a0 12 84 72 da 38 8d 3b 5b e8 58 78 ec 0a c8 c1 3e ..r.8.;[.Xx....>
03b0 3b 14 68 dd e9 9a 7c dd 60 e7 22 bb c2 05 26 ac ;h...|.`. "...&.
03c0 fc ea 72 23 30 e2 d0 c0 6a 7d 92 7c 16 d9 4d 51 ..r#0...j}.|..MQ
03d0 95 aa b4 93 97 46 44 47 6e cd 8d e8 89 24 63 e7 .....FDGn....$c.
03e0 79 a2 a8 48 ff 7e 15 6d 5b d8 2a bb d3 0a 5d 5f y..H.~.m[.*....]_
03f0 35 0a 2a bf a9 fa 5e df cd 49 96 b1 9d 9a fd cb 5.*...^...I.....
0400 21 14 f2 20 fa 72 30 02 aa 73 44 a5 36 d7 4e 5f !...r0...sD.6.N_
0410 91 11 be 78 b6 f0 73 a2 1b f9 a5 4c 86 8f 52 b4 ...x...s...L..R.
0420 be 13 97 95 b8 ac bf ae af 5b 1d 9e 2b b6 99 f0 .....[...+...
0430 97 76 ca 4f cb 1a 69 1b 0f 97 51 ad 5c f2 7b 09 .v.O..i...Q.\.{.
```

00440 97 6d 50 d3 a9 e1 f1 d5 26 c1 17 21 b2 59 a1 c7 .mP.....&...!.Y..
00450 8a e5 96 99 56 73 40 85 60 c4 3b f1 a5 88 9b 17Vs@.`.j;.....
00460 68 2d ca ff c3 fa 2b ce ec 15 f3 37 18 de 3d b2 h-....+....7..=..
00470 52 2c 2b 24 65 cb a4 5b 3c 8d 19 38 f6 a8 17 b3 R,+\$e..[<..8....
00480 47 82 b5 cf 98 4f 7a 1d 86 e0 6a d6 2f 9f 4e 4e G....0z...j./.NN
00490 bf 92 53 74 8a f1 48 6 e5 f6 48 34 4f fd ef 7c ..St..Hl..H40..|
004a0 e6 c7 75 51 fd d6 50 a6 f1 13 28 e0 0e 00 a8 7b ..uQ..P...(....{
004b0 ac 17 89 47 28 37 68 17 04 49 cd 72 69 9a f6 4d ...G(7h..I.ri..M
004c0 52 5f 0e 2e b9 9b c8 38 R_.....8

Data [...]:
41f4ffdbd5d21094305ecdd3e345a0924886a2d74ee9f5d8bf9143bb9df8b82bb505c5e2898006bc86016ba94f816af055056e7428956169e1f053b6e03766d5b5

[Length: 1224]

No.	Time	Source	Destination	Protocol	Length	Info
7	1.184500	2804:1eb0:103:c121:ad55:b075:da7b:d842	2800:3f0:4001:804::200e	UDP	1292	57454 → 443 Len=1230

Frame 7: 1292 bytes on wire (10336 bits), 1292 bytes captured (10336 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

Section number: 1

Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})

Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}

Interface description: Wi-Fi

Encapsulation type: Ethernet (1)

Arrival Time: Jan 21, 2025 16:33:45.729181000 Hora oficial do Brasil

UTC Arrival Time: Jan 21, 2025 19:33:45.729181000 UTC

Epoch Arrival Time: 1737488025.729181000

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 0.000060000 seconds]

[Time delta from previous displayed frame: 0.000060000 seconds]

[Time since reference or first frame: 1.184500000 seconds]

Frame Number: 7

Frame Length: 1292 bytes (10336 bits)

Capture Length: 1292 bytes (10336 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ipv6:udp:data]

[Coloring Rule Name: UDP]

[Coloring Rule String: udp]

Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

.... ..0. = LG bit: Globally unique address (factory default)

.... ..0. = IG bit: Individual address (unicast)

Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)

.... ..0. = LG bit: Globally unique address (factory default)

.... ..0. = IG bit: Individual address (unicast)

Type: IPv6 (0x86dd)

[Stream index: 0]

Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e

0110 = Version: 6

.... 0000 0000 = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)

.... 0000 00.. = Differentiated Services Codepoint: Default (0)

....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)

.... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb

Payload Length: 1238

Next Header: UDP (17)

Hop Limit: 64

Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842

[Address Space: Global Unicast]

Destination Address: 2800:3f0:4001:804::200e

[Address Space: Global Unicast]

[Stream index: 1]

User Datagram Protocol, Src Port: 57454, Dst Port: 443

Source Port: 57454

Destination Port: 443

Length: 1238

Checksum: 0x15ea [unverified]

[Checksum Status: Unverified]

[Stream index: 0]

[Stream Packet Number: 2]

[Timestamps]

[Time since first frame: 0.000060000 seconds]

[Time since previous frame: 0.000060000 seconds]

UDP payload (1230 bytes)

Data (1230 bytes)

0000 50 f4 ff db d5 d2 10 94 30 da 07 eb a7 28 d4 56 P.....0....(.V
00010 c9 53 4d a2 8d fa 0b f1 61 63 b3 a0 be 41 48 8c .SM.....ac...AH.
00020 4b 12 d4 59 ab b2 9b ef 53 04 00 ec 34 e3 eb 77 K..Y....S...4..w
00030 95 d7 ef 2e e6 dd 18 d1 a7 7d 10 7d 7f a4 3e dc}.}.>..
00040 b5 09 3b 69 80 dc d6 9d cb 82 9d ed 5c 01 83 77 ..;i.....\..w
00050 73 1c 30 6b 1c 95 aa a8 f4 e0 87 9c ff 2b e2 5c s.0k.....+.\
00060 c3 a2 ea 98 a0 66 2e 5d 7a c9 70 f8 75 50 68 12f.].z.p.uPh.
00070 1b e4 50 9d ce b7 7f e7 7a e7 09 99 66 c1 73 f2 ..P.....z...f.s.
00080 9b 1d 52 a8 b9 0e f5 4b d6 8a c2 be 46 dc 5d 56 ..R....K....F.].V
00090 65 cd ba 27 df d7 67 64 8d a3 ed 06 34 74 08 ad e..'..gd....4t..
000a0 25 eb 98 b9 63 55 43 e1 0d 27 a3 ec 97 b8 8f 45 %....uC...'......E
000b0 9a eb f0 c8 ed 1c 8a 1f 35 66 dc 34 13 33 c1 6a5f.4.3.j
000c0 65 7c 7f ae 99 cb e2 d7 b2 dc 61 67 02 3f 2f 70 e|.....ag.?.p
000d0 14 e1 a9 f7 86 e6 aa d4 3a 91 40 3a d7 24 2d 404.:@:.\$-@
000e0 8d 8b 9b 4c 5f 02 ed b0 19 91 dc 23 61 09 53 e8 ...L.....#a.S.
000f0 85 8c 2e 98 1f a3 d8 e4 06 89 05 35 29 4b 99 a55)K..
00100 6b 5f ea 65 3d ae 38 45 98 9a fd fd c0 0a cd 77 k__e=.8E.....w
00110 7f fa bb 3c 59 d3 82 bf 7d 7c 77 d1 ba 7f d8 d9 ...<Y...}|w.....

0120 72 b6 e2 1c 6a 4e c2 bc 01 93 f9 08 38 72 18 d3 r...jN.....8r..
0130 1b 28 3b 35 26 a5 d8 14 c2 d9 33 4f e0 47 13 .(;5&.....30.G..
0140 b0 29 a9 17 e1 8f 58 df 5d 88 f9 9c 52 cc e3 f1 .)....X.]...R...
0150 0d 9b 95 87 0a 84 ca ec 6a f8 d6 c5 e9 36 37 56j....67V
0160 cf 65 e9 ab c7 2d 37 2e 58 5d 73 1e 4e a5 df 41 .e....-7.X]s.N..A
0170 68 b7 f4 c3 d0 d4 1e 27 82 86 06 0e 03 d5 3b 94 h.....'.....;..
0180 ce 33 f3 3a 4b 39 4d f0 85 bd 78 53 7e f9 52 79 .3.:K9M...xS~.Ry
0190 aa 79 05 d3 55 a4 a7 58 ae 41 cd 0d 97 f1 a2 00 .y..U..X.A.....
01a0 3c e2 0d 6e 7d 9e f8 e9 8c 60 79 ae 33 85 48 77 <..n}....`y.3.Hw
01b0 af 0a e8 b6 b8 be 15 cb a3 9e a7 e3 13 64 d9 59d.Y
01c0 b0 76 66 a5 ed ec ca 36 1f 93 27 89 8b 2b cf ee .vf....6...'...+..
01d0 f5 2c 1e 42 3f 54 88 24 e9 f7 74 20 a8 e8 38 40 .,.B?T.\$..t ..8@
01e0 96 ef 73 e7 1e c3 fd ac 65 3e b0 a8 1f a8 26 db ..s.....e>....&..
01f0 37 c6 53 c5 a4 6a 6d 67 9e 73 44 e2 21 5c c8 18 4a 7.S...g.sD.!\\..J
0200 93 0a 42 29 6e d0 87 94 25 4f 8f c5 68 b1 53 0a ..B)nj..%0..h.S..
0210 15 9a 63 40 bd 66 9e e9 4b f8 b6 e3 12 85 28 88 ..c@.f..K.....(.
0220 a9 d0 59 dd 4a c6 23 78 77 cf fa 5c 73 51 13 6f ..Y.J.#xw..\\sQ.o
0230 c3 c8 a8 91 1b 2b 5f 1b 0b f9 e5 53 37 c0 32 6b+W....S7.2k
0240 ca 35 c8 3e b0 43 81 d0 9f ff a6 8b fd a3 94 b5 .5.>.C.....
0250 09 78 13 56 32 51 ac 12 65 f0 08 93 ab ef 20 3f .x.V2Q..e..... ?
0260 8a 4c ec 6e 8d 03 77 fe 94 75 48 32 79 29 9f 61 .L.n..w..uH2y).a
0270 28 6b 7f 48 0b ad 3f a4 92 3c eb 4c 46 37 62 6e (k.H..?..<.LF7bn
0280 43 5f af 9d 9f d7 af a6 69 a0 06 86 7c 54 C.....i...|T
0290 0a 4c d9 91 d4 4d 62 16 16 d2 d4 32 be f8 59 56 .L...Mb....2..YV
02a0 06 a7 02 cf 39 f0 18 ad 5b 81 17 02 ea 9f 42 f39...[.....B..
02b0 70 33 91 6f 6e 55 e8 9b f5 f2 c8 cf 27 f7 01 b5 p3.onU.....'...
02c0 b1 94 a4 f6 8b ab 93 74 f5 b5 6f a4 8e 74 d1 5dt...o..t.]
02d0 41 ac 9b 15 28 f5 e5 82 c3 84 6f f5 9f 2a 0b a9 A...(.o...*...
02e0 fc d8 ab 67 5e 0c 33 9e 24 61 f6 06 39 8e 3e 1e ...g^.3.\$a..9.>..
02f0 68 78 aa ba 18 99 d2 38 73 56 da 82 95 22 63 2e hx.....8sV..."c..
0300 28 1e 45 e7 7b 4e 2b e1 f2 ce 21 c0 f9 03 a0 c3 (.E.{..A..!.....
0310 cc d9 06 19 4c 4f 5c 25 4d d8 52 d6 39 0e 0c e1LO\\%M.R.9...
0320 a9 3c 2d 73 84 2a c6 b3 f7 60 39 d3 15 b4 05 90 .<-s.*...`9.....
0330 00 19 c3 55 ac 3a 04 5d 3c aa c7 a5 da 0c 33 62 ...U.:.]<.....3b
0340 b9 ff 98 c5 fa ee 2a aa e0 4f 76 2b f7 ac 4c 65*.0v+..Le
0350 ae 70 18 17 b4 ee 75 c2 e0 05 d6 01 72 dc 99 a8 .p....u.....r...
0360 7b 30 d8 3e e8 80 fb 68 0d 9f 44 65 13 4d e4 ca {0.>...h..De.M..
0370 8c bc 55 fc de 96 d6 14 36 1f e5 65 50 2b d7 57 ..U.....6..eP+.W
0380 9f f4 66 bc bf ed c7 da 16 a7 99 16 d8 f9 32 9d ..f.....2..
0390 fa f3 1b 54 3c d5 69 36 0d 07 70 79 cb 42 04 9b ...T<.i6..py.B..
03a0 f7 7c 8b 95 b8 4c 39 1c 1c 8b d0 18 51 43 65 9d .|...L9.....QCe..
03b0 0c ec f4 94 6d 82 64 3c 8a 43 21 69 73 58 34 36m.d<.C!isX46
03c0 d3 18 35 72 5b 63 e5 09 ae cf 08 df 8e 02 4d d1 ..5r[c.....M..
03d0 b0 f0 18 93 4d d4 22 28 fa d3 bc 86 37 6d 58 96M."(....7mX..
03e0 3d b5 83 c5 7a df 92 4e 7e c5 a4 2d e9 55 45 98 =...z..N~..-UE..
03f0 60 0e 24 f8 0e 0b 36 f4 f5 39 1e 92 52 a2 bd d3 `.\$...6..9..R...
0400 d8 f6 30 b4 99 e8 1e 2c 29 11 0e 8e 4e 00 bd 5b ..0....,)...N..[
0410 fa c8 1d 17 68 70 b5 63 67 6c ea 74 a0 cf 85 ffhp.cgl.t...
0420 b9 00 bf 05 ca 05 d5 82 93 40 c2 48 c2 69 54 eb@.H.iT..
0430 1a 32 70 34 6d 1b 51 54 4b 0a bb 37 47 26 ae 98 .2p4m.QTK..7G&..
0440 1c 1b 89 66 41 b6 61 59 89 bc 87 bf f4 db 20 12 ...fA.aY.....
0450 2a 86 d4 51 2b 29 c4 3e a2 59 f4 00 2d fb 86 a5 *.Q+).>.Y...-LS..
0460 0e 6a 19 c1 1b 5e 50 f7 b5 90 4c ce 58 6c 53 15 .j....^P...L.X1S..
0470 dc 7a 98 54 08 9a a7 b2 61 d1 ef 04 2c 47 9d f8 .z.T....a....,G..
0480 e2 3e d8 e4 4e a3 99 fb 13 65 5e ce 00 e1 b0 cf .>..N....e^.....
0490 d4 cf 12 21 af 68 18 96 db da 04 35 56 d1 32 80 .!..h....5V.2..
04a0 2f f9 b3 7f 59 06 19 dd 00 88 16 1b 6b 57 21 8a /...Y.....kW!..
04b0 f3 a3 d3 90 68 3d 74 a9 91 fa f7 9c 12 35 73 1fh=t.....5s..
04c0 c8 81 71 18 3b 5c 34 55 c3 9e a3 fd b9 66 ..q;\\4U.....f

Data [...]:
50f4ffdbd5d2109430da07eba728d456c9534da28dfa0bf16163b3a0be41488c4b12d459abb29bef530400ec34e3eb7795d7ef2ee6dd18d1a77d107d7fa43edcb5
[Length: 1230]
No. Time Source Destination Protocol Length Info
8 1.184518 2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP 1292 57454 → 443 Len=1230
Frame 8: 1292 bytes on wire (10336 bits), 1292 bytes captured (10336 bits) on interface \\Device\\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\\Device\\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \\Device\\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:45.729199000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:45.729199000 UTC
Epoch Arrival Time: 1737488025.729199000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000018000 seconds]
[Time delta from previous displayed frame: 0.000018000 seconds]
[Time since reference or first frame: 1.184518000 seconds]
Frame Number: 8
Frame Length: 1292 bytes (10336 bits)
Capture Length: 1292 bytes (10336 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0. = IG bit: Individual address (unicast)

```
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0. .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb
Payload Length: 1238
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454
Destination Port: 443
Length: 1238
Checksum: 0x617f [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 3]
[Timestamps]
[Time since first frame: 0.000078000 seconds]
[Time since previous frame: 0.000018000 seconds]
UDP payload (1230 bytes)
Data (1230 bytes)
0000 54 f4 ff db d5 d2 10 94 30 f4 95 63 75 c5 87 d4 T.....0..cu...
0010 17 ca 19 60 ce 81 74 36 75 16 9e ed 78 53 03 8c ...`..t6u...xS..
0020 87 da 8d 49 f5 ca d9 a5 7c f8 91 f8 99 f7 37 2a ...I....|....7*
0030 1a fd b6 06 23 22 ce e4 d1 ce 12 fd 82 4e 0d 55 ...#".....N.U
0040 1d 67 1c fa 11 ef c3 ae 6e 4a dd 96 a1 e9 be 1a .g.....nJ.....
0050 95 a4 98 52 84 4f e6 7a 9c a8 b8 dc 47 d1 02 f7 ...R.O.z....G...
0060 ce 54 78 2c 9b 47 44 84 a1 e5 12 09 81 ce 43 a9 .Tx,.GD.....C.
0070 57 4f 2c 43 a3 15 eb de 89 f9 eb 8b d2 5f dd 84 WO,C....._...
0080 8b 7f a9 d7 1f f8 2e 27 d7 fa de a8 15 7d ee 52 .....'......}.R
0090 95 8a 8a 92 07 5d e3 eb 2b a3 7b f3 66 ed 7d 0b .....].+.{.f.}.
00a0 ef cf ac 26 13 25 07 4a 90 0b 13 f0 e7 f9 76 97 ...&%.J.....v.
00b0 64 0a bb 4e bc d2 f3 04 c4 64 1d 71 22 1d f3 dd d..N....d.q"...
00c0 bf c3 b2 1c 3a e0 32 c9 4d 28 68 90 f7 78 a8 8b .....2.M(h..x..
00d0 a5 0a 82 92 80 cc cd 14 fb b8 82 9d f2 6f b6 ff .....o..
00e0 3b 5e 86 ae e5 23 1d 14 87 23 07 36 a2 88 33 30 ;^...#...#.6..30
00f0 cc 0f 3e ad a1 bf 8d 5a 6a 1b b0 9e d3 c2 3a d4 ..>...Zj.....:
0100 c5 21 de cc 29 82 28 47 49 54 57 91 17 0f 56 15 .!..).(GITW...V.
0110 8f 90 59 67 31 e9 89 06 dc da 18 0d 81 14 b5 a4 ..Yg1.....
0120 f7 19 ce f8 d7 23 82 62 c8 e2 7b 36 cc 35 08 ba .....#.b..{6.5..
0130 08 45 05 34 21 70 c9 2d 04 06 71 c9 fb b8 28 98 .E.4!p.-..q...(
0140 e6 ab f6 47 e2 67 f0 fb 13 72 35 10 f4 b0 6d 61 ..G.g....r5...ma
0150 33 54 da 50 62 cc 55 ab 8e 1f 98 59 1d cc 40 6e 3T.Pb.U...Y..@n
0160 3e 7c 5b 7e 31 04 51 48 13 b9 cf 06 fe c2 0d 93 >|~1.QH.....
0170 07 f2 67 60 50 64 e2 a2 86 ae d0 cb 9e 6d 7d 4d ..g`Pd.....m}M
0180 d8 2d d6 35 2c 0a 8f b5 3d 72 85 ff b3 9e 74 ec -.5,...=r....t.
0190 aa 10 14 0d 7f 1e c4 7d 80 ca f8 5e 2a ad 75 b0 .....}....^*.u.
01a0 cb 5f c8 d8 5e b8 74 7a ad fb 3c 18 6a 8b 35 e4 .._.^..tz..<..j.5.
01b0 44 60 35 ce f1 38 8b ab 92 f4 70 d6 e6 6c 58 f6 D`5..8....p..lX.
01c0 df 22 50 45 e5 d5 f6 c8 86 f9 42 ce bf e8 77 ."PE.....B....w
01d0 64 16 90 7f f6 cd 3d ac 20 ca 95 c4 09 b2 e2 e9 d.....=. ....
01e0 ab 6c d9 76 4e e4 9b 78 b8 e4 2e ef d8 35 e1 4e .l.vN..x....5.N
01f0 96 c6 48 fd 10 05 48 9b 45 f3 39 7b 1f b6 b9 7a ..H...H.E.9{...z
0200 ff df e8 59 d5 ed 4a 38 09 00 71 98 7d 38 37 e6 ..Y...J8...q.}87.
0210 67 5b f3 29 17 80 a3 78 07 cc 43 f0 97 0a 47 5b g[.)...x..C...G[
0220 1a 5a bc 84 ee 30 53 82 c7 53 8a ce e8 38 7a d7 .Z...0S..S...8z.
0230 28 04 55 91 f8 ff 26 52 f5 51 5e 55 17 55 e9 4a (.U...&R.Q^U.U.J
0240 5c 7b b5 ad ee 84 c6 f5 67 cb 76 b9 74 37 fc \{.....g.v.t7.
0250 52 b6 16 a1 ee 43 94 27 a3 6e a6 ec da 3c 05 2f R....C..'.n...<./
0260 1e 03 1f 11 29 3f 99 23 39 df 2f c2 34 c0 f0 e0 .....)?.#9./..4...
0270 1d 54 95 ad 49 38 37 a3 2f 72 85 38 b8 64 8d a0 .T..I87../r.8.d..
0280 56 2c 9a 9a bc 79 2b 87 2a 1e 35 9c c7 91 9a ae V,...y+.*.5.....
0290 be b7 51 30 2a 74 c2 bc 2c 21 ee b4 b8 81 c5 8f ..Q0*t..!,.....
02a0 e5 32 32 08 fa 2b 4b 73 1c 05 8e a7 ea 4c 59 78 .22...+Ks.....LYx
02b0 0e 34 45 89 68 a3 40 05 9f 71 67 94 5d 36 41 69 .4E.h.@..qg.]6Ai
02c0 70 62 15 b6 2e f2 0b d8 b5 db ff db ab 88 f9 20 pb.....
02d0 ff fe bc 3a f1 c4 d6 ab 3b 72 e8 f2 a4 7e 8a 70 .....;r....~.p
02e0 37 0e dd 5b 4d b2 3a 23 1b a9 b0 de 7a 71 b8 ff 7..[M.:#....zq..
02f0 77 84 37 d9 30 c3 ef f3 8f 18 62 91 60 0d 1a b3 w.7.0.....b.`...
0300 32 95 93 38 10 ec 03 8f ac 40 35 61 a3 b2 4c 4d 2..8.....@5a..LM
0310 d1 10 ee 7f e2 59 0d 79 15 31 cb fa a6 db 0d 7e .....Y.y.1.....~
0320 43 2e 32 fa 87 87 87 4d b6 ae ac ba 81 5f 5d 6b C.2....M....._]k
0330 09 ea 2d 29 73 9e e5 83 3f 1a 9f 1b f3 fb e2 6f ..-)s...?......o
0340 dc 17 b2 96 f3 d6 78 1a 02 0c 45 3a 75 a7 c1 98 .....x...E:u...
0350 ef 15 10 e3 55 1e 28 bc 06 6f 68 d9 bc 6d f0 95 ...U.)..oh...m..
0360 07 ca 71 49 4f 1e 89 b7 00 99 7a a4 b1 9e 8d 96 ..qIO.....Z.....
0370 d1 a2 23 b2 4d 59 ed 54 f8 f8 fb 00 f2 38 83 22 ..#.MY.T.....8."
0380 2a 8e f0 49 fb 52 f4 35 ff 32 f1 d3 94 68 9b 33 *...I.R.5.2...h.3
0390 8d 28 1e f6 0f 60 28 43 7f e5 03 aa 5f d5 c0 dd .(....`C....._...
```

03a0 79 42 f6 49 4d a5 a7 ab e3 67 fb b8 a5 56 51 c5 yB.IM....g...VQ.
03b0 f4 a8 ec cb e4 f8 de 5b 5c fc 77 94 bd 1b 3a 20[\.w....:
03c0 f7 3f 1e fd 39 95 23 bc 24 2e d5 89 58 e2 84 20 .?.9.#.\$...X..
03d0 07 90 96 87 f8 30 dc 75 ae de d4 cf a5 51 fb 290.u.....Q.)
03e0 31 50 d8 ac e6 db a6 11 7d a7 96 9c 8b 2b 26 63 1P.....}....+&c
03f0 16 0c 01 6a 77 0b 7b 9e 30 31 93 a4 39 8e ac f1 ...jw.{.01..9...
0400 1c 6f 83 66 d3 79 4f f7 4c 74 45 b1 33 18 2d 77 .o.f.yO.LtE.3.-w
0410 bd a0 10 9c ac 61 6c 97 47 84 58 26 64 0b 5e c6al.G.X&d.^.
0420 d1 64 6e 98 7c 4c 9b 8c 2c 62 32 ae 64 ef 52 d5 .dn.|L.,b2.d.R.
0430 ce 9d 55 5a 68 46 a7 e6 1c f0 41 0d 60 21 93 07 ..UZhF....A.`!..
0440 ed 5d 1b 50 ac f9 b6 eb c2 54 5d 29 10 19 d7 7c .].P.....T])...|
0450 2f 5b ac c1 f0 cd c0 69 f8 e3 88 f1 53 84 fd 89 /[.....i.....S...
0460 82 97 af 7a c1 56 f4 fb 85 0c bc 4d 56 da 98 40 ...z.V.....MV..@
0470 45 ab 8c a2 9b a5 49 b1 32 d2 84 5d 12 3f 58 6a E....I.2..].?Xj
0480 c6 92 57 b9 50 f8 de 3a eb cb 7a 3b 3c 0a d7 c3 ..W.P....:z;<...
0490 1d 3b 27 28 00 50 18 29 0e a2 53 ec 13 f8 9e 97 .;'.(P.)..S.....
04a0 e0 07 ac 36 05 f0 d7 41 f9 8e 59 b3 f7 a1 a3 b0 ...6...A..Y.....
04b0 c4 5f fb e8 56 cd dc 06 0e b7 62 f5 71 47 04 46 ...V.....b.qG.F
04c0 bd 24 e6 c2 a9 8a 41 22 ae e8 52 19 79 9b \$.....A"..R.y.
Data [...]:
54f4ffdbd5d2109430f4956375c587d417ca1960ce81743675169eed7853038c87da8d49f5cad9a57cf891f899f7372a1afdb6062322cee4d1ce12fd824e0d551d
[Length: 1230]
No. Time Source Destination Protocol Length Info
9 1.184532 2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP 682 57454 → 443 Len=620
Frame 9: 682 bytes on wire (5456 bits), 682 bytes captured (5456 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:45.729213000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:45.729213000 UTC
Epoch Arrival Time: 1737488025.729213000
[Time shift for this packet: 0.00000000 seconds]
[Time delta from previous captured frame: 0.000014000 seconds]
[Time delta from previous displayed frame: 0.000014000 seconds]
[Time since reference or first frame: 1.184532000 seconds]
Frame Number: 9
Frame Length: 682 bytes (5456 bits)
Capture Length: 682 bytes (5456 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. = LG bit: Globally unique address (factory default)
.... ..0. = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. = LG bit: Globally unique address (factory default)
.... ..0. = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 = Version: 6
.... 0000 0000 = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. = Differentiated Services Codepoint: Default (0)
.... 000 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb
Payload Length: 628
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454
Destination Port: 443
Length: 628
Checksum: 0x7fc3 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 4]
[Timestamps]
[Time since first frame: 0.000092000 seconds]
[Time since previous frame: 0.000014000 seconds]
UDP payload (620 bytes)
Data (620 bytes)
0000 5c f4 ff db d5 d2 10 94 30 cd de c7 fd 8a 29 92 \.....0.....).
0010 46 c8 47 af 2f 8a da cb 6b 01 d9 2b b8 7c 9b d0 F.G./...k..+.|..
0020 28 7c 9d 8e 96 b2 2c 0c 29 de 16 06 99 67 6c bd (|...,.)....gl.
0030 c9 ba f5 9e 34 fd 4c 2f 60 86 e3 3e d5 25 12 ...4.@./`...>.%.
0040 47 54 ff 5c 9b ac 19 a2 8d 8a 86 fc 50 a1 be a6 GT.\.....P...
0050 eb 29 e1 c5 8c 2e d3 7a fd 67 33 44 42 05 2e 8b .).....z.g3DB...
0060 82 f7 81 1c e3 51 48 26 1b ff 0b c8 32 88 84 05QH&....2...
0070 13 07 1c 8d 5f e2 a0 c6 a5 3c 33 dd 19 24 cc 75<3..\$.u

0080 47 d3 7c 17 a1 05 a0 3f 5c 2f be fa 48 79 9d 00 G.|....?\|..Hy..
0090 b2 19 b9 6d 74 0b a0 eb f6 b8 9d 50 f8 dd 3f 43 da ...mt.....P...?C..
00a0 b5 e6 54 68 c3 c0 2c a6 9a dc 73 c1 83 b7 ef 46 ..Th.,...s....F..
00b0 30 da eb 66 e2 df 65 8c 6c 81 6f 25 fc 63 e6 c8 0..f..e.l.o%.c..
00c0 09 d4 0c cd 36 48 bc d9 00 f4 30 a8 06 80 e3 2b6H....0....+..
00d0 dc 9e b7 a6 36 57 35 0c c2 00 fa 4b 94 1d 3b 256W5....K...;%..
00e0 f9 ed 13 72 70 38 c5 74 65 6d 81 92 64 55 71 32 ...rp8.tem..dUq2..
00f0 3e d1 83 8b d9 76 36 82 50 f7 39 2d e5 10 e6 40 >....v6.P.9-...@..
0100 2a 43 79 4a 84 3c a4 76 1f 61 d3 ce bc 29 44 44 *CyJ.<.v.a...)DD..
0110 66 6e 86 9d 6c 27 16 aa 3b 6b 12 b8 ce da b8 19 fn..l'...;k.....
0120 c3 2a 4f bd 1c 70 43 52 09 55 df 29 df 4f c4 4a *.O..pCR.U.)..O.J..
0130 92 87 16 29 7b bc 82 fb dc 95 52 7a 76 a6 09 21 ...){.....Rzv..!..
0140 05 a0 61 1b 08 cb d3 bf 8d cb 2c cf ca f1 31 b3 ..a.....,...1..
0150 2b 65 05 cf 34 be 13 79 cf 4d 27 48 fd a6 e1 04 +e..4..y.M'H....
0160 0e fa f8 77 2c e2 5c f8 8a 1a 94 0b d1 9f 13 68 ...w,..\\.....h..
0170 4b c7 51 2e 48 e6 3d 46 44 13 a4 2b ff 8e f6 71 K.Q.H.=FD..+...q..
0180 03 4b 6d 2c d2 70 fc 53 58 7d a3 d8 b0 0a 82 5c .Km,.p.SX}.....\
0190 1a 30 f3 7d 6f 5f 9f e2 c4 97 ae 6e 98 e6 9e e4 .0.}o_.....n...
01a0 7c c6 a1 c8 48 a4 4f 58 58 40 78 33 50 8d 66 60 |...H.GXX@x3P.f`..
01b0 af 34 61 ff d3 17 b1 57 2d 93 8b 5b 65 07 62 b0 .4a....W-...[e.b..
01c0 05 63 0d 91 eb 6b e8 90 9c f5 c7 35 df 5b 75 a7 .c...k.....5.[u..
01d0 27 d1 f8 44 b7 dd de 5b 70 32 02 d5 8a b3 90 1a '...D...[p2.....
01e0 0d 5e 1b 15 94 06 5e 08 9f a4 b0 bd eb f1 6a 08 .^.....^.....j..
01f0 ad c0 13 c2 33 2d b6 5a 0d 80 d8 e6 4e e6 90 8a3-.Z....N...
0200 e5 73 d8 6c e9 a5 72 2a d5 79 3f 8d d7 b0 67 27 .s.l..r*.y?...g'..
0210 e8 48 56 a4 e5 cc 16 87 53 3e 63 2b 8f 1b 21 2d .HV.....S>c+...!-..
0220 8e e1 0b ae e9 10 86 cf 32 e1 1d 2e 57 e8 93 2f2...W.../
0230 ca 6d 78 cb b1 08 40 da 25 d7 61 0d 58 bc e0 cc .mx...@.%.a.X...
0240 bb f3 ae 4a bf 7b 26 c1 03 be 3b e3 ef ae f9 7f ...J.{&...;.....
0250 e7 22 ce 0c 7e fe 26 61 c7 7c 9e 4f 78 ed 95 d3 ."...~.&a.|.0x...
0260 8b f1 8e fb a4 54 9f 34 f8 74 09 45T.4.t.E..
Data [...]:
5cf4ffdbd5d2109430cddec7fd8a299246c847af2f8adacb6b01d92bb87c9bd0287c9d8e96b22c0c29de160699676cbdc9baf59e34fd40da2f6086e33ed5251247
[Length: 620]
No. Time Source Destination Protocol Length Info
10 1.236253 2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 90 443 → 57454 Len=28
Frame 10: 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:45.780934000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:45.780934000 UTC
Epoch Arrival Time: 1737488025.780934000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.051721000 seconds]
[Time delta from previous displayed frame: 0.051721000 seconds]
[Time since reference or first frame: 1.236253000 seconds]
Frame Number: 10
Frame Length: 90 bytes (720 bits)
Capture Length: 90 bytes (720 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. = LG bit: Globally unique address (factory default)
.... ..0 = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. = LG bit: Globally unique address (factory default)
.... ..0 = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 = Version: 6
.... 1000 0000 = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. = Differentiated Services Codepoint: Class Selector 4 (32)
....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 = Flow Label: 0x00000
Payload Length: 36
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 36
Checksum: 0x7357 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 5]
[Timestamps]

```
[Time since first frame: 0.051813000 seconds]
[Time since previous frame: 0.051721000 seconds]
UDP payload (28 bytes)
Data (28 bytes)
0000 4b 36 db 02 30 b3 47 e9 ce 5e 28 08 ae 65 e1 1f K6..0.G..^(..e..
0010 6c ed a2 4c 88 8c 36 05 15 41 f4 ef l..L..6..A..
Data: 4b36db0230b347e9ce5e2808ae65e11f6ceda24c888c36051541f4ef
[Length: 28]

No.      Time                Source                Destination            Protocol Length Info
  11 1.236253          2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP          86      443 → 57454 Len=24
Frame 11: 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:45.780934000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:45.780934000 UTC
Epoch Arrival Time: 1737488025.780934000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 1.236253000 seconds]
Frame Number: 11
Frame Length: 86 bytes (688 bits)
Capture Length: 86 bytes (688 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. .... = Differentiated Services Codepoint: Class Selector 4 (32)
.... .... 000 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 32
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 32
Checksum: 0xe638 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 6]
[Timestamps]
[Time since first frame: 0.051813000 seconds]
[Time since previous frame: 0.000000000 seconds]
UDP payload (24 bytes)
Data (24 bytes)
0000 40 03 1e 8c 11 41 bd 83 fc ac d4 7a fd 3f 91 ed @....A.....z?...
0010 52 a8 03 5a cb d4 da 64 R..Z...d
Data: 40031e8c1141bd83fcacd47afd3f91ed52a8035acbd4da64
[Length: 24]

No.      Time                Source                Destination            Protocol Length Info
  12 1.268026          2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP          95      57454 → 443 Len=33
Frame 12: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:45.812707000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:45.812707000 UTC
Epoch Arrival Time: 1737488025.812707000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.031773000 seconds]
[Time delta from previous displayed frame: 0.031773000 seconds]
[Time since reference or first frame: 1.268026000 seconds]
Frame Number: 12
Frame Length: 95 bytes (760 bits)
```

```

Capture Length: 95 bytes (760 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... 00 .. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb
Payload Length: 41
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454
Destination Port: 443
Length: 41
Checksum: 0xb6e2 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 7]
[Timestamps]
[Time since first frame: 0.083586000 seconds]
[Time since previous frame: 0.031773000 seconds]
UDP payload (33 bytes)
Data (33 bytes)
0000 5d f4 ff db d5 d2 10 94 30 97 b3 28 77 eb 06 a4 ].....0..(w...
0010 0010 59 ff 61 c0 c8 54 29 4f e1 a1 07 a7 f4 a4 d1 50 Y.a..T)0.....P
0020 b6 .
Data: 5df4ffdbdbd5d210943097b32877eb06a459ff61c0c854294fe1a107a7f4a4d150b6
[Length: 33]
No. Time Source Destination Protocol Length Info
13 1.295933 2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 745 443 → 57454 Len=683
Frame 13: 745 bytes on wire (5960 bits), 745 bytes captured (5960 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:45.840614000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:45.840614000 UTC
Epoch Arrival Time: 1737488025.840614000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.027907000 seconds]
[Time delta from previous displayed frame: 0.027907000 seconds]
[Time since reference or first frame: 1.295933000 seconds]
Frame Number: 13
Frame Length: 745 bytes (5960 bits)
Capture Length: 745 bytes (5960 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. .... = Differentiated Services Codepoint: Class Selector 4 (32)
.... .... 00 .. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 691
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e

```

[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 691
Checksum: 0x48c5 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 8]
[Timestamps]
[Time since first frame: 0.111493000 seconds]
[Time since previous frame: 0.027907000 seconds]
UDP payload (683 bytes)
Data (683 bytes)
0000 47 f2 86 51 c3 43 af 62 47 a9 b9 2a 4e 4b e1 7c G..Q.C.bG..*NK.|
0010 bb 83 fe 07 0f 2d 2a 31 ba a1 17 3f bf db f4 cb*1...?....
0020 74 e3 d8 d7 4f 7f 31 fa bb 54 e8 e2 32 d8 4d fa t...O.1..T..2.M.
0030 4c 1a fb 33 6e ba 9b d0 38 b1 14 76 5b 59 6b 47 L..3n...8..v[YkG
0040 1a 2e fb fd 80 66 82 57 f4 0b a9 67 2f e8 0f 31f.W...g/..1
0050 05 6e 47 61 68 cf e7 16 93 12 0f 82 7f 90 43 96 .nGah.....C.
0060 a4 99 98 d0 8c 14 4b 6f ca 2e e4 dd fe 9e 07 0dKo.....
0070 2b bc 99 2a 99 6f 24 dd e0 8b ac a4 7f 75 16 40 +...*.o\$......u.@
0080 ed e2 0f 5f 65 d3 f4 b4 bd 57 ba 9f b4 62 0e 59 ..._e....W...b.Y
0090 98 7e fe 90 86 bb 1b ac b1 98 94 be 55 a1 01 3f ~.....U...?
00a0 dc bb ba 9c 45 6e 3c 09 53 5c ca df 47 1c 53 eeEn<.S\..G.S.
00b0 1d 97 8b b7 99 7e d9 ee 9a fd cd 8b cd 90 84 e5~.....
00c0 9a 65 3f 53 0a f8 4c ee a2 ee 61 d0 ee 46 eb 73 .e?S..L...a..F.s
00d0 08 0a 07 96 65 a5 2d 68 ea df 72 d6 37 d0 9c 31e.-h...r.7..1
00e0 5b b2 1d ee 75 e3 bd 45 05 87 dc a2 38 83 b4 26 [...u...E....8..&
00f0 f9 e2 1d 10 0b a0 af fc 60 9d 72 b9 a1 6c 63 6d`..r..lcm
0100 1c fd 6a a4 c8 5b 57 03 0e 7c 9f 9b 07 44 f9 b5 ..j...[W...|...D..
0110 c7 bb 3a 61 1d 6b ea 5c 94 ca 7d bc b8 52 86 75 ..:a.k..\..}..R.u
0120 77 42 42 56 e6 64 7b 25 c1 a1 09 7d e4 1d 55 71 2c wBBV.dz%A..}..Uq,
0130 d8 09 c9 e5 83 31 ca 82 1a 13 6c 95 d0 7f a8 931....l.....
0140 4f e5 3b 5d 6b 50 34 7a aa ef 5c 95 d5 9d 2e 0a 0.;]kP4z..\.....
0150 38 b0 d7 96 64 66 98 5b 5e 84 a3 eb 1f 94 9d 91 8...df.[^.....
0160 03 5b 0c 01 4d b0 0f 3c e9 54 c3 c9 7c 54 33 2d .[...M...<T...|T3-
0170 f0 55 a1 0d 82 e9 d8 6c 65 c4 7d fc d1 6b 4a 20 .U.....le..}..kJ
0180 09 97 a5 c1 5d 0a 6b 85 da 76 6c fb 7b a9 98 ec].k..v1.{...
0190 4c ae 56 c0 34 ef b6 1c 91 8d 89 86 33 19 76 52 L.V.4.....3.vR
01a0 67 fa 5e 65 dc 2c fe d9 47 3b b6 0f 2c b2 e7 40 g.^e,...G;...@
01b0 8f e9 0a 70 d9 6a 29 e7 80 18 20 e4 d6 f9 9e 38 ...p.j)...8
01c0 d5 9a db 39 c7 5a 3a dc af ad 3b 3d cb 6d 09 03 ...9.Z:...;=.m..
01d0 22 f1 5d 41 8a ef 7f d3 b3 36 5d 3a 76 e9 c0 6c ".]A.....6]:v..1
01e0 70 07 2e dd d4 99 af 0a b2 30 07 1f 49 58 65 df p.....0..IXe.
01f0 94 fc ac 89 66 42 e5 74 34 1c ea c2 e4 46 b0 a0fB.t4....F..
0200 b2 5a a8 29 ef fc 5b c2 02 dd a4 19 94 68 fc 2d .Z.)..[.....h.-
0210 ab 8f ca 36 1d 95 4c 91 47 72 21 76 a8 fc ea 91 ...6..L.Gr!v....
0220 15 84 d5 e4 20 0c b8 1e 61 ba 0f a4 4b 95 58 02a...K.X.
0230 07 d9 77 34 d1 c2 08 11 64 a9 39 9e 2e 55 d5 a5 ..w4....d.9..U..
0240 7a e7 7f a8 9e 8c dd 22 0f e1 ef 1b b4 87 b7 a2 z.....".....
0250 66 b2 ed 8c f7 02 7d ea ae ed a9 a2 5b 23 c0 a8 f.....}.....[#..
0260 1b ee 5a f6 32 3b 84 ba ba 58 fc 4d 0a b1 0d ea ..Z.2;...X.M....
0270 82 2c bb 68 9a 86 c9 40 54 70 29 e3 57 08 02 67 .,h...@Tp).W...g
0280 64 05 6c da 94 a3 32 58 3d b1 5c 87 20 4d 5e 5d d.l...2X=.\. M^]
0290 86 33 c8 01 b3 fb c3 ac 15 44 43 66 43 ba 97 24 .3.....DCfC..\$
02a0 f2 23 6f ca cf c4 0e a7 59 a1 91 .#o.....Y..
Data [...]:
47f28651c343af6247a9b92a4e4be17cbb83fe070f2d2a31baa1173fbfdbf4cb74e3d8d74f7f31fabb54e8e232d84dfa4c1afb336eba9bd038b114765b596b471a
[Length: 683]
No. Time Source Destination Protocol Length Info
14 1.299583 2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 340 443 → 57454 Len=278
Frame 14: 340 bytes on wire (2720 bits), 340 bytes captured (2720 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:45.844264000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:45.844264000 UTC
Epoch Arrival Time: 1737488025.844264000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.003650000 seconds]
[Time delta from previous displayed frame: 0.003650000 seconds]
[Time since reference or first frame: 1.299583000 seconds]
Frame Number: 14
Frame Length: 340 bytes (2720 bits)
Capture Length: 340 bytes (2720 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. = LG bit: Globally unique address (factory default)

.... 0 = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 = Version: 6
.... 1000 0000 = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00. = Differentiated Services Codepoint: Class Selector 4 (32)
.... 0000 0000 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x00000
Payload Length: 286
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 286
Checksum: 0x73f3 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 9]
[Timestamps]
[Time since first frame: 0.115143000 seconds]
[Time since previous frame: 0.003650000 seconds]
UDP payload (278 bytes)
Data (278 bytes)
0000 59 1e 15 b9 66 56 9b d2 d7 ec 5f 8b fa 33 c0 9f Y...fV...._..3..
0010 c8 2c 75 dc 8a 3c 95 4d d9 ef 85 a5 c2 43 75 f9 .,u...<.M.....Cu..
0020 48 c0 52 f5 64 07 57 12 93 27 87 13 2e 77 12 b0 H.R.d.W...'....w..
0030 3e 6a 96 0f 16 ad a0 b2 a1 82 c9 8b 8f d7 d3 85 >j.....
0040 2c a5 13 df c7 71 c6 fb af a9 8b 7e b8 e5 34 4e ,....q.....~.4N
0050 4d 99 c8 be af d5 22 c4 e3 02 a5 e8 50 fb 7c eb M.....".....P.|..
0060 e0 c7 bb 13 47 8a a7 b0 97 32 d0 57 bc 5e db 9aG....2.W.^..
0070 ca a5 04 b9 8c 78 c8 6f 6e e2 e5 8b 59 02 1e 54x.on...Y..T
0080 1c f0 e9 55 19 ea b9 6d 7d 2b 56 35 7c 95 5f 8d ...U...m}+V5|_..
0090 ce 40 7c 17 bf 01 d3 c5 ee e9 35 3b 8e 0d 17 55 .@|.....5;...U
00a0 b8 c3 47 29 c9 12 77 69 0c 5d 6d 71 8d 09 65 97 ..G)..wi.]mq..e..
00b0 d6 06 cc de f5 5b ad 7b 27 45 38 2f 60 e7 ef 56['E8/'..V
00c0 46 00 89 78 9d 19 c8 67 b1 5c 1d db c0 89 a5 aa F..x...g.\.....
00d0 5d dd f2 1d 46 94 d5 cf 2e fd 92 ea 36 c4 4f 6c]...F.....6.0l
00e0 8a fd d6 59 27 d5 f7 40 88 d6 f0 40 d4 5d 91 c8 ...Y'..@...@.]...
00f0 20 f7 e8 b7 47 1a 25 ac bf e6 b2 22 4e 98 0e 79 ...G.%...."N..y
0100 10 71 5d c7 88 6f 6e a0 1b f3 64 2b fb 1f 86 20 .q]..on...d+...
0110 47 cb 2d 33 71 7b G.-3q{
Data [...]:
591e15b966569bd2d7ec5f8bfa33c09fc82c75dc8a3c954dd9ef85a5c24375f948c052f564075712932787132e7712b03e6a960f16ada0b2a182c98b8fd7d3852c
[Length: 278]
No. Time Source Destination Protocol Length Info
15 1.299720 2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP 98 57454 → 443 Len=36
Frame 15: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:45.844401000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:45.844401000 UTC
Epoch Arrival Time: 1737488025.844401000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000137000 seconds]
[Time delta from previous displayed frame: 0.000137000 seconds]
[Time since reference or first frame: 1.299720000 seconds]
Frame Number: 15
Frame Length: 98 bytes (784 bits)
Capture Length: 98 bytes (784 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 = Version: 6
.... 0000 0000 = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)


```
.... 0000 00.. .... .... .... .... = Differentiated Services Codepoint: Default (0)
.... .... ..00 .... .... .... .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb
Payload Length: 44
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454
Destination Port: 443
Length: 44
Checksum: 0x98a2 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 10]
[Timestamps]
[Time since first frame: 0.115280000 seconds]
[Time since previous frame: 0.000137000 seconds]
UDP payload (36 bytes)
Data (36 bytes)
0000 4f f4 ff db d5 d2 10 94 30 bb 9e d2 24 91 47 b1 0.....0...$.G.
0010 3b a2 75 c3 ba 1e 73 9b 24 fd 64 df 9b 80 48 0c ;.u...$.d...H.
0020 31 6f e7 63 10.c
Data: 4ff4ffdbdbd5d2109430bb9ed2249147b13ba275c3ba1e739b24fd64df9b80480c316fe763
[Length: 36]
No. Time Source Destination Protocol Length Info
16 1.373619 2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 87 443 → 57454 Len=25
Frame 16: 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:45.918300000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:45.918300000 UTC
Epoch Arrival Time: 1737488025.918300000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.073899000 seconds]
[Time delta from previous displayed frame: 0.073899000 seconds]
[Time since reference or first frame: 1.373619000 seconds]
Frame Number: 16
Frame Length: 87 bytes (696 bits)
Capture Length: 87 bytes (696 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
.... ..0 .... .... .... .... .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
.... ..0 .... .... .... .... .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 1000 0000 .... .... .... .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. .... .... .... .... = Differentiated Services Codepoint: Class Selector 4 (32)
.... .... ..00 .... .... .... .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x00000
Payload Length: 33
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 33
Checksum: 0xffa3 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 11]
[Timestamps]
[Time since first frame: 0.189179000 seconds]
[Time since previous frame: 0.073899000 seconds]
UDP payload (25 bytes)
Data (25 bytes)
0000 51 3c 20 67 22 db 9f 28 d0 e2 a7 09 3b f0 d9 74 Q< g"..(....;.t
```

```
0010 be c6 03 ca 33 da dc c3 dd .....3*...
Data: 513c206722db9f28d0e2a7093bf0d974bec603ca332adcc3dd
[Length: 25]
No.      Time          Source              Destination        Protocol Length Info
   17 1.763368      GuangzhouVSo_35:dd:98 Broadcast            ARP           60     Who has 192.168.100.27? Tell 192.168.100.1
Frame 17: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:46.308049000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:46.308049000 UTC
Epoch Arrival Time: 1737488026.308049000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.389749000 seconds]
[Time delta from previous displayed frame: 0.389749000 seconds]
[Time since reference or first frame: 1.763368000 seconds]
Frame Number: 17
Frame Length: 60 bytes (480 bits)
Capture Length: 60 bytes (480 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:arp]
[Coloring Rule Name: ARP]
[Coloring Rule String: arp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Destination: Broadcast (ff:ff:ff:ff:ff:ff)
.... ..1. .... = LG bit: Locally administered address (this is NOT the factory default)
.... ...1 .... = IG bit: Group address (multicast/broadcast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: ARP (0x0806)
[Stream index: 1]
Padding: 000000000000000000000000000000000000000000000000
Address Resolution Protocol (request)
Hardware type: Ethernet (1)
Protocol type: IPv4 (0x0800)
Hardware size: 6
Protocol size: 4
Opcode: request (1)
Sender MAC address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Sender IP address: 192.168.100.1
Target MAC address: 00:00:00_00:00:00 (00:00:00:00:00:00)
Target IP address: 192.168.100.27
No.      Time          Source              Destination        Protocol Length Info
   18 1.764233      GuangzhouVSo_35:dd:98 Broadcast            ARP           60     Who has 192.168.100.26? Tell 192.168.100.1
Frame 18: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:46.308914000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:46.308914000 UTC
Epoch Arrival Time: 1737488026.308914000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000865000 seconds]
[Time delta from previous displayed frame: 0.000865000 seconds]
[Time since reference or first frame: 1.764233000 seconds]
Frame Number: 18
Frame Length: 60 bytes (480 bits)
Capture Length: 60 bytes (480 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:arp]
[Coloring Rule Name: ARP]
[Coloring Rule String: arp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Destination: Broadcast (ff:ff:ff:ff:ff:ff)
.... ..1. .... = LG bit: Locally administered address (this is NOT the factory default)
.... ...1 .... = IG bit: Group address (multicast/broadcast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: ARP (0x0806)
[Stream index: 1]
Padding: 000000000000000000000000000000000000000000000000
Address Resolution Protocol (request)
Hardware type: Ethernet (1)
Protocol type: IPv4 (0x0800)
Hardware size: 6
Protocol size: 4
Opcode: request (1)
Sender MAC address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Sender IP address: 192.168.100.1
Target MAC address: 00:00:00 00:00:00 (00:00:00:00:00:00)
```

```

Target IP address: 192.168.100.26
No.    Time    Source    Destination    Protocol Length Info
   19 1.764241    LiteonTechno_52:c1:e7 GuangzhouVSo_35:dd:98 ARP        42    192.168.100.26 is at 9c:2f:9d:52:c1:e7
Frame 19: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:46.308922000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:46.308922000 UTC
  Epoch Arrival Time: 1737488026.308922000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000008000 seconds]
  [Time delta from previous displayed frame: 0.000008000 seconds]
  [Time since reference or first frame: 1.764241000 seconds]
  Frame Number: 19
  Frame Length: 42 bytes (336 bits)
  Capture Length: 42 bytes (336 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:arp]
  [Coloring Rule Name: ARP]
  [Coloring Rule String: arp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: ARP (0x0806)
  [Stream index: 0]
Address Resolution Protocol (reply)
  Hardware type: Ethernet (1)
  Protocol type: IPv4 (0x0800)
  Hardware size: 6
  Protocol size: 4
  Opcode: reply (2)
  Sender MAC address: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Sender IP address: 192.168.100.26
  Target MAC address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Target IP address: 192.168.100.1
No.    Time    Source    Destination    Protocol Length Info
   20 2.434297    192.168.100.26 18.209.201.158 TLSv1.2 127 Application Data
Frame 20: 127 bytes on wire (1016 bits), 127 bytes captured (1016 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:46.978978000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:46.978978000 UTC
  Epoch Arrival Time: 1737488026.978978000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.670056000 seconds]
  [Time delta from previous displayed frame: 0.670056000 seconds]
  [Time since reference or first frame: 2.434297000 seconds]
  Frame Number: 20
  Frame Length: 127 bytes (1016 bits)
  Capture Length: 127 bytes (1016 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp:tls]
  [Coloring Rule Name: TCP]
  [Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 18.209.201.158
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 113
  Identification: 0x278e (10126)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0

```

Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0xd1c6 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 18.209.201.158
[Stream index: 1]
Transmission Control Protocol, Src Port: 52167, Dst Port: 443, Seq: 1, Ack: 1, Len: 73
Source Port: 52167
Destination Port: 443
[Stream index: 2]
[Conversation completeness: Incomplete (12)]
 ..0. = RST: Absent
 ...0 = FIN: Absent
 1... = Data: Present
 1.. = ACK: Present
 0. = SYN-ACK: Absent
 0 = SYN: Absent
 [Completeness Flags: ..DA..]
[TCP Segment Len: 73]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 1712998285
[Next Sequence Number: 74 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 4100410442
0101 = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0.. = ECN-Echo: Not set
 0. = Urgent: Not set
 1 = Acknowledgment: Set
 1... = Push: Set
 0.. = Reset: Not set
 0. = Syn: Not set
 0 = Fin: Not set
[TCP Flags:AP...]
Window: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x676a [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.000000000 seconds]
 [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
 [Bytes in flight: 73]
 [Bytes sent since last PSH flag: 73]
TCP payload (73 bytes)
Transport Layer Security
 TLSv1.2 Record Layer: Application Data Protocol: Hypertext Transfer Protocol
 Content Type: Application Data (23)
 Version: TLS 1.2 (0x0303)
 Length: 68
 Encrypted Application Data:
00000000000000376923fc357951e2c8e263f12cc0facefeece5c807edb10bb05a822ea3df2f148368737bd758b80a4df34dc704c3725972e7e0787462fb418d49
 [Application Data Protocol: Hypertext Transfer Protocol]

No.	Time	Source	Destination	Protocol	Length	Info
21	2.529129	18.209.201.158	192.168.100.26	TLSv1.2	145	Application Data

Frame 21: 145 bytes on wire (1160 bits), 145 bytes captured (1160 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
 Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
 Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:47.073810000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:47.073810000 UTC
Epoch Arrival Time: 1737488027.073810000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.094832000 seconds]
[Time delta from previous displayed frame: 0.094832000 seconds]
[Time since reference or first frame: 2.529129000 seconds]
Frame Number: 21
Frame Length: 145 bytes (1160 bits)
Capture Length: 145 bytes (1160 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp:tls]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)

```
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 18.209.201.158, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 131
Identification: 0x7f13 (32531)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 243
Protocol: TCP (6)
Header Checksum: 0x072f [validation disabled]
[Header checksum status: Unverified]
Source Address: 18.209.201.158
Destination Address: 192.168.100.26
[Stream index: 1]
Transmission Control Protocol, Src Port: 443, Dst Port: 52167, Seq: 1, Ack: 74, Len: 91
Source Port: 443
Destination Port: 52167
[Stream index: 2]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 91]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 4100410442
[Next Sequence Number: 92 (relative sequence number)]
Acknowledgment Number: 74 (relative ack number)
Acknowledgment number (raw): 1712998358
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 1... = Push: Set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....AP...]
Window: 8
[Calculated window size: 8]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xcde7 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.094832000 seconds]
    [Time since previous frame in this TCP stream: 0.094832000 seconds]
[SEQ/ACK analysis]
    [This is an ACK to the segment in frame: 20]
    [The RTT to ACK the segment was: 0.094832000 seconds]
    [Bytes in flight: 91]
    [Bytes sent since last PSH flag: 91]
TCP payload (91 bytes)
Transport Layer Security
    TLSv1.2 Record Layer: Application Data Protocol: Hypertext Transfer Protocol
        Content Type: Application Data (23)
        Version: TLS 1.2 (0x0303)
        Length: 86
        Encrypted Application Data:
0000000000000037b5085a340a83ca8b7a0b38b42c5ec2f4f16adb42fbd18770a34c88c9103a027945e8f02120bfd8e9df4c765e3dfdc40becefee2f9e2ea55ab
        [Application Data Protocol: Hypertext Transfer Protocol]
No.      Time                Source                Destination          Protocol Length Info
    22 2.581426          192.168.100.26        18.209.201.158      TCP          54      52167 → 443 [ACK] Seq=74 Ack=92 Win=508 Len=0
Frame 22: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:47.126107000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:47.126107000 UTC
Epoch Arrival Time: 1737488027.126107000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.052297000 seconds]
```

```
[Time delta from previous displayed frame: 0.052297000 seconds]
[Time since reference or first frame: 2.581426000 seconds]
Frame Number: 22
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 18.209.201.158
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x278f (10127)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0xd20e [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 18.209.201.158
[Stream index: 1]
Transmission Control Protocol, Src Port: 52167, Dst Port: 443, Seq: 74, Ack: 92, Len: 0
Source Port: 52167
Destination Port: 443
[Stream index: 2]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 74 (relative sequence number)
Sequence Number (raw): 1712998358
[Next Sequence Number: 74 (relative sequence number)]
Acknowledgment Number: 92 (relative ack number)
Acknowledgment number (raw): 4100410533
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 508
[Calculated window size: 508]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf025 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.147129000 seconds]
[Time since previous frame in this TCP stream: 0.052297000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 21]
[The RTT to ACK the segment was: 0.052297000 seconds]
No. Time Source Destination Protocol Length Info
23 4.199031 2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP 1286 57454 → 443 Len=1224
Frame 23: 1286 bytes on wire (10288 bits), 1286 bytes captured (10288 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
```

```
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.743712000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.743712000 UTC
Epoch Arrival Time: 1737488028.743712000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 1.617605000 seconds]
[Time delta from previous displayed frame: 1.617605000 seconds]
[Time since reference or first frame: 4.199031000 seconds]
Frame Number: 23
Frame Length: 1286 bytes (10288 bits)
Capture Length: 1286 bytes (10288 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... .. = LG bit: Globally unique address (factory default)
.... .. = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... .. = LG bit: Globally unique address (factory default)
.... .. = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... 00 .. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb
Payload Length: 1232
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454
Destination Port: 443
Length: 1232
Checksum: 0x5414 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 12]
[Timestamps]
[Time since first frame: 3.014591000 seconds]
[Time since previous frame: 2.825412000 seconds]
UDP payload (1224 bytes)
Data (1224 bytes)
0000 59 f4 ff db d5 d2 10 94 30 f1 93 fa af fd d3 8c Y.....0.....
0010 bc 3b f0 65 fc 82 32 5b c2 4e 17 78 cb 43 dc e0 .;.e..2[.N.x.C..
0020 a4 13 1d 2d f0 8a f1 3e df ef 37 52 eb f2 40 63 ...-...>..7R..@c
0030 4e bc cb 29 4b 34 4c 0b c5 1a cc 71 28 43 3b b9 N..)K4L....q(C;.
0040 3d 06 75 75 0a 01 3c 3a fa 79 97 2d db ef 38 50 =.uu.<.:.y.-..8P
0050 03 ba 70 ec 1d 3d 1e e6 f3 bd 8d 49 2c 57 12 b7 ..p..=.....I,W..
0060 5f 62 d4 46 81 81 bf 4d 2c 53 90 93 5e bb ad 75 _b.F...M,S..^..u
0070 f2 2b 6b 8f 09 c2 b1 33 0a a9 9e ac a9 15 3c d9 .+k....3.....<.
0080 12 99 7f 6b de 3d e0 62 7f cb 23 5f b7 97 5e 67 ...k.=.b..#...^g
0090 93 44 ea f6 b9 60 ad 19 5f b2 29 4f 3a c4 04 c7 .D...`..._)O:...
00a0 f6 0c a0 99 ed 0b 8a 69 40 d9 c5 ad 1a 53 7a 31 .....i@....Sz1
00b0 ea 39 fb 83 79 33 be 66 b0 7e 5f ae af 7b 26 cf .9..y3.f.~...{&
00c0 ea e6 fd 09 c7 95 c1 b3 c0 e5 1e 93 17 57 c7 09 .....3.....W..
00d0 9b f0 09 d0 2e ba 50 57 09 0b 90 22 03 25 1a 00 .....PW..."%..
00e0 58 a2 05 d3 f8 a2 49 14 ef 32 36 23 68 71 59 f8 X.....I..26#hqY.
00f0 b7 98 22 ca a2 50 0b b8 a6 2f 4d 9d df ae 16 3b ..".P.../M....;
0100 b0 4a ef e0 d0 e3 5c 5f 96 38 b3 d2 23 0f e9 39 .J....\_.8..#...9
0110 eb 66 13 a7 12 10 76 50 35 f1 6a 23 9e 44 48 b7 .f....vP5.j#.DH.
0120 22 3c 8c 4a b0 a3 18 76 bc 50 07 ee b2 cf 35 43 "<.J...v.P....5C
0130 ad 14 c2 78 e9 73 cd 58 e0 d4 f5 08 f0 c5 07 63 ...x.s.X.....C
0140 91 d1 c9 52 1a 6d 91 44 0d 95 bb 27 9f 1a 10 b9 ...R.m.D...'....
0150 1a 43 ba 27 78 7b b4 cf 66 b7 ef 09 2d d9 14 35 .C.'x{...f....5
0160 79 c6 45 25 c6 01 a2 b6 36 fd ef d6 01 97 45 f7 y.E%....6.....E.
0170 db d5 6c 13 c0 3e 4d 30 c9 9e c5 29 42 a5 1f 19 ..l..>M0...)B...
0180 d4 47 b6 ea 5f 23 d5 eb b9 84 31 d9 7f 41 dd f1 .G...#....1..A..
0190 9e 22 a9 bb be 76 de 18 47 c7 8f 20 9b 65 06 0c ."...v...G...e..
01a0 f5 dc 4e 2b e4 18 96 96 b9 ed 1c ee 07 be 44 5c ..N+.....D\
01b0 0c 41 a3 cc 86 00 82 96 1f d0 e7 ea 9e bf de 78 .A.....x
01c0 68 7a 5f 7b 20 e1 b6 9e c0 61 61 cb 07 61 37 97 hz_{ ....aa..a7.
01d0 50 ea a6 7b b0 8e 8e 78 9f 2b 76 89 d8 a8 dc 01 P..{...x.+v....
01e0 7e fa 03 06 63 4e c7 e5 2d 92 38 85 f3 a8 cf ff ~....cN...-8.....
01f0 1a c6 ae b5 17 89 ff 7a 6e f0 1c 16 fa 63 a5 e6 .....zn....c..
0200 1e 00 c4 b7 f4 1c 0e f1 2f ba 85 d2 f6 83 22 29 ...../.....")
0210 6d f3 91 09 42 cf 27 c5 98 58 94 2f f2 03 ed eb m...B.'..X./....
0220 b0 d9 4a 06 cb 8a b0 fd 95 9d 5b 7a 10 91 1f 33 ..J.....[z...3
0230 ed 4b 5f a0 c5 bc 89 a0 11 a8 e1 23 ed 9a f6 43 .K_.....#...C
0240 b5 e7 a6 e0 0a c4 55 1b 88 54 b4 52 b5 1d 56 72 .....U..T.R..Vr
0250 c9 b2 63 5c d4 ed 0c af c3 2f 7a 5e 1b f7 6e ae ..c\...../z^..n.
```

0260 41 2f a4 dd 7a 91 33 48 d7 99 f5 d3 7c 66 d0 35 A/.z.3H....|f.5
0270 a3 2a 1c 0f c9 f7 24 6c 78 67 c7 93 bb 98 8e de *....\$!xg.....
0280 67 06 74 4d 1b a6 38 7c 91 f9 a6 69 1c 04 dd 7a g.tM..8|...i...z
0290 a9 a8 a9 78 eb fd c7 de 33 57 92 92 93 c9 af a1 ...x....3W.....
02a0 63 e3 d7 7c 24 f9 05 18 dd 36 50 9c 49 7d 57 ec c..|\$....6P.I}W.
02b0 37 c9 71 c8 df 96 a1 10 96 d5 24 3b a9 1d 30 50 7.q.y....\$;..0P
02c0 d5 71 6e c1 be 92 72 16 9f 83 31 b0 55 10 c2 54 .qn...r...1.U..T
02d0 03 8e 02 01 e1 58 d9 aa ee 4c 8b ec 01 43 ea a4X...L...C..
02e0 44 1e df 5b d9 36 4f 37 ff 1a 6e a9 2d 12 c6 1b D..[.607..n.-...
02f0 71 84 85 12 4b c3 ce 2d a8 f5 79 5b 31 b9 66 81 q...K...-..y[1.f.
0300 9b 4f 76 fb 34 60 1d 59 f4 e2 7f a9 3f 4b c0 74 .0v.4`.Y....?K.t
0310 5f b3 28 80 ae 47 bd 0d 99 d6 e5 9b 41 4a 08 e6 _.(.G.....AJ..
0320 06 39 9b ce c8 41 1c c1 72 15 14 39 4c f5 46 1c .9...A..r..9L.F.
0330 d0 bf 16 ef f7 7a 82 51 b6 71 b9 6d ef cc a5 83z.Q.q.m....
0340 d5 a2 82 f3 e1 e4 90 59 7e 07 4b 0f 62 c6 de 1b~.K.b...
0350 ad 6d 48 7d f0 df ab 4c dc 80 18 89 49 2f f3 cc .mH)...L....I/..
0360 02 0f 52 f3 4e 1c 45 83 5f 95 bc 1a f1 f1 9b 73 ..R.N.E._.....s
0370 f0 dc c7 d3 e7 cc 14 61 48 de f6 e8 4c 12 38 aaaH...L.8..
0380 86 01 8b 2a fe c3 98 da 7b f8 93 4a fe f6 c6 34 ...*.C.{...J...4
0390 59 38 bc 80 69 f9 b2 ec db 67 d4 26 20 50 ed 77 Y8..i....g.& P.w
03a0 de 2f 7a 7f d1 71 c7 c1 85 31 7b 58 5f ba 94 ea ./z..q...1{X_...
03b0 95 c0 ff 79 c1 0e 2e d4 8b 9b 67 15 48 0f 54 11 ...y.....g.H.T..
03c0 e3 b8 50 38 49 a4 11 5f 9d fd 0d 58 ad e8 4f 81 ..P8I..._..X..O..
03d0 26 fb d1 24 7a 6c 51 dc 94 97 29 9c 6c 94 93 d7 &..\$z1Q...).l...
03e0 7d e0 2d 71 53 e1 df bf 79 17 e5 d9 61 8f 5b 4a }.-qS...y...a.[J
03f0 bd 01 10 a6 42 e5 a9 f2 28 2c fe 44 93 81 7b ffB...(.D..{..
0400 3e 78 b3 80 b7 24 7a 2d 0f 00 28 22 b2 72 dc 4f >x...\$z,..("r.O
0410 7d ba fd 0e 1a 99 9e d0 9e ca d9 dd 77 45 71 2a }.....wEq*
0420 47 2b fd c6 e4 14 22 58 e9 c7 31 e4 ac 42 26 43 G+...."X..1..B&C
0430 b3 6d e1 ef f9 57 41 8c 64 89 a4 3d 97 79 c5 37 .m...WA.d..=.y.7
0440 d9 d3 96 97 c9 5f 19 ce 35 12 86 e0 65 d4 f5 c9_..5...e...
0450 df 10 22 00 2d f6 44 14 90 05 8f 18 5a fc ae a3 .."-..D.....Z...
0460 5f 06 4b 4b f5 49 b3 bb 86 1c e3 29 71 a8 24 81 _..KK.I.....)q.\$.
0470 03 8b a0 35 74 98 9c c7 33 37 68 31 bd 68 71 1b ...5t...37h1.hq..
0480 1b 29 5f 47 c2 a9 ec 22 df 3c 75 eb b8 9e 6e 4e .)_G...".<u...nN
0490 97 6e b7 47 41 8f ac 04 93 85 0e 3c 31 b8 42 ed .n.GA.....<1.B..
04a0 eb d5 90 6e b9 53 f2 e2 34 9a c2 a7 55 d8 5e 2b ...n.S..4...U.^+
04b0 db ae 55 56 48 d5 b9 e3 5e 40 46 de f2 8f c4 4b ..UVH...^@F....K
04c0 14 92 6f 8b d9 db 83 c6 ..O.....

Data [...]:

59f4ffdbd5d2109430f193faaffdd38cbc3bf065fc82325bc24e1778cb43dce0a4131d2df08af13edfef3752ebf240634ebccb294b344c0bc51acc7128433bb93d
[Length: 1224]

No.	Time	Source	Destination	Protocol	Length	Info
	24 4.199096	2804:1eb0:103:c121:ad55:b075:da7b:d842	2800:3f0:4001:804::200e	UDP	1292	57454 → 443 Len=1230

Frame 24: 1292 bytes on wire (10336 bits), 1292 bytes captured (10336 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

Section number: 1

Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})

Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}

Interface description: Wi-Fi

Encapsulation type: Ethernet (1)

Arrival Time: Jan 21, 2025 16:33:48.743777000 Hora oficial do Brasil

UTC Arrival Time: Jan 21, 2025 19:33:48.743777000 UTC

Epoch Arrival Time: 1737488028.743777000

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 0.000065000 seconds]

[Time delta from previous displayed frame: 0.000065000 seconds]

[Time since reference or first frame: 4.199096000 seconds]

Frame Number: 24

Frame Length: 1292 bytes (10336 bits)

Capture Length: 1292 bytes (10336 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ipv6:udp:data]

[Coloring Rule Name: UDP]

[Coloring Rule String: udp]

Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

.... 0.0. = LG bit: Globally unique address (factory default)

.... 0.0. = IG bit: Individual address (unicast)

Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)

.... 0.0. = LG bit: Globally unique address (factory default)

.... 0.0. = IG bit: Individual address (unicast)

Type: IPv6 (0x86dd)

[Stream index: 0]

Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e

0110 = Version: 6

.... 0000 0000 = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)

.... 0000 00.. = Differentiated Services Codepoint: Default (0)

.... 000 = Explicit Congestion Notification: Not ECN-Capable Transport (0)

.... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb

Payload Length: 1238

Next Header: UDP (17)

Hop Limit: 64

Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842

[Address Space: Global Unicast]

Destination Address: 2800:3f0:4001:804::200e

[Address Space: Global Unicast]

[Stream index: 1]

User Datagram Protocol, Src Port: 57454, Dst Port: 443

Source Port: 57454
Destination Port: 443
Length: 1238
Checksum: 0x7709 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 13]
[Timestamps]
[Time since first frame: 3.014656000 seconds]
[Time since previous frame: 0.000065000 seconds]

UDP payload (1230 bytes)

Data (1230 bytes)

```
0000 5d f4 ff db d5 d2 10 94 30 9b 32 48 d7 74 8e 19 ].....0.2H.t..
0010 c9 fc 51 b8 4d 0c 40 fa e7 9a d4 11 ac ce 97 46 ..Q.M.@.....F
0020 af 07 ac 28 23 96 e1 26 9c d3 1a 74 60 06 0a 37 ...(#...&...t`...7
0030 f2 02 3d f7 79 66 02 da 5d 4e 45 ab 1c 42 dc 27 ..=.yf..]NE..B.'
0040 01 81 2a d2 14 a4 bb 28 65 35 68 72 d7 6d f4 7b ...*....(e5hr.m.{
0050 85 61 fa 26 56 6a 89 3a d9 d0 ba d8 19 28 28 20 .a.&Vj.:.....((
0060 1f 0f 61 21 b9 e0 49 2a 73 46 40 c6 58 d6 cc 80 ..a!..I*sF@.X...
0070 f8 76 3e 38 09 9a 75 01 f9 9b d4 2c 66 b6 42 1c .v>8..u....,f.B.
0080 f1 c7 9a 64 46 c5 4b 9a e1 47 02 7c a5 65 a5 66 ...dF.K..G.|.e.f
0090 12 21 6a d5 b5 3c 22 c6 f3 e9 3e 47 67 95 83 13 .!j...<"...>Gg...
00a0 ea 78 02 49 25 d4 a6 00 c1 9f 17 6f 9f 5e c6 16 .x.I%.....o.^...
00b0 13 92 cc 3b 23 44 4c ca 5f 56 8e 87 b9 44 4f 24 ...;#DL._V....DO$
00c0 41 5b 14 6c a9 11 1e 50 ae 3f a3 30 36 b8 21 ed A[.l...P.?.06.!.
00d0 27 7a 25 11 e6 2b 7f fa 5c 52 ad 6a 9d 76 ad 43 'z%..+...R.j.v.C
00e0 3d 62 62 e7 f1 9b e7 24 54 74 b2 0e 6d 2a a6 c2 =bb....$Tt..m*.
00f0 fd 20 70 5c 2f ab 9d 22 98 e5 97 bf c3 54 9a 38 . p\/..."....T.8
0100 db 2b 7d 3e ce dc 3c b6 a9 9b 6d 97 2d 20 8c 94 .+}>...<...m.- ..
0110 89 79 4d 1e 08 8e f7 dc 12 e1 ab f5 f6 4f b3 7e .yM.....0.~
0120 aa bf 80 71 53 73 75 09 9c 09 9c 7c 18 ee be d6 ...qSsu....|....
0130 3e bc 60 52 59 21 32 9a fa 15 a2 87 43 b7 4f 8a >..RY!2.....C.O.
0140 f4 0e 99 46 1b e2 7f 5c 49 78 19 35 1d 28 b8 2a ...F...I\X.5.(.*
0150 06 56 60 5b 76 6e 81 86 a2 e2 ad 03 ff 3a 40 83 .V`[vn.....:@.
0160 de 51 ab b3 87 26 5d b3 42 ec f2 21 46 1b 03 db .Q...&].B..!F...
0170 df d7 2e 45 c0 8d da a5 88 19 42 f0 e7 22 98 9b ...E.....B..."
0180 6f 44 4b 5c a6 27 a0 50 68 e4 7f 2a 5e 50 f6 64 oDK\.'.Ph..*^P.d
0190 9f f4 c2 19 35 59 8d 4b f2 5a bb f6 d5 fe d2 29 ....5Y.K.Z.....)
01a0 cc a5 86 cd d2 a6 86 31 2f 2c 21 28 29 fb 16 60 .....1/,!().`
01b0 1a aa 9d 2b 4c 56 cc 82 c2 91 3a 9b 02 0c fd d7 ...+LV.....:....
01c0 a1 71 1a 2f 6a 25 ef 65 ef 32 15 e9 57 6c db 2e .q./j%.e.2..Wl..
01d0 6f 08 4e 52 67 a2 a2 67 1e 00 5e 99 1c ad 31 04 o.NRg..g..^...1.
01e0 b1 68 08 97 51 d5 ca a1 6e b8 c3 40 7a 70 ac cf .h..Q...n..@zp...
01f0 49 0a 1f 50 3d 4a 3d 2d fa 84 c5 fc cc e8 94 ab I..P=J=-.....
0200 d9 15 07 cb f0 4d 54 24 66 00 00 97 39 d2 e7 c0 .....MT$f...9...
0210 b3 29 55 e9 3c e9 1c c8 8c cd b0 54 1a 82 ba 40 .)U.<.....T...@
0220 39 f7 ed 83 81 d8 5f 78 ce a3 50 b1 4f 60 2d 50 9.....x..P.O`-P
0230 6d 8c c5 5e 1c a4 f5 35 1e 21 e8 b4 34 d6 f1 90 m..^...5...!..4...
0240 a1 27 47 61 d9 39 24 54 db ee c9 2b 9d bf 48 75 A'Ga.9$T...+.Hu
0250 fd 3a 39 54 b8 62 03 a1 61 5b c9 52 25 ba 9d 47 .:9T.b..a[.R%..G
0260 53 bd 30 90 18 00 ad 33 10 3c 60 0b 12 a1 3a 85 S.0....3.<`....:
0270 dd d5 a7 62 5a f2 be 34 e1 b2 80 55 f4 fb a3 52 ...bZ..4...U...R
0280 23 6a 0b a0 10 44 a1 37 6a 63 c3 1d 2e 93 7f 04 #j...DA7jc.....
0290 e0 f9 ea 57 4e 93 9d fd 63 93 1f ef 5f c3 4d c2 ...WN...c..._.M.
02a0 ac 42 d9 12 a7 3a ba cf df f4 b7 53 f0 d0 05 43 .B.....:....S...C
02b0 3c 4a 9a 3b 70 ed 0e 41 e1 ff f0 fc 4a f0 03 b0 <J.;p..A....J...
02c0 3b 95 37 69 f3 35 7f 75 95 f1 a2 3d fa b4 4a 6e ;.7i.5.u...=.Jn
02d0 c2 e4 23 df 02 c7 a8 6e e0 c4 73 c5 28 3c 35 c6 ..#....n..s.(<5.
02e0 58 40 e0 3a 3e af f9 f9 4b ab 09 e2 27 93 5f 84 X@.:>...K...'._.
02f0 0a f6 42 8a c5 94 2b 02 da f7 60 6f a7 7a c3 4d ..B...+...`o.z.M
0300 7a af 8c 01 d4 6f b0 ff 73 38 5b 3f 0a 87 60 27 z....o...s8[?..`'
0310 58 a0 db 9a 80 07 5a b0 e6 c5 df 13 11 cb ef a3 X.....Z.....
0320 48 84 7c 00 5d 13 82 6f 8a 02 9d 5e 32 7a e9 91 H.|.]...o...^2z..
0330 98 b3 da d5 e1 3b bb 1d bd 53 0a 47 91 e2 3a 39 .....;...S.G...:9
0340 43 8d 10 aa ed a4 9b d2 17 29 ec 87 c3 a4 66 20 .....f
0350 bd 0f 34 0b e4 5e fa 9f b8 86 e2 da 65 75 5e 9f ..4..^.....eu^
0360 a2 78 0c bb a1 4c af dc 35 82 c0 57 63 8c 74 26 .x...L..5..Wc.t&
0370 05 db 07 1e cb ab a5 f7 cd bb e4 87 5b 07 08 0e .....[...
0380 92 9f c6 5e 33 24 fd 49 2b 46 b8 21 29 6e d5 f4 ...^3$.I+F.!)n...
0390 b5 b8 2a 48 ec 60 da 71 d0 db 7d 71 70 fb e4 e2 ..*H..`q...}qp...
03a0 9d ce 9b 4d 9f 23 ab 28 65 58 6b 66 f4 40 be 75 ...M.#.(eXkf.@.u
03b0 c3 ac 14 48 30 e7 ba 24 cf ef 3c dd 16 fa b9 76 ...H0..$.<....v
03c0 bc a1 ae ba ff 89 6d ff 65 08 6c 66 35 e5 9b 85 .....m.e.lf5...
03d0 82 d0 a7 0c 31 70 7c 24 44 83 1f 79 31 7e d1 88 ....1p|$D..y1~...
03e0 e6 4d 20 03 8c 76 26 b5 3e c3 d5 31 dc d2 d5 60 .M ..v&..>..1...`
03f0 e4 3f 65 51 40 1d fd e6 e0 65 96 e0 a7 a5 44 d3 .?eQ@....e....D.
0400 e7 19 5c e3 0f 65 06 29 ca 74 ed 47 54 5d be 24 ..\..e.).t.GT].$
0410 ae b3 f0 7d ea 24 3c b0 78 12 f3 71 a8 90 77 ad ...}.<..x..q..w.
0420 32 33 0c 50 b3 ed 98 63 69 2c 7f 56 a1 15 5e 20 23.P...ci,.V..^
0430 60 e4 92 a8 db ce c4 01 2f ed 1f 33 2c 5c 0b 8e `...../.3,\..
0440 b1 6d 16 60 b9 ee ae 26 f8 f3 66 ad 6a b0 a1 5d .m.`...&..f.j..]
0450 e0 93 97 ab 25 2a b4 49 be 8a f3 78 9f 26 5d 2c ....%*.I...x.&],
0460 5f ae d1 7e ef e3 f8 bf 63 5e e7 49 45 5d 2c a0 ...~....c^..IE],.
0470 60 06 33 c3 20 55 61 0f b3 e4 f8 ae 60 40 e5 2a `..3. Ua.....`@.*
0480 95 7c 78 33 54 21 23 5f 44 dd 82 ca 9d 2a e3 63 .|x3T!#_D....*.c
0490 ab 6b 9a 32 82 51 f2 14 cd bf f0 25 60 a8 89 e5 .k.2.Q.....%`...
04a0 92 3f 47 78 ba a9 ec c6 3a a4 27 8b 03 48 d5 69 .?Gx.....:'.H.i
04b0 28 42 94 6d 65 7c 9c ce e6 6a c3 89 90 c9 d4 1a (B.me|...j.....
04c0 65 0d ff 86 b2 8b e1 08 ae 4c 34 af 6a c8 e.....L4.j.
```

```
Data [...]:
5df4ffdbd5d21094309b3248d7748e19c9fc51b84d0c40fae79ad411acce9746af07ac282396e1269cd31a7460060a37f2023df7796602da5d4e45ab1c42dc2701
[Length: 1230]
No.      Time      Source      Destination      Protocol Length Info
   25 4.199116      2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP      1292    57454 → 443 Len=1230
Frame 25: 1292 bytes on wire (10336 bits), 1292 bytes captured (10336 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
        Interface description: Wi-Fi
      Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:48.743797000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:48.743797000 UTC
    Epoch Arrival Time: 1737488028.743797000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000020000 seconds]
    [Time delta from previous displayed frame: 0.000020000 seconds]
    [Time since reference or first frame: 4.199116000 seconds]
  Frame Number: 25
  Frame Length: 1292 bytes (10336 bits)
  Capture Length: 1292 bytes (10336 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ipv6:udp:data]
  [Coloring Rule Name: UDP]
  [Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv6 (0x86dd)
  [Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
  0110 .... = Version: 6
  ....00000000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
  ....000000. .... = Differentiated Services Codepoint: Default (0)
  ....00000000 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  ....01000100011110111011 = Flow Label: 0x447bb
  Payload Length: 1238
  Next Header: UDP (17)
  Hop Limit: 64
  Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
    [Address Space: Global Unicast]
  Destination Address: 2800:3f0:4001:804::200e
    [Address Space: Global Unicast]
  [Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
  Source Port: 57454
  Destination Port: 443
  Length: 1238
  Checksum: 0xcd94 [unverified]
  [Checksum Status: Unverified]
  [Stream index: 0]
  [Stream Packet Number: 14]
  [Timestamps]
    [Time since first frame: 3.014676000 seconds]
    [Time since previous frame: 0.000020000 seconds]
  UDP payload (1230 bytes)
Data (1230 bytes)
0000 4c f4 ff db d5 d2 10 94 30 97 54 62 0c e4 47 0b F.....0.Tb..G.
0010 4c 03 9a ee 1d 63 c0 c0 e5 88 7d 11 ca 55 29 55 L....c....}.U)U
0020 32 41 d7 d1 3f c5 3e d6 c8 48 be 11 2b 35 fe 9a 2A...?>..H...+5..
0030 e8 79 fa 65 e4 9b 51 34 3a 8e 0d 3e 24 c0 3f 09 .y.e..Q4:..>$..?.
0040 cf 4f 82 dc 39 b4 82 7e 44 71 f6 dd 43 64 7a 4d .O..9...~Dq..CdzM
0050 69 93 18 04 f4 4d 62 d1 3e db 1e 9c 93 30 f8 5c i...Mb.>....0.\
0060 be 95 60 73 66 bd 24 59 c2 ac 35 82 48 a4 c4 4f ..`sf.$Y...5.H..0
0070 08 6b b4 a0 77 2d 4e 6a b8 1d 41 de 1c 13 70 86 .k..w-Nj..A...p.
0080 7a 94 0a c6 59 25 18 c0 e5 b2 e1 e5 03 da 9e a5 z...Y%.....
0090 db 36 df 43 86 16 e4 ca c2 09 9a 60 c1 31 8e 44 .6.C.....`.1.D
00a0 32 4d 7f b8 f7 11 88 08 af ba e2 26 ab f5 9e 19 2M.....&....
00b0 4b a4 46 29 35 4f cd 2f f5 f9 bb fb 6c 1c c7 39 K.F)50./....1..9
00c0 27 c4 a8 6d b0 db 4f 06 74 5e 2d 91 12 38 f2 73 '.m..O.t^~..8.s
00d0 1a 8f da 0f f7 90 99 dd 79 7e cd f8 51 11 e2 5d .....y~..Q..]
00e0 93 b1 98 04 d4 95 8d 6a f0 cb 02 11 5c 21 26 52 .....j....\!&R
00f0 4b 23 e3 8b 52 37 e5 3b 17 c8 48 87 71 4e 86 4d K#..R7.;..H.qN.M
0100 26 43 d0 0b 18 85 c6 ea 26 4b 77 d6 93 23 4b f3 &C.....&Kw..#K.
0110 28 f5 4e 56 33 7e 4d c5 e4 76 e5 1e 0a c0 19 4b (.NV3~M..v.....K
0120 f7 e4 39 44 eb 18 ad 90 7e 02 09 b5 7d 68 85 6d ..9D....~....}h.m
0130 92 5d be 5e 3c 22 15 5f d2 05 73 b9 e4 4a 9b 13 .].^<"._...s..J..
0140 a9 2f ea ea 0d 99 48 30 2a fa 5a af 63 2d 45 8d ./....H0*.Z.c-E.
0150 ee c5 fd d9 fe c7 fd 18 1c 06 03 f3 46 76 d4 18 .....Fv..
0160 34 2e f8 dd 4b 7b c6 91 fd 45 10 c5 62 30 8c e5 4...K{...E..b0..
0170 0b d1 eb 60 30 8e 46 72 f1 a4 ab e9 38 87 90 7f ...`0.Fr....8...
0180 be ad 92 a9 bb 27 7c 1e 56 ec dd 4b a1 f3 67 1f .....'|.V..K..g.
0190 e9 1e fb 98 88 d7 cc 83 24 5e 43 8d 43 26 09 b8 .....$^C.C&..
01a0 92 d9 19 b6 b7 20 26 62 14 75 ef f0 ce 20 33 44 .....&b.u...3D
```

01b0 a1 42 69 77 6a b6 ac 23 07 f0 48 e1 fd 6f b7 e6 .Biwj..#...H..o..
01c0 f3 d6 6d 62 6e dc 12 6c eb 8c 17 c7 0e 57 a5 4d ..mbn..l.....W.M
01d0 01 2a bc 05 b5 91 67 4e 8e 5b a1 10 f8 fc de c9 .*....gN.[.....
01e0 2a 34 a2 46 6c 9a 24 02 fc 24 40 c2 34 c0 b2 85 *4.Fl.\$..\$@.4...
01f0 64 0b 98 c5 fb 7e e6 9e c7 87 31 57 3b 1d ab 43 d....~....1W;..C
0200 03 73 07 0d ab cf 92 a4 52 7d db ce 3e d9 9d 8a .s.....R)..>...
0210 25 e4 85 6c c6 f0 c4 b8 5d d1 be 25 88 cd f1 2b %..1....].%...+
0220 38 ae be 1e bf cd 8e c1 11 4d 26 61 e9 0e fa e1 8.....M&a....
0230 85 d4 db 32 96 ea d0 26 1d cf 5e 5f 0c 9e b7 a7 ...2...&..^_....
0240 6f ac 4f ca 8a 70 e9 ef 75 8b 95 51 d9 51 21 fa o.O..p..u..Q.Q!..
0250 a1 03 bc ba ea 20 e0 ed 9e 1c 3e 2c 60 ac 31 26>..`1&
0260 a9 e7 7c 02 52 fb a0 b3 56 08 a8 e2 d1 09 b0 25 ..|.R...V.....%
0270 48 76 55 b4 1f e8 e4 98 78 aa e3 3f 97 e5 a5 b9 HvU.....x..?....
0280 ba a4 37 2b 4b 2a 2f c5 f4 6a 97 06 2c e2 af b2 ..7+K*/..j.....
0290 3e d6 66 bf 99 53 37 23 e1 b4 61 3d aa 97 b2 57 >..f..S7#..a=...W
02a0 40 e8 9d eb c9 3b 8f 30 36 65 01 1a d0 57 2a 40 @....;.06e...W*@
02b0 6c 71 61 8e b3 52 f5 bc 74 58 83 f8 31 f8 db 1e lqa..R..tX..1...
02c0 73 93 9d 25 2d 2e 35 a4 ee 5a de 31 fb 05 13 b7 s..%'.5..Z.1....
02d0 6e b8 51 0d 4d ca 37 36 48 3c 53 c6 fe 00 84 cb n.Q.M*76H<S.....
02e0 30 d6 38 b9 2e f0 a2 19 fb c8 22 21 85 f0 31 40 0.8....."!..1@
02f0 45 8c 2d 76 c8 01 03 00 31 33 75 f7 2d 7c ee 20 E..v....13u.-|.
0300 e9 2c 11 6b 8f 0c d9 62 b8 cb e0 6b d1 00 f9 b9 ..,k...b...k....
0310 19 dc 0b 6d 32 6e e3 4a 13 94 75 41 41 15 6e 46 ...m2n.J..uAA.nF
0320 06 db 63 3f 91 89 ed ea 7a 86 35 7b 4b dd 9b db ..c?....z.5{K...
0330 28 7b 4f ba af c2 eb e0 eb a4 e2 11 46 1d a9 fc ({0.....F...
0340 40 e8 89 0f ca 3e d2 9d 9a 11 b9 ca 1a 38 89 65 @....>.....8.e
0350 e6 60 87 3a 14 5d b5 ed 8c d1 ae af e0 4a 02 36 `...]......J.6
0360 31 94 f1 b2 a4 7c a8 cb e3 9c 60 3a 05 02 52 a9 1....|....`...R.
0370 96 9f 1b d2 93 70 3d dc 25 8d 53 01 8c e8 b0 5bp=.%S....[
0380 77 ba 2b 33 75 85 3e 4e 18 e4 22 2b 20 ee df b3 w.+3u.>N.."+" ...
0390 a9 b2 9f a7 1b af 27 98 cc 08 98 a4 c7 fd 94 92'.
03a0 4f 3e 8f b6 51 38 4a 5e 46 a3 a1 ab 8c 32 bc 2c 0>..Q8J^F....2.,
03b0 d6 9c 00 cc b6 68 c0 d1 63 47 ed 34 3d d7 7f 30h..cG.4=..0
03c0 af 1d 1e da fb 3d f3 2a e3 15 46 68 e2 2e e0 80=.*..Fh....
03d0 48 a5 0d 88 ae 0d 48 51 ef 9a 9d 8f 62 70 00 9f H.....Q....bp..
03e0 03 22 9b 45 22 0c f9 77 b1 c0 63 9f d8 95 82 4b ".E"..Iw..c....K
03f0 79 5f 0c d1 94 bb 7e ac 69 0a 33 4c 94 9b 96 5c y_....~.i.3L...\
0400 98 99 19 75 d8 d5 23 f0 a9 65 01 a1 1c ec d4 4b ...u..#..e.....K
0410 a5 98 d4 91 43 51 a8 db 0f 93 6e e7 8b 27 bf 92CQ....n...'.
0420 60 aa be 1e 79 1d 69 04 fb 0a 40 66 f7 ee fd 93 `...y.i...@f....
0430 11 d9 92 8a de eb a7 02 65 02 39 1c 1d 9e bf 5be.9....[
0440 11 a3 e3 16 90 f2 2e 0b 76 0c 51 dd 9c 05 d0 18v.Q.....
0450 23 41 ef 2f 6f 93 bf 2d e5 6c 94 b6 ec e2 be 03 #A./o...-.l.....
0460 35 20 a9 73 40 cc cd 9a e1 01 ad 0d 6c 12 39 25 5..s@.....l.9%
0470 5d cd 46 a4 90 db 0a 8c 38 49 18 d4 f3 13 b5 73].F.....8I.....s
0480 83 f7 9f c8 bf 9d c4 86 17 d8 fa 40 a6 33 dd 3a@.3.:
0490 45 5c 1b 5b c8 6e c7 da 9c c6 6f fd 0e 34 0d 18 E\.[.n....o..4..
04a0 58 89 8e 99 10 01 41 7b 39 1c 24 49 df e2 3a 1c X....A{9.\$I.....
04b0 c4 03 58 dd 9e 27 61 be d1 17 eb 00 7f 07 bb a6 ..X...'a.....
04c0 55 a7 1a 05 3b d4 09 56 fa e6 0b 96 34 b8 U...;..V....4.

Data [...]:
46f4ffdbd5d21094309754620ce4470b4c039aee1d63c0c0e5887d11ca5529553241d7d13fc53ed6c848be112b35fe9ae879fa65e49b51343a8e0d3e24c03f09cf
[Length: 1230]

No. Time Source Destination Protocol Length Info
26 4.199133 2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP 1129 57454 → 443 Len=1067
Frame 26: 1129 bytes on wire (9032 bits), 1129 bytes captured (9032 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.743814000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.743814000 UTC
Epoch Arrival Time: 1737488028.743814000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000017000 seconds]
[Time delta from previous displayed frame: 0.000017000 seconds]
[Time since reference or first frame: 4.199133000 seconds]
Frame Number: 26
Frame Length: 1129 bytes (9032 bits)
Capture Length: 1129 bytes (9032 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 = Version: 6
.... 0000 0000 = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00. = Differentiated Services Codepoint: Default (0)

```
.....000..... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb
Payload Length: 1075
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454
Destination Port: 443
Length: 1075
Checksum: 0x864f [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 15]
[Timestamps]
[Time since first frame: 3.014693000 seconds]
[Time since previous frame: 0.00017000 seconds]
UDP payload (1067 bytes)
Data (1067 bytes)
0000 51 f4 ff db d5 d2 10 94 30 2e 1a 8d 13 40 99 16 Q.....0....@..
0010 bc e0 6c 8d fe 38 94 8f a9 7c 99 61 66 cf d9 e8 ..l..8...|.af...
0020 43 86 b1 80 59 88 22 8c b0 11 5e f5 9b 86 32 02 C...Y..."^...2.
0030 64 a1 75 19 17 8f 2b 3e 61 a9 c5 98 3b 68 cf 3a d.u...+>a...;h.:
0040 f6 5e c5 69 61 5f ac a4 45 ca a6 4d fa 97 0e 70 .^.ia_..E..M...p
0050 cb 09 9e ff dc 4b 73 94 ef ca 3e 20 8b 84 ef a7 .....Ks...> ....
0060 5c 7d a7 07 20 05 90 ca f3 6b 9c 83 28 85 8f be \}.. ....k..( ...
0070 9c 32 bf 8b 8f 5d 9b 59 9a f5 a0 60 90 c3 99 bb .2...];Y...` ....
0080 80 ee 74 28 31 28 9a 8c 44 0b e6 3d 09 24 b5 0e ..t(1(..D...=. $...
0090 dd f0 eb 87 82 e0 80 95 f3 06 39 43 8c 7d 70 2d .....9C.}p-
00a0 de 64 43 89 e3 1b 20 30 e2 6b ef d7 0b 2b 87 16 .dC... 0.k...+..
00b0 c5 82 fc 12 2b 64 38 66 b8 24 df 8e 2b 35 99 27 ....+d8f.$...+5.'
00c0 80 16 84 f8 ae 05 ca 0d 71 34 f5 27 97 84 db 4d .....q4..'...M
00d0 9b d8 3d 90 26 cd dd e0 1c c8 5c 65 c9 94 d9 99 ..=.&.....\e....
00e0 9c ef b6 ed a5 c1 60 a8 9c 42 9e 3d c3 82 3b 6c .....`..B.=...;l
00f0 3f 86 3f 05 16 bc 98 b5 9d 91 1c 89 73 dc d0 43 ?.?.....s..C
0100 f1 6d 76 e8 f7 c4 56 ca 2b ae a3 9a e8 51 ce 1e .mv...V.+....Q...
0110 4c 29 71 92 6f a5 9e 29 8d 06 15 e7 10 9b b3 91 L)q.o... ).....
0120 8a 1f 9e 7e be 5b 7b 9d 5c a0 66 09 fe f7 7a 4c ...~.[{.\.f...zL
0130 df b3 4e e9 37 75 6d 9e 46 ba 28 51 eb aa 41 9a ..N.7um.F.(Q..A.
0140 0c 32 8b 60 07 05 7f 68 3e d6 da b0 5e 88 cc c3 .2.`...h>...^....
0150 a5 a1 f9 3b 46 ff a6 97 0e a7 b9 f7 34 6d 6e 43 ...;F.....4mnC
0160 93 94 b5 2f 5c 97 a5 82 55 a2 36 b9 d6 2f a8 4d .../\...U.6../.M
0170 92 a7 06 44 c4 b2 c4 94 11 a3 76 8e da ff 30 fe ...D.....V...0.
0180 7c 3c 39 4b 81 b1 d7 0d e1 dd 40 94 b7 e5 ac 93 |<9K.....@.....
0190 9c ce 4e 7f 9d 79 5e bd 00 86 2f 30 2b db 44 c6 ..N..y^.../0+.D.
01a0 0d cb 22 08 8a c0 eb 47 ca 4d 64 4b 22 84 6a 77 .."....G.MdK".jw
01b0 6f 40 de 1d 64 08 34 4c 28 0f bd 23 31 15 ca a4 o@..d.4L(..#1...
01c0 1b 12 a5 31 bf 94 b7 5c 25 4b 40 4f 8f 4a 88 62 ...1...%K@O.J.b
01d0 d7 be 62 d4 ff eb 79 7e 3a 66 64 d6 99 7f 6c b9 ..b...y~:fd...l.
01e0 69 79 ff 4b 51 56 c0 a5 9c 1e 07 c0 d9 64 a9 54 iy.KQV.....d.T
01f0 07 03 2e 4d 26 af 4b d1 c7 3f c7 88 95 44 68 fc ...M&.K..?...Dh.
0200 74 69 6b 7d 9f ec 7e 8c 4e b8 52 12 12 33 06 26 tik}..~.N.R..3.&
0210 34 1c bf 66 de 96 36 d2 6a cf 12 a4 e0 1b 34 ed 4..f..6.j.....4.
0220 fb 5a a8 e5 01 25 99 fe 74 ea cd ff 87 ed e7 7f .Z...%.t.....
0230 0b 3f 46 bb d4 a4 60 c8 d7 6e 4f a8 8f 45 17 f5 .?F...`..n0..E..
0240 6a d1 e5 c6 f5 be 6c 8d 51 31 ca 54 c3 1c 4c 60 j.....l.Q1.T..L`
0250 1c 93 b1 34 45 65 81 c3 1d cb 55 59 be d3 58 01 ...4Ee.....UY...X.
0260 be 7b e9 c9 07 91 b9 3b db 72 06 a6 3c 73 cd 30 .{.....;r...<s.0
0270 7a 7d 01 5d b7 a7 de d0 86 8b a3 de 79 0d 70 d3 z}.].....y.p.
0280 03 8a 82 81 00 d1 f5 13 ab 36 bd 4b 4b 82 e9 a8 .....6.KK...
0290 14 18 05 3b 35 5e 29 c2 43 0f a6 8b 4e 9b 86 63 ...;5V)..C...N...c
02a0 b6 57 b8 c4 ab 16 98 65 df 55 9b bc b8 15 a1 d9 .W.....e.U.....
02b0 b6 57 a8 db 4a c8 32 cc 44 ac 7d 0e 89 9b fb ed .W..J.2.D.}.....
02c0 95 5f cd f1 54 72 9e 21 c1 cb fc af 58 c2 45 eb ._.Tr.!....X.E.
02d0 f7 8d 67 65 82 e7 a1 14 51 0a b2 05 32 43 7b d3 ..ge...Q...2C{.
02e0 85 64 7c 43 47 90 e0 b2 0e 73 09 9c 8b c9 67 ce .d|CG....s....g.
02f0 f8 f8 94 fb 65 42 ed 87 80 cc dc f5 0e e4 51 36 ....eB.....Q6
0300 1d 24 aa b8 56 20 c0 aa 46 7d b5 3a da 8f 5d 48 .$.V...F}...].H
0310 8c 36 b7 79 84 78 ba ea 16 f7 dc 93 3b c1 75 c1 .6.y.x.....;u.
0320 a2 0c 3d 34 0f b0 ba ca 59 74 06 99 78 2f a0 fe ..=4....Yt..x/.
0330 c6 6b c5 93 5b 68 68 c1 1c 9f 09 9e a2 c6 4c bb .k..[hh.....L.
0340 06 05 aa ae e2 8c 45 19 05 63 72 06 f3 14 96 36 .....E..cr....6
0350 eb 37 94 1d 98 2d 8b ad a2 06 89 76 32 cc fe c5 .7...-.....v2...
0360 50 a0 39 21 e1 27 be 1c 2c 43 3d c0 a3 2d 43 1d P.9!..'...C=-.C.
0370 2a 47 fb cf ae 47 69 ff 03 2f fb 2d 9e 07 9b 36 *G...Gi.../-...6
0380 d2 0a 27 55 eb f7 31 53 c8 fa 7c 8f 8c e0 3a 1e ..'U..1S..|.....
0390 93 37 9c 44 4d c0 26 21 37 af 20 69 c1 41 e8 ef .7.DM.&!7. i.A..
03a0 a6 7c 07 d2 97 aa 05 b0 a3 4f b8 48 46 86 1b 4d .|. ....O.HF..M
03b0 1a 5e 20 c9 1b b6 4a 6e c7 84 60 35 d8 a5 f7 85 .^...Jn..`5....
03c0 f9 65 d5 72 ea 1d 52 fc fb 92 29 ee 6d 1f 85 7e .e.r..R...)..m..~
03d0 ae 50 58 a2 71 40 0e 44 b5 cf ab f9 f3 11 fc f6 .PX.q@.D.....
03e0 4f b4 92 03 c8 d1 35 6b 81 46 b2 eb 34 0e dc 8d O.....5k.F..4...
03f0 fc af e4 a1 7a 33 59 73 a5 d4 f9 20 f2 e9 24 27 .....z3Ys... ..$'
0400 8e 0e 07 91 38 16 63 ee 34 b7 03 28 b9 4d f9 5d ....8.c.4..(.M.]
0410 c4 d0 df 45 eb 02 ea 82 05 ff 3c 7a 5c 32 cb a2 ...E.....<z\2..
0420 21 51 24 d6 4c e5 8f 37 be 38 47 !Q$.L..7.8G
```

Data [...]:
51f4ffdbd5d21094302e1a8d13409916bce06c8dfe38948fa97c996166cfd9e84386b1805988228cb0115ef59b86320264a17519178f2b3e61a9c5983b68cf3af6
[Length: 1067]
No. Time Source Destination Protocol Length Info
27 4.248399 2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 90 443 → 57454 Len=28
Frame 27: 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.793080000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.793080000 UTC
Epoch Arrival Time: 1737488028.793080000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.049266000 seconds]
[Time delta from previous displayed frame: 0.049266000 seconds]
[Time since reference or first frame: 4.248399000 seconds]
Frame Number: 27
Frame Length: 90 bytes (720 bits)
Capture Length: 90 bytes (720 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 = Version: 6
.... 1000 0000 = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00... = Differentiated Services Codepoint: Class Selector 4 (32)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x00000
Payload Length: 36
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 36
Checksum: 0xdc87 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 16]
[Timestamps]
[Time since first frame: 3.063959000 seconds]
[Time since previous frame: 0.049266000 seconds]
UDP payload (28 bytes)
Data (28 bytes)
0000 56 65 8a 5d ab 87 e9 b1 d4 ff 18 3d 4c 51 82 71 Ve.].....=LQ.q
0010 c2 a5 93 e2 57 12 e7 4b 3f 3f 8d 6c ...W..K??.l
Data: 56658a5dab87e9b1d4ff183d4c518271c2a593e25712e74b3f3f8d6c
[Length: 28]
No. Time Source Destination Protocol Length Info
28 4.248399 2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 86 443 → 57454 Len=24
Frame 28: 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.793080000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.793080000 UTC
Epoch Arrival Time: 1737488028.793080000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 4.248399000 seconds]
Frame Number: 28
Frame Length: 86 bytes (688 bits)
Capture Length: 86 bytes (688 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]

```

[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. .... = Differentiated Services Codepoint: Class Selector 4 (32)
.... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 32
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 32
Checksum: 0xa4dd [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 17]
[Timestamps]
[Time since first frame: 3.063959000 seconds]
[Time since previous frame: 0.000000000 seconds]
UDP payload (24 bytes)
Data (24 bytes)
0000 55 c9 a0 b4 08 b8 2a e0 23 d8 16 ec cc 1f 35 af U.....*.*#.....5.
0010 86 b8 ed f9 16 6d d9 77 .....m.w
Data: 55c9a0b408b82ae023d816ecccc1f35af86b8edf9166dd977
[Length: 24]
No.      Time      Source      Destination      Protocol Length Info
    29 4.284654      2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP          95      57454 → 443 Len=33
Frame 29: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.829335000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.829335000 UTC
Epoch Arrival Time: 1737488028.829335000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.036255000 seconds]
[Time delta from previous displayed frame: 0.036255000 seconds]
[Time since reference or first frame: 4.284654000 seconds]
Frame Number: 29
Frame Length: 95 bytes (760 bits)
Capture Length: 95 bytes (760 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb
Payload Length: 41
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454

```

```

Destination Port: 443
Length: 41
Checksum: 0x7691 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 18]
[Timestamps]
    [Time since first frame: 3.100214000 seconds]
    [Time since previous frame: 0.036255000 seconds]
UDP payload (33 bytes)
Data (33 bytes)
0000  51 f4 ff db d5 d2 10 94 30 f0 be 7f 1b 1b 9f 3e  Q.....0.....>
0010  e3 12 95 88 0c 4b e9 8e d2 4f 52 e0 0a 0b 0a c9  .....K...OR.....
0020  6f                                     o
Data: 51f4ffdbd5d2109430f0be7f1b1b9f3ee31295880c4be98ed24f52e00a0b0ac96f
[Length: 33]
No.      Time          Source          Destination      Protocol Length Info
  30 4.300501      192.168.100.26  128.119.245.12  TCP          54      52933 → 443 [FIN, ACK] Seq=1 Ack=1 Win=512
Len=0
Frame 30: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.845182000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.845182000 UTC
Epoch Arrival Time: 1737488028.845182000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.015847000 seconds]
[Time delta from previous displayed frame: 0.015847000 seconds]
[Time since reference or first frame: 4.300501000 seconds]
Frame Number: 30
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP SYN/FIN]
[Coloring Rule String: tcp.flags & 0x02 || tcp.flags.fin == 1]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x0caf (3247)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x53da [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52933, Dst Port: 443, Seq: 1, Ack: 1, Len: 0
Source Port: 52933
Destination Port: 443
[Stream index: 3]
[Conversation completeness: Incomplete (52)]
..1. .... = RST: Present
...1 .... = FIN: Present
.... 0... = Data: Absent
.... 1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: RF.A..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 2646412279
[Next Sequence Number: 2 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 2980620395
0101 .... = Header Length: 20 bytes (5)
Flags: 0x011 (FIN, ACK)

```

```

000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ....1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...1 = Fin: Set
    [Expert Info (Chat/Sequence): Connection finish (FIN)]
        [Connection finish (FIN)]
        [Severity level: Chat]
        [Group: Sequence]
[TCP Flags: .....A...F]
    [Expert Info (Note/Sequence): This frame initiates the connection closing]
        [This frame initiates the connection closing]
        [Severity level: Note]
        [Group: Sequence]

Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x3f43 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.000000000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
No.    Time          Source          Destination      Protocol Length Info
   31 4.300562      192.168.100.26   128.119.245.12   TCP        54      52933 → 443 [RST, ACK] Seq=2 Ack=1 Win=0 Len=0
Frame 31: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.845243000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.845243000 UTC
Epoch Arrival Time: 1737488028.845243000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000061000 seconds]
[Time delta from previous displayed frame: 0.000061000 seconds]
[Time since reference or first frame: 4.300562000 seconds]
Frame Number: 31
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP RST]
[Coloring Rule String: tcp.flags.reset eq 1]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x0cb0 (3248)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x53d9 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52933, Dst Port: 443, Seq: 2, Ack: 1, Len: 0
Source Port: 52933
Destination Port: 443
[Stream index: 3]
[Conversation completeness: Incomplete (52)]
...1. .... = RST: Present
...1 .... = FIN: Present
.... 0... = Data: Absent
.... .1.. = ACK: Present

```



```

.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: RF·A··]
[TCP Segment Len: 0]
Sequence Number: 2      (relative sequence number)
Sequence Number (raw): 2646412280
[Next Sequence Number: 2      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 2980620395
0101 .... = Header Length: 20 bytes (5)
Flags: 0x014 (RST, ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .1.. = Reset: Set
[Expert Info (Warning/Sequence): Connection reset (RST)]
[Connection reset (RST)]
[Severity level: Warning]
[Group: Sequence]
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A·R··]
Window: 0
[Calculated window size: 0]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x413f [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.000061000 seconds]
[Time since previous frame in this TCP stream: 0.000061000 seconds]
No.      Time      Source      Destination      Protocol Length Info
   32 4.301003    192.168.100.26    128.119.245.12      TCP      66      52934 → 443 [SYN] Seq=0 Win=64240 Len=0
MSS=1460 WS=256 SACK_PERM
Frame 32: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.845684000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.845684000 UTC
Epoch Arrival Time: 1737488028.845684000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000441000 seconds]
[Time delta from previous displayed frame: 0.000441000 seconds]
[Time since reference or first frame: 4.301003000 seconds]
Frame Number: 32
Frame Length: 66 bytes (528 bits)
Capture Length: 66 bytes (528 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP SYN/FIN]
[Coloring Rule String: tcp.flags & 0x02 || tcp.flags.fin == 1]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 52
Identification: 0x0cb1 (3249)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x53cc [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52934, Dst Port: 443, Seq: 0, Len: 0

```

```

Source Port: 52934
Destination Port: 443
[Stream index: 4]
[Conversation completeness: Incomplete, DATA (15)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..1. = SYN-ACK: Present
  .... ...1 = SYN: Present
  [Completeness Flags: ..DASS]
[TCP Segment Len: 0]
Sequence Number: 0      (relative sequence number)
Sequence Number (raw): 3807770671
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 0
Acknowledgment number (raw): 0
1000 .... = Header Length: 32 bytes (8)
Flags: 0x002 (SYN)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...0 = Acknowledgment: Not set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..1. = Syn: Set
  [Expert Info (Chat/Sequence): Connection establish request (SYN): server port 443]
  [Connection establish request (SYN): server port 443]
  [Severity level: Chat]
  [Group: Sequence]
  .... .... ...0 = Fin: Not set
  [TCP Flags: .....S.]
Window: 64240
[Calculated window size: 64240]
Checksum: 0x2e31 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
Options: (12 bytes), Maximum segment size, No-Operation (NOP), Window scale, No-Operation (NOP), No-Operation (NOP), SACK
permitted
  TCP Option - Maximum segment size: 1460 bytes
    Kind: Maximum Segment Size (2)
    Length: 4
    MSS Value: 1460
  TCP Option - No-Operation (NOP)
    Kind: No-Operation (1)
  TCP Option - Window scale: 8 (multiply by 256)
    Kind: Window Scale (3)
    Length: 3
    Shift count: 8
    [Multiplier: 256]
  TCP Option - No-Operation (NOP)
    Kind: No-Operation (1)
  TCP Option - No-Operation (NOP)
    Kind: No-Operation (1)
  TCP Option - SACK permitted
    Kind: SACK Permitted (4)
    Length: 2
[Timestamps]
  [Time since first frame in this TCP stream: 0.000000000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
No.   Time           Source           Destination           Protocol Length Info
  33 4.319245       2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP      745    443 → 57454 Len=683
Frame 33: 745 bytes on wire (5960 bits), 745 bytes captured (5960 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.863926000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.863926000 UTC
Epoch Arrival Time: 1737488028.863926000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.018242000 seconds]
[Time delta from previous displayed frame: 0.018242000 seconds]
[Time since reference or first frame: 4.319245000 seconds]
Frame Number: 33
Frame Length: 745 bytes (5960 bits)
Capture Length: 745 bytes (5960 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ...0 .... = IG bit: Individual address (unicast)

```

Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0. = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 = Version: 6
.... 1000 0000 = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00. = Differentiated Services Codepoint: Class Selector 4 (32)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x00000
Payload Length: 691
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 691
Checksum: 0x39e9 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 19]
[Timestamps]
[Time since first frame: 3.134805000 seconds]
[Time since previous frame: 0.034591000 seconds]
UDP payload (683 bytes)
Data (683 bytes)
0000 5d d3 c8 79 d8 1e ea 34 9d af d0 07 ee 80 92 95]..y...4.....
0010 56 34 27 55 11 0f 40 e5 1c 29 45 40 9d 0b 8c d7 V4'U..@..)E@....
0020 bf 77 44 0a 72 69 36 48 fb cc 9d 20 4d 61 a7 d0 .wD.ri6H... Ma..
0030 b9 54 58 b0 d7 31 b1 51 04 0a 62 ac 90 c0 3b 61 .TX..1.Q..b...;a
0040 77 7a 69 83 64 4a ef f3 1c 9d cc 6e e9 74 a1 d8 wzidJ.....n.t..
0050 50 14 57 29 a8 ec a7 50 72 8e 08 f4 61 ca 3e c6 P.W)...Pr...a.>..
0060 b8 99 76 02 24 61 09 ea cb 0c 8e de ff 87 f0 ee ..v.\$a.....
0070 ef 54 32 16 81 2b 36 bf 2b 1a fb 4a 2b 67 40 11 .T2..+6..+..J+g@..
0080 04 97 d0 ad fc 84 1b 90 bc 25 d0 b5 09 03 0b 69%.....i
0090 44 31 02 06 ad 22 94 26 e1 7e 38 fb cb 50 8d 60 D1...".&..~8..P.`
00a0 fc 82 13 26 25 86 db 61 76 f8 d4 b8 fa bc 42 0f ...&%..av.....B..
00b0 a6 49 ad 6f c8 3b 9d b8 33 37 f1 a1 6b f4 53 b7 .I.o.;..37..k.S..
00c0 b9 e1 52 ec c1 8d 86 6d 9d 02 8d ae d6 f0 97 3f ..R....m.....?
00d0 49 d0 f4 7b e1 31 db f3 43 ae c1 eb eb 4a 66 10 I..{.1..C...Jf..
00e0 1b 62 ad 29 d8 21 c7 da 3e 58 7a 97 30 4d 01 0b .b.)!.>Xz.0M..
00f0 91 94 2a fd ed aa f5 3c ac ba 56 43 54 11 21 0b ..*....<..VCT.!..
0100 ba 88 09 70 1c 9f 09 55 8f bd 48 58 01 6b e1 3b ...p...U...HX.k.;
0110 64 d2 0e 6a e7 dc 11 7e db ba 28 5b 97 ca 9b 9a d..j...~..([....
0120 8a f8 77 7f 1b aa b3 80 1d aa 3c e1 01 ef cf 8b ..w.....<.....
0130 53 d6 5d 96 6c f5 bc f6 ff de 2e c0 b5 e4 3e 44 S.].l.....>D
0140 39 b7 a3 d7 21 c3 27 62 98 fb 7c 78 ee f8 60 6a 9...!.'b..|x..`j
0150 60 a3 5f 67 09 65 69 4b 69 fe ee ce 93 bd d2 be `._g.eiKi.....
0160 2b ee fd aa 02 53 9d b6 c7 8a 3a 5f 35 1e 74 45 +....S....:_5.tE
0170 db ba e0 91 c7 cf d8 75 3e f9 05 98 a7 fa ea 08u>.....
0180 00 6f e8 37 50 d4 f1 61 95 c7 1d 9b e8 9d 69 df ..o.7P..a.....i..
0190 c3 d8 ef 7a 48 c9 28 3d 64 ce d7 9f 82 0e e6 2f ...zH.(=d...../
01a0 98 da bf b1 f9 d6 85 97 3e 76 d1 e2 92 ac 2e a1>v.....
01b0 6a 87 f1 89 79 64 b6 6b 31 21 7d 9d 2a 46 7f 84 j...yd.k1!}.*F..
01c0 a0 cb c0 99 d8 92 1d 84 1d d2 38 51 2b d0 e3 058Q+....
01d0 18 0a b6 30 96 0c 09 e1 4a 8c 12 63 b9 82 55 2a ...0....J..c..U*
01e0 dd 60 7a e8 ec b3 4f 6b d3 04 97 d5 22 eb 41 e8 .`z...Ok....".A..
01f0 dd 41 71 83 8c 61 ba 04 8c ae 8c 18 37 b9 3c 6f .Aq..a.....7.<o
0200 75 07 4d 38 56 fd b8 29 11 fd 6c 30 de f8 80 17 u.M8V...).10..
0210 8e cc b2 7a 15 83 4a 84 08 34 dd 0d cd 1a 68 a5 ...z..J..4....h..
0220 fd 79 a6 4f 10 67 84 94 ad 00 ad 34 ec d4 2a db .y.0.g....4..*..
0230 21 40 ea ba 89 50 8d a3 2a e4 50 92 94 ae c2 d5 !@...P...*.P.....
0240 a3 ca 22 1d 22 a0 d6 30 f3 ea 9a 14 7f 7a 02 96 ..".n0.....z..
0250 f4 41 94 7e c0 d9 68 66 d7 44 7b e6 c8 dd 26 1c .A.~...f.D{...&..
0260 6e 6a 28 14 97 42 11 19 cc 8a ff 90 7b da 17 16 nj(.B.....{...
0270 78 4a a3 95 f2 14 e8 d9 33 a3 74 38 80 60 be 16 xJ.....3.t8.`..
0280 54 c9 90 dc 32 ac 22 1e 19 c0 72 6d 37 0d d2 03 T...2."...rm7...
0290 81 11 1c 80 bd 25 e9 0f e4 c6 58 9c bb e5 46 37%....X...F7
02a0 bb b7 5e a7 dc 66 8e 1d d3 b4 91 ..^..f.....
Data [...]:
5dd3c879d81eea349dafd007ee80929556342755110f40e51c2945409d0b8cd7bf77440a72693648fbcc9d204d61a7d0b95458b0d731b151040a62ac90c03b6177
[Length: 683]
No. Time Source Destination Protocol Length Info
34 4.319245 2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 299 443 → 57454 Len=237
Frame 34: 299 bytes on wire (2392 bits), 299 bytes captured (2392 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.863926000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.863926000 UTC
Epoch Arrival Time: 1737488028.863926000

[Time shift for this packet: 0.00000000 seconds]
[Time delta from previous captured frame: 0.00000000 seconds]
[Time delta from previous displayed frame: 0.00000000 seconds]
[Time since reference or first frame: 4.319245000 seconds]
Frame Number: 34
Frame Length: 299 bytes (2392 bits)
Capture Length: 299 bytes (2392 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0. = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0. = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 = Version: 6
.... 1000 0000 = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. = Differentiated Services Codepoint: Class Selector 4 (32)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 = Flow Label: 0x00000
Payload Length: 245
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
 [Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
 [Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 245
Checksum: 0xf77a [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 20]
[Timestamps]
 [Time since first frame: 3.134805000 seconds]
 [Time since previous frame: 0.000000000 seconds]
UDP payload (237 bytes)
Data (237 bytes)
0000 5e e1 db ea e8 d6 c4 85 d3 f2 8d 47 b6 5b 51 87 ^.....G.[Q.
0010 0d f4 a4 88 a9 7c 35 fb ea ae 4a 8d b5 74 00 ac|5...J..t..
0020 d4 77 1c ed 20 43 66 d1 20 c2 34 87 d0 07 6d 46 .w.. Cf. .4...mF
0030 be a9 49 be cd fa fb 21 90 eb e9 86 63 91 37 38 ..I....!....c.78
0040 b1 26 a5 5b a6 39 ed 92 8d f0 92 ff 98 85 4f eb .&.[.9.....0.
0050 7e ca 36 aa b8 e3 7f ac 4c 54 a9 04 7f 81 cc 20 ~.6.....LT....
0060 34 99 76 2c ba 49 cb f6 fb 3d 7d 41 72 dd 84 5f 4.v.,I...=}Ar.._
0070 74 04 3e be 2b 5f 95 60 56 cd 60 68 a2 90 65 2d t.>.+_.`V.`h..e-
0080 9e 31 5e 85 ab b0 82 e4 03 88 67 6e 70 b6 b6 6d .1^.....gnp..m
0090 8e 56 11 8a 84 7e 0e 48 46 d2 8c 70 03 88 3d 0f .V...~.HF..p..=
00a0 a5 c0 5c 16 a2 f5 d1 77 36 fd a6 88 91 d1 67 f3 ..\.....w6.....g.
00b0 0c e5 56 07 e9 13 b2 f7 b0 b0 5b d3 a8 9f 80 f5 ..V.....[.....
00c0 15 86 7a 1a fc 93 01 e5 d5 d9 c5 84 5c 51 49 b7 ..z.....\QI.
00d0 3c b9 6b 33 58 14 27 d2 fd 80 9b 9d 89 e1 28 18 <.k3X.'.....(.
00e0 57 ea 9b 70 5d 84 74 65 1e b8 9d b4 76 W..p].te....v
Data [...]:
5ee1dbeae8d6c485d3f28d47b65b51870df4a488a97c35fbaeae4a8db57400acd4771ced204366d120c23487d0076d46bea949becdfafb2190ebe98663913738b1
[Length: 237]
No. Time Source Destination Protocol Length Info
35 4.319633 2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP 98 57454 → 443 Len=36
Frame 35: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.864314000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.864314000 UTC
Epoch Arrival Time: 1737488028.864314000
[Time shift for this packet: 0.00000000 seconds]
[Time delta from previous captured frame: 0.000388000 seconds]
[Time delta from previous displayed frame: 0.000388000 seconds]
[Time since reference or first frame: 4.319633000 seconds]
Frame Number: 35
Frame Length: 98 bytes (784 bits)
Capture Length: 98 bytes (784 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]

```
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv6 (0x86dd)
  [Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
  0110 .... = Version: 6
  .... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
  .... 0000 00. .... = Differentiated Services Codepoint: Default (0)
  .... 0000 000 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  .... 0100 0100 0111 1011 1011 = Flow Label: 0x447bb
  Payload Length: 44
  Next Header: UDP (17)
  Hop Limit: 64
  Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
    [Address Space: Global Unicast]
  Destination Address: 2800:3f0:4001:804::200e
    [Address Space: Global Unicast]
  [Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
  Source Port: 57454
  Destination Port: 443
  Length: 44
  Checksum: 0xec2e [unverified]
  [Checksum Status: Unverified]
  [Stream index: 0]
  [Stream Packet Number: 21]
  [Timestamps]
    [Time since first frame: 3.135193000 seconds]
    [Time since previous frame: 0.000388000 seconds]
  UDP payload (36 bytes)
Data (36 bytes)
0000  40 f4 ff db d5 d2 10 94 30 ef 0a d8 0e 12 94 2f  @.....0...../
0010  88 af 2c d0 44 3b c9 ed d3 6c 1d 51 e1 e6 7b 82  ..,D;...l.Q..{.
0020  aa b0 c2 16                                     ....
Data: 40f4ffdbd5d2109430ef0ad80e12942f88af2cd0443bc9edd36c1d51e1e67b82aab0c216
[Length: 36]
No.      Time                Source                Destination                Protocol Length Info
    36 4.395312          2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP      87      443 → 57454 Len=25
Frame 36: 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:48.939993000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:48.939993000 UTC
  Epoch Arrival Time: 1737488028.939993000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.075679000 seconds]
  [Time delta from previous displayed frame: 0.075679000 seconds]
  [Time since reference or first frame: 4.395312000 seconds]
  Frame Number: 36
  Frame Length: 87 bytes (696 bits)
  Capture Length: 87 bytes (696 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ipv6:udp:data]
  [Coloring Rule Name: UDP]
  [Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv6 (0x86dd)
  [Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
  0110 .... = Version: 6
  .... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
  .... 1000 00. .... = Differentiated Services Codepoint: Class Selector 4 (32)
  .... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
  Payload Length: 33
  Next Header: UDP (17)
  Hop Limit: 59
  Source Address: 2800:3f0:4001:804::200e
    [Address Space: Global Unicast]
  Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
    [Address Space: Global Unicast]
  [Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
  Source Port: 443
```

```
Destination Port: 57454
Length: 33
Checksum: 0x7743 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 22]
[Timestamps]
    [Time since first frame: 3.210872000 seconds]
    [Time since previous frame: 0.075679000 seconds]
UDP payload (25 bytes)
Data (25 bytes)
0000  4c 0e d3 11 62 8e b4 5e ca 9d cc 7e 8e 50 dd c5   L...b..^...~.P..
0010  36 6f da e5 fe 93 31 af 7e                       60....1.~
Data: 4c0ed311628eb45eca9dcc7e8e50ddc5366fdae5fe9331af7e
[Length: 25]

No.      Time          Source          Destination      Protocol Length Info
   37 4.403958      128.119.245.12    192.168.100.26    TCP        66      443 → 52934 [SYN, ACK] Seq=0 Ack=1 Win=29200
Len=0 MSS=1300 SACK_PERM WS=128
Frame 37: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.948639000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.948639000 UTC
Epoch Arrival Time: 1737488028.948639000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.008646000 seconds]
[Time delta from previous displayed frame: 0.008646000 seconds]
[Time since reference or first frame: 4.403958000 seconds]
Frame Number: 37
Frame Length: 66 bytes (528 bits)
Capture Length: 66 bytes (528 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP SYN/FIN]
[Coloring Rule String: tcp.flags & 0x02 || tcp.flags.fin == 1]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 52
Identification: 0x0000 (0)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 47
Protocol: TCP (6)
Header Checksum: 0xb17d [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 443, Dst Port: 52934, Seq: 0, Ack: 1, Len: 0
Source Port: 443
Destination Port: 52934
[Stream index: 4]
[Conversation completeness: Incomplete, DATA (15)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... 1.. = ACK: Present
    .... ..1. = SYN-ACK: Present
    .... ...1 = SYN: Present
[Completeness Flags: ..DASS]
[TCP Segment Len: 0]
Sequence Number: 0 (relative sequence number)
Sequence Number (raw): 4005557742
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 3807770672
1000 .... = Header Length: 32 bytes (8)
Flags: 0x012 (SYN, ACK)
    000. .... = Reserved: Not set
```

```
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... ..... .0.. = Reset: Not set
.... ..... ..1. = Syn: Set
[Expert Info (Chat/Sequence): Connection establish acknowledge (SYN+ACK): server port 443]
[Connection establish acknowledge (SYN+ACK): server port 443]
[Severity level: Chat]
[Group: Sequence]
.... .... ...0 = Fin: Not set
[TCP Flags: .....A..S.]
Window: 29200
[Calculated window size: 29200]
Checksum: 0xd2f2 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
Options: (12 bytes), Maximum segment size, No-Operation (NOP), No-Operation (NOP), SACK permitted, No-Operation (NOP), Window
scale
TCP Option - Maximum segment size: 1300 bytes
Kind: Maximum Segment Size (2)
Length: 4
MSS Value: 1300
TCP Option - No-Operation (NOP)
Kind: No-Operation (1)
TCP Option - No-Operation (NOP)
Kind: No-Operation (1)
TCP Option - SACK permitted
Kind: SACK Permitted (4)
Length: 2
TCP Option - No-Operation (NOP)
Kind: No-Operation (1)
TCP Option - Window scale: 7 (multiply by 128)
Kind: Window Scale (3)
Length: 3
Shift count: 7
[Multiplier: 128]
[Timestamps]
[Time since first frame in this TCP stream: 0.102955000 seconds]
[Time since previous frame in this TCP stream: 0.102955000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 32]
[The RTT to ACK the segment was: 0.102955000 seconds]
[iRTT: 0.103043000 seconds]
No. Time Source Destination Protocol Length Info
38 4.404046 192.168.100.26 128.119.245.12 TCP 54 52934 → 443 [ACK] Seq=1 Ack=1 Win=131072 Len=0
Frame 38: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.948727000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.948727000 UTC
Epoch Arrival Time: 1737488028.948727000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000088000 seconds]
[Time delta from previous displayed frame: 0.000088000 seconds]
[Time since reference or first frame: 4.404046000 seconds]
Frame Number: 38
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x0cb2 (3250)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
```

```
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x53d7 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52934, Dst Port: 443, Seq: 1, Ack: 1, Len: 0
Source Port: 52934
Destination Port: 443
[Stream index: 4]
[Conversation completeness: Incomplete, DATA (15)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..1. = SYN-ACK: Present
.... ...1 = SYN: Present
[Completeness Flags: ..DASS]
[TCP Segment Len: 0]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 3807770672
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 4005557743
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... .... = Reserved: Not set
...0 .... .... = Accurate ECN: Not set
.... 0... .... = Congestion Window Reduced: Not set
.... .0.. .... = ECN-Echo: Not set
.... ..0. .... = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 131072]
[Window size scaling factor: 256]
Checksum: 0x8335 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.103043000 seconds]
[Time since previous frame in this TCP stream: 0.000088000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 37]
[The RTT to ACK the segment was: 0.000088000 seconds]
[iRTT: 0.103043000 seconds]
No.      Time      Source      Destination      Protocol Length Info
 39 4.404188    128.119.245.12    192.168.100.26    TCP      54      443 → 52933 [RST] Seq=1 Win=0 Len=0
Frame 39: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.948869000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.948869000 UTC
Epoch Arrival Time: 1737488028.948869000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000142000 seconds]
[Time delta from previous displayed frame: 0.000142000 seconds]
[Time since reference or first frame: 4.404188000 seconds]
Frame Number: 39
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP RST]
[Coloring Rule String: tcp.flags.reset eq 1]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x48 (DSCP: AF21, ECN: Not-ECT)
```


0100 10.. = Differentiated Services Codepoint: Assured Forwarding 21 (18)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0xa494 (42132)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1... = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x0bad [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 443, Dst Port: 52933, Seq: 1, Len: 0
Source Port: 443
Destination Port: 52933
[Stream index: 3]
[Conversation completeness: Incomplete (52)]
..1. = RST: Present
...1 = FIN: Present
.... 0... = Data: Absent
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: RF·A··]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 2980620395
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 0
Acknowledgment number (raw): 0
0101 = Header Length: 20 bytes (5)
Flags: 0x004 (RST)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...0 = Acknowledgment: Not set
.... 0... = Push: Not set
....1.. = Reset: Set
[Expert Info (Warning/Sequence): Connection reset (RST)]
[Connection reset (RST)]
[Severity level: Warning]
[Group: Sequence]
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:R..]
Window: 0
[Calculated window size: 0]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xeb04 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.103687000 seconds]
[Time since previous frame in this TCP stream: 0.103626000 seconds]
No. Time Source Destination Protocol Length Info
40 4.404379 192.168.100.26 128.119.245.12 TCP 1354 52934 → 443 [ACK] Seq=1 Ack=1 Win=131072
Len=1300 [TCP PDU reassembled in 41]
Frame 40: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.949060000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.949060000 UTC
Epoch Arrival Time: 1737488028.949060000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000191000 seconds]
[Time delta from previous displayed frame: 0.000191000 seconds]
[Time since reference or first frame: 4.404379000 seconds]
Frame Number: 40
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. = LG bit: Globally unique address (factory default)
.... ...0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)

```

    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 0.0 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cb3 (3251)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4ec2 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52934, Dst Port: 443, Seq: 1, Ack: 1, Len: 1300
Source Port: 52934
Destination Port: 443
[Stream index: 4]
[Conversation completeness: Incomplete, DATA (15)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..1 = SYN-ACK: Present
.... ...1 = SYN: Present
[Completeness Flags: ..DASS]
[TCP Segment Len: 1300]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 3807770672
[Next Sequence Number: 1301 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 4005557743
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 131072]
[Window size scaling factor: 256]
Checksum: 0x477d [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.103376000 seconds]
[Time since previous frame in this TCP stream: 0.000333000 seconds]
[SEQ/ACK analysis]
[iRTT: 0.103043000 seconds]
[Bytes in flight: 1300]
[Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 41]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  41  4.404379  192.168.100.26  128.119.245.12  TLSv1.2  753  Client Hello (SNI=gaia.cs.umass.edu)
Frame 41: 753 bytes on wire (6024 bits), 753 bytes captured (6024 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:48.949060000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:48.949060000 UTC
Epoch Arrival Time: 1737488028.949060000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 4.404379000 seconds]
Frame Number: 41
Frame Length: 753 bytes (6024 bits)
Capture Length: 753 bytes (6024 bits)
```

```
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp:tls]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 739
Identification: 0x0cb4 (3252)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x511a [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52934, Dst Port: 443, Seq: 1301, Ack: 1, Len: 699
Source Port: 52934
Destination Port: 443
[Stream index: 4]
[Conversation completeness: Incomplete, DATA (15)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..1. = SYN-ACK: Present
.... ...1 = SYN: Present
[Completeness Flags: ..DASS]
[TCP Segment Len: 699]
Sequence Number: 1301 (relative sequence number)
Sequence Number (raw): 3807771972
[Next Sequence Number: 2000 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 4005557743
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 1... = Push: Set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 512
[Calculated window size: 131072]
[Window size scaling factor: 256]
Checksum: 0xd3c6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.103376000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[iRTT: 0.103043000 seconds]
[Bytes in flight: 1999]
[Bytes sent since last PSH flag: 1999]
TCP payload (699 bytes)
TCP segment data (699 bytes)
[2 Reassembled TCP Segments (1999 bytes): #40(1300), #41(699)]
[Frame: 40, payload: 0-1299 (1300 bytes)]
[Frame: 41, payload: 1300-1998 (699 bytes)]
[Segment count: 2]
[Reassembled TCP length: 1999]
[Reassembled TCP Data [...]:
16030107ca010007c603030c4cc7a73e54d4079df01639614cbe1523f65aa16909506d5f3fb777dfc77537201935ae98f752cf6a262593bd93f64976eba31b2493
Transport Layer Security
TLSv1.2 Record Layer: Handshake Protocol: Client Hello
Content Type: Handshake (22)
```

```
Version: TLS 1.0 (0x0301)
Length: 1994
Handshake Protocol: Client Hello
  Handshake Type: Client Hello (1)
  Length: 1990
  Version: TLS 1.2 (0x0303)
    [Expert Info (Chat/Deprecated): This legacy_version field MUST be ignored. The supported_versions extension is
present and MUST be used instead.]
    [This legacy_version field MUST be ignored. The supported_versions extension is present and MUST be used
instead.]
    [Severity level: Chat]
    [Group: Deprecated]
Random: 0c4cc7a73e54d4079df01639614cbe1523f65aa16909506d5f3fb777dfc77537
  GMT Unix Time: Jul 16, 1976 06:47:19.000000000 Hora oficial do Brasil
  Random Bytes: 3e54d4079df01639614cbe1523f65aa16909506d5f3fb777dfc77537
Session ID Length: 32
Session ID: 1935ae98f752cf6a262593bd93f64976eba31b24931406778d9e25e3a1640256
Cipher Suites Length: 32
Cipher Suites (16 suites)
  Cipher Suite: Reserved (GREASE) (0x5a5a)
  Cipher Suite: TLS_AES_128_GCM_SHA256 (0x1301)
  Cipher Suite: TLS_AES_256_GCM_SHA384 (0x1302)
  Cipher Suite: TLS_CHACHA20_POLY1305_SHA256 (0x1303)
  Cipher Suite: TLS_ECDHE_ECDSA_WITH_AES_128_GCM_SHA256 (0xc02b)
  Cipher Suite: TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f)
  Cipher Suite: TLS_ECDHE_ECDSA_WITH_AES_256_GCM_SHA384 (0xc02c)
  Cipher Suite: TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030)
  Cipher Suite: TLS_ECDHE_ECDSA_WITH_CHACHA20_POLY1305_SHA256 (0xcca9)
  Cipher Suite: TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 (0xcca8)
  Cipher Suite: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013)
  Cipher Suite: TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014)
  Cipher Suite: TLS_RSA_WITH_AES_128_GCM_SHA256 (0x009c)
  Cipher Suite: TLS_RSA_WITH_AES_256_GCM_SHA384 (0x009d)
  Cipher Suite: TLS_RSA_WITH_AES_128_CBC_SHA (0x002f)
  Cipher Suite: TLS_RSA_WITH_AES_256_CBC_SHA (0x0035)
Compression Methods Length: 1
Compression Methods (1 method)
  Compression Method: null (0)
Extensions Length: 1885
Extension: Reserved (GREASE) (len=0)
  Type: Reserved (GREASE) (6682)
  Length: 0
  Data: <MISSING>
Extension: extended_master_secret (len=0)
  Type: extended_master_secret (23)
  Length: 0
Extension: session_ticket (len=208)
  Type: session_ticket (35)
  Length: 208
  Session Ticket [...]:
797cfc81d32c187267bfcd7d249427752e39673d4f0ad58fc751e6b411991c8a6d7ee85a962baad2ee7f432495921ef457b8394f6c0ca53a0b0bf80e6831a1a0ad
Extension: signed_certificate_timestamp (len=0)
  Type: signed_certificate_timestamp (18)
  Length: 0
Extension: supported_groups (len=12)
  Type: supported_groups (10)
  Length: 12
  Supported Groups List Length: 10
  Supported Groups (5 groups)
    Supported Group: Reserved (GREASE) (0x4a4a)
    Supported Group: X25519Kyber768Draft00 (0x6399)
    Supported Group: x25519 (0x001d)
    Supported Group: secp256r1 (0x0017)
    Supported Group: secp384r1 (0x0018)
Extension: server_name (len=22) name=gaia.cs.umass.edu
  Type: server_name (0)
  Length: 22
  Server Name Indication extension
    Server Name list length: 20
    Server Name Type: host_name (0)
    Server Name length: 17
    Server Name: gaia.cs.umass.edu
Extension: status_request (len=5)
  Type: status_request (5)
  Length: 5
  Certificate Status Type: OCSP (1)
  Responder ID list Length: 0
  Request Extensions Length: 0
Extension: application_layer_protocol_negotiation (len=14)
  Type: application_layer_protocol_negotiation (16)
  Length: 14
  ALPN Extension Length: 12
  ALPN Protocol
    ALPN string length: 2
    ALPN Next Protocol: h2
    ALPN string length: 8
    ALPN Next Protocol: http/1.1
Extension: key_share (len=1263) X25519Kyber768Draft00, x25519
  Type: key_share (51)
  Length: 1263
```

```
Key Share extension
  Client Key Share Length: 1261
  Key Share Entry: Group: Reserved (GREASE), Key Exchange length: 1
    Group: Reserved (GREASE) (19018)
    Key Exchange Length: 1
    Key Exchange: 00
  Key Share Entry: Group: X25519Kyber768Draft00, Key Exchange length: 1216
    Group: X25519Kyber768Draft00 (25497)
    Key Exchange Length: 1216
    Key Exchange [...]:
      fdad7d05ab94abc0bbb2d85879985a3f5ca7593e9afca3597414a252232b2d653825a2d800a61f2ba12e977314c877dc757b47fa433f5a64ea660df483872003c5
  Key Share Entry: Group: x25519, Key Exchange length: 32
    Group: x25519 (29)
    Key Exchange Length: 32
    Key Exchange: ec3b8114c4df2d530e02253a9c35d68ab69d91f87720d4e1047838d564026231
Extension: renegotiation_info (len=1)
  Type: renegotiation_info (65281)
  Length: 1
  Renegotiation Info extension
    Renegotiation info extension length: 0
Extension: application_settings (len=5)
  Type: application_settings (17513)
  Length: 5
  ALPS Extension Length: 3
  Supported ALPN List
    Supported ALPN Length: 2
    Supported ALPN: h2
Extension: supported_versions (len=7) TLS 1.3, TLS 1.2
  Type: supported_versions (43)
  Length: 7
  Supported Versions length: 6
  Supported Version: Reserved (GREASE) (0x8a8a)
  Supported Version: TLS 1.3 (0x0304)
  Supported Version: TLS 1.2 (0x0303)
Extension: psk_key_exchange_modes (len=2)
  Type: psk_key_exchange_modes (45)
  Length: 2
  PSK Key Exchange Modes Length: 1
  PSK Key Exchange Mode: PSK with (EC)DHE key establishment (psk_dhe_ke) (1)
Extension: signature_algorithms (len=18)
  Type: signature_algorithms (13)
  Length: 18
  Signature Hash Algorithms Length: 16
  Signature Hash Algorithms (8 algorithms)
    Signature Algorithm: ecdsa_secp256r1_sha256 (0x0403)
      Signature Hash Algorithm Hash: SHA256 (4)
      Signature Hash Algorithm Signature: ECDSA (3)
    Signature Algorithm: rsa_pss_rsae_sha256 (0x0804)
      Signature Hash Algorithm Hash: Unknown (8)
      Signature Hash Algorithm Signature: Unknown (4)
    Signature Algorithm: rsa_pkcs1_sha256 (0x0401)
      Signature Hash Algorithm Hash: SHA256 (4)
      Signature Hash Algorithm Signature: RSA (1)
    Signature Algorithm: ecdsa_secp384r1_sha384 (0x0503)
      Signature Hash Algorithm Hash: SHA384 (5)
      Signature Hash Algorithm Signature: ECDSA (3)
    Signature Algorithm: rsa_pss_rsae_sha384 (0x0805)
      Signature Hash Algorithm Hash: Unknown (8)
      Signature Hash Algorithm Signature: Unknown (5)
    Signature Algorithm: rsa_pkcs1_sha384 (0x0501)
      Signature Hash Algorithm Hash: SHA384 (5)
      Signature Hash Algorithm Signature: RSA (1)
    Signature Algorithm: rsa_pss_rsae_sha512 (0x0806)
      Signature Hash Algorithm Hash: Unknown (8)
      Signature Hash Algorithm Signature: Unknown (6)
    Signature Algorithm: rsa_pkcs1_sha512 (0x0601)
      Signature Hash Algorithm Hash: SHA512 (6)
      Signature Hash Algorithm Signature: RSA (1)
Extension: encrypted_client_hello (len=250)
  Type: encrypted_client_hello (65037)
  Length: 250
  Client Hello type: Outer Client Hello (0)
  Cipher Suite: HKDF-SHA256/AES-128-GCM
    KDF Id: HKDF-SHA256 (1)
    AEAD Id: AES-128-GCM (1)
  Config Id: 245
  Enc length: 32
  Enc: 12aaeb2c7bc72cc937870450263a1fcf97a394eeee25d13b3bff87e9eb0510442
  Payload length: 208
  Payload [...]:
    cd92f34d740ae3b3475972f58eacfd8d673521618f6f84bbba678e1f26ae4f16c7395d87330e750e5393c638638191e76da639afd5050a771bb40a8f349b0746e02
Extension: compress_certificate (len=3)
  Type: compress_certificate (27)
  Length: 3
  Algorithms Length: 2
  Algorithm: brotli (2)
Extension: ec_point_formats (len=2)
  Type: ec_point_formats (11)
  Length: 2
  EC point formats Length: 1
```

```

    Elliptic curves point formats (1)
      EC point format: uncompressed (0)
    Extension: Reserved (GREASE) (len=1)
      Type: Reserved (GREASE) (19018)
      Length: 1
      Data: 00
    [JA4: t13d1516h2_8daaf6152771_02713d6af862]
    [JA4_r: t13d1516h2_002f,0035,009c,009d,1301,1302,1303,c013,c014,c02b,c02c,c02f,c030,cca8,cca9_0005,000a,000b,000d,
0012,0017,001b,0023,002b,002d,0033,4469,fe0d,ff01_0403,0804,0401,0503,0805,0501,0806,0601]
    [JA3 Fullstring:
771,4865-4866-4867-49195-49199-49196-49200-52393-52392-49171-49172-156-157-47-53,23-35-18-10-0-5-16-51-65281-17513-43-45-13-65037-
    [JA3: 9aac5bc9afc22446c8aee584106f4e4a]
No.      Time      Source      Destination      Protocol Length Info
Len=0
42 4.508447      128.119.245.12      192.168.100.26      TCP      54      443 → 52934 [ACK] Seq=1 Ack=1301 Win=32128
Frame 42: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:49.053128000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:49.053128000 UTC
    Epoch Arrival Time: 1737488029.053128000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.104068000 seconds]
    [Time delta from previous displayed frame: 0.104068000 seconds]
    [Time since reference or first frame: 4.508447000 seconds]
    Frame Number: 42
    Frame Length: 54 bytes (432 bits)
    Capture Length: 54 bytes (432 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: TCP]
    [Coloring Rule String: tcp]
  Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
      ....0. .... = LG bit: Globally unique address (factory default)
      ....0. .... = IG bit: Individual address (unicast)
    Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
      ....0. .... = LG bit: Globally unique address (factory default)
      ....0. .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
  Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
    0100 .... = Version: 4
    ....0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
      0000 00.. = Differentiated Services Codepoint: Default (0)
      ....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 40
    Identification: 0xd65f (54879)
    010. .... = Flags: 0x2, Don't fragment
      0... .... = Reserved bit: Not set
      .1.. .... = Don't fragment: Set
      ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 47
    Protocol: TCP (6)
    Header Checksum: 0xdb29 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 128.119.245.12
    Destination Address: 192.168.100.26
    [Stream index: 2]
  Transmission Control Protocol, Src Port: 443, Dst Port: 52934, Seq: 1, Ack: 1301, Len: 0
    Source Port: 443
    Destination Port: 52934
    [Stream index: 4]
    [Conversation completeness: Incomplete, DATA (15)]
      ..0. .... = RST: Absent
      ...0 .... = FIN: Absent
      ....1... = Data: Present
      ....1.. = ACK: Present
      ....1. = SYN-ACK: Present
      ....1 = SYN: Present
    [Completeness Flags: ..DASS]
    [TCP Segment Len: 0]
    Sequence Number: 1 (relative sequence number)
    Sequence Number (raw): 4005557743
    [Next Sequence Number: 1 (relative sequence number)]
    Acknowledgment Number: 1301 (relative ack number)
    Acknowledgment number (raw): 3807771972
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x010 (ACK)
      000. .... = Reserved: Not set
      ...0 .... = Accurate ECN: Not set
      ....0... = Congestion Window Reduced: Not set
      ....0.. = ECN-Echo: Not set
```

```

.....0. .... = Urgent: Not set
.....1 .... = Acknowledgment: Set
..... 0... = Push: Not set
..... .0.. = Reset: Not set
..... ..0. = Syn: Not set
..... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 251
[Calculated window size: 32128]
[Window size scaling factor: 128]
Checksum: 0x7f26 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.207444000 seconds]
[Time since previous frame in this TCP stream: 0.104068000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 40]
[The RTT to ACK the segment was: 0.104068000 seconds]
[iRTT: 0.103043000 seconds]
No.      Time           Source           Destination      Protocol Length Info
 43 4.508724      128.119.245.12    192.168.100.26    TCP             54      443 → 52934 [ACK] Seq=1 Ack=2000 Win=34816
Len=0
Frame 43: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.053405000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.053405000 UTC
Epoch Arrival Time: 1737488029.053405000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000277000 seconds]
[Time delta from previous displayed frame: 0.000277000 seconds]
[Time since reference or first frame: 4.508724000 seconds]
Frame Number: 43
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.....0. .... = LG bit: Globally unique address (factory default)
.....0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.....0. .... = LG bit: Globally unique address (factory default)
.....0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0xd660 (54880)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 47
Protocol: TCP (6)
Header Checksum: 0xdb28 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 443, Dst Port: 52934, Seq: 1, Ack: 2000, Len: 0
Source Port: 443
Destination Port: 52934
[Stream index: 4]
[Conversation completeness: Incomplete, DATA (15)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... .1. = SYN-ACK: Present
.... ...1 = SYN: Present
[Completeness Flags: ..DASS]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 4005557743
[Next Sequence Number: 1 (relative sequence number)]

```

Acknowledgment Number: 2000 (relative ack number)
Acknowledgment number (raw): 3807772671
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0.. = ECN-Echo: Not set
 0. = Urgent: Not set
 1 = Acknowledgment: Set
 0... = Push: Not set
 0.. = Reset: Not set
 0. = Syn: Not set
 0 = Fin: Not set
 [TCP Flags:A....]
Window: 272
 [Calculated window size: 34816]
 [Window size scaling factor: 128]
 Checksum: 0x7c56 [unverified]
 [Checksum Status: Unverified]
 Urgent Pointer: 0
 [Timestamps]
 [Time since first frame in this TCP stream: 0.207721000 seconds]
 [Time since previous frame in this TCP stream: 0.000277000 seconds]
 [SEQ/ACK analysis]
 [This is an ACK to the segment in frame: 41]
 [The RTT to ACK the segment was: 0.104345000 seconds]
 [iRTT: 0.103043000 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
44	4.509071	128.119.245.12	192.168.100.26	TLSv1.2	191	Server Hello, Change Cipher Spec, Encrypted

Handshake Message
Frame 44: 191 bytes on wire (1528 bits), 191 bytes captured (1528 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.053752000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.053752000 UTC
Epoch Arrival Time: 1737488029.053752000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000347000 seconds]
[Time delta from previous displayed frame: 0.000347000 seconds]
[Time since reference or first frame: 4.509071000 seconds]
Frame Number: 44
Frame Length: 191 bytes (1528 bits)
Capture Length: 191 bytes (1528 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp:tls]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 177
Identification: 0xd661 (54881)
010. = Flags: 0x2, Don't fragment
 0... = Reserved bit: Not set
 .1.. = Don't fragment: Set
 ..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 47
Protocol: TCP (6)
Header Checksum: 0xda9e [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 443, Dst Port: 52934, Seq: 1, Ack: 2000, Len: 137
Source Port: 443
Destination Port: 52934
[Stream index: 4]
[Conversation completeness: Incomplete, DATA (15)]
 ..0. = RST: Absent
 ...0 = FIN: Absent
 1... = Data: Present


```

.... .1.. = ACK: Present
.... .1. = SYN-ACK: Present
.... ...1 = SYN: Present
[Completeness Flags: ..DASS]
[TCP Segment Len: 137]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 4005557743
[Next Sequence Number: 138 (relative sequence number)]
Acknowledgment Number: 2000 (relative ack number)
Acknowledgment number (raw): 3807772671
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 1... = Push: Set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 272
[Calculated window size: 34816]
[Window size scaling factor: 128]
Checksum: 0x9141 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.208068000 seconds]
[Time since previous frame in this TCP stream: 0.000347000 seconds]
[SEQ/ACK analysis]
[iRTT: 0.103043000 seconds]
[Bytes in flight: 137]
[Bytes sent since last PSH flag: 137]
TCP payload (137 bytes)
Transport Layer Security
TLSv1.2 Record Layer: Handshake Protocol: Server Hello
Content Type: Handshake (22)
Version: TLS 1.2 (0x0303)
Length: 81
Handshake Protocol: Server Hello
Handshake Type: Server Hello (2)
Length: 77
Version: TLS 1.2 (0x0303)
Random: d875473920b7f51008d0ae10a4ad8c1263a33db37c215d1f6f2ac17c89dc6c7d
GMT Unix Time: Jan 28, 2085 20:56:41.000000000 Hora oficial do Brasil
Random Bytes: 20b7f51008d0ae10a4ad8c1263a33db37c215d1f6f2ac17c89dc6c7d
Session ID Length: 32
Session ID: 1935ae98f752cf6a262593bd93f64976eba31b24931406778d9e25e3a1640256
Cipher Suite: TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f)
Compression Method: null (0)
Extensions Length: 5
Extension: renegotiation_info (len=1)
Type: renegotiation_info (65281)
Length: 1
Renegotiation Info extension
Renegotiation info extension length: 0
[JA3S Fullstring: 771,49199,65281]
[JA3S: fbe78c619e7ea20046131294ad087f05]
TLSv1.2 Record Layer: Change Cipher Spec Protocol: Change Cipher Spec
Content Type: Change Cipher Spec (20)
Version: TLS 1.2 (0x0303)
Length: 1
Change Cipher Spec Message
[Expert Info (Note/Sequence): This session reuses previously negotiated keys (Session resumption)]
[This session reuses previously negotiated keys (Session resumption)]
[Severity level: Note]
[Group: Sequence]
TLSv1.2 Record Layer: Handshake Protocol: Encrypted Handshake Message
Content Type: Handshake (22)
Version: TLS 1.2 (0x0303)
Length: 40
Handshake Protocol: Encrypted Handshake Message
No. Time Source Destination Protocol Length Info
45 4.509282 192.168.100.26 128.119.245.12 TLSv1.2 105 Change Cipher Spec, Encrypted Handshake
Message
Frame 45: 105 bytes on wire (840 bits), 105 bytes captured (840 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.053963000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.053963000 UTC
Epoch Arrival Time: 1737488029.053963000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000211000 seconds]

```

```

[Time delta from previous displayed frame: 0.000211000 seconds]
[Time since reference or first frame: 4.509282000 seconds]
Frame Number: 45
Frame Length: 105 bytes (840 bits)
Capture Length: 105 bytes (840 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp:tls]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 91
Identification: 0x0cb5 (3253)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x53a1 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52934, Dst Port: 443, Seq: 2000, Ack: 138, Len: 51
Source Port: 52934
Destination Port: 443
[Stream index: 4]
[Conversation completeness: Incomplete, DATA (15)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..1. = SYN-ACK: Present
.... ...1 = SYN: Present
[Completeness Flags: ..DASS]
[TCP Segment Len: 51]
Sequence Number: 2000 (relative sequence number)
Sequence Number (raw): 3807772671
[Next Sequence Number: 2051 (relative sequence number)]
Acknowledgment Number: 138 (relative ack number)
Acknowledgment number (raw): 4005557880
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 1... = Push: Set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 512
[Calculated window size: 131072]
[Window size scaling factor: 256]
Checksum: 0x5f76 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.208279000 seconds]
[Time since previous frame in this TCP stream: 0.000211000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 44]
[The RTT to ACK the segment was: 0.000211000 seconds]
[iRTT: 0.103043000 seconds]
[Bytes in flight: 51]
[Bytes sent since last PSH flag: 51]
TCP payload (51 bytes)
Transport Layer Security
TLSv1.2 Record Layer: Change Cipher Spec Protocol: Change Cipher Spec
Content Type: Change Cipher Spec (20)
Version: TLS 1.2 (0x0303)

```

[illegible]

```
Opcode: request (1)
Sender MAC address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Sender IP address: 192.168.100.1
Target MAC address: 00:00:00_00:00:00 (00:00:00:00:00:00)
Target IP address: 192.168.100.26

No.      Time      Source      Destination      Protocol Length Info
  48 4.631496 LiteonTechno_52:c1:e7 GuangzhouVSo_35:dd:98 ARP 42 192.168.100.26 is at 9c:2f:9d:52:c1:e7
Frame 48: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:49.176177000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:49.176177000 UTC
    Epoch Arrival Time: 1737488029.176177000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000013000 seconds]
    [Time delta from previous displayed frame: 0.000013000 seconds]
    [Time since reference or first frame: 4.631496000 seconds]
    Frame Number: 48
    Frame Length: 42 bytes (336 bits)
    Capture Length: 42 bytes (336 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:arp]
    [Coloring Rule Name: ARP]
    [Coloring Rule String: arp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: ARP (0x0806)
  [Stream index: 0]
Address Resolution Protocol (reply)
  Hardware type: Ethernet (1)
  Protocol type: IPv4 (0x0800)
  Hardware size: 6
  Protocol size: 4
  Opcode: reply (2)
  Sender MAC address: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Sender IP address: 192.168.100.26
  Target MAC address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Target IP address: 192.168.100.1

No.      Time      Source      Destination      Protocol Length Info
  49 4.652809 128.119.245.12 192.168.100.26 TCP 54 443 → 52934 [ACK] Seq=138 Ack=2051 Win=34816
Len=0
Frame 49: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:49.197490000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:49.197490000 UTC
    Epoch Arrival Time: 1737488029.197490000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.021313000 seconds]
    [Time delta from previous displayed frame: 0.021313000 seconds]
    [Time since reference or first frame: 4.652809000 seconds]
    Frame Number: 49
    Frame Length: 54 bytes (432 bits)
    Capture Length: 54 bytes (432 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: TCP]
    [Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 40
  Identification: 0xd662 (54882)
```

```
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 47
Protocol: TCP (6)
Header Checksum: 0xdb26 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 443, Dst Port: 52934, Seq: 138, Ack: 2051, Len: 0
Source Port: 443
Destination Port: 52934
[Stream index: 4]
[Conversation completeness: Incomplete, DATA (15)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..1. = SYN-ACK: Present
.... ...1 = SYN: Present
[Completeness Flags: ..DASS]
[TCP Segment Len: 0]
Sequence Number: 138 (relative sequence number)
Sequence Number (raw): 4005557880
[Next Sequence Number: 138 (relative sequence number)]
Acknowledgment Number: 2051 (relative ack number)
Acknowledgment number (raw): 3807772722
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 272
[Calculated window size: 34816]
[Window size scaling factor: 128]
Checksum: 0x7b9a [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.351806000 seconds]
[Time since previous frame in this TCP stream: 0.143527000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 45]
[The RTT to ACK the segment was: 0.143527000 seconds]
[iRTT: 0.103043000 seconds]
No.      Time      Source      Destination      Protocol Length Info
  50 4.867227      fe80::1      ff02::1      ICMPv6  182      Router Advertisement from 6c:68:a4:35:dd:98
Frame 50: 182 bytes on wire (1456 bits), 182 bytes captured (1456 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.411908000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.411908000 UTC
Epoch Arrival Time: 1737488029.411908000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.214418000 seconds]
[Time delta from previous displayed frame: 0.214418000 seconds]
[Time since reference or first frame: 4.867227000 seconds]
Frame Number: 50
Frame Length: 182 bytes (1456 bits)
Capture Length: 182 bytes (1456 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:icmpv6]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: fe80::1, Dst: ff02::1
```

```
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 1000 0101 0111 1100 1010 = Flow Label: 0x857ca
Payload Length: 128
Next Header: ICMPv6 (58)
Hop Limit: 255
Source Address: fe80::1
[Address Space: Link-Local Unicast]
[Special-Purpose Allocation: Link-Local Unicast]
[Source: True]
[Destination: True]
[Forwardable: False]
[Globally Reachable: False]
[Reserved-by-Protocol: True]
Destination Address: ff02::1
[Address Space: Multicast]
[.... .... 0000 .... = Multicast Flags: 0x0]
.... .... 0... .... = Reserved: 0
.... .... .0.. .... = Rendezvous Point (RP): False
.... .... ..0. .... = Network Prefix: False
.... .... ...0 .... = Transient: False
[.... .... .... 0010 = Multicast Scope: Link-Local scope (0x2)]
[Stream index: 2]
Internet Control Message Protocol v6
Type: Router Advertisement (134)
Code: 0
Checksum: 0x53c8 [correct]
[Checksum Status: Good]
Cur hop limit: 64
Flags: 0x40, Other configuration, Prf (Default Router Preference): Medium
0... .... = Managed address configuration: Not set
.1.. .... = Other configuration: Set
..0. .... = Home Agent: Not set
...0 0... = Prf (Default Router Preference): Medium (0)
.... .0.. = ND Proxy: Not set
.... ..00 = Reserved: 0
Router lifetime (s): 1800
Reachable time (ms): 0
Retrans timer (ms): 0
ICMPv6 Option (Prefix information : 2804:1eb0:103:c121::/64)
Type: Prefix information (3)
Length: 4 (32 bytes)
Prefix Length: 64
Flag: 0xc0, On-link flag(L), Autonomous address-configuration flag(A)
1... .... = On-link flag(L): Set
.1.. .... = Autonomous address-configuration flag(A): Set
..0. .... = Router address flag(R): Not set
...0 0000 = Reserved: 0
Valid Lifetime: 259200 (3 days)
Preferred Lifetime: 172800 (2 days)
Reserved
Prefix: 2804:1eb0:103:c121::
ICMPv6 Option (Route Information : High 2804:1eb0:103:c121::/64)
Type: Route Information (24)
Length: 3 (24 bytes)
Prefix Length: 64
Flag: 0x08, Route Preference: High
...0 1... = Route Preference: High (1)
000. .000 = Reserved: 0
Route Lifetime: 259200 (3 days)
Prefix: 2804:1eb0:103:c121::
ICMPv6 Option (Recursive DNS Server 2804:1eb0:110:1::234 2804:1eb0:0:101::2)
Type: Recursive DNS Server (25)
Length: 5 (40 bytes)
Reserved
Lifetime: 600 (10 minutes)
Recursive DNS Servers: 2804:1eb0:110:1::234
Recursive DNS Servers: 2804:1eb0:0:101::2
ICMPv6 Option (MTU : 1500)
Type: MTU (5)
Length: 1 (8 bytes)
Reserved
MTU: 1500
ICMPv6 Option (Source link-layer address : 6c:68:a4:35:dd:98)
Type: Source link-layer address (1)
Length: 1 (8 bytes)
Link-layer address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
No. Time Source Destination Protocol Length Info
51 4.977465 2800:3f0:4001:83b::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 98 443 → 65123 Len=36
Frame 51: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.522146000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.522146000 UTC
```

```
Epoch Arrival Time: 1737488029.522146000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.110238000 seconds]
[Time delta from previous displayed frame: 0.110238000 seconds]
[Time since reference or first frame: 4.977465000 seconds]
Frame Number: 51
Frame Length: 98 bytes (784 bits)
Capture Length: 98 bytes (784 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:83b::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. .... = Differentiated Services Codepoint: Class Selector 4 (32)
.... ....00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 44
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:83b::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 3]
User Datagram Protocol, Src Port: 443, Dst Port: 65123
Source Port: 443
Destination Port: 65123
Length: 44
Checksum: 0x9b74 [unverified]
[Checksum Status: Unverified]
[Stream index: 1]
[Stream Packet Number: 1]
[Timestamps]
[Time since first frame: 0.000000000 seconds]
[Time since previous frame: 0.000000000 seconds]
UDP payload (36 bytes)
Data (36 bytes)
0000 41 86 65 6d 68 a2 41 10 56 be c3 e7 fd 7a 54 c5   A.emh.A.V....zT.
0010 25 a7 5f 1c b2 6d 04 e9 1e 35 82 15 47 1c cb dc   %._.m...5..G...
0020 17 c7 f1 b3                                     ....
Data: 4186656d68a2411056bec3e7fd7a54c525a75f1cb26d04e91e358215471ccbd17c7f1b3
[Length: 36]
No.      Time                Source                Destination            Protocol Length Info
   52 4.977465          2800:3f0:4001:83b::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP          211      443 → 65123 Len=149
Frame 52: 211 bytes on wire (1688 bits), 211 bytes captured (1688 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.522146000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.522146000 UTC
Epoch Arrival Time: 1737488029.522146000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 4.977465000 seconds]
Frame Number: 52
Frame Length: 211 bytes (1688 bits)
Capture Length: 211 bytes (1688 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:83b::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
```

```

    .... 1000 00.. .... .... .... = Differentiated Services Codepoint: Class Selector 4 (32)
    .... .... 00 .. .... .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 157
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:83b::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 3]
User Datagram Protocol, Src Port: 443, Dst Port: 65123
Source Port: 443
Destination Port: 65123
Length: 157
Checksum: 0x7c20 [unverified]
[Checksum Status: Unverified]
[Stream index: 1]
[Stream Packet Number: 2]
[Timestamps]
[Time since first frame: 0.000000000 seconds]
[Time since previous frame: 0.000000000 seconds]
UDP payload (149 bytes)
Data (149 bytes)
0000 54 87 0b 46 52 91 35 83 af 4e 1f 46 e0 9d 2a a0 T..FR.5..N.F..*.
0010 34 85 c1 8c 66 f3 92 d3 fc ae 9b 09 e9 5c d3 64 4...f.....\..d
0020 60 f8 03 e1 df 87 0d e3 c2 1e f5 d7 6d 02 57 ca `.....m.W.
0030 bb ae ec f8 5a 40 5d 3a 30 cc 71 9a 57 35 d0 2f ...Z@]:0.q.W5./
0040 f2 7e 61 a9 34 4f a8 63 0b 99 ff 89 ad cd 28 f9 ..~a.40.c.....(.
0050 0f fd 51 05 41 d4 55 36 c7 18 6b 62 44 2a 97 76 ..Q.A.U6..kbD*.v
0060 ce 70 1b e3 25 8a 40 26 42 db 43 c7 59 f7 5f 7a .p..%.@&B.C.Y._z
0070 50 e0 10 51 5c ee cf f2 ba 18 dd 11 13 43 51 e5 P..Q\.....CQ.
0080 c5 3c 9a 2f 48 17 72 59 88 83 9e 59 42 2c bf 66 .<./H.rY...YB,.f
0090 8b ef b2 30 22 ...0"
Data [...]:
54870b4652913583af4e1f46e09d2aa03485c18c66f392d3fcae9b09e95cd36460f803e1df870de3c21ef5d76d0257cabbaeecf85a405d3a30cc719a5735d02ff2f
[Length: 149]
No. Time Source Destination Protocol Length Info
53 4.977817 2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:83b::200e UDP 96 65123 → 443 Len=34
Frame 53: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.522498000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.522498000 UTC
Epoch Arrival Time: 1737488029.522498000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000352000 seconds]
[Time delta from previous displayed frame: 0.000352000 seconds]
[Time since reference or first frame: 4.977817000 seconds]
Frame Number: 53
Frame Length: 96 bytes (768 bits)
Capture Length: 96 bytes (768 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 00.. .... .... .... = LG bit: Globally unique address (factory default)
.... .... 00 .. .... .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 00.. .... .... .... = LG bit: Globally unique address (factory default)
.... .... 00 .. .... .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:83b::200e
0110 .... = Version: 6
.... 0000 0000 .... .... .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... .... .... = Differentiated Services Codepoint: Default (0)
.... .... 00 .. .... .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 1111 0011 0000 1011 1101 = Flow Label: 0xf30bd
Payload Length: 42
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:83b::200e
[Address Space: Global Unicast]
[Stream index: 3]
User Datagram Protocol, Src Port: 65123, Dst Port: 443
Source Port: 65123
Destination Port: 443
Length: 42
Checksum: 0x7011 [unverified]
[Checksum Status: Unverified]
```



```
[Stream index: 1]
[Stream Packet Number: 3]
[Timestamps]
    [Time since first frame: 0.000352000 seconds]
    [Time since previous frame: 0.000352000 seconds]
UDP payload (34 bytes)
Data (34 bytes)
0000 49 fc ad 5d 3c 68 56 65 7a fb 23 20 ce e8 59 ed   I..]<hVez.# ..Y.
0010 e0 44 69 50 40 ac 0c 2d 18 09 b9 12 1d 94 80 c6   .DiP@...-.....
0020 8a ce                                           ..
Data: 49fcad5d3c6856657afb2320cee859ede044695040ac0c2d1809b9121d9480c68ace
[Length: 34]
No.      Time      Source      Destination      Protocol Length Info
   54 4.983857      2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:83b::200e UDP      808      65123 → 443 Len=746
Frame 54: 808 bytes on wire (6464 bits), 808 bytes captured (6464 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.528538000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.528538000 UTC
Epoch Arrival Time: 1737488029.528538000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.006040000 seconds]
[Time delta from previous displayed frame: 0.006040000 seconds]
[Time since reference or first frame: 4.983857000 seconds]
Frame Number: 54
Frame Length: 808 bytes (6464 bits)
Capture Length: 808 bytes (6464 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:83b::200e
0110 .... = Version: 6
    .... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
    .... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
    .... .... 000 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    .... 1111 0011 0000 1011 1101 = Flow Label: 0xf30bd
Payload Length: 754
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
    [Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:83b::200e
    [Address Space: Global Unicast]
[Stream index: 3]
User Datagram Protocol, Src Port: 65123, Dst Port: 443
Source Port: 65123
Destination Port: 443
Length: 754
Checksum: 0x0237 [unverified]
[Checksum Status: Unverified]
[Stream index: 1]
[Stream Packet Number: 4]
[Timestamps]
    [Time since first frame: 0.006392000 seconds]
    [Time since previous frame: 0.006040000 seconds]
UDP payload (746 bytes)
Data (746 bytes)
0000 47 fc ad 5d 3c 68 56 65 7a 0d 65 79 fe ba 67 3a   G..]<hVez.ey..g:
0010 b0 50 1f 62 ed 7a fc a6 a0 ae 0a c9 74 40 eb 73   .P.b.z.....t@s
0020 33 ee 76 7a 9a 6d 0e 2f 97 d7 69 98 37 97 89 21   3.vz.m./..i.7..!
0030 08 8b 6b f0 27 42 c7 09 36 50 1a 1f f2 25 39 ff   ..k.'B..6P...%9.
0040 fe 91 9b 7e b6 70 9e 90 da 60 46 bf 47 ad 4f 3a   ...~.p...`F.G.O:
0050 e0 09 0d 18 99 97 44 dd 43 d7 ac 56 ac 0a bc ae   .....D.C..V....
0060 6b c5 21 24 26 be c9 79 1e 9a 73 2d 92 45 3e f6   k.!$&..y..s-.E>.
0070 d6 6f a2 63 79 b7 78 03 f4 54 42 36 c1 1c 8e 2e   .o.cy.x..TB6....
0080 84 e9 05 3b 1e d6 46 b9 f6 1d 0a 2d 6c f1 54 73   ...;..F....-l.Ts
0090 c4 d8 f0 89 83 6b 77 50 14 a7 7a 01 b1 c2 e1 28   ....kwP..z....(
00a0 87 08 aa 9f 33 28 56 eb 02 34 76 1c 80 e1 7a 53   ....3(V..4v...zS
00b0 a9 e8 90 44 4b 66 df 27 cf 80 80 42 d7 9b 22 6c   ...DKf.'...B..l
00c0 17 11 6e 70 76 e7 f9 4a 99 00 cb 6e a0 35 a6 14   ..npv..J...n.5..
00d0 2b ac 2d dc 14 e9 35 f4 71 51 e9 a4 df da 2e 7d   +.-...5.qQ.....}
00e0 b8 04 42 f2 07 f4 8e 53 89 95 55 be 18 e0 e6 ba   ..B....S..U.....
00f0 61 51 0c b9 48 2a 69 f4 b0 b6 ef 1c 86 a6 68 98   aQ..H*i.....h.
0100 65 73 d6 37 e3 8e 6f fd e1 ee c7 67 ff d8 e1 6e   es.7..O....g...n
0110 b2 5d 76 8a af 61 00 f7 63 b7 f0 b4 10 2f 8a 4e   .]v..a.c..../.N
```

0120 9c ab a6 1d ed 4a b5 57 39 74 0b 84 5f fa 57 72J.W9t..._.Wr
0130 73 a3 51 e3 5c 71 a2 91 a6 94 20 36 8a 7b 12 e3 s.Q.\q.... 6.{..
0140 f1 f8 b0 23 52 36 95 28 6c ce 30 87 3a 19 84 44 ...#R6.(1.0:...D
0150 a6 48 e0 ac 55 05 74 88 74 f7 a3 7c 5b 55 21 82 .H..U.t.t..|[U!
0160 3e 19 c5 03 af 2f d7 6d e9 c3 33 2f d7 73 92 8e >..../.m..3/.s..
0170 16 7e d3 f6 4b 75 9d c8 5a df e8 55 8f 37 ca 0b .~..Ku..Z..U.7..
0180 fa 21 13 0f 40 d3 ec 49 8b 09 68 a6 f8 4d c5 0c .!..@...I..h..M..
0190 98 e9 7e c5 38 f1 19 6d 9f 3e 82 ad b1 f2 93 58 ..~.8..m.>....X
01a0 28 b4 54 38 ae 08 50 75 4a c1 6e e4 1a fb 17 8d (.T8..PuJ.n.....
01b0 5a 13 8c 83 18 da 49 e6 2c 1e 43 81 f8 43 ed aa Z....I.,.C..C..
01c0 a6 93 4a 4f 2c a8 f6 ea af 5f a5 b8 ae 5b 88 8a ..JO,..._...[..
01d0 c1 48 ff 63 93 e2 93 a3 7c e2 ed cf ba 56 8f 7c .H.c....|...V.|
01e0 a2 ed 00 a5 17 73 72 05 9c 3b b5 34 db 5b 6a 1csr..;4.[j..
01f0 8e 4c 05 55 1f 0d fb 6d 38 94 62 3a 99 59 eb a7 .L.U...m8.b:Y..
0200 bd 87 4d 8d f2 af d6 f5 32 ab 84 1d a4 4d 4e f7 ..M....2....MN..
0210 b5 21 f1 d9 2b d1 18 d2 06 5e 0e f9 86 a5 6f 14 .!..+....^....o..
0220 71 df f2 b1 da 8b f7 38 66 cf b4 de 9a 0d 6e 56 q.....8f.....nV
0230 c1 16 9c 1e ec 56 25 fd 88 c6 b2 14 8e f6 02 7e 1....V%.....~
0240 d8 2b 9e 0e df e5 2c fc 19 a0 50 ea b3 72 5a 3b .+.....,...P..rZ;
0250 14 b1 5a 31 68 a1 38 1b c1 7b 87 b6 5c bd 3d f2 ..Z1h.8..{...\.=.
0260 3c 25 b7 50 aa 32 a5 83 82 4d 2c 7c 30 c4 26 08 <%..P.2...M,|0.&..
0270 43 b0 ba 13 54 9c f6 eb 37 0e 5a c4 8a 01 9a a6 C...T...7.Z.....
0280 92 8b c7 43 75 41 6a 5e 5b 82 cc f2 15 c4 21 e3 ...CuAj^[....!..
0290 6f 45 7a 9e d4 8f da 75 00 ca d8 c6 ef 27 96 63 oEz....u.....'.c
02a0 56 71 6c 3e 92 10 0c f2 c9 b9 fc 1e 30 76 2f e6 Vq1>.....0v/.
02b0 d9 9a 2d ac 0a 85 ec 5e 86 74 6d 41 5e bd 33 46 ..-....^..tmA^.3F
02c0 bd b8 dc ce 5f 82 07 69 d9 eb 19 03 16 12 d3 b0i.....%
02d0 89 4e 6b ee 33 87 df 65 28 6e 04 b2 6d b1 4b 25 .Nk.3..e(n...m.K%
02e0 aa 50 d4 96 69 7f a7 b7 81 4a .P..i....J

Data [...]:
47fcad5d3c6856657a0d6579feba673ab0501f62ed7afca6a0ae0ac97440eb7333ee767a9a6d0e2f97d7699837978921088b6bf02742c70936501a1ff22539ffffe
[Length: 746]

No.	Time	Source	Destination	Protocol	Length	Info
55	5.045236	2800:3f0:4001:83b::200e	2804:1eb0:103:c121:ad55:b075:da7b:d842	UDP	93	443 → 65123 Len=31

Frame 55: 93 bytes on wire (744 bits), 93 bytes captured (744 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.589917000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.589917000 UTC
Epoch Arrival Time: 1737488029.589917000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.061379000 seconds]
[Time delta from previous displayed frame: 0.061379000 seconds]
[Time since reference or first frame: 5.045236000 seconds]
Frame Number: 55
Frame Length: 93 bytes (744 bits)
Capture Length: 93 bytes (744 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. = LG bit: Globally unique address (factory default)
.... ..0 = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. = LG bit: Globally unique address (factory default)
.... ..0 = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]

Internet Protocol Version 6, Src: 2800:3f0:4001:83b::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 = Version: 6
.... 1000 0000 = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. = Differentiated Services Codepoint: Class Selector 4 (32)
....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x00000
Payload Length: 39
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:83b::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 3]
User Datagram Protocol, Src Port: 443, Dst Port: 65123
Source Port: 443
Destination Port: 65123
Length: 39
Checksum: 0x9d1f [unverified]
[Checksum Status: Unverified]
[Stream index: 1]
[Stream Packet Number: 5]
[Timestamps]
[Time since first frame: 0.067771000 seconds]
[Time since previous frame: 0.061379000 seconds]

```
UDP payload (31 bytes)
Data (31 bytes)
0000  5a 82 48 92 4c cc 2c 14 af 35 e1 6b eb 6b 58 f9   Z.H.L.,...5.k.kX.
0010  21 45 f4 fd 18 1e e4 7c 16 57 d6 6c ae 26 16   !E....|.W.l.&.
Data: 5a8248924ccc2c14af35e16beb6b58f92145f4fd181ee47c1657d66cae2616
[Length: 31]
No.      Time                Source                Destination          Protocol Length Info
   56 5.060782             2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:83b::200e UDP      95      65123 → 443 Len=33
Frame 56: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.605463000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.605463000 UTC
Epoch Arrival Time: 1737488029.605463000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.015546000 seconds]
[Time delta from previous displayed frame: 0.015546000 seconds]
[Time since reference or first frame: 5.060782000 seconds]
Frame Number: 56
Frame Length: 95 bytes (760 bits)
Capture Length: 95 bytes (760 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:83b::200e
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... ....00 .. ... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 1111 0011 0000 1011 1101 = Flow Label: 0xf30bd
Payload Length: 41
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:83b::200e
[Address Space: Global Unicast]
[Stream index: 3]
User Datagram Protocol, Src Port: 65123, Dst Port: 443
Source Port: 65123
Destination Port: 443
Length: 41
Checksum: 0x8679 [unverified]
[Checksum Status: Unverified]
[Stream index: 1]
[Stream Packet Number: 6]
[Timestamps]
[Time since first frame: 0.083317000 seconds]
[Time since previous frame: 0.015546000 seconds]
UDP payload (33 bytes)
Data (33 bytes)
0000  58 fc ad 5d 3c 68 56 65 7a 5c 4b 57 5c 44 3b ed   X..]<hVez\KW\D;.
0010  ae 5e 32 7a 38 d4 ac 4e e0 e1 f3 d5 55 7b e5 29   .^2z8..N....U{.
0020  ff                                     .
Data: 58fcad5d3c6856657a5c4b575c443bedae5e327a38d4ac4ee0e1f3d5557be529ff
[Length: 33]
No.      Time                Source                Destination          Protocol Length Info
   57 5.150899             fe80::1                ff02::1:ff05:6bbe    ICMPv6    86      Neighbor Solicitation for
2804:1eb0:103:c121:8020:8b46:56d5:6bbe from 6c:68:a4:35:dd:98
Frame 57: 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.695580000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.695580000 UTC
Epoch Arrival Time: 1737488029.695580000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.090117000 seconds]
[Time delta from previous displayed frame: 0.090117000 seconds]
[Time since reference or first frame: 5.150899000 seconds]
Frame Number: 57
Frame Length: 86 bytes (688 bits)
```

```
Capture Length: 86 bytes (688 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:icmpv6]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: fe80::1, Dst: ff02::1:ff5:6bbe
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 32
Next Header: ICMPv6 (58)
Hop Limit: 255
Source Address: fe80::1
[Address Space: Link-Local Unicast]
[Special-Purpose Allocation: Link-Local Unicast]
[Source: True]
[Destination: True]
[Forwardable: False]
[Globally Reachable: False]
[Reserved-by-Protocol: True]
Destination Address: ff02::1:ff5:6bbe
[Address Space: Multicast]
[.... .... 0000 .... = Multicast Flags: 0x0]
.... .... 0... .... = Reserved: 0
.... .... .0.. .... = Rendezvous Point (RP): False
.... .... ..0. .... = Network Prefix: False
.... .... ...0 .... = Transient: False
[.... .... .... 0010 = Multicast Scope: Link-Local scope (0x2)]
[Stream index: 4]
Internet Control Message Protocol v6
Type: Neighbor Solicitation (135)
Code: 0
Checksum: 0x497f [correct]
[Checksum Status: Good]
Reserved: 00000000
Target Address: 2804:1eb0:103:c121:8020:8b46:56d5:6bbe
ICMPv6 Option (Source link-layer address : 6c:68:a4:35:dd:98)
Type: Source link-layer address (1)
Length: 1 (8 bytes)
Link-layer address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
No.      Time      Source      Destination      Protocol Length Info
  58 5.244262      2800:3f0:4001:83b::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP      1047    443 → 65123 Len=985
Frame 58: 1047 bytes on wire (8376 bits), 1047 bytes captured (8376 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.788943000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.788943000 UTC
Epoch Arrival Time: 1737488029.788943000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.093363000 seconds]
[Time delta from previous displayed frame: 0.093363000 seconds]
[Time since reference or first frame: 5.244262000 seconds]
Frame Number: 58
Frame Length: 1047 bytes (8376 bits)
Capture Length: 1047 bytes (8376 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:83b::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. .... = Differentiated Services Codepoint: Class Selector 4 (32)
.... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
```

.... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 993
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:83b::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 3]
User Datagram Protocol, Src Port: 443, Dst Port: 65123
Source Port: 443
Destination Port: 65123
Length: 993
Checksum: 0xd8af [unverified]
[Checksum Status: Unverified]
[Stream index: 1]
[Stream Packet Number: 7]
[Timestamps]
[Time since first frame: 0.266797000 seconds]
[Time since previous frame: 0.183480000 seconds]
UDP payload (985 bytes)
Data (985 bytes)
0000 4f a9 60 c1 f6 b3 4c f7 fb 5d 18 b4 6a 0e e5 d5 0.`. . . . L. . .] . . j . . .
0010 9b 0c d8 c9 68 b5 c4 b6 41 50 41 97 ce ea ad 01 h APA
0020 96 61 0d 28 f0 16 e7 34 49 a2 86 83 7f 1d 6a 3f . a . (. . . . I j ?
0030 ba 19 32 9e aa 3a 96 5c c9 b6 65 b3 14 7a 45 ec . . 2 \ . . e . . z E .
0040 44 3e 86 48 a1 02 57 95 2c 6e 8b f6 06 3b 6e 47 D > . H . . W . , n . . . ; n G
0050 ff b4 d5 a9 e0 05 be 90 c7 42 99 f7 13 95 9d ae B
0060 23 be 30 e5 a5 1d cc 55 2f cd 28 de c0 22 f9 b8 # . 0 U / . (. " . .
0070 99 34 06 60 1e f6 e4 51 ad 60 53 d5 e3 93 59 a1 . 4 . ` . . . . Q . ` S . . . Y .
0080 92 39 c3 8f 59 c2 ee c9 9a 39 1b b5 71 81 15 26 . 9 . . Y 9 . . q . . &
0090 60 2d 35 7a b2 fa 56 5a 5f dc c4 73 38 dc cc e8 ` - 5 z . . V Z _ . . s 8 . .
00a0 a2 ee d7 5f 58 40 6a ec fa 79 a7 8d eb bc c6 cc . . . _ X @ j . . y
00b0 b7 4d 28 cc 14 d7 2c ad 6c 64 03 2a 7b 45 73 d8 . M (. . . , . . l d . * { E s .
00c0 15 fa 01 52 c8 e7 41 77 c9 df cd ac d2 cd 95 2e . . . R . . Aw
00d0 0d a6 31 5d 30 d0 8f a1 b5 42 fc 4d 38 84 64 eb 60 . . 1] 0 B . M 8 . d . `
00e0 f3 20 fe 02 ec 14 96 4a f8 d7 19 79 aa 57 9a ba J . . . y . w . .
00f0 55 98 aa 99 03 1f ba 58 d5 b7 1b b7 ec 78 25 a7 U X x % .
0100 72 bf 8c b7 d1 ce a4 ed d3 16 c4 e4 0a 17 15 94 r
0110 08 8d 0f 73 32 5e 4f 5a f8 c9 37 4d 48 55 bf 73 . . . s 2 ^ O Z . . 7 M H U . s
0120 ba 7b 9c ba 4f e4 af 94 4d e7 23 2c e2 92 fb fc . { . . O . . . M . # ,
0130 d2 3a 31 a5 a6 0e 43 f9 04 c3 73 d2 d8 8f 1f d4 . : 1 C s
0140 e6 e4 8f 0f e3 10 7c e7 47 98 06 c2 8b cb 0b d2 | . G
0150 1d 06 c9 f2 3b e1 c2 73 f1 5f ed 92 52 13 e3 ca . . . ; . . s . _ . R
0160 57 67 b9 b4 75 45 54 00 75 15 f2 c1 90 2e fa 79 W g . . u E T . u y
0170 9b 7f c6 9f 6b 51 f9 bb 00 04 9f 5a 74 6f f4 15 k Q Z t o . .
0180 61 3b 1b 56 bc f7 a8 b0 dc 03 b1 b7 61 b9 e0 04 a j . V a
0190 0b 42 0c 23 da 53 6f 18 d2 a3 06 82 d3 fd f7 41 . B . # . S o A
01a0 73 a7 49 52 de f1 84 34 1a e7 61 b7 52 71 9d 01 s . I R . . . 4 . . a . R q . .
01b0 7a 3e 96 a8 15 64 00 8d ff ef 97 c7 84 00 5d c0 z > . . d] .
01c0 2b 72 72 41 2c 4f f2 a2 34 58 42 55 4c ba 0b b8 + r r A , O . . 4 X B U L . . .
01d0 a3 91 37 6c b8 26 4a 89 29 fa de 72 75 25 38 cf . . 7 l . & J .) . . r u % 8 .
01e0 8a 96 2d a8 51 35 47 e3 ee b3 d4 9f 9b 97 a8 99 . . . - . Q 5 G
01f0 e6 ce 9a c0 ae a9 bb 14 50 19 20 10 ad 7a de 24 P . . . z . \$
0200 a8 8f ed b0 ff 48 03 11 32 8e d1 5f b0 ad 31 13 H . . 2 . . _ . 1 .
0210 9f df d5 66 d4 d0 6d 59 ae 71 46 42 60 17 4c 41 . . . f . . m Y . q F B ` . L A
0220 41 a1 06 da 02 2e 84 72 ef 1d 66 a4 16 18 79 2e A r . . f y
0230 9a f1 69 eb 83 f6 dd e2 be 05 cb d9 b6 be 9e b9 . . i
0240 77 6e 35 31 b5 b8 c5 cd 8e fe 54 60 c9 50 3b 37 w n 5 1 T ` . P ; 7
0250 1c 67 ec ef b4 a7 cf 1d ad f4 3a 3d 23 86 de 43 . g : = # . . C
0260 2c c8 13 fa 86 a7 5b be d2 80 ea c8 97 0e 12 , {
0270 33 b3 3e 72 64 c9 86 9e 46 81 95 c0 aa ef 41 ef 3 . > r d . . . F A .
0280 1f 32 d2 e6 3a 8b fd 9d 2a 59 ac 37 16 72 5b 87 . 2 * Y . 7 . r [.
0290 be 35 dd dd 23 9d 24 b6 ae ac 41 9d 91 f4 ed 62 . 5 . . # . \$. . A b
02a0 62 ff 91 a2 3e e6 0b 6a 2b 03 6f 9f c0 7b 8c 65 b . . . > . . j + . o . . { . e
02b0 02 6f f8 ad 63 b4 34 9b 1a 37 bd 23 28 56 9a 11 . o . . c . 4 . . 7 . # (V . .
02c0 92 7b d0 7e 69 70 c3 36 25 74 79 cf c6 b2 1c 3a . { . ~ i p . 6 % t y . . . :
02d0 ee 37 db a1 91 48 17 57 1f ca d7 08 ed 44 e7 d2 . 7 . . . H . W D . .
02e0 d1 ba c8 a6 c7 69 ee 2d a8 6c 01 84 ed 0d cb 6c i . - . l l
02f0 b7 14 fb 1d 91 e5 81 b8 23 aa c0 a9 f3 37 af 84 # 7 . .
0300 62 d7 b1 25 00 50 46 17 e5 f4 26 fa 29 5b 44 a5 b . % . P F . . . & .) [D .
0310 46 19 34 44 41 73 f3 03 54 2f 3a 1f 4e f8 7e 43 F . 4 D A s . . T / : . N . ~ C
0320 27 5a 4d 6a a7 64 b6 cd ff a5 2a f4 08 92 c1 6f ' Z M j . d * o
0330 18 d2 0a 1a 23 f6 78 80 73 01 59 e0 93 1e 09 2d . . . # . x . s . Y -
0340 d6 57 b3 da 04 91 34 8e 6f c2 05 4b ae 28 5a 54 . W 4 . o . . K . (Z T
0350 1f bd b3 79 47 c0 9e 87 0e 27 e4 3d 86 16 31 db . . . y G ' . = . . 1 .
0360 ca c0 e3 ec d7 ca c9 73 49 b6 ad 4f b4 aa 93 aa s I . . O
0370 88 32 8e 64 9d 84 8c da 46 e7 8f 3a 03 98 71 ad . 2 . d F . . : . . q .
0380 84 0e 2d 9f 29 40 ba 16 1c 18 0e 97 92 22 b1 d4 . . - .) @ " . .
0390 22 2a 4e 33 e7 94 d4 db 95 aa 9e ce 8c 70 cb 1a " * N 3 p . .
03a0 62 6f 5b 9a a4 65 58 0e 46 7a 03 6d 38 00 8b 5a b o [. . e X . F z . m 8 . . Z
03b0 10 65 9e 23 5b b3 20 43 54 a6 d8 01 46 f0 2d 1a . e . # [. C T . . . F . - .
03c0 5d ff 6d 9b 90 47 36 27 8f 7c 7d 53 34 2b 4c 49] . m . . G 6 ' . | } S 4 + L I
03d0 60 31 be 40 30 96 63 f5 2e ` 1 . @ 0 . c . .
Data [...]:
4fa960c1f6b34cf7fb5d18b46a0ee5d59b0cd8c968b5c4b641504197ceead0196610d28f016e73449a286837f1d6a3fba19329eaa3a965cc9b665b3147a45ec44
[Length: 985]
No. Time Source Destination Protocol Length Info
59 5.245204 2800:3f0:4001:83b::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 121 443 → 65123 Len=59

Frame 59: 121 bytes on wire (968 bits), 121 bytes captured (968 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

Section number: 1

Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})

Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}

Interface description: Wi-Fi

Encapsulation type: Ethernet (1)

Arrival Time: Jan 21, 2025 16:33:49.789885000 Hora oficial do Brasil

UTC Arrival Time: Jan 21, 2025 19:33:49.789885000 UTC

Epoch Arrival Time: 1737488029.789885000

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 0.000942000 seconds]

[Time delta from previous displayed frame: 0.000942000 seconds]

[Time since reference or first frame: 5.245204000 seconds]

Frame Number: 59

Frame Length: 121 bytes (968 bits)

Capture Length: 121 bytes (968 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ipv6:udp:data]

[Coloring Rule Name: UDP]

[Coloring Rule String: udp]

Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)

Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)

.... ..0. = LG bit: Globally unique address (factory default)

.... ..0 = IG bit: Individual address (unicast)

Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

.... ..0. = LG bit: Globally unique address (factory default)

.... ..0 = IG bit: Individual address (unicast)

Type: IPv6 (0x86dd)

[Stream index: 0]

Internet Protocol Version 6, Src: 2800:3f0:4001:83b::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842

0110 = Version: 6

.... 1000 0000 = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)

.... 1000 00.. = Differentiated Services Codepoint: Class Selector 4 (32)

....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)

.... 0000 0000 0000 0000 0000 = Flow Label: 0x000000

Payload Length: 67

Next Header: UDP (17)

Hop Limit: 59

Source Address: 2800:3f0:4001:83b::200e

[Address Space: Global Unicast]

Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842

[Address Space: Global Unicast]

[Stream index: 3]

User Datagram Protocol, Src Port: 443, Dst Port: 65123

Source Port: 443

Destination Port: 65123

Length: 67

Checksum: 0x8280 [unverified]

[Checksum Status: Unverified]

[Stream index: 1]

[Stream Packet Number: 8]

[Timestamps]

[Time since first frame: 0.267739000 seconds]

[Time since previous frame: 0.000942000 seconds]

UDP payload (59 bytes)

Data (59 bytes)

0000 4c 4e 3e fb 6f 6c 8d 1e 3c 09 d7 56 1d 4c fd 54 LN>.ol.<..V.L.T

0010 06 0c 3b 18 ad 84 39 be 4e c6 70 8b 51 d7 1b f8 ..;...9.N.p.Q...

0020 2b e9 bb 4b 84 91 23 98 63 7c 2e eb ce 39 b7 65 +..K..#.c|...9.e

0030 8c 20 93 fc 6c 2f 10 d8 45 43 3a . ..l/..EC:

Data: 4c4e3efb6f6c8d1e3c09d7561d4cfd54060c3b18ad8439be4ec6708b51d71bf82be9bb4b84912398637c2eebce39b7658c2093fc6c2f10d845433a

[Length: 59]

No.	Time	Source	Destination	Protocol	Length	Info
60	5.262534	2804:1eb0:103:c121:ad55:b075:da7b:d842	2800:3f0:4001:83b::200e	UDP	100	65123 → 443 Len=38

Frame 60: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

Section number: 1

Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})

Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}

Interface description: Wi-Fi

Encapsulation type: Ethernet (1)

Arrival Time: Jan 21, 2025 16:33:49.807215000 Hora oficial do Brasil

UTC Arrival Time: Jan 21, 2025 19:33:49.807215000 UTC

Epoch Arrival Time: 1737488029.807215000

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 0.017330000 seconds]

[Time delta from previous displayed frame: 0.017330000 seconds]

[Time since reference or first frame: 5.262534000 seconds]

Frame Number: 60

Frame Length: 100 bytes (800 bits)

Capture Length: 100 bytes (800 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ipv6:udp:data]

[Coloring Rule Name: UDP]

[Coloring Rule String: udp]

Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

```

    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:83b::200e
0110 .... = Version: 6
    .... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
    .... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
    .... .... 00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    .... 1111 0011 0000 1011 1101 = Flow Label: 0xf30bd
Payload Length: 46
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:83b::200e
[Address Space: Global Unicast]
[Stream index: 3]
User Datagram Protocol, Src Port: 65123, Dst Port: 443
Source Port: 65123
Destination Port: 443
Length: 46
Checksum: 0x629f [unverified]
[Checksum Status: Unverified]
[Stream index: 1]
[Stream Packet Number: 9]
[Timestamps]
    [Time since first frame: 0.285069000 seconds]
    [Time since previous frame: 0.017330000 seconds]
UDP payload (38 bytes)
Data (38 bytes)
0000 40 fc ad 5d 3c 68 56 65 7a e1 d9 9a a4 1d 1f 2c @..<hVez.....,
0010 61 f5 6a 21 10 36 a4 fe 4d ba f6 1a 27 17 38 73 a.j!.6..M...'.8s
0020 16 e1 f8 5e 22 5e ...^""^
Data: 40fcad5d3c6856657ae1d99aa41d1f2c61f56a211036a4fe4dbaf61a2717387316e1f85e225e
[Length: 38]
No.      Time                Source                Destination                Protocol Length Info
    61 5.322964          2800:3f0:4001:83b::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP          88      443 → 65123 Len=26
Frame 61: 88 bytes on wire (704 bits), 88 bytes captured (704 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:49.867645000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:49.867645000 UTC
Epoch Arrival Time: 1737488029.867645000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.060430000 seconds]
[Time delta from previous displayed frame: 0.060430000 seconds]
[Time since reference or first frame: 5.322964000 seconds]
Frame Number: 61
Frame Length: 88 bytes (704 bits)
Capture Length: 88 bytes (704 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:83b::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
    .... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
    .... 1000 00.. .... = Differentiated Services Codepoint: Class Selector 4 (32)
    .... .... 00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    .... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 34
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:83b::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 3]
User Datagram Protocol, Src Port: 443, Dst Port: 65123
Source Port: 443
Destination Port: 65123
Length: 34
```

```
Checksum: 0xcb34 [unverified]
[Checksum Status: Unverified]
[Stream index: 1]
[Stream Packet Number: 10]
[Timestamps]
    [Time since first frame: 0.345499000 seconds]
    [Time since previous frame: 0.060430000 seconds]
UDP payload (26 bytes)
Data (26 bytes)
0000  5d 11 fc a9 82 06 55 bc 42 32 93 fd 40 bc dc a0  ].....U.B2..@...
0010  52 6b a2 45 89 c9 5f 1b 84 18                    Rk.E.._...
Data: 5d11fca9820655bc423293fd40bcdca0526ba24589c95f1b8418
[Length: 26]

No.      Time                Source                Destination                Protocol Length Info
   62 6.063787          2602:f79a::1          2804:1eb0:103:c121:ad55:b075:da7b:d842  TLSv1.2  99      Application Data
Frame 62: 99 bytes on wire (792 bits), 99 bytes captured (792 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:50.608468000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:50.608468000 UTC
Epoch Arrival Time: 1737488030.608468000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.740823000 seconds]
[Time delta from previous displayed frame: 0.740823000 seconds]
[Time since reference or first frame: 6.063787000 seconds]
Frame Number: 62
Frame Length: 99 bytes (792 bits)
Capture Length: 99 bytes (792 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:tcp:tls]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2602:f79a::1, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
    ....0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
    ....0000 00.. .... = Differentiated Services Codepoint: Default (0)
    .... ....00 ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    ....1110 1010 1001 1001 1101 = Flow Label: 0xea99d
Payload Length: 45
Next Header: TCP (6)
Hop Limit: 60
Source Address: 2602:f79a::1
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 0]
Transmission Control Protocol, Src Port: 443, Dst Port: 52307, Seq: 1, Ack: 1, Len: 25
Source Port: 443
Destination Port: 52307
[Stream index: 5]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1... = ACK: Present
    ....0. .... = SYN-ACK: Absent
    ....0. .... = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 25]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 255480739
[Next Sequence Number: 26 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 2680113401
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0... = ECN-Echo: Not set
    ....0. .... = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....1... = Push: Set
    ....0... = Reset: Not set
    ....0... = Syn: Not set
    ....0... = Fin: Not set
```



```

[TCP Flags: .....AP...]
Window: 10
[Calculated window size: 10]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1b41 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.00000000 seconds]
[Time since previous frame in this TCP stream: 0.00000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 25]
[Bytes sent since last PSH flag: 25]
TCP payload (25 bytes)
Transport Layer Security
TLSv1.2 Record Layer: Application Data Protocol: Hypertext Transfer Protocol
Content Type: Application Data (23)
Version: TLS 1.2 (0x0303)
Length: 20
Encrypted Application Data: 939ee4d4aa3601a3a2b9c94b8f5b31b704606a50
[Application Data Protocol: Hypertext Transfer Protocol]
No.    Time                Source                Destination                Protocol Length Info
63 6.064272          2804:1eb0:103:c121:ad55:b075:da7b:d842 2602:f79a::1        TLSv1.2 103    Application Data
Frame 63: 103 bytes on wire (824 bits), 103 bytes captured (824 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:50.608953000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:50.608953000 UTC
Epoch Arrival Time: 1737488030.608953000
[Time shift for this packet: 0.00000000 seconds]
[Time delta from previous captured frame: 0.000485000 seconds]
[Time delta from previous displayed frame: 0.000485000 seconds]
[Time since reference or first frame: 6.064272000 seconds]
Frame Number: 63
Frame Length: 103 bytes (824 bits)
Capture Length: 103 bytes (824 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:tcp:tls]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2602:f79a::1
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... 00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0010 1000 0101 0011 0010 = Flow Label: 0x28532
Payload Length: 49
Next Header: TCP (6)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2602:f79a::1
[Address Space: Global Unicast]
[Stream index: 0]
Transmission Control Protocol, Src Port: 52307, Dst Port: 443, Seq: 1, Ack: 26, Len: 29
Source Port: 52307
Destination Port: 443
[Stream index: 5]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 29]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 2680113401
[Next Sequence Number: 30 (relative sequence number)]
Acknowledgment Number: 26 (relative ack number)
Acknowledgment number (raw): 255480764
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set

```

```
.... 0... .... = Congestion Window Reduced: Not set
.... .0.. .... = ECN-Echo: Not set
.... ..0. .... = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 1... = Push: Set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 510
[Calculated window size: 510]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x083d [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.000485000 seconds]
[Time since previous frame in this TCP stream: 0.000485000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 62]
[The RTT to ACK the segment was: 0.000485000 seconds]
[Bytes in flight: 29]
[Bytes sent since last PSH flag: 29]
TCP payload (29 bytes)
Transport Layer Security
TLSv1.2 Record Layer: Application Data Protocol: Hypertext Transfer Protocol
Content Type: Application Data (23)
Version: TLS 1.2 (0x0303)
Length: 24
Encrypted Application Data: d0d693b041f64884cccecc668d3d9d88efbd6808bf6c1115c
[Application Data Protocol: Hypertext Transfer Protocol]
No.      Time          Source          Destination          Protocol Length Info
   64  6.073302    2602:f79a::1     2804:1eb0:103:c121:ad55:b075:da7b:d842 TCP          74      443 → 52307 [ACK] Seq=26
Ack=30 Win=10 Len=0
Frame 64: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:50.617983000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:50.617983000 UTC
Epoch Arrival Time: 1737488030.617983000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.009030000 seconds]
[Time delta from previous displayed frame: 0.009030000 seconds]
[Time since reference or first frame: 6.073302000 seconds]
Frame Number: 64
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:tcp]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2602:f79a::1, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... 0000 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 1110 1010 1001 1001 1101 = Flow Label: 0xea99d
Payload Length: 20
Next Header: TCP (6)
Hop Limit: 60
Source Address: 2602:f79a::1
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 0]
Transmission Control Protocol, Src Port: 443, Dst Port: 52307, Seq: 26, Ack: 30, Len: 0
Source Port: 443
Destination Port: 52307
[Stream index: 5]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
```

```

[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 26      (relative sequence number)
Sequence Number (raw): 255480764
[Next Sequence Number: 26      (relative sequence number)]
Acknowledgment Number: 30      (relative ack number)
Acknowledgment number (raw): 2680113430
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 10
[Calculated window size: 10]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x5eef [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.009515000 seconds]
    [Time since previous frame in this TCP stream: 0.009030000 seconds]
[SEQ/ACK analysis]
    [This is an ACK to the segment in frame: 63]
    [The RTT to ACK the segment was: 0.009030000 seconds]
No.      Time                Source                Destination          Protocol Length Info
  65 6.165791             fe80::1              ff02::1:ffd5:6bbe    ICMPv6      86      Neighbor Solicitation for
2804:1eb0:103:c121:8020:8b46:56d5:6bbe from 6c:68:a4:35:dd:98
Frame 65: 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:50.710472000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:50.710472000 UTC
Epoch Arrival Time: 1737488030.710472000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.092489000 seconds]
[Time delta from previous displayed frame: 0.092489000 seconds]
[Time since reference or first frame: 6.165791000 seconds]
Frame Number: 65
Frame Length: 86 bytes (688 bits)
Capture Length: 86 bytes (688 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:icmpv6]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: fe80::1, Dst: ff02::1:ffd5:6bbe
0110 .... = Version: 6
    .... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
    .... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
    .... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    .... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 32
Next Header: ICMPv6 (58)
Hop Limit: 255
Source Address: fe80::1
    [Address Space: Link-Local Unicast]
    [Special-Purpose Allocation: Link-Local Unicast]
    [Source: True]
    [Destination: True]
    [Forwardable: False]
    [Globally Reachable: False]
    [Reserved-by-Protocol: True]
Destination Address: ff02::1:ffd5:6bbe
    [Address Space: Multicast]
    [.... .... 0000 .... = Multicast Flags: 0x0]
    .... .... 0... .... = Reserved: 0
    .... .... .0.. .... = Rendezvous Point (RP): False
    .... .... ..0. .... = Network Prefix: False
    .... .... ...0 .... = Transient: False

```

```

[.... .... 0010 = Multicast Scope: Link-Local scope (0x2)]
[Stream index: 4]
Internet Control Message Protocol v6
Type: Neighbor Solicitation (135)
Code: 0
Checksum: 0x497f [correct]
[Checksum Status: Good]
Reserved: 00000000
Target Address: 2804:1eb0:103:c121:8020:8b46:56d5:6bbe
ICMPv6 Option (Source link-layer address : 6c:68:a4:35:dd:98)
Type: Source link-layer address (1)
Length: 1 (8 bytes)
Link-layer address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
No.      Time      Source      Destination      Protocol Length Info
66 6.955600      192.168.100.26      128.119.245.12      TCP      701      52904 → 80 [PSH, ACK] Seq=1 Ack=1 Win=512
Len=647 [TCP PDU reassembled in 203]
Frame 66: 701 bytes on wire (5608 bits), 701 bytes captured (5608 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.500281000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.500281000 UTC
Epoch Arrival Time: 1737488031.500281000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.789809000 seconds]
[Time delta from previous displayed frame: 0.789809000 seconds]
[Time since reference or first frame: 6.955600000 seconds]
Frame Number: 66
Frame Length: 701 bytes (5608 bits)
Capture Length: 701 bytes (5608 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0. .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 687
Identification: 0x0cb6 (3254)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x514c [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 1, Ack: 1, Len: 647
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 647]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 3794338755
[Next Sequence Number: 648 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set

```

```
.....0.. .... = ECN-Echo: Not set
.....0. .... = Urgent: Not set
.....1... .... = Acknowledgment: Set
.....1... .... = Push: Set
.....0.. .... = Reset: Not set
.....0. .... = Syn: Not set
.....0... .... = Fin: Not set
[TCP Flags: .....AP...]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x0ef6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.00000000 seconds]
[Time since previous frame in this TCP stream: 0.00000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 647]
[Bytes sent since last PSH flag: 647]
TCP payload (647 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (647 bytes)
No.      Time      Source      Destination      Protocol Length Info
  67 6.955713 192.168.100.26 128.119.245.12    TCP      1354 52904 → 80 [ACK] Seq=648 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 67: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.500394000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.500394000 UTC
Epoch Arrival Time: 1737488031.500394000
[Time shift for this packet: 0.00000000 seconds]
[Time delta from previous captured frame: 0.000113000 seconds]
[Time delta from previous displayed frame: 0.000113000 seconds]
[Time since reference or first frame: 6.955713000 seconds]
Frame Number: 67
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.....0. .... = LG bit: Globally unique address (factory default)
.....0. .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.....0. .... = LG bit: Globally unique address (factory default)
.....0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
....0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
....00.. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cb7 (3255)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4ebe [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 648, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
....1... = Data: Present
....1... = ACK: Present
....0. .... = SYN-ACK: Absent
....0... = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
```

```

Sequence Number: 648      (relative sequence number)
Sequence Number (raw): 3794339402
[Next Sequence Number: 1948      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... 0... = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xc02b [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.000113000 seconds]
    [Time since previous frame in this TCP stream: 0.000113000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 1947]
    [Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   68 6.955713    192.168.100.26    128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=1948 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 68: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.500394000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.500394000 UTC
    Epoch Arrival Time: 1737488031.500394000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 6.955713000 seconds]
    Frame Number: 68
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cb8 (3256)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4ebd [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 1948, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80

```

```

[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 1948      (relative sequence number)
Sequence Number (raw): 3794340702
[Next Sequence Number: 3248      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x9d77 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.000113000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 3247]
    [Bytes sent since last PSH flag: 2600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   69 6.955713      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=3248 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 69: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.500394000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.500394000 UTC
Epoch Arrival Time: 1737488031.500394000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 6.955713000 seconds]
Frame Number: 69
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cb9 (3257)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0

```

```

Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4ebc [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 3248, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 3248      (relative sequence number)
Sequence Number (raw): 3794342002
[Next Sequence Number: 4548      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf52f [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.000113000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 4547]
  [Bytes sent since last PSH flag: 3900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   70 6.955713    192.168.100.26    128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=4548 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 70: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.500394000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.500394000 UTC
  Epoch Arrival Time: 1737488031.500394000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 6.955713000 seconds]
  Frame Number: 70
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)

```


Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0xcba (3258)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4ebb [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 4548, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 4548 (relative sequence number)
Sequence Number (raw): 3794343302
[Next Sequence Number: 5848 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x161d [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.000113000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 5847]
[Bytes sent since last PSH flag: 5200]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
71	6.955713	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=5848 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 71: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.500394000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.500394000 UTC
Epoch Arrival Time: 1737488031.500394000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 6.955713000 seconds]
Frame Number: 71
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

```
.....0. .... = LG bit: Globally unique address (factory default)
.....0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.....0. .... = LG bit: Globally unique address (factory default)
.....0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cbb (3259)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eba [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 5848, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 5848 (relative sequence number)
Sequence Number (raw): 3794344602
[Next Sequence Number: 7148 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x4f46 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.000113000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 7147]
[Bytes sent since last PSH flag: 6500]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
72 6.955713 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=7148 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 72: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.500394000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.500394000 UTC
Epoch Arrival Time: 1737488031.500394000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 6.955713000 seconds]
```

Frame Number: 72
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0. = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0. = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cbc (3260)
010. = Flags: 0x2, Don't fragment
 0... = Reserved bit: Not set
 .1.. = Don't fragment: Set
 ..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eb9 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 7148, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
 ..0. = RST: Absent
 ...0 = FIN: Absent
 1... = Data: Present
 1.. = ACK: Present
 0. = SYN-ACK: Absent
 0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 7148 (relative sequence number)
Sequence Number (raw): 3794345902
[Next Sequence Number: 8448 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0.. = ECN-Echo: Not set
 0. = Urgent: Not set
 1 = Acknowledgment: Set
 0... = Push: Not set
 0.. = Reset: Not set
 0. = Syn: Not set
 0 = Fin: Not set
[TCP Flags:A.....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x4db3 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.000113000 seconds]
 [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
 [Bytes in flight: 8447]
 [Bytes sent since last PSH flag: 7800]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
73 6.955713 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=8448 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 73: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})

```
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.500394000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.500394000 UTC
Epoch Arrival Time: 1737488031.500394000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 6.955713000 seconds]
Frame Number: 73
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cbd (3261)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eb8 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 8448, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 8448 (relative sequence number)
Sequence Number (raw): 3794347202
[Next Sequence Number: 9748 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xdd9f [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.000113000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 9747]
[Bytes sent since last PSH flag: 9100]
```

```
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   74 6.955713    192.168.100.26 128.119.245.12   TCP      1354    52904 → 80 [ACK] Seq=9748 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 74: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.500394000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.500394000 UTC
  Epoch Arrival Time: 1737488031.500394000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 6.955713000 seconds]
  Frame Number: 74
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cbe (3262)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4eb7 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 9748, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0.0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 9748 (relative sequence number)
  Sequence Number (raw): 3794348502
  [Next Sequence Number: 11048 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0.. = ECN-Echo: Not set
    ....0. = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0.. = Reset: Not set
    ....0. = Syn: Not set
    ....0.0 = Fin: Not set
  [TCP Flags: .....A....]
  Window: 512
  [Calculated window size: 512]
```

```

[Window size scaling factor: -1 (unknown)]
Checksum: 0x32ef [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.000113000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 11047]
    [Bytes sent since last PSH flag: 10400]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
   75 6.955713          192.168.100.26        128.119.245.12      TCP      1354    52904 → 80 [ACK] Seq=11048 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 75: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.500394000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.500394000 UTC
    Epoch Arrival Time: 1737488031.500394000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 6.955713000 seconds]
    Frame Number: 75
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0 .... = IG bit: Individual address (unicast)
    Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0 .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 1340
    Identification: 0x0cbf (3263)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 128
    Protocol: TCP (6)
    Header Checksum: 0x4eb6 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 192.168.100.26
    Destination Address: 128.119.245.12
    [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 11048, Ack: 1, Len: 1300
    Source Port: 52904
    Destination Port: 80
    [Stream index: 6]
    [Conversation completeness: Incomplete (12)]
        ..0. .... = RST: Absent
        ...0 .... = FIN: Absent
        .... 1... = Data: Present
        .... .1.. = ACK: Present
        .... ..0. = SYN-ACK: Absent
        .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
    [TCP Segment Len: 1300]
    Sequence Number: 11048 (relative sequence number)
    Sequence Number (raw): 3794349802
    [Next Sequence Number: 12348 (relative sequence number)]
    Acknowledgment Number: 1 (relative ack number)
    Acknowledgment number (raw): 494965843
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x010 (ACK)
        000. .... = Reserved: Not set
        ...0 .... = Accurate ECN: Not set
        .... 0... = Congestion Window Reduced: Not set

```

```

    .... .0.. .... = ECN-Echo: Not set
    .... .0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x233c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.000113000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 12347]
    [Bytes sent since last PSH flag: 11700]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination            Protocol Length Info
   76 7.066247          128.119.245.12        192.168.100.26         TCP          54      80 → 52904 [ACK] Seq=1 Ack=648 Win=239 Len=0
Frame 76: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.610928000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.610928000 UTC
Epoch Arrival Time: 1737488031.610928000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.110534000 seconds]
[Time delta from previous displayed frame: 0.110534000 seconds]
[Time since reference or first frame: 7.066247000 seconds]
Frame Number: 76
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... .0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... .0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94e6 (38118)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1ba3 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 648, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
```

```

Sequence Number (raw): 494965843
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 648      (relative ack number)
Acknowledgment number (raw): 3794339402
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 239
[Calculated window size: 239]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xab5e [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.110647000 seconds]
    [Time since previous frame in this TCP stream: 0.110534000 seconds]
[SEQ/ACK analysis]
    [This is an ACK to the segment in frame: 66]
    [The RTT to ACK the segment was: 0.110647000 seconds]
No.    Time                Source                Destination          Protocol Length Info
  77 7.066293            192.168.100.26        128.119.245.12      TCP          1354    52904 → 80 [ACK] Seq=12348 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 77: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.610974000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.610974000 UTC
    Epoch Arrival Time: 1737488031.610974000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000046000 seconds]
    [Time delta from previous displayed frame: 0.000046000 seconds]
    [Time since reference or first frame: 7.066293000 seconds]
    Frame Number: 77
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cc0 (3264)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4eb5 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 12348, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent

```



```

.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 12348      (relative sequence number)
Sequence Number (raw): 3794351102
[Next Sequence Number: 13648      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x4413 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.110693000 seconds]
    [Time since previous frame in this TCP stream: 0.000046000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 13000]
    [Bytes sent since last PSH flag: 13000]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.    Time                Source                Destination          Protocol Length Info
   78  7.066956            128.119.245.12        192.168.100.26      TCP           54      80 → 52904 [ACK] Seq=1 Ack=7148 Win=340 Len=0
Frame 78: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.611637000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.611637000 UTC
Epoch Arrival Time: 1737488031.611637000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000663000 seconds]
[Time delta from previous displayed frame: 0.000663000 seconds]
[Time since reference or first frame: 7.066956000 seconds]
Frame Number: 78
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94e7 (38119)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1ba2 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12

```

```

Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 7148, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 7148      (relative ack number)
Acknowledgment number (raw): 3794345902
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 340
[Calculated window size: 340]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x9195 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.111356000 seconds]
    [Time since previous frame in this TCP stream: 0.000663000 seconds]
[SEQ/ACK analysis]
    [This is an ACK to the segment in frame: 71]
    [The RTT to ACK the segment was: 0.111243000 seconds]
No.      Time      Source      Destination      Protocol Length Info
   79 7.066982    192.168.100.26    128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=13648 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 79: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.611663000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.611663000 UTC
Epoch Arrival Time: 1737488031.611663000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000026000 seconds]
[Time delta from previous displayed frame: 0.000026000 seconds]
[Time since reference or first frame: 7.066982000 seconds]
Frame Number: 79
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cc1 (3265)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set

```

..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eb4 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 13648, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 13648 (relative sequence number)
Sequence Number (raw): 3794352402
[Next Sequence Number: 14948 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2e5a [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.111382000 seconds]
[Time since previous frame in this TCP stream: 0.000026000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 7800]
[Bytes sent since last PSH flag: 14300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
80 7.066982 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=14948 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 80: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.611663000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.611663000 UTC
Epoch Arrival Time: 1737488031.611663000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.066982000 seconds]
Frame Number: 80
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. = LG bit: Globally unique address (factory default)
.... ...0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. = LG bit: Globally unique address (factory default)
.... ...0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12

```

0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  0000 00.. = Differentiated Services Codepoint: Default (0)
  .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cc2 (3266)
010. .... = Flags: 0x2, Don't fragment
  0... .... = Reserved bit: Not set
  .1.. .... = Don't fragment: Set
  ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eb3 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 14948, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 14948      (relative sequence number)
Sequence Number (raw): 3794353702
[Next Sequence Number: 16248      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x047a [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.111382000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 9100]
  [Bytes sent since last PSH flag: 15600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   81 7.066982    192.168.100.26    128.119.245.12      TCP      1354    52904 → 80 [PSH, ACK] Seq=16248 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 81: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.611663000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.611663000 UTC
Epoch Arrival Time: 1737488031.611663000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.066982000 seconds]
Frame Number: 81
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]

```

Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cc3 (3267)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eb2 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 16248, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 16248 (relative sequence number)
Sequence Number (raw): 3794355002
[Next Sequence Number: 17548 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 1... = Push: Set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:AP...]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x5d01 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.111382000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 10400]
[Bytes sent since last PSH flag: 16900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
82 7.066982 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=17548 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 82: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.611663000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.611663000 UTC
Epoch Arrival Time: 1737488031.611663000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]

```
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.066982000 seconds]
Frame Number: 82
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cc4 (3268)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eb1 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 17548, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 17548 (relative sequence number)
Sequence Number (raw): 3794356302
[Next Sequence Number: 18848 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xa915 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.111382000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 11700]
[Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
83 7.066982 192.168.100.26 128.119.245.12 TCP 1354 52904 -> 80 [ACK] Seq=18848 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 83: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
```

```
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.611663000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.611663000 UTC
Epoch Arrival Time: 1737488031.611663000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.066982000 seconds]
Frame Number: 83
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cc5 (3269)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eb0 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 18848, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 18848 (relative sequence number)
Sequence Number (raw): 3794357602
[Next Sequence Number: 20148 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x10f0 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.111382000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
```

```
[Bytes in flight: 13000]
[Bytes sent since last PSH flag: 2600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
   84 7.066982          192.168.100.26        128.119.245.12      TCP             1354    52904 → 80 [ACK] Seq=20148 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 84: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.611663000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.611663000 UTC
  Epoch Arrival Time: 1737488031.611663000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.066982000 seconds]
  Frame Number: 84
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cc6 (3270)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4eaf [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 20148, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 20148 (relative sequence number)
  Sequence Number (raw): 3794358902
  [Next Sequence Number: 21448 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
```


Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf42c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.111382000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 14300]
[Bytes sent since last PSH flag: 3900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
85	7.066982	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=21448 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 85: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.611663000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.611663000 UTC
Epoch Arrival Time: 1737488031.611663000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.066982000 seconds]
Frame Number: 85
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cc7 (3271)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eae [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 21448, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 21448 (relative sequence number)
Sequence Number (raw): 3794360202
[Next Sequence Number: 22748 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set

```

...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xfea0 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.111382000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 15600]
[Bytes sent since last PSH flag: 5200]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
    86 7.066982         192.168.100.26        128.119.245.12      TCP           1354  52904 → 80 [ACK] Seq=22748 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 86: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
      Encapsulation type: Ethernet (1)
      Arrival Time: Jan 21, 2025 16:33:51.611663000 Hora oficial do Brasil
      UTC Arrival Time: Jan 21, 2025 19:33:51.611663000 UTC
      Epoch Arrival Time: 1737488031.611663000
      [Time shift for this packet: 0.000000000 seconds]
      [Time delta from previous captured frame: 0.000000000 seconds]
      [Time delta from previous displayed frame: 0.000000000 seconds]
      [Time since reference or first frame: 7.066982000 seconds]
      Frame Number: 86
      Frame Length: 1354 bytes (10832 bits)
      Capture Length: 1354 bytes (10832 bits)
      [Frame is marked: False]
      [Frame is ignored: False]
      [Protocols in frame: eth:ethertype:ip:tcp]
      [Coloring Rule Name: HTTP]
      [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cc8 (3272)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4ead [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 22748, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent

```

```

[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 22748      (relative sequence number)
Sequence Number (raw): 3794361502
[Next Sequence Number: 24048      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x4cc9 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.111382000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 16900]
    [Bytes sent since last PSH flag: 6500]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   87 7.066982    192.168.100.26    128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=24048 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 87: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.611663000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.611663000 UTC
Epoch Arrival Time: 1737488031.611663000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.066982000 seconds]
Frame Number: 87
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cc9 (3273)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eac [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 24048, Ack: 1, Len: 1300

```

```

Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 24048      (relative sequence number)
Sequence Number (raw): 3794362802
[Next Sequence Number: 25348      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xc4d9 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.111382000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 18200]
  [Bytes sent since last PSH flag: 7800]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  88 7.066982    192.168.100.26    128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=25348 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 88: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.611663000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.611663000 UTC
Epoch Arrival Time: 1737488031.611663000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.066982000 seconds]
Frame Number: 88
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  0000 00.. = Differentiated Services Codepoint: Default (0)
  .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cca (3274)
  010. .... = Flags: 0x2, Don't fragment
  0... .... = Reserved bit: Not set
  .1.. .... = Don't fragment: Set

```

```

..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eab [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 25348, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 25348      (relative sequence number)
Sequence Number (raw): 3794364102
[Next Sequence Number: 26648      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x65cf [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.111382000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 19500]
[Bytes sent since last PSH flag: 9100]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
 89 7.068501      128.119.245.12      192.168.100.26      TCP          54      80 → 52904 [ACK] Seq=1 Ack=12348 Win=422 Len=0
Frame 89: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.613182000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.613182000 UTC
Epoch Arrival Time: 1737488031.613182000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.001519000 seconds]
[Time delta from previous displayed frame: 0.001519000 seconds]
[Time since reference or first frame: 7.068501000 seconds]
Frame Number: 89
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4

```

```

.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94e8 (38120)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1ba1 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 12348, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 12348      (relative ack number)
Acknowledgment number (raw): 3794351102
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 422
[Calculated window size: 422]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x7cf3 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.112901000 seconds]
    [Time since previous frame in this TCP stream: 0.001519000 seconds]
[SEQ/ACK analysis]
    [This is an ACK to the segment in frame: 75]
    [The RTT to ACK the segment was: 0.112788000 seconds]
No.      Time                Source                Destination          Protocol Length Info
   90 7.068525          192.168.100.26        128.119.245.12      TCP      1354  52904 → 80 [ACK] Seq=26648 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 90: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.613206000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.613206000 UTC
Epoch Arrival Time: 1737488031.613206000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000024000 seconds]
[Time delta from previous displayed frame: 0.000024000 seconds]
[Time since reference or first frame: 7.068525000 seconds]
Frame Number: 90
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)

```

```

Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ccb (3275)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4eaa [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 26648, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 26648 (relative sequence number)
Sequence Number (raw): 3794365402
[Next Sequence Number: 27948 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x26b4 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.112925000 seconds]
[Time since previous frame in this TCP stream: 0.000024000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 15600]
[Bytes sent since last PSH flag: 10400]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
91 7.068525 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=27948 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 91: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.613206000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.613206000 UTC
Epoch Arrival Time: 1737488031.613206000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.068525000 seconds]
Frame Number: 91
Frame Length: 1354 bytes (10832 bits)

```

Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0. = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0. = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 0.0 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ccc (3276)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1... = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4ea9 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 27948, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 27948 (relative sequence number)
Sequence Number (raw): 3794366702
[Next Sequence Number: 29248 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x4c8f [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.112925000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 16900]
[Bytes sent since last PSH flag: 11700]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
92 7.068525 192.168.100.26 128.119.245.12 TCP 1354 52904 -> 80 [ACK] Seq=29248 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 92: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi


```
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.613206000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.613206000 UTC
Epoch Arrival Time: 1737488031.613206000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.068525000 seconds]
Frame Number: 92
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..0 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ccd (3277)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4ea8 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 29248, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0 = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 29248 (relative sequence number)
Sequence Number (raw): 379436802
[Next Sequence Number: 30548 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x4b84 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.112925000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 18200]
[Bytes sent since last PSH flag: 13000]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
```

```
TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
   93 7.068525             192.168.100.26       128.119.245.12      TCP           1354    52904 → 80 [ACK] Seq=30548 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 93: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.613206000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.613206000 UTC
  Epoch Arrival Time: 1737488031.613206000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.068525000 seconds]
  Frame Number: 93
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00.. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cce (3278)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4ea7 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 30548, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0. = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 30548 (relative sequence number)
  Sequence Number (raw): 3794369302
  [Next Sequence Number: 31848 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0.. = ECN-Echo: Not set
    ....0. = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0.. = Reset: Not set
    ....0. = Syn: Not set
    ....0. = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
  [Calculated window size: 512]
  [Window size scaling factor: -1 (unknown)]
Checksum: 0x89aa [unverified]
```

```
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.112925000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 19500]
  [Bytes sent since last PSH flag: 14300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   94 7.068525      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=31848 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 94: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.613206000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.613206000 UTC
  Epoch Arrival Time: 1737488031.613206000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.068525000 seconds]
  Frame Number: 94
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0ccf (3279)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4ea6 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 31848, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 31848 (relative sequence number)
  Sequence Number (raw): 3794370602
  [Next Sequence Number: 33148 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
```

```

.... 1... = Acknowledgment: Set
.... 0... = Push: Not set
.... ..0.. = Reset: Not set
.... ..0. = Syn: Not set
.... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x55a3 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.112925000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 20800]
[Bytes sent since last PSH flag: 15600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  95 7.068525      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [PSH, ACK] Seq=33148 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 95: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.613206000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.613206000 UTC
  Epoch Arrival Time: 1737488031.613206000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.068525000 seconds]
  Frame Number: 95
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cd0 (3280)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4ea5 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 33148, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0. = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 33148 (relative sequence number)
  Sequence Number (raw): 3794371902

```

```
[Next Sequence Number: 34448 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
 000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 1... = Push: Set
.... ..... 0.. = Reset: Not set
.... ..... ..0. = Syn: Not set
.... ..... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x172b [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.112925000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 22100]
  [Bytes sent since last PSH flag: 16900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   96 7.068525 192.168.100.26 128.119.245.12    TCP      1354 52904 → 80 [ACK] Seq=34448 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 96: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.613206000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.613206000 UTC
Epoch Arrival Time: 1737488031.613206000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.068525000 seconds]
Frame Number: 96
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cd1 (3281)
010. .... = Flags: 0x2, Don't fragment
  0... .... = Reserved bit: Not set
  .1.. .... = Don't fragment: Set
  ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4ea4 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 34448, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
```

```

..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 34448      (relative sequence number)
Sequence Number (raw): 3794373202
[Next Sequence Number: 35748      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... .... = Reserved: Not set
...0 .... .... = Accurate ECN: Not set
.... 0... .... = Congestion Window Reduced: Not set
.... .0.. .... = ECN-Echo: Not set
.... ..0. .... = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x87ad [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.112925000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 23400]
[Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  97 7.068525      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=35748 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 97: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.613206000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.613206000 UTC
Epoch Arrival Time: 1737488031.613206000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.068525000 seconds]
Frame Number: 97
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cd2 (3282)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)

```

```

Header Checksum: 0x4ea3 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 35748, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 35748      (relative sequence number)
Sequence Number (raw): 3794374502
[Next Sequence Number: 37048      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x9b6e [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.112925000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 24700]
    [Bytes sent since last PSH flag: 2600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   98  7.175108    128.119.245.12    192.168.100.26    TCP      54      80 → 52904 [ACK] Seq=1 Ack=17548 Win=503 Len=0
Frame 98: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719789000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719789000 UTC
Epoch Arrival Time: 1737488031.719789000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.106583000 seconds]
[Time delta from previous displayed frame: 0.106583000 seconds]
[Time since reference or first frame: 7.175108000 seconds]
Frame Number: 98
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)

```

```

Total Length: 40
Identification: 0x94e9 (38121)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1ba0 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 17548, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 17548      (relative ack number)
Acknowledgment number (raw): 3794356302
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 503
[Calculated window size: 503]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x6852 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219508000 seconds]
    [Time since previous frame in this TCP stream: 0.106583000 seconds]
[SEQ/ACK analysis]
    [This is an ACK to the segment in frame: 81]
    [The RTT to ACK the segment was: 0.108126000 seconds]
No.      Time                Source                Destination          Protocol Length Info
   99 7.175108          128.119.245.12        192.168.100.26      TCP           54      80 → 52904 [ACK] Seq=1 Ack=25348 Win=625 Len=0
Frame 99: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719789000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719789000 UTC
Epoch Arrival Time: 1737488031.719789000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175108000 seconds]
Frame Number: 99
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]

```


Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94ea (38122)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b9f [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 25348, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 25348 (relative ack number)
Acknowledgment number (raw): 3794364102
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A.....]
Window: 625
[Calculated window size: 625]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x4960 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219508000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 87]
[The RTT to ACK the segment was: 0.108126000 seconds]
No. Time Source Destination Protocol Length Info
100 7.175108 128.119.245.12 192.168.100.26 TCP 54 80 → 52904 [ACK] Seq=1 Ack=31848 Win=726 Len=0
Frame 100: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719789000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719789000 UTC
Epoch Arrival Time: 1737488031.719789000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175108000 seconds]
Frame Number: 100
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. = LG bit: Globally unique address (factory default)

```
[...]\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
....00000000 = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
....00000000 = LG bit: Globally unique address (factory default)
....00000000 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100.... = Version: 4
....0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
000000.. = Differentiated Services Codepoint: Default (0)
....0000 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94eb (38123)
010.... = Flags: 0x2, Don't fragment
0...0... = Reserved bit: Not set
.1...0... = Don't fragment: Set
..0...0... = More fragments: Not set
...000000000000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b9e [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 31848, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0.... = RST: Absent
...0.... = FIN: Absent
....1... = Data: Present
....1... = ACK: Present
....0... = SYN-ACK: Absent
....0... = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 31848 (relative ack number)
Acknowledgment number (raw): 3794370602
0101.... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000.... = Reserved: Not set
...0.... = Accurate ECN: Not set
....0... = Congestion Window Reduced: Not set
....0... = ECN-Echo: Not set
....0... = Urgent: Not set
....1... = Acknowledgment: Set
....0... = Push: Not set
....0... = Reset: Not set
....0... = Syn: Not set
....0... = Fin: Not set
[TCP Flags: .....A....]
Window: 726
[Calculated window size: 726]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2f97 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219508000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 93]
[The RTT to ACK the segment was: 0.106583000 seconds]
No. Time Source Destination Protocol Length Info
101 7.175108 128.119.245.12 192.168.100.26 TCP 54 80 -> 52904 [ACK] Seq=1 Ack=34448 Win=767 Len=0
Frame 101: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719789000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719789000 UTC
Epoch Arrival Time: 1737488031.719789000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175108000 seconds]
Frame Number: 101
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
```

```

[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94ec (38124)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b9d [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 34448, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 34448 (relative ack number)
Acknowledgment number (raw): 3794373202
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 767
[Calculated window size: 767]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2546 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219508000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 95]
[The RTT to ACK the segment was: 0.106583000 seconds]
No. Time Source Destination Protocol Length Info
102 7.175210 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=37048 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 102: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000102000 seconds]

```

[Time delta from previous displayed frame: 0.000102000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 102
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0. = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0. = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
....0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cd3 (3283)
010. = Flags: 0x2, Don't fragment
 0... = Reserved bit: Not set
 .1.. = Don't fragment: Set
 ..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4ea2 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 37048, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
 ..0. = RST: Absent
 ...0 = FIN: Absent
 1... = Data: Present
 1.. = ACK: Present
 0. = SYN-ACK: Absent
 0. = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 37048 (relative sequence number)
Sequence Number (raw): 3794375802
[Next Sequence Number: 38348 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0. = ECN-Echo: Not set
 0. = Urgent: Not set
 1. = Acknowledgment: Set
 0... = Push: Not set
 0... = Reset: Not set
 0. = Syn: Not set
 0. = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xae0a [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.219610000 seconds]
 [Time since previous frame in this TCP stream: 0.000102000 seconds]
[SEQ/ACK analysis]
 [Bytes in flight: 3900]
 [Bytes sent since last PSH flag: 3900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
103	7.175210	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=38348 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 103: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

```
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 103
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cd4 (3284)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4ea1 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 38348, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 38348 (relative sequence number)
Sequence Number (raw): 3794377102
[Next Sequence Number: 39648 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf8d9 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
```

```
[Bytes in flight: 5200]
[Bytes sent since last PSH flag: 5200]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time           Source           Destination      Protocol Length Info
  104  7.175210      192.168.100.26   128.119.245.12   TCP             1354    52904 → 80 [ACK] Seq=39648 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 104: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 104
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cd5 (3285)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4ea0 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 39648, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 39648 (relative sequence number)
  Sequence Number (raw): 3794378402
  [Next Sequence Number: 40948 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
```

Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x9b43 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 6500]
[Bytes sent since last PSH flag: 6500]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
105	7.175210	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=40948 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 105: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 105
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cd6 (3286)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e9f [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 40948, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 40948 (relative sequence number)
Sequence Number (raw): 3794379702
[Next Sequence Number: 42248 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set

```

...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xc576 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 7800]
[Bytes sent since last PSH flag: 7800]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 106 7.175210 192.168.100.26 128.119.245.12  TCP      1354    52904 → 80 [ACK] Seq=42248 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 106: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 106
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cd7 (3287)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e9e [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 42248, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent

```



```
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 42248      (relative sequence number)
Sequence Number (raw): 3794381002
[Next Sequence Number: 43548      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x9102 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219610000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 9100]
    [Bytes sent since last PSH flag: 9100]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  107 7.175210    192.168.100.26    128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=43548 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 107: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 107
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cd8 (3288)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e9d [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 43548, Ack: 1, Len: 1300
```

```

Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 43548      (relative sequence number)
Sequence Number (raw): 3794382302
[Next Sequence Number: 44848      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x7c68 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.219610000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 10400]
  [Bytes sent since last PSH flag: 10400]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 108 7.175210      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=44848 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 108: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 108
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cd9 (3289)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set

```

```
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e9c [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 44848, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 44848 (relative sequence number)
Sequence Number (raw): 3794383602
[Next Sequence Number: 46148 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x049d [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 11700]
[Bytes sent since last PSH flag: 11700]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time           Source           Destination      Protocol Length Info
 109 7.175210      192.168.100.26   128.119.245.12   TCP             1354    52904 → 80 [ACK] Seq=46148 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 109: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 109
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
```

```

0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cda (3290)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e9b [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 46148, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 46148      (relative sequence number)
Sequence Number (raw): 3794384902
[Next Sequence Number: 47448      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xb1f6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219610000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 13000]
    [Bytes sent since last PSH flag: 13000]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  110 7.175210      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=47448 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 110: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 110
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]

```

Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cdb (3291)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e9a [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 47448, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 47448 (relative sequence number)
Sequence Number (raw): 3794386202
[Next Sequence Number: 48748 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x479a [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 14300]
[Bytes sent since last PSH flag: 14300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
111 7.175210 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [PSH, ACK] Seq=48748 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 111: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]

```

[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 111
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0xc0cdc (3292)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e99 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 48748, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 48748 (relative sequence number)
Sequence Number (raw): 3794387502
[Next Sequence Number: 50048 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 1... = Push: Set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xb835 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 15600]
[Bytes sent since last PSH flag: 15600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
112 7.175210 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=50048 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 112: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

```

```
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 112
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cdd (3293)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e98 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 50048, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 50048 (relative sequence number)
Sequence Number (raw): 3794388802
[Next Sequence Number: 51348 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x4c43 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
```

```
[Bytes in flight: 16900]
[Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
 113 7.175210         192.168.100.26       128.119.245.12      TCP                1354    52904 → 80 [ACK] Seq=51348 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 113: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 113
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cde (3294)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e97 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 51348, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 51348 (relative sequence number)
  Sequence Number (raw): 3794390102
  [Next Sequence Number: 52648 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
```



```

Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x9cdb [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219610000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 18200]
    [Bytes sent since last PSH flag: 2600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  114 7.175210      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=52648 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 114: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 114
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cdf (3295)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e96 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 52648, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0. = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 52648 (relative sequence number)
  Sequence Number (raw): 3794391402
  [Next Sequence Number: 53948 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set

```

```

...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf2a9 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 19500]
[Bytes sent since last PSH flag: 3900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  115 7.175210    192.168.100.26    128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=53948 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 115: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 115
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ce0 (3296)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e95 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 53948, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent

```

```
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 53948      (relative sequence number)
Sequence Number (raw): 3794392702
[Next Sequence Number: 55248      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2f4b [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219610000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 20800]
    [Bytes sent since last PSH flag: 5200]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   116  7.175210    192.168.100.26    128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=55248 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 116: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 116
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ce1 (3297)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e94 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 55248, Ack: 1, Len: 1300
```

```

Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 55248      (relative sequence number)
Sequence Number (raw): 3794394002
[Next Sequence Number: 56548      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xe5c4 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.219610000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 22100]
  [Bytes sent since last PSH flag: 6500]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  117 7.175210      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=56548 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 117: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 117
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0ce2 (3298)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set

```

```
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e93 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 56548, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 56548 (relative sequence number)
Sequence Number (raw): 3794395302
[Next Sequence Number: 57848 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x0675 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 23400]
[Bytes sent since last PSH flag: 7800]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination            Protocol Length Info
 118 7.175210          192.168.100.26        128.119.245.12         TCP      1354    52904 → 80 [ACK] Seq=57848 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 118: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 118
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
```

```

0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  0000 00.. = Differentiated Services Codepoint: Default (0)
  .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ce3 (3299)
010. .... = Flags: 0x2, Don't fragment
  0... .... = Reserved bit: Not set
  .1.. .... = Don't fragment: Set
  ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e92 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 57848, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 57848      (relative sequence number)
Sequence Number (raw): 3794396602
[Next Sequence Number: 59148      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2718 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.219610000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 24700]
  [Bytes sent since last PSH flag: 9100]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  119 7.175210      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=59148 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 119: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 119
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]

```

Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ce4 (3300)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e91 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 59148, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 59148 (relative sequence number)
Sequence Number (raw): 3794397902
[Next Sequence Number: 60448 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1ee1 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 26000]
[Bytes sent since last PSH flag: 10400]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
120 7.175210 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=60448 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 120: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]

```

[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 120
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ce5 (3301)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e90 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 60448, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 60448 (relative sequence number)
Sequence Number (raw): 3794399202
[Next Sequence Number: 61748 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x52a6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 27300]
[Bytes sent since last PSH flag: 11700]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
121 7.175210 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=61748 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 121: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

```



```
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 121
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ce6 (3302)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e8f [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 61748, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 61748 (relative sequence number)
Sequence Number (raw): 3794400502
[Next Sequence Number: 63048 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x938c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
```

```
[Bytes in flight: 28600]
[Bytes sent since last PSH flag: 13000]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
  122  7.175210          192.168.100.26       128.119.245.12      TCP                1354    52904 → 80 [ACK] Seq=63048 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 122: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 122
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0ce7 (3303)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e8e [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 63048, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 63048 (relative sequence number)
  Sequence Number (raw): 3794401802
  [Next Sequence Number: 64348 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
```

Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x3bdb [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 29900]
[Bytes sent since last PSH flag: 14300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
123	7.175210	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=64348 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 123: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 123
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0. = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0. = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 000 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ce8 (3304)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e8d [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 64348, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 64348 (relative sequence number)
Sequence Number (raw): 3794403102
[Next Sequence Number: 65648 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set

```

...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x84ee [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 31200]
[Bytes sent since last PSH flag: 15600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time          Source          Destination      Protocol Length Info
 124 7.175210      192.168.100.26  128.119.245.12  TCP          1354    52904 → 80 [PSH, ACK] Seq=65648 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 124: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 124
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0ce9 (3305)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e8c [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 65648, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent

```

```
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 65648      (relative sequence number)
Sequence Number (raw): 3794404402
[Next Sequence Number: 66948      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 1... = Push: Set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x3fde [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219610000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 32500]
    [Bytes sent since last PSH flag: 16900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  125  7.175210    192.168.100.26    128.119.245.12      TCP      1354    52904 → 80 [ACK] Seq=66948 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 125: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 125
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cea (3306)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e8b [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 66948, Ack: 1, Len: 1300
```

```

Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 66948      (relative sequence number)
Sequence Number (raw): 3794405702
[Next Sequence Number: 68248      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x10ba [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.219610000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 33800]
  [Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 126 7.175210 192.168.100.26 128.119.245.12  TCP      1354    52904 → 80 [ACK] Seq=68248 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 126: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 126
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0ceb (3307)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set

```

```
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e8a [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 68248, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 68248 (relative sequence number)
Sequence Number (raw): 3794407002
[Next Sequence Number: 69548 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x7e1c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 35100]
[Bytes sent since last PSH flag: 2600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
127 7.175210 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=69548 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 127: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 127
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
```

```

0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cec (3308)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e89 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 69548, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 69548      (relative sequence number)
Sequence Number (raw): 3794408302
[Next Sequence Number: 70848      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2b2d [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219610000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 36400]
    [Bytes sent since last PSH flag: 3900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  128 7.175210  192.168.100.26  128.119.245.12  TCP      1354  52904 → 80 [ACK] Seq=70848 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 128: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 128
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]

```



```
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0ced (3309)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e88 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 70848, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0. = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 70848 (relative sequence number)
  Sequence Number (raw): 3794409602
  [Next Sequence Number: 72148 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0. .... = ECN-Echo: Not set
    ....0. .... = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0... = Reset: Not set
    ....0. .... = Syn: Not set
    ....0. .... = Fin: Not set
  [TCP Flags: .....A....]
  Window: 512
  [Calculated window size: 512]
  [Window size scaling factor: -1 (unknown)]
  Checksum: 0x7a58 [unverified]
  [Checksum Status: Unverified]
  Urgent Pointer: 0
  [Timestamps]
    [Time since first frame in this TCP stream: 0.219610000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
  [SEQ/ACK analysis]
    [Bytes in flight: 37700]
    [Bytes sent since last PSH flag: 5200]
  TCP payload (1300 bytes)
  [Reassembled PDU in frame: 203]
  TCP segment data (1300 bytes)
No.      Time                Source                Destination            Protocol Length Info
129 7.175210          192.168.100.26        128.119.245.12        TCP          1354    52904 → 80 [ACK] Seq=72148 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 129: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
```

```
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 129
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cee (3310)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e87 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 72148, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 72148 (relative sequence number)
Sequence Number (raw): 3794410902
[Next Sequence Number: 73448 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2d9a [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 39000]
[Bytes sent since last PSH flag: 6500]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
130 7.175210 192.168.100.26 128.119.245.12 TCP 1354 52904 -> 80 [ACK] Seq=73448 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 130: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
```

```
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 130
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cef (3311)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e86 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 73448, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 73448 (relative sequence number)
Sequence Number (raw): 3794412202
[Next Sequence Number: 74748 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x162e [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
```

```
[Bytes in flight: 40300]
[Bytes sent since last PSH flag: 7800]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
  131  7.175210          192.168.100.26        128.119.245.12       TCP           1354    52904 → 80 [ACK] Seq=74748 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 131: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
  Epoch Arrival Time: 1737488031.719891000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.175210000 seconds]
  Frame Number: 131
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cf0 (3312)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e85 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 74748, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 74748 (relative sequence number)
  Sequence Number (raw): 3794413502
  [Next Sequence Number: 76048 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
```

```

Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x3ba6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219610000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 41600]
    [Bytes sent since last PSH flag: 9100]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  132 7.175210      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=76048 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 132: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
    Epoch Arrival Time: 1737488031.719891000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.175210000 seconds]
    Frame Number: 132
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0. .... = IG bit: Individual address (unicast)
    Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0. .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... 000 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 1340
    Identification: 0x0cf1 (3313)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 128
    Protocol: TCP (6)
    Header Checksum: 0x4e84 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 192.168.100.26
    Destination Address: 128.119.245.12
    [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 76048, Ack: 1, Len: 1300
    Source Port: 52904
    Destination Port: 80
    [Stream index: 6]
    [Conversation completeness: Incomplete (12)]
        ..0. .... = RST: Absent
        ...0 .... = FIN: Absent
        .... 1... = Data: Present
        .... .1.. = ACK: Present
        .... ..0. = SYN-ACK: Absent
        .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
    [TCP Segment Len: 1300]
    Sequence Number: 76048 (relative sequence number)
    Sequence Number (raw): 3794414802
    [Next Sequence Number: 77348 (relative sequence number)]
    Acknowledgment Number: 1 (relative ack number)
    Acknowledgment number (raw): 494965843
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x010 (ACK)
        000. .... = Reserved: Not set

```

```

...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x66e0 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 42900]
[Bytes sent since last PSH flag: 10400]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 133 7.175210 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=77348 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 133: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 133
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cf2 (3314)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e83 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 77348, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent

```

```

[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 77348      (relative sequence number)
Sequence Number (raw): 3794416102
[Next Sequence Number: 78648      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x5b92 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219610000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 44200]
    [Bytes sent since last PSH flag: 11700]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  134  7.175210    192.168.100.26    128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=78648 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 134: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 134
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cf3 (3315)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e82 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 78648, Ack: 1, Len: 1300

```

```

Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 78648      (relative sequence number)
Sequence Number (raw): 3794417402
[Next Sequence Number: 79948      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xe79c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219610000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 45500]
    [Bytes sent since last PSH flag: 13000]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  135 7.175210      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=79948 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 135: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.719891000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.719891000 UTC
Epoch Arrival Time: 1737488031.719891000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.175210000 seconds]
Frame Number: 135
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cf4 (3316)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set

```



```

..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e81 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 79948, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 79948 (relative sequence number)
Sequence Number (raw): 3794418702
[Next Sequence Number: 81248 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xca46 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.219610000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 46800]
[Bytes sent since last PSH flag: 14300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
136 7.175565 128.119.245.12 192.168.100.26 TCP 54 80 → 52904 [ACK] Seq=1 Ack=37048 Win=807 Len=0
Frame 136: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.720246000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.720246000 UTC
Epoch Arrival Time: 1737488031.720246000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000355000 seconds]
[Time delta from previous displayed frame: 0.000355000 seconds]
[Time since reference or first frame: 7.175565000 seconds]
Frame Number: 136
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4

```

```

.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94ed (38125)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b9c [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 37048, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 37048      (relative ack number)
Acknowledgment number (raw): 3794375802
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 807
[Calculated window size: 807]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1af6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.219965000 seconds]
    [Time since previous frame in this TCP stream: 0.000355000 seconds]
[SEQ/ACK analysis]
    [This is an ACK to the segment in frame: 97]
    [The RTT to ACK the segment was: 0.107040000 seconds]
No.      Time                Source                Destination          Protocol Length Info
  137 7.186246          192.168.100.26        128.119.245.12      TCP      1354    52904 → 80 [ACK] Seq=81248 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 137: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.730927000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.730927000 UTC
Epoch Arrival Time: 1737488031.730927000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.010681000 seconds]
[Time delta from previous displayed frame: 0.010681000 seconds]
[Time since reference or first frame: 7.186246000 seconds]
Frame Number: 137
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... ..0 .... = IG bit: Individual address (unicast)

```

```

Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cf5 (3317)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e80 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 81248, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 81248 (relative sequence number)
Sequence Number (raw): 3794420002
[Next Sequence Number: 82548 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x5ffb [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.230646000 seconds]
[Time since previous frame in this TCP stream: 0.010681000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 45500]
[Bytes sent since last PSH flag: 15600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
138 7.186246 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [PSH, ACK] Seq=82548 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 138: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.730927000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.730927000 UTC
Epoch Arrival Time: 1737488031.730927000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.186246000 seconds]
Frame Number: 138
Frame Length: 1354 bytes (10832 bits)

```

```

Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cf6 (3318)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e7f [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 82548, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 82548 (relative sequence number)
Sequence Number (raw): 3794421302
[Next Sequence Number: 83848 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 1... = Push: Set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x9fe9 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.230646000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 46800]
[Bytes sent since last PSH flag: 16900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
139 7.186246 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=83848 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 139: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi

```

```
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.730927000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.730927000 UTC
Epoch Arrival Time: 1737488031.730927000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.186246000 seconds]
Frame Number: 139
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 0.0 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cf7 (3319)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e7e [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 83848, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0 = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 83848 (relative sequence number)
Sequence Number (raw): 3794422602
[Next Sequence Number: 85148 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x0783 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.230646000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 48100]
[Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
```

```

TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
  140  7.186246             192.168.100.26       128.119.245.12      TCP           1354    52904 → 80 [ACK] Seq=85148 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 140: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
        Interface description: Wi-Fi
      Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.730927000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.730927000 UTC
    Epoch Arrival Time: 1737488031.730927000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.186246000 seconds]
    Frame Number: 140
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 0.0 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cf8 (3320)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e7d [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 85148, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 85148 (relative sequence number)
  Sequence Number (raw): 3794423902
  [Next Sequence Number: 86448 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2d84 [unverified]

```

```

[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.230646000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 49400]
  [Bytes sent since last PSH flag: 2600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  141 7.206260      fe80::1      ff02::1:ff5:6bbe ICMPv6   86      Neighbor Solicitation for
2804:1eb0:103:c121:8020:8b46:56d5:6bbe from 6c:68:a4:35:dd:98
Frame 141: 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.750941000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.750941000 UTC
  Epoch Arrival Time: 1737488031.750941000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.020014000 seconds]
  [Time delta from previous displayed frame: 0.020014000 seconds]
  [Time since reference or first frame: 7.206260000 seconds]
  Frame Number: 141
  Frame Length: 86 bytes (688 bits)
  Capture Length: 86 bytes (688 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ipv6:icmpv6]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
  Type: IPv6 (0x86dd)
  [Stream index: 0]
Internet Protocol Version 6, Src: fe80::1, Dst: ff02::1:ff5:6bbe
  0110 .... = Version: 6
  .... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
  .... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
  .... .... 00 .. ... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  .... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
  Payload Length: 32
  Next Header: ICMPv6 (58)
  Hop Limit: 255
  Source Address: fe80::1
    [Address Space: Link-Local Unicast]
    [Special-Purpose Allocation: Link-Local Unicast]
    [Source: True]
    [Destination: True]
    [Forwardable: False]
    [Globally Reachable: False]
    [Reserved-by-Protocol: True]
  Destination Address: ff02::1:ff5:6bbe
    [Address Space: Multicast]
    [.... .... 0000 .... = Multicast Flags: 0x0]
    .... .... 0... .... = Reserved: 0
    .... .... 0... .... = Rendezvous Point (RP): False
    .... .... 0... .... = Network Prefix: False
    .... .... 0... .... = Transient: False
    [.... .... 0010 = Multicast Scope: Link-Local scope (0x2)]
  [Stream index: 4]
Internet Control Message Protocol v6
  Type: Neighbor Solicitation (135)
  Code: 0
  Checksum: 0x497f [correct]
  [Checksum Status: Good]
  Reserved: 00000000
  Target Address: 2804:1eb0:103:c121:8020:8b46:56d5:6bbe
  ICMPv6 Option (Source link-layer address : 6c:68:a4:35:dd:98)
    Type: Source link-layer address (1)
    Length: 1 (8 bytes)
    Link-layer address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
No.      Time      Source      Destination      Protocol Length Info
  142 7.372980     128.119.245.12  192.168.100.26    TCP        54      80 → 52904 [ACK] Seq=1 Ack=43548 Win=909 Len=0
Frame 142: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi

```

```

Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917661000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917661000 UTC
Epoch Arrival Time: 1737488031.917661000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.166720000 seconds]
[Time delta from previous displayed frame: 0.166720000 seconds]
[Time since reference or first frame: 7.372980000 seconds]
Frame Number: 142
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94ee (38126)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b9b [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 43548, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 43548 (relative ack number)
Acknowledgment number (raw): 3794382302
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 909
[Calculated window size: 909]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x012c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417380000 seconds]
[Time since previous frame in this TCP stream: 0.186734000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 106]
[The RTT to ACK the segment was: 0.197770000 seconds]

```

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------


```
143 7.372980      128.119.245.12      192.168.100.26      TCP      54      80 → 52904 [ACK] Seq=1 Ack=50048 Win=1011
Len=0
Frame 143: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.917661000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.917661000 UTC
    Epoch Arrival Time: 1737488031.917661000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.372980000 seconds]
    Frame Number: 143
    Frame Length: 54 bytes (432 bits)
    Capture Length: 54 bytes (432 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 40
  Identification: 0x94ef (38127)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 48
  Protocol: TCP (6)
  Header Checksum: 0x1b9a [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 128.119.245.12
  Destination Address: 192.168.100.26
  [Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 50048, Len: 0
  Source Port: 80
  Destination Port: 52904
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0.0 = SYN: Absent
    [Completeness Flags: ..DA..]
  [TCP Segment Len: 0]
  Sequence Number: 1 (relative sequence number)
  Sequence Number (raw): 494965843
  [Next Sequence Number: 1 (relative sequence number)]
  Acknowledgment Number: 50048 (relative ack number)
  Acknowledgment number (raw): 3794388802
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0.. = ECN-Echo: Not set
    ....0. .... = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0.. = Reset: Not set
    ....0. = Syn: Not set
    ....0.0 = Fin: Not set
  [TCP Flags: .....A....]
  Window: 1011
  [Calculated window size: 1011]
  [Window size scaling factor: -1 (unknown)]
  Checksum: 0xe761 [unverified]
  [Checksum Status: Unverified]
  Urgent Pointer: 0
```

```
[Timestamps]
[Time since first frame in this TCP stream: 0.417380000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 111]
[The RTT to ACK the segment was: 0.197770000 seconds]
No.      Time      Source      Destination      Protocol Length Info
 144 7.372980    128.119.245.12    192.168.100.26    TCP      54      80 → 52904 [ACK] Seq=1 Ack=56548 Win=1112
Len=0
Frame 144: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917661000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917661000 UTC
Epoch Arrival Time: 1737488031.917661000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.372980000 seconds]
Frame Number: 144
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 100 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94f0 (38128)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b99 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 56548, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 56548 (relative ack number)
Acknowledgment number (raw): 3794395302
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
```

```
[TCP Flags: .....A....]
Window: 1112
[Calculated window size: 1112]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xcd98 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.41738000 seconds]
[Time since previous frame in this TCP stream: 0.00000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 116]
[The RTT to ACK the segment was: 0.19777000 seconds]
No.      Time      Source      Destination      Protocol Length Info
  145 7.373050    192.168.100.26    128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=86448 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 145: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
  Epoch Arrival Time: 1737488031.917731000
  [Time shift for this packet: 0.00000000 seconds]
  [Time delta from previous captured frame: 0.000070000 seconds]
  [Time delta from previous displayed frame: 0.000070000 seconds]
  [Time since reference or first frame: 7.373050000 seconds]
  Frame Number: 145
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....000 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cf9 (3321)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e7c [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 86448, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0. = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 86448 (relative sequence number)
  Sequence Number (raw): 3794425202
  [Next Sequence Number: 87748 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
```

```
.....0.. .... = ECN-Echo: Not set
.....0.. .... = Urgent: Not set
.....1... .... = Acknowledgment: Set
.....0... .... = Push: Not set
.....0.. .... = Reset: Not set
.....0.. .... = Syn: Not set
.....0... .... = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xbe69 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000070000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 31200]
[Bytes sent since last PSH flag: 3900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 146 7.373050 192.168.100.26 128.119.245.12   TCP      1354    52904 → 80 [ACK] Seq=87748 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 146: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
        Interface description: Wi-Fi
      Encapsulation type: Ethernet (1)
      Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
      UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
      Epoch Arrival Time: 1737488031.917731000
      [Time shift for this packet: 0.000000000 seconds]
      [Time delta from previous captured frame: 0.000000000 seconds]
      [Time delta from previous displayed frame: 0.000000000 seconds]
      [Time since reference or first frame: 7.373050000 seconds]
      Frame Number: 146
      Frame Length: 1354 bytes (10832 bits)
      Capture Length: 1354 bytes (10832 bits)
      [Frame is marked: False]
      [Frame is ignored: False]
      [Protocols in frame: eth:ethertype:ip:tcp]
      [Coloring Rule Name: HTTP]
      [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSO_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSO_35:dd:98 (6c:68:a4:35:dd:98)
    ....0.. .... = LG bit: Globally unique address (factory default)
    ....0.. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0.. .... = LG bit: Globally unique address (factory default)
    ....0.. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00.. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0cfa (3322)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e7b [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 87748, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0.. = SYN-ACK: Absent
    ....0.. = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
```

Sequence Number: 87748 (relative sequence number)
Sequence Number (raw): 3794426502
[Next Sequence Number: 89048 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0.. = ECN-Echo: Not set
 0. = Urgent: Not set
 1 = Acknowledgment: Set
 0... = Push: Not set
 0.. = Reset: Not set
 0. = Syn: Not set
 0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xd36b [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.417450000 seconds]
 [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
 [Bytes in flight: 32500]
 [Bytes sent since last PSH flag: 5200]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
147	7.373050	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=89048 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 147: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
 Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
 Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 147
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cfb (3323)
010. = Flags: 0x2, Don't fragment
 0... = Reserved bit: Not set
 .1.. = Don't fragment: Set
 ..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e7a [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 89048, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80

```

[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 89048      (relative sequence number)
Sequence Number (raw): 3794427802
[Next Sequence Number: 90348      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x9de7 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.417450000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 33800]
    [Bytes sent since last PSH flag: 6500]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  148  7.373050      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=90348 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 148: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 148
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cfc (3324)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0

```

Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e79 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 90348, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
 ..0. = RST: Absent
 ...0 = FIN: Absent
 1... = Data: Present
 1.. = ACK: Present
 0. = SYN-ACK: Absent
 0 = SYN: Absent
 [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 90348 (relative sequence number)
Sequence Number (raw): 3794429102
[Next Sequence Number: 91648 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0.. = ECN-Echo: Not set
 0. = Urgent: Not set
 1 = Acknowledgment: Set
 0... = Push: Not set
 0.. = Reset: Not set
 0. = Syn: Not set
 0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x53bf [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.417450000 seconds]
 [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
 [Bytes in flight: 35100]
 [Bytes sent since last PSH flag: 7800]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
149	7.373050	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=91648 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 149: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 149
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
 0100 = Version: 4
 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cfd (3325)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e78 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 91648, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 91648 (relative sequence number)
Sequence Number (raw): 3794430402
[Next Sequence Number: 92948 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xc28d [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 36400]
[Bytes sent since last PSH flag: 9100]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
150	7.373050	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=92948 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 150: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 150
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)


```

    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0cfe (3326)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e77 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 92948, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 92948 (relative sequence number)
Sequence Number (raw): 3794431702
[Next Sequence Number: 94248 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x0ec0 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.417450000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 37700]
    [Bytes sent since last PSH flag: 10400]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
    151 7.373050      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=94248 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 151: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
```

```
Frame Number: 151
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 100 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0xcff (3327)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e76 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 94248, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 94248 (relative sequence number)
Sequence Number (raw): 3794433002
[Next Sequence Number: 95548 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x7bde [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 39000]
[Bytes sent since last PSH flag: 11700]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
152 7.373050 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=95548 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 152: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
```

```
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 152
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d00 (3328)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e75 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 95548, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 95548 (relative sequence number)
Sequence Number (raw): 3794434302
[Next Sequence Number: 96848 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xbe9d [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 40300]
[Bytes sent since last PSH flag: 13000]
```

```
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 153 7.373050      192.168.100.26 128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=96848 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 153: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
    Epoch Arrival Time: 1737488031.917731000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.373050000 seconds]
    Frame Number: 153
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d01 (3329)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e74 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 96848, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0.0 = SYN: Absent
    [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 96848 (relative sequence number)
  Sequence Number (raw): 3794435602
  [Next Sequence Number: 98148 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0.. = ECN-Echo: Not set
    ....0. = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0.. = Reset: Not set
    ....0. = Syn: Not set
    ....0.0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
```

```
[Window size scaling factor: -1 (unknown)]
Checksum: 0x6985 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.417450000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 41600]
    [Bytes sent since last PSH flag: 14300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
154 7.373050 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [PSH, ACK] Seq=98148 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 154: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
    Epoch Arrival Time: 1737488031.917731000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.373050000 seconds]
    Frame Number: 154
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0 .... = IG bit: Individual address (unicast)
    Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0 .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 1340
    Identification: 0x0d02 (3330)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 128
    Protocol: TCP (6)
    Header Checksum: 0x4e73 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 192.168.100.26
    Destination Address: 128.119.245.12
    [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 98148, Ack: 1, Len: 1300
    Source Port: 52904
    Destination Port: 80
    [Stream index: 6]
    [Conversation completeness: Incomplete (12)]
        ..0. .... = RST: Absent
        ...0 .... = FIN: Absent
        .... 1... = Data: Present
        .... .1.. = ACK: Present
        .... ..0. = SYN-ACK: Absent
        .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
    [TCP Segment Len: 1300]
    Sequence Number: 98148 (relative sequence number)
    Sequence Number (raw): 3794436902
    [Next Sequence Number: 99448 (relative sequence number)]
    Acknowledgment Number: 1 (relative ack number)
    Acknowledgment number (raw): 494965843
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x018 (PSH, ACK)
        000. .... = Reserved: Not set
        ...0 .... = Accurate ECN: Not set
        .... 0... = Congestion Window Reduced: Not set
```

```
.....0.. .... = ECN-Echo: Not set
.....0. .... = Urgent: Not set
.....1 .... = Acknowledgment: Set
..... 1... = Push: Set
..... ..0.. = Reset: Not set
..... ..0. = Syn: Not set
..... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x69d9 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 42900]
[Bytes sent since last PSH flag: 15600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 155 7.373050 192.168.100.26 128.119.245.12    TCP      1354 52904 → 80 [ACK] Seq=99448 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 155: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
  Epoch Arrival Time: 1737488031.917731000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.373050000 seconds]
  Frame Number: 155
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0.. .... = LG bit: Globally unique address (factory default)
    ....0.. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0.. .... = LG bit: Globally unique address (factory default)
    ....0.. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00.. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d03 (3331)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e72 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 99448, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1. ... = ACK: Present
    ....0. ... = SYN-ACK: Absent
    ....0. ... = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
```

```

Sequence Number: 99448      (relative sequence number)
Sequence Number (raw): 3794438202
[Next Sequence Number: 100748      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... 0... = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xebbf [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.417450000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 44200]
    [Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
156 7.373050      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=100748 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 156: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
    Epoch Arrival Time: 1737488031.917731000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.373050000 seconds]
    Frame Number: 156
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d04 (3332)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e71 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 100748, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80

```

```

[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 100748      (relative sequence number)
Sequence Number (raw): 3794439502
[Next Sequence Number: 102048      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xc60c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.417450000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 45500]
    [Bytes sent since last PSH flag: 2600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  157  7.373050      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=102048 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 157: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 157
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d05 (3333)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0

```



```

Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e70 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 102048, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 102048 (relative sequence number)
Sequence Number (raw): 3794440802
[Next Sequence Number: 103348 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x61bf [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 46800]
[Bytes sent since last PSH flag: 3900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 158 7.373050 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=103348 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 158: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 158
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)

```

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d06 (3334)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e6f [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 103348, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 103348 (relative sequence number)
Sequence Number (raw): 3794442102
[Next Sequence Number: 104648 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xc281 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 48100]
[Bytes sent since last PSH flag: 5200]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
159	7.373050	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=104648 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 159: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 159
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

```
.....0. .... = LG bit: Globally unique address (factory default)
.....0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.....0. .... = LG bit: Globally unique address (factory default)
.....0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d07 (3335)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e6e [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 104648, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 104648 (relative sequence number)
Sequence Number (raw): 3794443402
[Next Sequence Number: 105948 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2345 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 49400]
[Bytes sent since last PSH flag: 6500]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
160 7.373050 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=105948 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 160: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
```

Frame Number: 160
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0. = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0. = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
 0.0 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d08 (3336)
010. = Flags: 0x2, Don't fragment
 0... = Reserved bit: Not set
 .1.. = Don't fragment: Set
 ..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e6d [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 105948, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
 ..0. = RST: Absent
 ...0 = FIN: Absent
 1... = Data: Present
 1.. = ACK: Present
 0. = SYN-ACK: Absent
 0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 105948 (relative sequence number)
Sequence Number (raw): 3794444702
[Next Sequence Number: 107248 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0.. = ECN-Echo: Not set
 0. = Urgent: Not set
 1 = Acknowledgment: Set
 0... = Push: Not set
 0.. = Reset: Not set
 0. = Syn: Not set
 0 = Fin: Not set
[TCP Flags:A.....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x60fb [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.417450000 seconds]
 [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
 [Bytes in flight: 50700]
 [Bytes sent since last PSH flag: 7800]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
161 7.373050 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=107248 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 161: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})

```
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 161
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d09 (3337)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e6c [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 107248, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 107248 (relative sequence number)
Sequence Number (raw): 3794446002
[Next Sequence Number: 108548 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x8a02 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 52000]
[Bytes sent since last PSH flag: 9100]
```

```
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 162 7.373050    192.168.100.26 128.119.245.12   TCP      1354    52904 → 80 [ACK] Seq=108548 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 162: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
    Epoch Arrival Time: 1737488031.917731000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.373050000 seconds]
    Frame Number: 162
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d0a (3338)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e6b [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 108548, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0.0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 108548 (relative sequence number)
  Sequence Number (raw): 3794447302
  [Next Sequence Number: 109848 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0.. = ECN-Echo: Not set
    ....0. = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0.. = Reset: Not set
    ....0. = Syn: Not set
    ....0.0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
```

```
[Window size scaling factor: -1 (unknown)]
Checksum: 0xdc8f [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.417450000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 53300]
    [Bytes sent since last PSH flag: 10400]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time           Source           Destination      Protocol Length Info
  163  7.373050      192.168.100.26   128.119.245.12   TCP           1354    52904 → 80 [ACK] Seq=109848 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 163: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
  Epoch Arrival Time: 1737488031.917731000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.373050000 seconds]
  Frame Number: 163
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d0b (3339)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e6a [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 109848, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 109848 (relative sequence number)
  Sequence Number (raw): 3794448602
  [Next Sequence Number: 111148 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
```

```

.... .0.. .... = ECN-Echo: Not set
.... ..0. .... = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xdff1 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 54600]
[Bytes sent since last PSH flag: 11700]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  164  7.373050      192.168.100.26    128.119.245.12      TCP      1354    52904 → 80 [ACK] Seq=111148 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 164: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
        Interface description: Wi-Fi
        Encapsulation type: Ethernet (1)
        Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
        UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
        Epoch Arrival Time: 1737488031.917731000
        [Time shift for this packet: 0.000000000 seconds]
        [Time delta from previous captured frame: 0.000000000 seconds]
        [Time delta from previous displayed frame: 0.000000000 seconds]
        [Time since reference or first frame: 7.373050000 seconds]
        Frame Number: 164
        Frame Length: 1354 bytes (10832 bits)
        Capture Length: 1354 bytes (10832 bits)
        [Frame is marked: False]
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:tcp]
        [Coloring Rule Name: HTTP]
        [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d0c (3340)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e69 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 111148, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]

```



```
Sequence Number: 111148      (relative sequence number)
Sequence Number (raw): 3794449902
[Next Sequence Number: 112448      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... 0... = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xd5f9 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.417450000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 55900]
  [Bytes sent since last PSH flag: 13000]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  165 7.373050      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=112448 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 165: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
  Epoch Arrival Time: 1737488031.917731000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.373050000 seconds]
  Frame Number: 165
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d0d (3341)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e68 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 112448, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
```

```
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 112448      (relative sequence number)
Sequence Number (raw): 3794451202
[Next Sequence Number: 113748      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x575a [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.417450000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 57200]
    [Bytes sent since last PSH flag: 14300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
166 7.373050      192.168.100.26      128.119.245.12      TCP      1354      52904 → 80 [ACK] Seq=113748 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 166: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 166
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d0e (3342)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
```

```

Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e67 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 113748, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 113748 (relative sequence number)
Sequence Number (raw): 3794452502
[Next Sequence Number: 115048 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x5dc6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 58500]
[Bytes sent since last PSH flag: 15600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 167 7.373050 192.168.100.26 128.119.245.12  TCP      342      52904 → 80 [PSH, ACK] Seq=115048 Ack=1 Win=512
Len=288 [TCP PDU reassembled in 203]
Frame 167: 342 bytes on wire (2736 bits), 342 bytes captured (2736 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917731000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917731000 UTC
Epoch Arrival Time: 1737488031.917731000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373050000 seconds]
Frame Number: 167
Frame Length: 342 bytes (2736 bits)
Capture Length: 342 bytes (2736 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)

```

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 328
Identification: 0x0d0f (3343)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x525a [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 115048, Ack: 1, Len: 288
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 288]
Sequence Number: 115048 (relative sequence number)
Sequence Number (raw): 3794453802
[Next Sequence Number: 115336 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 1... = Push: Set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:AP...]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x242d [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417450000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 58788]
[Bytes sent since last PSH flag: 15888]
TCP payload (288 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (288 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
168	7.373269	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=115336 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 168: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917950000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917950000 UTC
Epoch Arrival Time: 1737488031.917950000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000219000 seconds]
[Time delta from previous displayed frame: 0.000219000 seconds]
[Time since reference or first frame: 7.373269000 seconds]
Frame Number: 168
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

```

    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d10 (3344)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e65 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 115336, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 115336 (relative sequence number)
Sequence Number (raw): 3794454090
[Next Sequence Number: 116636 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1ab6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.417669000 seconds]
    [Time since previous frame in this TCP stream: 0.000219000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 60088]
    [Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   169  7.373269  192.168.100.26  128.119.245.12  TCP      1354    52904 → 80 [ACK] Seq=116636 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 169: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917950000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917950000 UTC
Epoch Arrival Time: 1737488031.917950000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373269000 seconds]
```

Frame Number: 169
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0. = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0. = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
 0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d11 (3345)
010. = Flags: 0x2, Don't fragment
 0... = Reserved bit: Not set
 .1.. = Don't fragment: Set
 ..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e64 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 116636, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
 ..0. = RST: Absent
 ...0 = FIN: Absent
 1... = Data: Present
 1.. = ACK: Present
 0. = SYN-ACK: Absent
 0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 116636 (relative sequence number)
Sequence Number (raw): 3794455390
[Next Sequence Number: 117936 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0.. = ECN-Echo: Not set
 0. = Urgent: Not set
 1 = Acknowledgment: Set
 0... = Push: Not set
 0.. = Reset: Not set
 0. = Syn: Not set
 0 = Fin: Not set
[TCP Flags:A.....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xd0b6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.417669000 seconds]
 [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
 [Bytes in flight: 61388]
 [Bytes sent since last PSH flag: 2600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
170 7.373269 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=117936 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 170: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})

```
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917950000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917950000 UTC
Epoch Arrival Time: 1737488031.917950000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373269000 seconds]
Frame Number: 170
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d12 (3346)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e63 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 117936, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 117936 (relative sequence number)
Sequence Number (raw): 3794456690
[Next Sequence Number: 119236 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf313 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417669000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 62688]
[Bytes sent since last PSH flag: 3900]
```

```

TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  171 7.373269    192.168.100.26  128.119.245.12   TCP      1354    52904 → 80 [ACK] Seq=119236 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 171: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.917950000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.917950000 UTC
    Epoch Arrival Time: 1737488031.917950000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.373269000 seconds]
    Frame Number: 171
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d13 (3347)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e62 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 119236, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0.0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 119236 (relative sequence number)
  Sequence Number (raw): 3794457990
  [Next Sequence Number: 120536 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0.. = ECN-Echo: Not set
    ....0. = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0.. = Reset: Not set
    ....0. = Syn: Not set
    ....0.0 = Fin: Not set
  [TCP Flags: .....A....]
  Window: 512
  [Calculated window size: 512]

```



```
[Window size scaling factor: -1 (unknown)]
Checksum: 0xe907 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.417669000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 63988]
    [Bytes sent since last PSH flag: 5200]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
  172  7.373269          192.168.100.26        128.119.245.12      TCP           1354    52904 → 80 [ACK] Seq=120536 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 172: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.917950000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.917950000 UTC
    Epoch Arrival Time: 1737488031.917950000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.373269000 seconds]
    Frame Number: 172
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0 .... = IG bit: Individual address (unicast)
    Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0 .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 1340
    Identification: 0x0d14 (3348)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 128
    Protocol: TCP (6)
    Header Checksum: 0x4e61 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 192.168.100.26
    Destination Address: 128.119.245.12
    [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 120536, Ack: 1, Len: 1300
    Source Port: 52904
    Destination Port: 80
    [Stream index: 6]
    [Conversation completeness: Incomplete (12)]
        ..0. .... = RST: Absent
        ...0 .... = FIN: Absent
        .... 1... = Data: Present
        .... .1.. = ACK: Present
        .... ..0. = SYN-ACK: Absent
        .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
    [TCP Segment Len: 1300]
    Sequence Number: 120536 (relative sequence number)
    Sequence Number (raw): 3794459290
    [Next Sequence Number: 121836 (relative sequence number)]
    Acknowledgment Number: 1 (relative ack number)
    Acknowledgment number (raw): 494965843
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x010 (ACK)
        000. .... = Reserved: Not set
        ...0 .... = Accurate ECN: Not set
        .... 0... = Congestion Window Reduced: Not set
```

```

.... .0.. .... = ECN-Echo: Not set
.... ..0. .... = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x7dd3 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417669000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 65288]
[Bytes sent since last PSH flag: 6500]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time          Source          Destination      Protocol Length Info
  173 7.373269      192.168.100.26  128.119.245.12   TCP          1354    52904 → 80 [ACK] Seq=121836 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 173: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917950000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917950000 UTC
Epoch Arrival Time: 1737488031.917950000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373269000 seconds]
Frame Number: 173
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d15 (3349)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e60 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 121836, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]

```

Sequence Number: 121836 (relative sequence number)
Sequence Number (raw): 3794460590
[Next Sequence Number: 123136 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0... = ECN-Echo: Not set
 0. = Urgent: Not set
 1 = Acknowledgment: Set
 0... = Push: Not set
 0.. = Reset: Not set
 0. = Syn: Not set
 0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xe258 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.417669000 seconds]
 [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
 [Bytes in flight: 66588]
 [Bytes sent since last PSH flag: 7800]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
174	7.373269	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=123136 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 174: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
 Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
 Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917950000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917950000 UTC
Epoch Arrival Time: 1737488031.917950000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373269000 seconds]
Frame Number: 174
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 = Version: 4
 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d16 (3350)
010. = Flags: 0x2, Don't fragment
 0... = Reserved bit: Not set
 .1.. = Don't fragment: Set
 ..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e5f [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 123136, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80

```

[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 123136      (relative sequence number)
Sequence Number (raw): 3794461890
[Next Sequence Number: 124436      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf31c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.417669000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 67888]
    [Bytes sent since last PSH flag: 9100]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 175 7.373269 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=124436 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 175: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.917950000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.917950000 UTC
Epoch Arrival Time: 1737488031.917950000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373269000 seconds]
Frame Number: 175
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d17 (3351)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0

```

```

Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e5e [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 124436, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 124436 (relative sequence number)
Sequence Number (raw): 3794463190
[Next Sequence Number: 125736 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xfb96 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417669000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 69188]
[Bytes sent since last PSH flag: 10400]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
176 7.373353 128.119.245.12 192.168.100.26 TCP 54 80 → 52904 [ACK] Seq=1 Ack=63048 Win=1214
Len=0
Frame 176: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.918034000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.918034000 UTC
Epoch Arrival Time: 1737488031.918034000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000084000 seconds]
[Time delta from previous displayed frame: 0.000084000 seconds]
[Time since reference or first frame: 7.373353000 seconds]
Frame Number: 176
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)

```

```

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
 .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94f1 (38129)
010. .... = Flags: 0x2, Don't fragment
 0... .... = Reserved bit: Not set
 .1.. .... = Don't fragment: Set
 ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b98 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 63048, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
 ..0. .... = RST: Absent
...0 .... = FIN: Absent
 .... 1... = Data: Present
 .... .1.. = ACK: Present
 .... ..0. = SYN-ACK: Absent
 .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 63048 (relative ack number)
Acknowledgment number (raw): 3794401802
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
 .... 0... = Congestion Window Reduced: Not set
 .... .0.. = ECN-Echo: Not set
 .... ..0. = Urgent: Not set
 .... ...1 = Acknowledgment: Set
 .... .... 0... = Push: Not set
 .... .... .0.. = Reset: Not set
 .... .... ..0. = Syn: Not set
 .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1214
[Calculated window size: 1214]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xb3ce [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.417753000 seconds]
 [Time since previous frame in this TCP stream: 0.000084000 seconds]
[SEQ/ACK analysis]
 [This is an ACK to the segment in frame: 121]
 [The RTT to ACK the segment was: 0.198143000 seconds]
No.      Time            Source           Destination      Protocol Length Info
 177 7.373353      128.119.245.12    192.168.100.26    TCP           54      80 → 52904 [ACK] Seq=1 Ack=66948 Win=1275
Len=0
Frame 177: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.918034000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.918034000 UTC
Epoch Arrival Time: 1737488031.918034000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373353000 seconds]
Frame Number: 177
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 .... ..0. .... = LG bit: Globally unique address (factory default)
 .... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

```

```

    .... 00. .... = LG bit: Globally unique address (factory default)
    .... 00. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94f2 (38130)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b97 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 66948, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 66948 (relative ack number)
Acknowledgment number (raw): 3794405702
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1275
[Calculated window size: 1275]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xa455 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417753000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 124]
[The RTT to ACK the segment was: 0.198143000 seconds]
No.      Time      Source      Destination      Protocol Length Info
178 7.373353 128.119.245.12 192.168.100.26 TCP 54 80 → 52904 [ACK] Seq=1 Ack=69548 Win=1315
Len=0
Frame 178: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.918034000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.918034000 UTC
Epoch Arrival Time: 1737488031.918034000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373353000 seconds]
Frame Number: 178
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]

```

```

[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94f3 (38131)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b96 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 69548, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 69548 (relative ack number)
Acknowledgment number (raw): 3794408302
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1315
[Calculated window size: 1315]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x9a05 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417753000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 126]
[The RTT to ACK the segment was: 0.198143000 seconds]
No.      Time                Source                Destination            Protocol Length Info
179 7.373353          128.119.245.12        192.168.100.26         TCP          54      80 → 52904 [ACK] Seq=1 Ack=76048 Win=1403
Len=0
Frame 179: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.918034000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.918034000 UTC
Epoch Arrival Time: 1737488031.918034000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]

```


[Time since reference or first frame: 7.373353000 seconds]
Frame Number: 179
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94f4 (38132)
010. = Flags: 0x2, Don't fragment
 0... = Reserved bit: Not set
 .1.. = Don't fragment: Set
 ..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b95 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 76048, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
 ..0. = RST: Absent
 ...0 = FIN: Absent
 1... = Data: Present
 1.. = ACK: Present
 0. = SYN-ACK: Absent
 0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 76048 (relative ack number)
Acknowledgment number (raw): 3794414802
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0.. = ECN-Echo: Not set
 0. = Urgent: Not set
 1 = Acknowledgment: Set
 0... = Push: Not set
 0.. = Reset: Not set
 0. = Syn: Not set
 0 = Fin: Not set
[TCP Flags:A....]
Window: 1403
[Calculated window size: 1403]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x8049 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.417753000 seconds]
 [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
 [This is an ACK to the segment in frame: 131]
 [The RTT to ACK the segment was: 0.198143000 seconds]
No. Time Source Destination Protocol Length Info
180 7.373353 128.119.245.12 192.168.100.26 TCP 54 80 → 52904 [ACK] Seq=1 Ack=81248 Win=1411
Len=0
Frame 180: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi

```

Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.918034000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.918034000 UTC
Epoch Arrival Time: 1737488031.918034000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373353000 seconds]
Frame Number: 180
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94f5 (38133)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b94 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 81248, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 81248 (relative ack number)
Acknowledgment number (raw): 3794420002
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1411
[Calculated window size: 1411]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x6bf1 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417753000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 135]
[The RTT to ACK the segment was: 0.198143000 seconds]

```

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

```
181 7.373353      128.119.245.12      192.168.100.26      TCP      54      80 → 52904 [ACK] Seq=1 Ack=83848 Win=1426
Len=0
Frame 181: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.918034000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.918034000 UTC
    Epoch Arrival Time: 1737488031.918034000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.373353000 seconds]
    Frame Number: 181
    Frame Length: 54 bytes (432 bits)
    Capture Length: 54 bytes (432 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 40
  Identification: 0x94f6 (38134)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 48
  Protocol: TCP (6)
  Header Checksum: 0x1b93 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 128.119.245.12
  Destination Address: 192.168.100.26
  [Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 83848, Len: 0
  Source Port: 80
  Destination Port: 52904
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0.0 = SYN: Absent
    [Completeness Flags: ..DA..]
  [TCP Segment Len: 0]
  Sequence Number: 1 (relative sequence number)
  Sequence Number (raw): 494965843
  [Next Sequence Number: 1 (relative sequence number)]
  Acknowledgment Number: 83848 (relative ack number)
  Acknowledgment number (raw): 3794422602
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0.. = ECN-Echo: Not set
    ....0. .... = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0.. = Reset: Not set
    ....0. .... = Syn: Not set
    ....0. .... = Fin: Not set
  [TCP Flags: .....A....]
  Window: 1426
  [Calculated window size: 1426]
  [Window size scaling factor: -1 (unknown)]
  Checksum: 0x61ba [unverified]
  [Checksum Status: Unverified]
  Urgent Pointer: 0
```

```
[Timestamps]
[Time since first frame in this TCP stream: 0.417753000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 138]
[The RTT to ACK the segment was: 0.187107000 seconds]
No.      Time      Source      Destination      Protocol Length Info
 182 7.373353    128.119.245.12    192.168.100.26    TCP      54      80 → 52904 [ACK] Seq=1 Ack=86448 Win=1426
Len=0
Frame 182: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.918034000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.918034000 UTC
Epoch Arrival Time: 1737488031.918034000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.373353000 seconds]
Frame Number: 182
Frame Length: 54 bytes (432 bits)
Capture Length: 54 bytes (432 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 100 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94f7 (38135)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b92 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 86448, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 86448 (relative ack number)
Acknowledgment number (raw): 3794425202
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
```

```

[TCP Flags: .....A....]
Window: 1426
[Calculated window size: 1426]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x5792 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.417753000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 140]
[The RTT to ACK the segment was: 0.187107000 seconds]
No.      Time      Source      Destination      Protocol Length Info
183 7.392341 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=125736 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 183: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
  Epoch Arrival Time: 1737488031.937022000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.018988000 seconds]
  [Time delta from previous displayed frame: 0.018988000 seconds]
  [Time since reference or first frame: 7.392341000 seconds]
  Frame Number: 183
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d18 (3352)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e5d [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 125736, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 125736 (relative sequence number)
  Sequence Number (raw): 3794464490
  [Next Sequence Number: 127036 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set

```

```
.... .0.. .... = ECN-Echo: Not set
.... .0. .... = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x44bb [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.018988000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 40588]
[Bytes sent since last PSH flag: 11700]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 184 7.392341 192.168.100.26 128.119.245.12    TCP      1354 52904 → 80 [ACK] Seq=127036 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 184: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
        Interface description: Wi-Fi
      Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
    Epoch Arrival Time: 1737488031.937022000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.392341000 seconds]
  Frame Number: 184
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... .0. .... = LG bit: Globally unique address (factory default)
    .... ..0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... .0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... .00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d19 (3353)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e5c [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 127036, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
```

```

Sequence Number: 127036      (relative sequence number)
Sequence Number (raw): 3794465790
[Next Sequence Number: 128336      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0... = ECN-Echo: Not set
    ......0. = Urgent: Not set
    .......1 = Acknowledgment: Set
    .....0.. = Push: Not set
    .....0.. = Reset: Not set
    .....0.. = Syn: Not set
    .....0.. = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x0c3f [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.436741000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 41888]
    [Bytes sent since last PSH flag: 13000]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 185 7.392341 192.168.100.26 128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=128336 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 185: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
    Epoch Arrival Time: 1737488031.937022000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.392341000 seconds]
    Frame Number: 185
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00.. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d1a (3354)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e5b [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 128336, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80

```

```
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 128336      (relative sequence number)
Sequence Number (raw): 3794467090
[Next Sequence Number: 129636      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x32c7 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.436741000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 43188]
    [Bytes sent since last PSH flag: 14300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
186 7.392341 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=129636 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 186: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
Epoch Arrival Time: 1737488031.937022000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.392341000 seconds]
Frame Number: 186
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d1b (3355)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
```



```
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e5a [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 129636, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 129636 (relative sequence number)
Sequence Number (raw): 3794468390
[Next Sequence Number: 130936 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x30f7 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 44488]
[Bytes sent since last PSH flag: 15600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 187 7.392341 192.168.100.26 128.119.245.12  TCP      1354  52904 → 80 [PSH, ACK] Seq=130936 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 187: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
Epoch Arrival Time: 1737488031.937022000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.392341000 seconds]
Frame Number: 187
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
```

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d1c (3356)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e59 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 130936, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 130936 (relative sequence number)
Sequence Number (raw): 3794469690
[Next Sequence Number: 132236 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 1... = Push: Set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:AP...]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xace7 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 45788]
[Bytes sent since last PSH flag: 16900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
188	7.392341	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=132236 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 188: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
Epoch Arrival Time: 1737488031.937022000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.392341000 seconds]
Frame Number: 188
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

```

    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d1d (3357)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e58 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 132236, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 132236 (relative sequence number)
Sequence Number (raw): 3794470990
[Next Sequence Number: 133536 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xa898 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.436741000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 47088]
    [Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
   189  7.392341  192.168.100.26  128.119.245.12  TCP      1354    52904 → 80 [ACK] Seq=133536 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 189: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
Epoch Arrival Time: 1737488031.937022000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.392341000 seconds]
```

```
Frame Number: 189
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0. .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d1e (3358)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e57 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 133536, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 133536 (relative sequence number)
Sequence Number (raw): 3794472290
[Next Sequence Number: 134836 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf4f5 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 48388]
[Bytes sent since last PSH flag: 2600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
190 7.392341 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=134836 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 190: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
```

```
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
Epoch Arrival Time: 1737488031.937022000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.392341000 seconds]
Frame Number: 190
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d1f (3359)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e56 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 134836, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 134836 (relative sequence number)
Sequence Number (raw): 3794473590
[Next Sequence Number: 136136 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x06df [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 49688]
[Bytes sent since last PSH flag: 3900]
```

```

TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  191 7.392341    192.168.100.26 128.119.245.12   TCP      1354    52904 → 80 [ACK] Seq=136136 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 191: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
    Epoch Arrival Time: 1737488031.937022000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.392341000 seconds]
    Frame Number: 191
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d20 (3360)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e55 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 136136, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0.0 = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 136136 (relative sequence number)
  Sequence Number (raw): 3794474890
  [Next Sequence Number: 137436 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0.. = ECN-Echo: Not set
    ....0. = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0.. = Reset: Not set
    ....0. = Syn: Not set
    ....0.0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]

```

```
[Window size scaling factor: -1 (unknown)]
Checksum: 0xcd89 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.436741000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 50988]
    [Bytes sent since last PSH flag: 5200]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
192 7.392341 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=137436 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 192: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
    Epoch Arrival Time: 1737488031.937022000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.392341000 seconds]
    Frame Number: 192
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0 .... = IG bit: Individual address (unicast)
    Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0 .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 1340
    Identification: 0x0d21 (3361)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 128
    Protocol: TCP (6)
    Header Checksum: 0x4e54 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 192.168.100.26
    Destination Address: 128.119.245.12
    [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 137436, Ack: 1, Len: 1300
    Source Port: 52904
    Destination Port: 80
    [Stream index: 6]
    [Conversation completeness: Incomplete (12)]
        ..0. .... = RST: Absent
        ...0 .... = FIN: Absent
        .... 1... = Data: Present
        .... .1.. = ACK: Present
        .... ..0. = SYN-ACK: Absent
        .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
    [TCP Segment Len: 1300]
    Sequence Number: 137436 (relative sequence number)
    Sequence Number (raw): 3794476190
    [Next Sequence Number: 138736 (relative sequence number)]
    Acknowledgment Number: 1 (relative ack number)
    Acknowledgment number (raw): 494965843
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x010 (ACK)
        000. .... = Reserved: Not set
        ...0 .... = Accurate ECN: Not set
        .... 0... = Congestion Window Reduced: Not set
```

```
.....0.. .... = ECN-Echo: Not set
.....0. .... = Urgent: Not set
.....1 .... = Acknowledgment: Set
..... 0... = Push: Not set
..... ..0.. = Reset: Not set
..... ..0. = Syn: Not set
..... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xdf1f [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 52288]
[Bytes sent since last PSH flag: 6500]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 193 7.392341 192.168.100.26 128.119.245.12    TCP      1354    52904 → 80 [ACK] Seq=138736 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 193: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
  Epoch Arrival Time: 1737488031.937022000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.392341000 seconds]
  Frame Number: 193
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d22 (3362)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e53 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 138736, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0. = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
```



```
Sequence Number: 138736      (relative sequence number)
Sequence Number (raw): 3794477490
[Next Sequence Number: 140036      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... 0... = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xb3c1 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.436741000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 53588]
  [Bytes sent since last PSH flag: 7800]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
194 7.392341 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=140036 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 194: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
  Epoch Arrival Time: 1737488031.937022000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.392341000 seconds]
  Frame Number: 194
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0... = LG bit: Globally unique address (factory default)
    .... ...0 = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0... = LG bit: Globally unique address (factory default)
    .... ...0 = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d23 (3363)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e52 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 140036, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
```

```
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 140036      (relative sequence number)
Sequence Number (raw): 3794478790
[Next Sequence Number: 141336      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x0038 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.436741000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 54888]
    [Bytes sent since last PSH flag: 9100]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
195 7.392341 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=141336 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 195: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
Epoch Arrival Time: 1737488031.937022000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.392341000 seconds]
Frame Number: 195
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d24 (3364)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
```

Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e51 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 141336, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
 ..0. = RST: Absent
 ...0 = FIN: Absent
 1... = Data: Present
 1.. = ACK: Present
 0. = SYN-ACK: Absent
 0 = SYN: Absent
 [Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 141336 (relative sequence number)
Sequence Number (raw): 3794480090
[Next Sequence Number: 142636 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
 000. = Reserved: Not set
 ...0 = Accurate ECN: Not set
 0... = Congestion Window Reduced: Not set
 0.. = ECN-Echo: Not set
 0. = Urgent: Not set
 1 = Acknowledgment: Set
 0... = Push: Not set
 0.. = Reset: Not set
 0. = Syn: Not set
 0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2973 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
 [Time since first frame in this TCP stream: 0.436741000 seconds]
 [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
 [Bytes in flight: 56188]
 [Bytes sent since last PSH flag: 10400]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
196	7.392341	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=142636 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 196: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
Epoch Arrival Time: 1737488031.937022000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.392341000 seconds]
Frame Number: 196
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
 0. = LG bit: Globally unique address (factory default)
 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
 0100 = Version: 4
 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d25 (3365)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e50 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 142636, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 142636 (relative sequence number)
Sequence Number (raw): 3794481390
[Next Sequence Number: 143936 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x97a4 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 57488]
[Bytes sent since last PSH flag: 11700]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
197	7.392341	192.168.100.26	128.119.245.12	TCP	1354	52904 → 80 [ACK] Seq=143936 Ack=1 Win=512

Len=1300 [TCP PDU reassembled in 203]
Frame 197: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
Epoch Arrival Time: 1737488031.937022000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.392341000 seconds]
Frame Number: 197
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

```

.....0. .... = LG bit: Globally unique address (factory default)
.....0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.....0. .... = LG bit: Globally unique address (factory default)
.....0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d26 (3366)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e4f [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 143936, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 143936 (relative sequence number)
Sequence Number (raw): 3794482690
[Next Sequence Number: 145236 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xc24c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 58788]
[Bytes sent since last PSH flag: 13000]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
198 7.392341 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=145236 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 198: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
Epoch Arrival Time: 1737488031.937022000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.392341000 seconds]

```

```
Frame Number: 198
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0. .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d27 (3367)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e4e [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 145236, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 145236 (relative sequence number)
Sequence Number (raw): 3794483990
[Next Sequence Number: 146536 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x9499 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 60088]
[Bytes sent since last PSH flag: 14300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No. Time Source Destination Protocol Length Info
199 7.392341 192.168.100.26 128.119.245.12 TCP 1354 52904 → 80 [ACK] Seq=146536 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 199: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
```

```
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
Epoch Arrival Time: 1737488031.937022000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.392341000 seconds]
Frame Number: 199
Frame Length: 1354 bytes (10832 bits)
Capture Length: 1354 bytes (10832 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1340
Identification: 0x0d28 (3368)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x4e4d [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 146536, Ack: 1, Len: 1300
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1300]
Sequence Number: 146536 (relative sequence number)
Sequence Number (raw): 3794485290
[Next Sequence Number: 147836 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xbb16 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 61388]
[Bytes sent since last PSH flag: 15600]
```

```

TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
  200  7.392341    192.168.100.26  128.119.245.12   TCP      1354    52904 → 80 [PSH, ACK] Seq=147836 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 200: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
    Epoch Arrival Time: 1737488031.937022000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.392341000 seconds]
    Frame Number: 200
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....0.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d29 (3369)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e4c [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 147836, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0. = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
  Sequence Number: 147836 (relative sequence number)
  Sequence Number (raw): 3794486590
  [Next Sequence Number: 149136 (relative sequence number)]
  Acknowledgment Number: 1 (relative ack number)
  Acknowledgment number (raw): 494965843
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x018 (PSH, ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0.. = ECN-Echo: Not set
    ....0. = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....1... = Push: Set
    ....0.. = Reset: Not set
    ....0. = Syn: Not set
    ....0. = Fin: Not set
  [TCP Flags: .....AP...]
Window: 512
[Calculated window size: 512]

```



```
[Window size scaling factor: -1 (unknown)]
Checksum: 0x4d19 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.436741000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 62688]
    [Bytes sent since last PSH flag: 16900]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination          Protocol Length Info
201 7.392341          192.168.100.26        128.119.245.12      TCP      1354    52904 → 80 [ACK] Seq=149136 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 201: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
    Epoch Arrival Time: 1737488031.937022000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.392341000 seconds]
    Frame Number: 201
    Frame Length: 1354 bytes (10832 bits)
    Capture Length: 1354 bytes (10832 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0 .... = IG bit: Individual address (unicast)
    Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
        .... 0. .... = LG bit: Globally unique address (factory default)
        .... 0 .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 1340
    Identification: 0x0d2a (3370)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 128
    Protocol: TCP (6)
    Header Checksum: 0x4e4b [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 192.168.100.26
    Destination Address: 128.119.245.12
    [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 149136, Ack: 1, Len: 1300
    Source Port: 52904
    Destination Port: 80
    [Stream index: 6]
    [Conversation completeness: Incomplete (12)]
        ..0. .... = RST: Absent
        ...0 .... = FIN: Absent
        .... 1... = Data: Present
        .... .1.. = ACK: Present
        .... ..0. = SYN-ACK: Absent
        .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
    [TCP Segment Len: 1300]
    Sequence Number: 149136 (relative sequence number)
    Sequence Number (raw): 3794487890
    [Next Sequence Number: 150436 (relative sequence number)]
    Acknowledgment Number: 1 (relative ack number)
    Acknowledgment number (raw): 494965843
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x010 (ACK)
        000. .... = Reserved: Not set
        ...0 .... = Accurate ECN: Not set
        .... 0... = Congestion Window Reduced: Not set
```

```
.....0.. .... = ECN-Echo: Not set
.....0.. .... = Urgent: Not set
.....1... .... = Acknowledgment: Set
.....0... .... = Push: Not set
.....0.. .... = Reset: Not set
.....0.. .... = Syn: Not set
.....0... .... = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xbd1d [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.436741000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 63988]
[Bytes sent since last PSH flag: 1300]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time      Source      Destination      Protocol Length Info
 202 7.392341 192.168.100.26 128.119.245.12   TCP      1354    52904 → 80 [ACK] Seq=150436 Ack=1 Win=512
Len=1300 [TCP PDU reassembled in 203]
Frame 202: 1354 bytes on wire (10832 bits), 1354 bytes captured (10832 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
  Epoch Arrival Time: 1737488031.937022000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 7.392341000 seconds]
  Frame Number: 202
  Frame Length: 1354 bytes (10832 bits)
  Capture Length: 1354 bytes (10832 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0.. .... = LG bit: Globally unique address (factory default)
    ....0.. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0.. .... = LG bit: Globally unique address (factory default)
    ....0.. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00.. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1340
  Identification: 0x0d2b (3371)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e4a [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 150436, Ack: 1, Len: 1300
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0.. = SYN-ACK: Absent
    ....0.. = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 1300]
```

```
Sequence Number: 150436      (relative sequence number)
Sequence Number (raw): 3794489190
[Next Sequence Number: 151736      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... 0... = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x47f1 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.436741000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [Bytes in flight: 65288]
  [Bytes sent since last PSH flag: 2600]
TCP payload (1300 bytes)
[Reassembled PDU in frame: 203]
TCP segment data (1300 bytes)
No.      Time                Source                Destination            Protocol Length Info
0.000000 203 7.392341          192.168.100.26        128.119.245.12         HTTP      1287    POST /wireshark-labs/lab3-1-reply.htm HTTP/1.1
(text/plain)
Frame 203: 1287 bytes on wire (10296 bits), 1287 bytes captured (10296 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:51.937022000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:51.937022000 UTC
    Epoch Arrival Time: 1737488031.937022000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.392341000 seconds]
    Frame Number: 203
    Frame Length: 1287 bytes (10296 bits)
    Capture Length: 1287 bytes (10296 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http:mime_multipart:data-text-lines]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1273
  Identification: 0x0d2c (3372)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x4e8c [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 151736, Ack: 1, Len: 1233
  Source Port: 52904
  Destination Port: 80
```

```
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 1233]
Sequence Number: 151736      (relative sequence number)
Sequence Number (raw): 3794490490
[Next Sequence Number: 152969      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 494965843
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 1... = Push: Set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....AP...]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x6647 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.436741000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 66521]
    [Bytes sent since last PSH flag: 3833]
TCP payload (1233 bytes)
TCP segment data (1233 bytes)
[ [...]119 Reassembled TCP Segments (152968 bytes): #66(647), #67(1300), #68(1300), #69(1300), #70(1300), #71(1300), #72(1300),
#73(1300), #74(1300), #75(1300), #77(1300), #79(1300), #80(1300), #81(1300), #82(1300), #83(1300), #84(1300), #8]
[Frame: 66, payload: 0-646 (647 bytes)]
[Frame: 67, payload: 647-1946 (1300 bytes)]
[Frame: 68, payload: 1947-3246 (1300 bytes)]
[Frame: 69, payload: 3247-4546 (1300 bytes)]
[Frame: 70, payload: 4547-5846 (1300 bytes)]
[Frame: 71, payload: 5847-7146 (1300 bytes)]
[Frame: 72, payload: 7147-8446 (1300 bytes)]
[Frame: 73, payload: 8447-9746 (1300 bytes)]
[Frame: 74, payload: 9747-11046 (1300 bytes)]
[Frame: 75, payload: 11047-12346 (1300 bytes)]
[Frame: 77, payload: 12347-13646 (1300 bytes)]
[Frame: 79, payload: 13647-14946 (1300 bytes)]
[Frame: 80, payload: 14947-16246 (1300 bytes)]
[Frame: 81, payload: 16247-17546 (1300 bytes)]
[Frame: 82, payload: 17547-18846 (1300 bytes)]
[Frame: 83, payload: 18847-20146 (1300 bytes)]
[Frame: 84, payload: 20147-21446 (1300 bytes)]
[Frame: 85, payload: 21447-22746 (1300 bytes)]
[Frame: 86, payload: 22747-24046 (1300 bytes)]
[Frame: 87, payload: 24047-25346 (1300 bytes)]
[Frame: 88, payload: 25347-26646 (1300 bytes)]
[Frame: 90, payload: 26647-27946 (1300 bytes)]
[Frame: 91, payload: 27947-29246 (1300 bytes)]
[Frame: 92, payload: 29247-30546 (1300 bytes)]
[Frame: 93, payload: 30547-31846 (1300 bytes)]
[Frame: 94, payload: 31847-33146 (1300 bytes)]
[Frame: 95, payload: 33147-34446 (1300 bytes)]
[Frame: 96, payload: 34447-35746 (1300 bytes)]
[Frame: 97, payload: 35747-37046 (1300 bytes)]
[Frame: 102, payload: 37047-38346 (1300 bytes)]
[Frame: 103, payload: 38347-39646 (1300 bytes)]
[Frame: 104, payload: 39647-40946 (1300 bytes)]
[Frame: 105, payload: 40947-42246 (1300 bytes)]
[Frame: 106, payload: 42247-43546 (1300 bytes)]
[Frame: 107, payload: 43547-44846 (1300 bytes)]
[Frame: 108, payload: 44847-46146 (1300 bytes)]
[Frame: 109, payload: 46147-47446 (1300 bytes)]
[Frame: 110, payload: 47447-48746 (1300 bytes)]
[Frame: 111, payload: 48747-50046 (1300 bytes)]
[Frame: 112, payload: 50047-51346 (1300 bytes)]
[Frame: 113, payload: 51347-52646 (1300 bytes)]
[Frame: 114, payload: 52647-53946 (1300 bytes)]
[Frame: 115, payload: 53947-55246 (1300 bytes)]
[Frame: 116, payload: 55247-56546 (1300 bytes)]
[Frame: 117, payload: 56547-57846 (1300 bytes)]
[Frame: 118, payload: 57847-59146 (1300 bytes)]
```

[Frame: 119, payload: 59147-60446 (1300 bytes)]
[Frame: 120, payload: 60447-61746 (1300 bytes)]
[Frame: 121, payload: 61747-63046 (1300 bytes)]
[Frame: 122, payload: 63047-64346 (1300 bytes)]
[Frame: 123, payload: 64347-65646 (1300 bytes)]
[Frame: 124, payload: 65647-66946 (1300 bytes)]
[Frame: 125, payload: 66947-68246 (1300 bytes)]
[Frame: 126, payload: 68247-69546 (1300 bytes)]
[Frame: 127, payload: 69547-70846 (1300 bytes)]
[Frame: 128, payload: 70847-72146 (1300 bytes)]
[Frame: 129, payload: 72147-73446 (1300 bytes)]
[Frame: 130, payload: 73447-74746 (1300 bytes)]
[Frame: 131, payload: 74747-76046 (1300 bytes)]
[Frame: 132, payload: 76047-77346 (1300 bytes)]
[Frame: 133, payload: 77347-78646 (1300 bytes)]
[Frame: 134, payload: 78647-79946 (1300 bytes)]
[Frame: 135, payload: 79947-81246 (1300 bytes)]
[Frame: 137, payload: 81247-82546 (1300 bytes)]
[Frame: 138, payload: 82547-83846 (1300 bytes)]
[Frame: 139, payload: 83847-85146 (1300 bytes)]
[Frame: 140, payload: 85147-86446 (1300 bytes)]
[Frame: 145, payload: 86447-87746 (1300 bytes)]
[Frame: 146, payload: 87747-89046 (1300 bytes)]
[Frame: 147, payload: 89047-90346 (1300 bytes)]
[Frame: 148, payload: 90347-91646 (1300 bytes)]
[Frame: 149, payload: 91647-92946 (1300 bytes)]
[Frame: 150, payload: 92947-94246 (1300 bytes)]
[Frame: 151, payload: 94247-95546 (1300 bytes)]
[Frame: 152, payload: 95547-96846 (1300 bytes)]
[Frame: 153, payload: 96847-98146 (1300 bytes)]
[Frame: 154, payload: 98147-99446 (1300 bytes)]
[Frame: 155, payload: 99447-100746 (1300 bytes)]
[Frame: 156, payload: 100747-102046 (1300 bytes)]
[Frame: 157, payload: 102047-103346 (1300 bytes)]
[Frame: 158, payload: 103347-104646 (1300 bytes)]
[Frame: 159, payload: 104647-105946 (1300 bytes)]
[Frame: 160, payload: 105947-107246 (1300 bytes)]
[Frame: 161, payload: 107247-108546 (1300 bytes)]
[Frame: 162, payload: 108547-109846 (1300 bytes)]
[Frame: 163, payload: 109847-111146 (1300 bytes)]
[Frame: 164, payload: 111147-112446 (1300 bytes)]
[Frame: 165, payload: 112447-113746 (1300 bytes)]
[Frame: 166, payload: 113747-115046 (1300 bytes)]
[Frame: 167, payload: 115047-115334 (288 bytes)]
[Frame: 168, payload: 115335-116634 (1300 bytes)]
[Frame: 169, payload: 116635-117934 (1300 bytes)]
[Frame: 170, payload: 117935-119234 (1300 bytes)]
[Frame: 171, payload: 119235-120534 (1300 bytes)]
[Frame: 172, payload: 120535-121834 (1300 bytes)]
[Frame: 173, payload: 121835-123134 (1300 bytes)]
[Frame: 174, payload: 123135-124434 (1300 bytes)]
[Frame: 175, payload: 124435-125734 (1300 bytes)]
[Frame: 183, payload: 125735-127034 (1300 bytes)]
[Frame: 184, payload: 127035-128334 (1300 bytes)]
[Frame: 185, payload: 128335-129634 (1300 bytes)]
[Frame: 186, payload: 129635-130934 (1300 bytes)]
[Frame: 187, payload: 130935-132234 (1300 bytes)]
[Frame: 188, payload: 132235-133534 (1300 bytes)]
[Frame: 189, payload: 133535-134834 (1300 bytes)]
[Frame: 190, payload: 134835-136134 (1300 bytes)]
[Frame: 191, payload: 136135-137434 (1300 bytes)]
[Frame: 192, payload: 137435-138734 (1300 bytes)]
[Frame: 193, payload: 138735-140034 (1300 bytes)]
[Frame: 194, payload: 140035-141334 (1300 bytes)]
[Frame: 195, payload: 141335-142634 (1300 bytes)]
[Frame: 196, payload: 142635-143934 (1300 bytes)]
[Frame: 197, payload: 143935-145234 (1300 bytes)]
[Frame: 198, payload: 145235-146534 (1300 bytes)]
[Frame: 199, payload: 146535-147834 (1300 bytes)]
[Frame: 200, payload: 147835-149134 (1300 bytes)]
[Frame: 201, payload: 149135-150434 (1300 bytes)]
[Frame: 202, payload: 150435-151734 (1300 bytes)]
[Frame: 203, payload: 151735-152967 (1233 bytes)]
[Segment count: 119]
[Reassembled TCP length: 152968]
[Reassembled TCP Data [...]]:
504f5354202f77697265736861726b2d6c6162732f6c6162332d312d7265706c792e68746d20485454502f312e310d0a486f73743a20676169612e63732e756d61
Hypertext Transfer Protocol
POST /wireshark-labs/lab3-1-reply.htm HTTP/1.1\r\n\r\n
Request Method: POST
Request URI: /wireshark-labs/lab3-1-reply.htm
Request Version: HTTP/1.1
Host: gaia.cs.umass.edu\r\n\r\n
Connection: keep-alive\r\n\r\n
Content-Length: 152321\r\n\r\n
[Content length: 152321]
Cache-Control: max-age=0\r\n\r\n
Upgrade-Insecure-Requests: 1\r\n\r\n
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36
OPR/115.0.0.0\r\n\r\n

```

Origin: null\r\n
Content-Type: multipart/form-data; boundary=----WebKitFormBoundaryf1YF6cbF51E8CMJc\r\n
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7\r\n
Accept-Encoding: gzip, deflate\r\n
Accept-Language: pt-BR,pt;q=0.9,en-US;q=0.8,en;q=0.7\r\n
\r\n
[Response in frame: 221]
[Full request URI: http://gaia.cs.umass.edu/wireshark-labs/lab3-1-reply.htm]
File Data: 152321 bytes
MIME multipart Media Encapsulation, Type: multipart/form-data, Boundary: "----WebKitFormBoundaryf1YF6cbF51E8CMJc"
[Type: multipart/form-data]
First boundary: -----WebKitFormBoundaryf1YF6cbF51E8CMJc\r\n
Encapsulated multipart part: (text/plain)
Content-Disposition: form-data; name="file"; filename="alice.txt"\r\n
Content-Type: text/plain\r\n\r\n
Line-based text data: text/plain (3598 lines)
    ALICE'S ADVENTURES IN WONDERLAND\r\n
\r\n
    Lewis Carroll\r\n
\r\n
    THE MILLENNIUM FULCRUM EDITION 3.0\r\n
\r\n
\r\n
\r\n
\r\n
    CHAPTER I\r\n
\r\n
    Down the Rabbit-Hole\r\n
\r\n
\r\n
    Alice was beginning to get very tired of sitting by her sister\r\n
on the bank, and of having nothing to do:  once or twice she had\r\n
peeped into the book her sister was reading, but it had no\r\n
pictures or conversations in it, `and what is the use of a book,' \r\n
thought Alice `without pictures or conversation?'\r\n
\r\n
    So she was considering in her own mind (as well as she could,\r\n
for the hot day made her feel very sleepy and stupid), whether\r\n
the pleasure of making a daisy-chain would be worth the trouble\r\n
of getting up and picking the daisies, when suddenly a White\r\n
Rabbit with pink eyes ran close by her.\r\n
\r\n
    There was nothing so VERY remarkable in that; nor did Alice\r\n
think it so VERY much out of the way to hear the Rabbit say to\r\n
itself, `Oh dear!  Oh dear!  I shall be late!' (when she thought\r\n
it over afterwards, it occurred to her that she ought to have\r\n
wondered at this, but at the time it all seemed quite natural);\r\n
but when the Rabbit actually TOOK A WATCH OUT OF ITS WAISTCOAT-\r\n
POCKET, and looked at it, and then hurried on, Alice started to\r\n
her feet, for it flashed across her mind that she had never\r\n
before seen a rabbit with either a waistcoat-pocket, or a watch to\r\n
take out of it, and burning with curiosity, she ran across the\r\n
field after it, and fortunately was just in time to see it pop\r\n
down a large rabbit-hole under the hedge.\r\n
\r\n
    In another moment down went Alice after it, never once\r\n
considering how in the world she was to get out again.\r\n
\r\n
    The rabbit-hole went straight on like a tunnel for some way,\r\n
and then dipped suddenly down, so suddenly that Alice had not a\r\n
moment to think about stopping herself before she found herself\r\n
falling down a very deep well.\r\n
\r\n
    Either the well was very deep, or she fell very slowly, for she\r\n
had plenty of time as she went down to look about her and to\r\n
wonder what was going to happen next.  First, she tried to look\r\n
down and make out what she was coming to, but it was too dark to\r\n
see anything; then she looked at the sides of the well, and\r\n
noticed that they were filled with cupboards and book-shelves;\r\n
here and there she saw maps and pictures hung upon pegs.  She\r\n
took down a jar from one of the shelves as she passed; it was\r\n
labelled `ORANGE MARMALADE', but to her great disappointment it\r\n
was empty:  she did not like to drop the jar for fear of killing\r\n
somebody, so managed to put it into one of the cupboards as she\r\n
fell past it.\r\n
\r\n
    `Well!' thought Alice to herself, `after such a fall as this, I\r\n
shall think nothing of tumbling down stairs!  How brave they'll\r\n
all think me at home!  Why, I wouldn't say anything about it,\r\n
even if I fell off the top of the house!' (Which was very likely\r\n
true.)\r\n
\r\n
    Down, down, down.  Would the fall NEVER come to an end!  `I\r\n
wonder how many miles I've fallen by this time?' she said aloud.\r\n
`I must be getting somewhere near the centre of the earth.  Let\r\n
me see:  that would be four thousand miles down, I think--' (for,\r\n
you see, Alice had learnt several things of this sort in her\r\n
lessons in the schoolroom, and though this was not a VERY good\r\n
opportunity for showing off her knowledge, as there was no one to\r\n

```

listen to her, still it was good practice to say it over) `--yes,\r\n that's about the right distance--but then I wonder what Latitude\r\n or Longitude I've got to?' (Alice had no idea what Latitude was,\r\n or Longitude either, but thought they were nice grand words to\r\n say.)\r\n\r\n

Presently she began again. `I wonder if I shall fall right\r\n THROUGH the earth! How funny it'll seem to come out among the\r\n people that walk with their heads downward! The Antipathies, I\r\n think--' (she was rather glad there WAS no one listening, this\r\n time, as it didn't sound at all the right word) `--but I shall\r\n have to ask them what the name of the country is, you know.\r\n Please, Ma'am, is this New Zealand or Australia?' (and she tried\r\n to curtsey as she spoke--fancy CURTSEYING as you're falling\r\n through the air! Do you think you could manage it?) `And what\r\n an ignorant little girl she'll think me for asking! No, it'll\r\n never do to ask: perhaps I shall see it written up somewhere.'\r\n\r\n

Down, down, down. There was nothing else to do, so Alice soon\r\n began talking again. `Dinah'll miss me very much to-night, I\r\n should think!' (Dinah was the cat.) `I hope they'll remember\r\n her saucer of milk at tea-time. Dinah my dear! I wish you were\r\n down here with me! There are no mice in the air, I'm afraid, but\r\n you might catch a bat, and that's very like a mouse, you know.\r\n But do cats eat bats, I wonder?' And here Alice began to get\r\n rather sleepy, and went on saying to herself, in a dreamy sort of\r\n way, `Do cats eat bats? Do cats eat bats?' and sometimes, `Do\r\n bats eat cats?' for, you see, as she couldn't answer either\r\n question, it didn't much matter which way she put it. She felt\r\n that she was dozing off, and had just begun to dream that she\r\n was walking hand in hand with Dinah, and saying to her very\r\n earnestly, `Now, Dinah, tell me the truth: did you ever eat a\r\n bat?' when suddenly, thump! thump! down she came upon a heap of\r\n sticks and dry leaves, and the fall was over.\r\n\r\n

Alice was not a bit hurt, and she jumped up on to her feet in a\r\n moment: she looked up, but it was all dark overhead; before her\r\n was another long passage, and the White Rabbit was still in\r\n sight, hurrying down it. There was not a moment to be lost:\r\n away went Alice like the wind, and was just in time to hear it\r\n say, as it turned a corner, `Oh my ears and whiskers, how late\r\n it's getting!' She was close behind it when she turned the\r\n corner, but the Rabbit was no longer to be seen: she found\r\n herself in a long, low hall, which was lit up by a row of lamps\r\n hanging from the roof.\r\n\r\n

There were doors all round the hall, but they were all locked;\r\n and when Alice had been all the way down one side and up the\r\n other, trying every door, she walked sadly down the middle,\r\n wondering how she was ever to get out again.\r\n\r\n

Suddenly she came upon a little three-legged table, all made of\r\n solid glass; there was nothing on it except a tiny golden key,\r\n and Alice's first thought was that it might belong to one of the\r\n doors of the hall; but, alas! either the locks were too large, or\r\n the key was too small, but at any rate it would not open any of\r\n them. However, on the second time round, she came upon a low\r\n curtain she had not noticed before, and behind it was a little\r\n door about fifteen inches high: she tried the little golden key\r\n in the lock, and to her great delight it fitted!\r\n\r\n

Alice opened the door and found that it led into a small\r\n passage, not much larger than a rat-hole: she knelt down and\r\n looked along the passage into the loveliest garden you ever saw.\r\n How she longed to get out of that dark hall, and wander about\r\n among those beds of bright flowers and those cool fountains, but\r\n she could not even get her head through the doorway; `and even if\r\n my head would go through,' thought poor Alice, `it would be of\r\n very little use without my shoulders. Oh, how I wish\r\n I could shut up like a telescope! I think I could, if I only\r\n know how to begin.' For, you see, so many out-of-the-way things\r\n had happened lately, that Alice had begun to think that very few\r\n things indeed were really impossible.\r\n\r\n

There seemed to be no use in waiting by the little door, so she\r\n went back to the table, half hoping she might find another key on\r\n it, or at any rate a book of rules for shutting people up like\r\n telescopes: this time she found a little bottle on it, (which\r\n certainly was not here before,' said Alice,) and round the neck\r\n of the bottle was a paper label, with the words `DRINK ME'\r\n beautifully printed on it in large letters.\r\n\r\n

It was all very well to say `Drink me,' but the wise little\r\n Alice was not going to do THAT in a hurry. `No, I'll look\r\n first,' she said, `and see whether it's marked "poison" or not';\r\n for she had read several nice little histories about children who\r\n had got burnt, and eaten up by wild beasts and other unpleasant\r\n things, all because they WOULD not remember the simple rules\r\n their friends had taught them: such as, that a red-hot poker\r\n will burn you if you hold it too long; and that if you cut your\r\n

finger VERY deeply with a knife, it usually bleeds; and she had never forgotten that, if you drink much from a bottle marked 'poison,' it is almost certain to disagree with you, sooner or later.

However, this bottle was NOT marked 'poison,' so Alice ventured to taste it, and finding it very nice, (it had, in fact, a sort of mixed flavour of cherry-tart, custard, pine-apple, roast turkey, toffee, and hot buttered toast,) she very soon finished it off.

* * * * *

'What a curious feeling!' said Alice; 'I must be shutting up like a telescope.'

And so it was indeed: she was now only ten inches high, and her face brightened up at the thought that she was now the right size for going through the little door into that lovely garden. First, however, she waited for a few minutes to see if she was going to shrink any further: she felt a little nervous about this; 'for it might end, you know,' said Alice to herself, 'in my going out altogether, like a candle. I wonder what I should be like then?' And she tried to fancy what the flame of a candle is like after the candle is blown out, for she could not remember ever having seen such a thing.

After a while, finding that nothing more happened, she decided on going into the garden at once; but, alas for poor Alice! when she got to the door, she found she had forgotten the little golden key, and when she went back to the table for it, she found she could not possibly reach it: she could see it quite plainly through the glass, and she tried her best to climb up one of the legs of the table, but it was too slippery; and when she had tired herself out with trying, the poor little thing sat down and cried.

'Come, there's no use in crying like that!' said Alice to herself, rather sharply; 'I advise you to leave off this minute!' She generally gave herself very good advice, (though she very seldom followed it), and sometimes she scolded herself so severely as to bring tears into her eyes; and once she remembered trying to box her own ears for having cheated herself in a game of croquet she was playing against herself, for this curious child was very fond of pretending to be two people. 'But it's no use now,' thought poor Alice, 'to pretend to be two people! Why, there's hardly enough of me left to make ONE respectable person!'

Soon her eye fell on a little glass box that was lying under the table: she opened it, and found in it a very small cake, on which the words 'EAT ME' were beautifully marked in currants. 'Well, I'll eat it,' said Alice, 'and if it makes me grow larger, I can reach the key; and if it makes me grow smaller, I can creep under the door; so either way I'll get into the garden, and I don't care which happens!'

She ate a little bit, and said anxiously to herself, 'Which way? Which way?', holding her hand on the top of her head to feel which way it was growing, and she was quite surprised to find that she remained the same size: to be sure, this generally happens when one eats cake, but Alice had got so much into the way of expecting nothing but out-of-the-way things to happen, that it seemed quite dull and stupid for life to go on in the common way.

So she set to work, and very soon finished off the cake.

* * * * *

CHAPTER II

The Pool of Tears

'Curiouser and curiouser!' cried Alice (she was so much surprised, that for the moment she quite forgot how to speak good English); 'now I'm opening out like the largest telescope that ever was! Good-bye, feet!' (for when she looked down at her

feet, they seemed to be almost out of sight, they were getting so\r\nfar off). 'Oh, my poor little feet, I wonder who will put on\r\nyour shoes and stockings for you now, dears? I'm sure _I_ shan't\r\nbe able! I shall be a great deal too far off to trouble myself\r\nabout you: you must manage the best way you can; --but I must be\r\nkind to them,' thought Alice, 'or perhaps they won't walk the\r\nway I want to go! Let me see: I'll give them a new pair of\r\nboots every Christmas.'\r\n\r\n

And she went on planning to herself how she would manage it.\r\n'They must go by the carrier,' she thought; 'and how funny it'll\r\nseem, sending presents to one's own feet! And how odd the\r\ndirections will look!\r\n\r\n

ALICE'S RIGHT FOOT, ESQ.\r\nHEARTHTRUG,\r\nNEAR THE FENDER,\r\n(WITH ALICE'S LOVE).\r\n\r\n

Oh dear, what nonsense I'm talking!\r\n\r\n

Just then her head struck against the roof of the hall: in\r\nfact she was now more than nine feet high, and she at once took\r\nup the little golden key and hurried off to the garden door.\r\n\r\n

Poor Alice! It was as much as she could do, lying down on one\r\nside, to look through into the garden with one eye; but to get\r\nthrough was more hopeless than ever: she sat down and began to\r\ncry again.\r\n\r\n

'You ought to be ashamed of yourself,' said Alice, 'a great\r\ngirl like you,' (she might well say this), 'to go on crying in\r\nthis way! Stop this moment, I tell you!' But she went on all\r\nthe same, shedding gallons of tears, until there was a large pool\r\nall round her, about four inches deep and reaching half down the\r\nhall.\r\n\r\n

After a time she heard a little pattering of feet in the\r\ndistance, and she hastily dried her eyes to see what was coming.\r\nIt was the White Rabbit returning, splendidly dressed, with a\r\npair of white kid gloves in one hand and a large fan in the\r\nother: he came trotting along in a great hurry, muttering to\r\nhimself as he came, 'Oh! the Duchess, the Duchess! Oh! won't she\r\nbe savage if I've kept her waiting!' Alice felt so desperate\r\nthat she was ready to ask help of any one; so, when the Rabbit\r\ncame near her, she began, in a low, timid voice, 'If you please,\r\nsir--' The Rabbit started violently, dropped the white kid\r\ngloves and the fan, and skurried away into the darkness as hard\r\nas he could go.\r\n\r\n

Alice took up the fan and gloves, and, as the hall was very\r\nhot, she kept fanning herself all the time she went on talking:\r\n'Dear, dear! How queer everything is to-day! And yesterday\r\nthings went on just as usual. I wonder if I've been changed in\r\nthe night? Let me think: was I the same when I got up this\r\nmorning? I almost think I can remember feeling a little\r\ndifferent. But if I'm not the same, the next question is, Who in\r\nthe world am I? Ah, THAT'S the great puzzle!' And she began\r\nthinking over all the children she knew that were of the same age\r\nas herself, to see if she could have been changed for any of\r\nthem.\r\n\r\n

'I'm sure I'm not Ada,' she said, 'for her hair goes in such\r\nlong ringlets, and mine doesn't go in ringlets at all; and I'm\r\nsure I can't be Mabel, for I know all sorts of things, and she,\r\noh! she knows such a very little! Besides, SHE'S she, and I'm I,\r\nand--oh dear, how puzzling it all is! I'll try if I know all the\r\nthings I used to know. Let me see: four times five is twelve,\r\nand four times six is thirteen, and four times seven is--oh dear!\r\nI shall never get to twenty at that rate! However, the\r\nMultiplication Table doesn't signify: let's try Geography.\r\nLondon is the capital of Paris, and Paris is the capital of Rome,\r\nand Rome--no, THAT'S all wrong, I'm certain! I must have been\r\nchanged for Mabel! I'll try and say "How doth the little--"\r\nand she crossed her hands on her lap as if she were saying lessons,\r\nand began to repeat it, but her voice sounded hoarse and\r\nstrange, and the words did not come the same as they used to do:--\r\n\r\n

'How doth the little crocodile\r\nImprove his shining tail,\r\nAnd pour the waters of the Nile\r\nOn every golden scale!\r\n\r\n

'How cheerfully he seems to grin,\r\nHow neatly spread his claws,\r\nAnd welcome little fishes in\r\nWith gently smiling jaws!'\r\n\r\n

'I'm sure those are not the right words,' said poor Alice, and\r\nher eyes filled with tears again as she went on, 'I must be Mabel\r\n\r\n

after all, and I shall have to go and live in that poky little house, and have next to no toys to play with, and oh! ever so many lessons to learn! No, I've made up my mind about it; if I'm Mabel, I'll stay down here! It'll be no use their putting their heads down and saying "Come up again, dear!" I shall only look up and say "Who am I then? Tell me that first, and then, if I like being that person, I'll come up: if not, I'll stay down here till I'm somebody else"--but, oh dear!" cried Alice, with a sudden burst of tears, "I do wish they WOULD put their heads down! I am so VERY tired of being all alone here!"

As she said this she looked down at her hands, and was surprised to see that she had put on one of the Rabbit's little white kid gloves while she was talking. "How CAN I have done that?" she thought. "I must be growing small again." She got up and went to the table to measure herself by it, and found that, as nearly as she could guess, she was now about two feet high, and was going on shrinking rapidly: she soon found out that the cause of this was the fan she was holding, and she dropped it hastily, just in time to avoid shrinking away altogether.

"That WAS a narrow escape!" said Alice, a good deal frightened at the sudden change, but very glad to find herself still in existence; "and now for the garden!" and she ran with all speed back to the little door: but, alas! the little door was shut again, and the little golden key was lying on the glass table as before, "and things are worse than ever," thought the poor child, "for I never was so small as this before, never! And I declare it's too bad, that it is!"

As she said these words her foot slipped, and in another moment, splash! she was up to her chin in salt water. Her first idea was that she had somehow fallen into the sea, "and in that case I can go back by railway," she said to herself. (Alice had been to the seaside once in her life, and had come to the general conclusion, that wherever you go to on the English coast you find a number of bathing machines in the sea, some children digging in the sand with wooden spades, then a row of lodging houses, and behind them a railway station.) However, she soon made out that she was in the pool of tears which she had wept when she was nine feet high.

"I wish I hadn't cried so much!" said Alice, as she swam about, trying to find her way out. "I shall be punished for it now, I suppose, by being drowned in my own tears! That WILL be a queer thing, to be sure! However, everything is queer to-day."

Just then she heard something splashing about in the pool a little way off, and she swam nearer to make out what it was: at first she thought it must be a walrus or hippopotamus, but then she remembered how small she was now, and she soon made out that it was only a mouse that had slipped in like herself.

"Would it be of any use, now," thought Alice, "to speak to this mouse? Everything is so out-of-the-way down here, that I should think very likely it can talk: at any rate, there's no harm in trying." So she began: "O Mouse, do you know the way out of this pool? I am very tired of swimming about here, O Mouse!" (Alice thought this must be the right way of speaking to a mouse: she had never done such a thing before, but she remembered having seen in her brother's Latin Grammar, "A mouse--of a mouse--to a mouse--a mouse--O mouse!") The Mouse looked at her rather inquisitively, and seemed to her to wink with one of its little eyes, but it said nothing.

"Perhaps it doesn't understand English," thought Alice; "I daresay it's a French mouse, come over with William the Conqueror." (For, with all her knowledge of history, Alice had no very clear notion how long ago anything had happened.) So she began again: "Ou est ma chatte?" which was the first sentence in her French lesson-book. The Mouse gave a sudden leap out of the water, and seemed to quiver all over with fright. "Oh, I beg your pardon!" cried Alice hastily, afraid that she had hurt the poor animal's feelings. "I quite forgot you didn't like cats."

"Not like cats!" cried the Mouse, in a shrill, passionate voice. "Would YOU like cats if you were me?"

"Well, perhaps not," said Alice in a soothing tone: "don't be angry about it. And yet I wish I could show you our cat Dinah: I think you'd take a fancy to cats if you could only see her. She is such a dear quiet thing," Alice went on, half to herself, as she swam lazily about in the pool, "and she sits purring so nicely by the fire, licking her paws and washing her face--and she is such a nice soft thing to nurse--and she's such a capital one for catching mice--oh, I beg your pardon!" cried Alice again, for this time the Mouse was bristling all over, and she felt certain it must be really offended. "We won't talk about her any more if you'd rather not."

`We indeed!' cried the Mouse, who was trembling down to the end of his tail. `As if I would talk on such a subject! Our family always HATED cats: nasty, low, vulgar things! Don't let me hear the name again!'\r\n

\r\n

`I won't indeed!' said Alice, in a great hurry to change the subject of conversation. `Are you--are you fond--of--of dogs?'\r\nThe Mouse did not answer, so Alice went on eagerly: `There is such a nice little dog near our house I should like to show you! A little bright-eyed terrier, you know, with oh, such long curly brown hair! And it'll fetch things when you throw them, and it'll sit up and beg for its dinner, and all sorts of things--I can't remember half of them--and it belongs to a farmer, you know, and he says it's so useful, it's worth a hundred pounds! He says it kills all the rats and--oh dear!' cried Alice in a sorrowful tone, `I'm afraid I've offended it again!' For the Mouse was swimming away from her as hard as it could go, and making quite a commotion in the pool as it went.\r\n

\r\n

So she called softly after it, `Mouse dear! Do come back again, and we won't talk about cats or dogs either, if you don't like them!' When the Mouse heard this, it turned round and swam slowly back to her: its face was quite pale (with passion, Alice thought), and it said in a low trembling voice, `Let us get to the shore, and then I'll tell you my history, and you'll understand why it is I hate cats and dogs.'\r\n

\r\n

It was high time to go, for the pool was getting quite crowded with the birds and animals that had fallen into it: there were a Duck and a Dodo, a Lory and an Eaglet, and several other curious creatures. Alice led the way, and the whole party swam to the shore.\r\n

\r\n

\r\n

\r\n

CHAPTER III\r\n

\r\n

A Caucus-Race and a Long Tale\r\n

\r\n

\r\n

They were indeed a queer-looking party that assembled on the bank--the birds with draggled feathers, the animals with their fur clinging close to them, and all dripping wet, cross, and uncomfortable.\r\n

\r\n

The first question of course was, how to get dry again: they had a consultation about this, and after a few minutes it seemed quite natural to Alice to find herself talking familiarly with them, as if she had known them all her life. Indeed, she had quite a long argument with the Lory, who at last turned sulky, and would only say, `I am older than you, and must know better'; and this Alice would not allow without knowing how old it was, and, as the Lory positively refused to tell its age, there was no more to be said.\r\n

\r\n

At last the Mouse, who seemed to be a person of authority among them, called out, `Sit down, all of you, and listen to me! I'll soon make you dry enough!' They all sat down at once, in a large ring, with the Mouse in the middle. Alice kept her eyes anxiously fixed on it, for she felt sure she would catch a bad cold if she did not get dry very soon.\r\n

\r\n

`Ahem!' said the Mouse with an important air, `are you all ready? This is the driest thing I know. Silence all round, if you please! William the Conqueror, whose cause was favoured by the pope, was soon submitted to by the English, who wanted leaders, and had been of late much accustomed to usurpation and conquest. Edwin and Morcar, the earls of Mercia and Northumbria--'\r\n

\r\n

`Ugh!' said the Lory, with a shiver.\r\n

\r\n

`I beg your pardon!' said the Mouse, frowning, but very politely: `Did you speak?'\r\n

\r\n

`Not I!' said the Lory hastily.\r\n

\r\n

`I thought you did,' said the Mouse. `--I proceed. "Edwin and Morcar, the earls of Mercia and Northumbria, declared for him: and even Stigand, the patriotic archbishop of Canterbury, found it advisable--"'\r\n

\r\n

`Found WHAT?' said the Duck.\r\n

\r\n

`Found IT,' the Mouse replied rather crossly: `of course you know what "it" means.'\r\n

\r\n

`I know what "it" means well enough, when I find a thing,' said the Duck: `it's generally a frog or a worm. The question is, what did the archbishop find?'\r\n

\r\n

The Mouse did not notice this question, but hurriedly went on,\r\n`"--found it advisable to go with Edgar Atheling to meet William\r\nand offer him the crown. William's conduct at first was\r\nmoderate. But the insolence of his Normans--" How are you\r\ngetting on now, my dear?' it continued, turning to Alice as it\r\nspoke.\r\n\r\n

`As wet as ever,' said Alice in a melancholy tone: `it doesn't\r\nseem to dry me at all.'\r\n\r\n

`In that case,' said the Dodo solemnly, rising to its feet, `I\r\nmove that the meeting adjourn, for the immediate adoption of more\r\nenergetic remedies--'\r\n\r\n

`Speak English!' said the Eaglet. `I don't know the meaning of\r\nhalf those long words, and, what's more, I don't believe you do\r\neither!' And the Eaglet bent down its head to hide a smile:\r\nsome of the other birds tittered audibly.\r\n\r\n

`What I was going to say,' said the Dodo in an offended tone,\r\n`was, that the best thing to get us dry would be a Caucus-race.'\r\n\r\n

`What IS a Caucus-race?' said Alice; not that she wanted much\r\nto know, but the Dodo had paused as if it thought that SOMEBODY\r\nought to speak, and no one else seemed inclined to say anything.\r\n\r\n

`Why,' said the Dodo, `the best way to explain it is to do it.'\r\n(And, as you might like to try the thing yourself, some winter\r\nday, I will tell you how the Dodo managed it.)\r\n\r\n

First it marked out a race-course, in a sort of circle, (`the\r\nexact shape doesn't matter,' it said,) and then all the party\r\nwere placed along the course, here and there. There was no `One,\r\ntwo, three, and away,' but they began running when they liked,\r\nand left off when they liked, so that it was not easy to know\r\nwhen the race was over. However, when they had been running half\r\nan hour or so, and were quite dry again, the Dodo suddenly called\r\nout `The race is over!' and they all crowded round it, panting,\r\nand asking, `But who has won?'\r\n\r\n

This question the Dodo could not answer without a great deal of\r\nthought, and it sat for a long time with one finger pressed upon\r\nits forehead (the position in which you usually see Shakespeare,\r\nin the pictures of him), while the rest waited in silence. At\r\nlast the Dodo said, `EVERYBODY has won, and all must have\r\nprizes.'\r\n\r\n

`But who is to give the prizes?' quite a chorus of voices\r\nasked.\r\n\r\n

`Why, SHE, of course,' said the Dodo, pointing to Alice with\r\none finger; and the whole party at once crowded round her,\r\ncalling out in a confused way, `Prizes! Prizes!'\r\n\r\n

Alice had no idea what to do, and in despair she put her hand\r\nin her pocket, and pulled out a box of comfits, (luckily the salt\r\nwater had not got into it), and handed them round as prizes.\r\nThere was exactly one a-piece all round.\r\n\r\n

`But she must have a prize herself, you know,' said the Mouse.\r\n\r\n

`Of course,' the Dodo replied very gravely. `What else have\r\nyou got in your pocket?' he went on, turning to Alice.\r\n\r\n

`Only a thimble,' said Alice sadly.\r\n\r\n

`Hand it over here,' said the Dodo.\r\n\r\n

Then they all crowded round her once more, while the Dodo\r\nsolemnly presented the thimble, saying `We beg your acceptance of\r\nthis elegant thimble'; and, when it had finished this short\r\nspeech, they all cheered.\r\n\r\n

Alice thought the whole thing very absurd, but they all looked\r\nso grave that she did not dare to laugh; and, as she could not\r\nthink of anything to say, she simply bowed, and took the thimble,\r\nlooking as solemn as she could.\r\n\r\n

The next thing was to eat the comfits: this caused some noise\r\nand confusion, as the large birds complained that they could not\r\ntaste theirs, and the small ones choked and had to be patted on\r\nthe back. However, it was over at last, and they sat down again\r\nin a ring, and begged the Mouse to tell them something more.\r\n\r\n

`You promised to tell me your history, you know,' said Alice,\r\n`and why it is you hate--C and D,' she added in a whisper, half\r\nafraid that it would be offended again.\r\n\r\n

`Mine is a long and a sad tale!' said the Mouse, turning to\r\nAlice, and sighing.

\r\n\r\n`It IS a long tail, certainly,' said Alice, looking down with\r\nwonder at the Mouse's tail; `but why do you call it sad?' And\r\nshe kept on puzzling about it while the Mouse was speaking, so\r\nthat her idea of the tale was something like this:--\r\n\r\n

 `Fury said to a\r\n mouse, That he\r\n met in the\r\n house,\r\n"Let us\r\nboth go to\r\nlaw: I will\r\nprosecute\r\nYOU. --Come,\r\nI'll take no\r\n denial; We\r\n must have a\r\n trial: For\r\n really this\r\nmorning I've\r\nnothing\r\nto do." \r\nSaid the\r\nmouse to the\r\n cur, "Such\r\n a trial,\r\n dear Sir,\r\n With\r\n no jury\r\n or judge,\r\n would be\r\nwasting\r\nour\r\nbreath." \r\n "I'll be\r\n judge, I'll\r\n be jury," \r\n Said\r\n cunning\r\n old Fury:\r\n "I'll\r\n try the\r\n whole\r\n cause,\r\n and\r\n condemn\r\n you\r\nto\r\ndeath." \r\n\r\n

\r\n\r\n`You are not attending!' said the Mouse to Alice severely.\r\n`What are you thinking of?' \r\n\r\n`I beg your pardon,' said Alice very humbly: `you had got to\r\nthe fifth bend, I think?' \r\n\r\n`I had NOT!' cried the Mouse, sharply and very angrily.\r\n\r\n`A knot!' said Alice, always ready to make herself useful, and\r\nlooking anxiously about her. `Oh, do let me help to undo it!' \r\n\r\n`I shall do nothing of the sort,' said the Mouse, getting up\r\nand walking away. `You insult me by talking such nonsense!' \r\n\r\n`I didn't mean it!' pleaded poor Alice. `But you're so easily\r\noffended, you know!' \r\n\r\nThe Mouse only growled in reply.\r\n\r\n`Please come back and finish your story!' Alice called after\r\nit; and the others all joined in chorus, `Yes, please do!' but\r\nthe Mouse only shook its head impatiently, and walked a little\r\nquicker.\r\n\r\n`What a pity it wouldn't stay!' sighed the Lory, as soon as it\r\nwas quite out of sight; and an old Crab took the opportunity of\r\nsaying to her daughter `Ah, my dear! Let this be a lesson to you\r\nnever to lose YOUR temper!' `Hold your tongue, Ma!' said the\r\nyoung Crab, a little snappishly. `You're enough to try the\r\npatience of an oyster!' \r\n\r\n`I wish I had our Dinah here, I know I do!' said Alice aloud,\r\naddressing nobody in particular. `She'd soon fetch it back!' \r\n\r\n`And who is Dinah, if I might venture to ask the question?' \r\nsaid the Lory.\r\n\r\nAlice replied eagerly, for she was always ready to talk about\r\n

her pet: 'Dinah's our cat. And she's such a capital one for catching mice you can't think! And oh, I wish you could see her after the birds! Why, she'll eat a little bird as soon as look at it!'

This speech caused a remarkable sensation among the party. Some of the birds hurried off at once: one old Magpie began wrapping itself up very carefully, remarking, 'I really must be getting home; the night-air doesn't suit my throat!' and a Canary called out in a trembling voice to its children, 'Come away, my dears! It's high time you were all in bed!' On various pretexts they all moved off, and Alice was soon left alone.

'I wish I hadn't mentioned Dinah!' she said to herself in a melancholy tone. 'Nobody seems to like her, down here, and I'm sure she's the best cat in the world! Oh, my dear Dinah! I wonder if I shall ever see you any more!' And here poor Alice began to cry again, for she felt very lonely and low-spirited. In a little while, however, she again heard a little pattering of footsteps in the distance, and she looked up eagerly, half hoping that the Mouse had changed his mind, and was coming back to finish his story.

CHAPTER IV

The Rabbit Sends in a Little Bill

It was the White Rabbit, trotting slowly back again, and looking anxiously about as it went, as if it had lost something; and she heard it muttering to itself 'The Duchess! The Duchess! Oh my dear paws! Oh my fur and whiskers! She'll get me executed, as sure as ferrets are ferrets! Where CAN I have dropped them, I wonder?' Alice guessed in a moment that it was looking for the fan and the pair of white kid gloves, and she very good-naturedly began hunting about for them, but they were nowhere to be seen--everything seemed to have changed since her swim in the pool, and the great hall, with the glass table and the little door, had vanished completely.

Very soon the Rabbit noticed Alice, as she went hunting about, and called out to her in an angry tone, 'Why, Mary Ann, what ARE you doing out here? Run home this moment, and fetch me a pair of gloves and a fan! Quick, now!' And Alice was so much frightened that she ran off at once in the direction it pointed to, without trying to explain the mistake it had made.

'He took me for his housemaid,' she said to herself as she ran. 'How surprised he'll be when he finds out who I am! But I'd better take him his fan and gloves--that is, if I can find them.' As she said this, she came upon a neat little house, on the door of which was a bright brass plate with the name 'W. RABBIT' engraved upon it. She went in without knocking, and hurried upstairs, in great fear lest she should meet the real Mary Ann, and be turned out of the house before she had found the fan and gloves.

'How queer it seems,' Alice said to herself, 'to be going messages for a rabbit! I suppose Dinah'll be sending me on messages next!' And she began fancying the sort of thing that would happen: 'Miss Alice! Come here directly, and get ready for your walk!' 'Coming in a minute, nurse! But I've got to see that the mouse doesn't get out.' Only I don't think,' Alice went on, 'that they'd let Dinah stop in the house if it began ordering people about like that!'

By this time she had found her way into a tidy little room with a table in the window, and on it (as she had hoped) a fan and two or three pairs of tiny white kid gloves: she took up the fan and a pair of the gloves, and was just going to leave the room, when her eye fell upon a little bottle that stood near the looking-glass. There was no label this time with the words 'DRINK ME,' but nevertheless she uncorked it and put it to her lips. 'I know SOMETHING interesting is sure to happen,' she said to herself, 'whenever I eat or drink anything; so I'll just see what this bottle does. I do hope it'll make me grow large again, for really I'm quite tired of being such a tiny little thing!'

It did so indeed, and much sooner than she had expected: before she had drunk half the bottle, she found her head pressing against the ceiling, and had to stoop to save her neck from being broken. She hastily put down the bottle, saying to herself 'That's quite enough--I hope I shan't grow any more--As it is, I can't get out at the door--I do wish I hadn't drunk quite so much!'

Alas! it was too late to wish that! She went on growing, and growing, and very soon had to kneel down on the floor: in

another minute there was not even room for this, and she tried the effect of lying down with one elbow against the door, and the other arm curled round her head. Still she went on growing, and, as a last resource, she put one arm out of the window, and one foot up the chimney, and said to herself 'Now I can do no more, whatever happens. What WILL become of me?'

Luckily for Alice, the little magic bottle had now had its full effect, and she grew no larger: still it was very uncomfortable, and, as there seemed to be no sort of chance of her ever getting out of the room again, no wonder she felt unhappy.

'It was much pleasanter at home,' thought poor Alice, 'when one wasn't always growing larger and smaller, and being ordered about by mice and rabbits. I almost wish I hadn't gone down that rabbit-hole--and yet--and yet--it's rather curious, you know, this sort of life! I do wonder what CAN have happened to me! When I used to read fairy-tales, I fancied that kind of thing never happened, and now here I am in the middle of one! There ought to be a book written about me, that there ought! And when I grow up, I'll write one--but I'm grown up now,' she added in a sorrowful tone; 'at least there's no room to grow up any more HERE.'

'But then,' thought Alice, 'shall I NEVER get any older than I am now? That'll be a comfort, one way--never to be an old woman--but then--always to have lessons to learn! Oh, I shouldn't like THAT!'

'Oh, you foolish Alice!' she answered herself. 'How can you learn lessons in here? Why, there's hardly room for YOU, and no room at all for any lesson-books!'

And so she went on, taking first one side and then the other, and making quite a conversation of it altogether; but after a few minutes she heard a voice outside, and stopped to listen.

'Mary Ann! Mary Ann!' said the voice. 'Fetch me my gloves this moment!' Then came a little pattering of feet on the stairs. Alice knew it was the Rabbit coming to look for her, and she trembled till she shook the house, quite forgetting that she was now about a thousand times as large as the Rabbit, and had no reason to be afraid of it.

Presently the Rabbit came up to the door, and tried to open it; but, as the door opened inwards, and Alice's elbow was pressed hard against it, that attempt proved a failure. Alice heard it say to itself 'Then I'll go round and get in at the window.'

'THAT you won't' thought Alice, and, after waiting till she fancied she heard the Rabbit just under the window, she suddenly spread out her hand, and made a snatch in the air. She did not get hold of anything, but she heard a little shriek and a fall, and a crash of broken glass, from which she concluded that it was just possible it had fallen into a cucumber-frame, or something of the sort.

Next came an angry voice--the Rabbit's--'Pat! Pat! Where are you?' And then a voice she had never heard before, 'Sure then I'm here! Digging for apples, yer honour!'

'Digging for apples, indeed!' said the Rabbit angrily. 'Here! Come and help me out of THIS!' (Sounds of more broken glass.)

'Now tell me, Pat, what's that in the window?'

'Sure, it's an arm, yer honour!' (He pronounced it 'arrum.')

'An arm, you goose! Who ever saw one that size? Why, it fills the whole window!'

'Sure, it does, yer honour: but it's an arm for all that.'

'Well, it's got no business there, at any rate: go and take it away!'

There was a long silence after this, and Alice could only hear whispers now and then; such as, 'Sure, I don't like it, yer honour, at all, at all!' 'Do as I tell you, you coward!' and at last she spread out her hand again, and made another snatch in the air. This time there were TWO little shrieks, and more sounds of broken glass. 'What a number of cucumber-frames there must be!' thought Alice. 'I wonder what they'll do next! As for pulling me out of the window, I only wish they COULD! I'm sure I don't want to stay in here any longer!'

She waited for some time without hearing anything more: at last came a rumbling of little cartwheels, and the sound of a good many voices all talking together: she made out the words 'Where's the other ladder?--Why, I hadn't to bring but one; Bill's got the other--Bill! fetch it here, lad!--Here, put 'em up'

at this corner--No, tie 'em together first--they don't reach half\r\n high enough yet--Oh! they'll do well enough; don't be particular--\r\n Here, Bill! catch hold of this rope--Will the roof bear?--Mind\r\n that loose slate--Oh, it's coming down! Heads below!' (a loud\r\n crash)--'Now, who did that?--It was Bill, I fancy--Who's to go\r\n down the chimney?--Nay, I shan't! YOU do it!--That I won't,\r\n then!--Bill's to go down--Here, Bill! the master says you're to\r\n go down the chimney!'\r\n\r\n

'Oh! So Bill's got to come down the chimney, has he?' said\r\n Alice to herself. 'Shy, they seem to put everything upon Bill!\r\n I wouldn't be in Bill's place for a good deal: this fireplace is\r\n narrow, to be sure; but I THINK I can kick a little!'\r\n\r\n

She drew her foot as far down the chimney as she could, and\r\n waited till she heard a little animal (she couldn't guess of what\r\n sort it was) scratching and scrambling about in the chimney close\r\n above her: then, saying to herself 'This is Bill,' she gave one\r\n sharp kick, and waited to see what would happen next.\r\n\r\n

The first thing she heard was a general chorus of 'There goes\r\n Bill!' then the Rabbit's voice along--'Catch him, you by the\r\n hedge!' then silence, and then another confusion of voices--'Hold\r\n up his head--Brandy now--Don't choke him--How was it, old fellow?\r\n What happened to you? Tell us all about it!'\r\n\r\n

Last came a little feeble, squeaking voice, ('That's Bill,'
thought Alice,) 'Well, I hardly know--No more, thank ye; I'm
better now--but I'm a deal too flustered to tell you--all I know\r\n is, something comes at me like a Jack-in-the-box, and up I goes\r\n like a sky-rocket!'\r\n\r\n

'So you did, old fellow!' said the others.\r\n\r\n

'We must burn the house down!' said the Rabbit's voice; and\r\n Alice called out as loud as she could, 'If you do. I'll set\r\n Dinah at you!'\r\n\r\n

There was a dead silence instantly, and Alice thought to\r\n herself, 'I wonder what they WILL do next! If they had any\r\n sense, they'd take the roof off.' After a minute or two, they\r\n began moving about again, and Alice heard the Rabbit say, 'A\r\n barrowful will do, to begin with.'\r\n\r\n

'A barrowful of WHAT?' thought Alice; but she had not long to\r\n doubt, for the next moment a shower of little pebbles came\r\n rattling in at the window, and some of them hit her in the face.\r\n 'I'll put a stop to this,' she said to herself, and shouted out,\r\n 'You'd better not do that again!' which produced another dead\r\n silence.\r\n\r\n

Alice noticed with some surprise that the pebbles were all\r\n turning into little cakes as they lay on the floor, and a bright\r\n idea came into her head. 'If I eat one of these cakes,' she\r\n thought, 'it's sure to make SOME change in my size; and as it\r\n can't possibly make me larger, it must make me smaller, I\r\n suppose.'\r\n\r\n

So she swallowed one of the cakes, and was delighted to find\r\n that she began shrinking directly. As soon as she was small\r\n enough to get through the door, she ran out of the house, and\r\n found quite a crowd of little animals and birds waiting outside.\r\n The poor little Lizard, Bill, was in the middle, being held up by\r\n two guinea-pigs, who were giving it something out of a bottle.\r\n They all made a rush at Alice the moment she appeared; but she\r\n ran off as hard as she could, and soon found herself safe in a\r\n thick wood.\r\n\r\n

'The first thing I've got to do,' said Alice to herself, as she\r\n wandered about in the wood, 'is to grow to my right size again;\r\n and the second thing is to find my way into that lovely garden.\r\n I think that will be the best plan.'\r\n\r\n

It sounded an excellent plan, no doubt, and very neatly and\r\n simply arranged; the only difficulty was, that she had not the\r\n smallest idea how to set about it; and while she was peering\r\n about anxiously among the trees, a little sharp bark just over\r\n her head made her look up in a great hurry.\r\n\r\n

An enormous puppy was looking down at her with large round\r\n eyes, and feebly stretching out one paw, trying to touch her.\r\n 'Poor little thing!' said Alice, in a coaxing tone, and she tried\r\n hard to whistle to it; but she was terribly frightened all the\r\n time at the thought that it might be hungry, in which case it\r\n would be very likely to eat her up in spite of all her coaxing.\r\n\r\n

Hardly knowing what she did, she picked up a little bit of\r\n stick, and held it out to the puppy; whereupon the puppy jumped\r\n into the air off all its feet at once, with a yelp of delight,\r\n and rushed at the stick, and made believe to worry it; then Alice

dodged behind a great thistle, to keep herself from being run over; and the moment she appeared on the other side, the puppy made another rush at the stick, and tumbled head over heels in its hurry to get hold of it; then Alice, thinking it was very like having a game of play with a cart-horse, and expecting every moment to be trampled under its feet, ran round the thistle again; then the puppy began a series of short charges at the stick, running a very little way forwards each time and a long way back, and barking hoarsely all the while, till at last it sat down a good way off, panting, with its tongue hanging out of its mouth, and its great eyes half shut.

This seemed to Alice a good opportunity for making her escape so she set off at once, and ran till she was quite tired and out of breath, and till the puppy's bark sounded quite faint in the distance.

'And yet what a dear little puppy it was!' said Alice, as she leant against a buttercup to rest herself, and fanned herself with one of the leaves: 'I should have liked teaching it tricks very much, if--if I'd only been the right size to do it! Oh dear! I'd nearly forgotten that I've got to grow up again! Let me see--how IS it to be managed? I suppose I ought to eat or drink something or other; but the great question is, what?'

The great question certainly was, what? Alice looked all round her at the flowers and the blades of grass, but she did not see anything that looked like the right thing to eat or drink under the circumstances. There was a large mushroom growing near her, about the same height as herself; and when she had looked under it, and on both sides of it, and behind it, it occurred to her that she might as well look and see what was on the top of it.

She stretched herself up on tiptoe, and peeped over the edge of the mushroom, and her eyes immediately met those of a large caterpillar, that was sitting on the top with its arms folded, quietly smoking a long hookah, and taking not the smallest notice of her or of anything else.

CHAPTER V

Advice from a Caterpillar

The Caterpillar and Alice looked at each other for some time in silence: at last the Caterpillar took the hookah out of its mouth, and addressed her in a languid, sleepy voice.

'Who are YOU?' said the Caterpillar.

This was not an encouraging opening for a conversation. Alice replied, rather shyly, 'I--I hardly know, sir, just at present--at least I know who I WAS when I got up this morning, but I think I must have been changed several times since then.'

'What do you mean by that?' said the Caterpillar sternly. 'Explain yourself!'

'I can't explain MYSELF, I'm afraid, sir' said Alice, 'because I'm not myself, you see.'

'I don't see,' said the Caterpillar.

'I'm afraid I can't put it more clearly,' Alice replied very politely, 'for I can't understand it myself to begin with; and being so many different sizes in a day is very confusing.'

'It isn't,' said the Caterpillar.

'Well, perhaps you haven't found it so yet,' said Alice; 'but when you have to turn into a chrysalis--you will some day, you know--and then after that into a butterfly, I should think you'll feel it a little queer, won't you?'

'Not a bit,' said the Caterpillar.

'Well, perhaps your feelings may be different,' said Alice; 'all I know is, it would feel very queer to ME.'

'You!' said the Caterpillar contemptuously. 'Who are YOU?'

Which brought them back again to the beginning of the conversation. Alice felt a little irritated at the Caterpillar's making such VERY short remarks, and she drew herself up and said, very gravely, 'I think, you ought to tell me who YOU are, first.'

'Why?' said the Caterpillar.

Here was another puzzling question; and as Alice could not think of any good reason, and as the Caterpillar seemed to be in a VERY unpleasant state of mind, she turned away.

'Come back!' the Caterpillar called after her. 'I've something important to say!'

This sounded promising, certainly: Alice turned and came back again.

'Keep your temper,' said the Caterpillar.

'Is that all?' said Alice, swallowing down her anger as well as she could.

'No,' said the Caterpillar.

Alice thought she might as well wait, as she had nothing else to do, and perhaps after all it might tell her something worth hearing. For some minutes it puffed away without speaking, but at last it unfolded its arms, took the hookah out of its mouth again, and said, 'So you think you're changed, do you?'

'I'm afraid I am, sir,' said Alice; 'I can't remember things as I used--and I don't keep the same size for ten minutes together!'

'Can't remember WHAT things?' said the Caterpillar.

'Well, I've tried to say "HOW DOTH THE LITTLE BUSY BEE," but it all came different!' Alice replied in a very melancholy voice.

'Repeat, "YOU ARE OLD, FATHER WILLIAM,"' said the Caterpillar.

Alice folded her hands, and began:--

'You are old, Father William,' the young man said,
And your hair has become very white;
And yet you incessantly stand on your head--
Do you think, at your age, it is right?'

'In my youth,' Father William replied to his son,
I feared it might injure the brain;
But, now that I'm perfectly sure I have none,
Why, I do it again and again.'

'You are old,' said the youth, 'as I mentioned before,
And have grown most uncommonly fat;
Yet you turned a back-somersault in at the door--
Pray, what is the reason of that?'

'In my youth,' said the sage, as he shook his grey locks,
I kept all my limbs very supple
By the use of this ointment--one shilling the box--
Allow me to sell you a couple?'

'You are old,' said the youth, 'and your jaws are too weak
For anything tougher than suet;
Yet you finished the goose, with the bones and the beak--
Pray how did you manage to do it?'

'In my youth,' said his father, 'I took to the law,
And argued each case with my wife;
And the muscular strength, which it gave to my jaw,
Has lasted the rest of my life.'

'You are old,' said the youth, 'one would hardly suppose
That your eye was as steady as ever;
Yet you balanced an eel on the end of your nose--
What made you so awfully clever?'

'I have answered three questions, and that is enough,'
Said his father; 'don't give yourself airs!
Do you think I can listen all day to such stuff?
Be off, or I'll kick you down stairs!'

'That is not said right,' said the Caterpillar.

'Not QUITE right, I'm afraid,' said Alice, timidly; 'some of the words have got altered.'

'It is wrong from beginning to end,' said the Caterpillar decidedly, and there was silence for some minutes.

The Caterpillar was the first to speak.

'What size do you want to be?' it asked.

'Oh, I'm not particular as to size,' Alice hastily replied; 'only one doesn't like changing so often, you know.'

\r\n\r\n`I DON'T know,' said the Caterpillar.\r\n\r\n\r\nAlice said nothing: she had never been so much contradicted in\r\nher life before, and she felt that she was losing her temper.\r\n\r\n\r\n`Are you content now?' said the Caterpillar.\r\n\r\n\r\n`Well, I should like to be a LITTLE larger, sir, if you\r\nwouldn't mind,' said Alice: `three inches is such a wretched\r\nheight to be.'\r\n\r\n\r\n`It is a very good height indeed!' said the Caterpillar\r\nangrily, rearing itself upright as it spoke (it was exactly three\r\ninches high).\r\n\r\n\r\n`But I'm not used to it!' pleaded poor Alice in a piteous tone.\r\nAnd she thought of herself, `I wish the creatures wouldn't be so\r\neasily offended!'\r\n\r\n\r\n`You'll get used to it in time,' said the Caterpillar; and it\r\nput the hookah into its mouth and began smoking again.\r\n\r\n\r\nThis time Alice waited patiently until it chose to speak again.\r\nIn a minute or two the Caterpillar took the hookah out of its\r\nmouth and yawned once or twice, and shook itself. Then it got\r\ndown off the mushroom, and crawled away in the grass, merely\r\nremarking as it went, `One side will make you grow taller, and\r\nthe other side will make you grow shorter.'\r\n\r\n\r\n`One side of WHAT? The other side of WHAT?' thought Alice to\r\nherself.\r\n\r\n\r\n`Of the mushroom,' said the Caterpillar, just as if she had\r\nasked it aloud; and in another moment it was out of sight.\r\n\r\n\r\nAlice remained looking thoughtfully at the mushroom for a\r\nminute, trying to make out which were the two sides of it; and as\r\nit was perfectly round, she found this a very difficult question.\r\nHowever, at last she stretched her arms round it as far as they\r\nwould go, and broke off a bit of the edge with each hand.\r\n\r\n\r\n`And now which is which?' she said to herself, and nibbled a\r\nlittle of the right-hand bit to try the effect: the next moment\r\nshe felt a violent blow underneath her chin: it had struck her\r\nfoot!\r\n\r\n\r\nShe was a good deal frightened by this very sudden change, but\r\nshe felt that there was no time to be lost, as she was shrinking\r\nrapidly; so she set to work at once to eat some of the other bit.\r\nHer chin was pressed so closely against her foot, that there was\r\nhardly room to open her mouth; but she did it at last, and\r\nmanaged to swallow a morsel of the lefthand bit.

```

\r\n\r\n
*      *      *      *      *      *      *\r\n\r\n
*      *      *      *      *      *\r\n\r\n
*      *      *      *      *      *\r\n\r\n

```

`Come, my head's free at last!' said Alice in a tone of\r\ndelight, which changed into alarm in another moment, when she\r\nfound that her shoulders were nowhere to be found: all she could\r\nsee, when she looked down, was an immense length of neck, which\r\nseemed to rise like a stalk out of a sea of green leaves that lay\r\nfar below her.

`What CAN all that green stuff be?' said Alice. `And where\r\nHAVE my shoulders got to? And oh, my poor hands, how is it I\r\ncan't see you?' She was moving them about as she spoke, but no\r\nresult seemed to follow, except a little shaking among the\r\ndistant green leaves.

As there seemed to be no chance of getting her hands up to her\r\nhead, she tried to get her head down to them, and was delighted\r\nto find that her neck would bend about easily in any direction,\r\nlike a serpent. She had just succeeded in curving it down into a\r\ngraceful zigzag, and was going to dive in among the leaves, which\r\nshe found to be nothing but the tops of the trees under which she\r\nhad been wandering, when a sharp hiss made her draw back in a\r\nhurry: a large pigeon had flown into her face, and was beating\r\nher violently with its wings.

`Serpent!' screamed the Pigeon.

`I'm NOT a serpent!' said Alice indignantly. `Let me alone!'

`Serpent, I say again!' repeated the Pigeon, but in a more\r\nsubdued tone, and added with a kind of sob, `I've tried every

way, and nothing seems to suit them!'\r\n\r\n\r\n'I haven't the least idea what you're talking about,' said\r\nAlice.\r\n\r\n\r\n'I've tried the roots of trees, and I've tried banks, and I've\r\ntried hedges,' the Pigeon went on, without attending to her; 'but\r\nthose serpents! There's no pleasing them!'\r\n\r\n\r\nAlice was more and more puzzled, but she thought there was no\r\nuse in saying anything more till the Pigeon had finished.\r\n\r\n\r\n'As if it wasn't trouble enough hatching the eggs,' said the\r\nPigeon; 'but I must be on the look-out for serpents night and\r\nday! Why, I haven't had a wink of sleep these three weeks!'\r\n\r\n\r\n'I'm very sorry you've been annoyed,' said Alice, who was\r\nbeginning to see its meaning.\r\n\r\n\r\n'And just as I'd taken the highest tree in the wood,' continued\r\nthe Pigeon, raising its voice to a shriek, 'and just as I was\r\nthinking I should be free of them at last, they must needs come\r\nwriggling down from the sky! Ugh, Serpent!'\r\n\r\n\r\n'But I'm NOT a serpent, I tell you!' said Alice. 'I'm a--I'm\r\na--'\r\n\r\n\r\n'Well! WHAT are you?' said the Pigeon. 'I can see you're\r\ntrying to invent something!'\r\n\r\n\r\n'I--I'm a little girl,' said Alice, rather doubtfully, as she\r\nremembered the number of changes she had gone through that day.\r\n\r\n\r\n'A likely story indeed!' said the Pigeon in a tone of the\r\ndeep contempt. 'I've seen a good many little girls in my\r\ntime, but never ONE with such a neck as that! No, no! You're a\r\nserpent; and there's no use denying it. I suppose you'll be\r\telling me next that you never tasted an egg!'\r\n\r\n\r\n'I HAVE tasted eggs, certainly,' said Alice, who was a very\r\ntruthful child; 'but little girls eat eggs quite as much as\r\nserpents do, you know.'\r\n\r\n\r\n'I don't believe it,' said the Pigeon; 'but if they do, why\r\nthen they're a kind of serpent, that's all I can say.'\r\n\r\n\r\nThis was such a new idea to Alice, that she was quite silent\r\nfor a minute or two, which gave the Pigeon the opportunity of\r\nadding, 'You're looking for eggs, I know THAT well enough; and\r\nwhat does it matter to me whether you're a little girl or a\r\nserpent?'\r\n\r\n\r\n'It matters a good deal to ME,' said Alice hastily; 'but I'm\r\nnot looking for eggs, as it happens; and if I was, I shouldn't\r\nwant YOURS: I don't like them raw.'\r\n\r\n\r\n'Well, be off, then!' said the Pigeon in a sulky tone, as it\r\nsettled down again into its nest. Alice crouched down among the\r\trees as well as she could, for her neck kept getting entangled\r\namong the branches, and every now and then she had to stop and\r\nuntwist it. After a while she remembered that she still held the\r\npieces of mushroom in her hands, and she set to work very\r\ncarefully, nibbling first at one and then at the other, and\r\ngrowing sometimes taller and sometimes shorter, until she had\r\nsucceeded in bringing herself down to her usual height.\r\n\r\n\r\nIt was so long since she had been anything near the right size,\r\nthat it felt quite strange at first; but she got used to it in a\r\nfew minutes, and began talking to herself, as usual. 'Come,\r\nthere's half my plan done now! How puzzling all these changes\r\nare! I'm never sure what I'm going to be, from one minute to\r\nanother! However, I've got back to my right size: the next\r\nthing is, to get into that beautiful garden--how IS that to be\r\ndone, I wonder?' As she said this, she came suddenly upon an\r\nopen place, with a little house in it about four feet high.\r\n'Whoever lives there,' thought Alice, 'it'll never do to come\r\nupon them THIS size: why, I should frighten them out of their\r\nwits!' So she began nibbling at the righthand bit again, and did\r\nnot venture to go near the house till she had brought herself\r\ndown to nine inches high.

CHAPTER VI

Pig and Pepper

For a minute or two she stood looking at the house, and\r\nwondering what to do next, when suddenly a footman in livery came

running out of the wood--(she considered him to be a footman\r\n because he was in livery: otherwise, judging by his face only,\r\n she would have called him a fish)--and rapped loudly at the door\r\n with his knuckles. It was opened by another footman in livery,\r\n with a round face, and large eyes like a frog; and both footmen,\r\n Alice noticed, had powdered hair that curled all over their\r\n heads. She felt very curious to know what it was all about, and\r\n crept a little way out of the wood to listen.\r\n\r\n

The Fish-Footman began by producing from under his arm a great\r\n letter, nearly as large as himself, and this he handed over to\r\n the other, saying, in a solemn tone, 'For the Duchess. An\r\n invitation from the Queen to play croquet.' The Frog-Footman\r\n repeated, in the same solemn tone, only changing the order of the\r\n words a little, 'From the Queen. An invitation for the Duchess\r\n to play croquet.'

Then they both bowed low, and their curls got entangled\r\n together.

Alice laughed so much at this, that she had to run back into\r\n the wood for fear of their hearing her; and when she next peeped\r\n out the Fish-Footman was gone, and the other was sitting on the\r\n ground near the door, staring stupidly up into the sky.

Alice went timidly up to the door, and knocked.

'There's no sort of use in knocking,' said the Footman, 'and\r\n that for two reasons. First, because I'm on the same side of the\r\n door as you are; secondly, because they're making such a noise\r\n inside, no one could possibly hear you.' And certainly there was\r\n a most extraordinary noise going on within--a constant howling\r\n and sneezing, and every now and then a great crash, as if a dish\r\n or kettle had been broken to pieces.

'Please, then,' said Alice, 'how am I to get in?'

'There might be some sense in your knocking,' the Footman went\r\n on without attending to her, 'if we had the door between us. For\r\n instance, if you were INSIDE, you might knock, and I could let\r\n you out, you know.' He was looking up into the sky all the time\r\n he was speaking, and this Alice thought decidedly uncivil. 'But\r\n perhaps he can't help it,' she said to herself; 'his eyes are so\r\n VERY nearly at the top of his head. But at any rate he might\r\n answer questions.--How am I to get in?' she repeated, aloud.

'I shall sit here,' the Footman remarked, 'till tomorrow--'

At this moment the door of the house opened, and a large plate\r\n came skimming out, straight at the Footman's head: it just\r\n grazed his nose, and broke to pieces against one of the trees\r\n behind him.

'--or next day, maybe,' the Footman continued in the same tone,\r\n exactly as if nothing had happened.

'How am I to get in?' asked Alice again, in a louder tone.

'ARE you to get in at all?' said the Footman. 'That's the\r\n first question, you know.'

It was, no doubt: only Alice did not like to be told so.\r\n 'It's really dreadful,' she muttered to herself, 'the way all the\r\n creatures argue. It's enough to drive one crazy!'

The Footman seemed to think this a good opportunity for\r\n repeating his remark, with variations. 'I shall sit here,' he\r\n said, 'on and off, for days and days.'

'But what am I to do?' said Alice.

'Anything you like,' said the Footman, and began whistling.

'Oh, there's no use in talking to him,' said Alice desperately;\r\n 'he's perfectly idiotic!' And she opened the door and went in.

The door led right into a large kitchen, which was full of\r\n smoke from one end to the other: the Duchess was sitting on a\r\n three-legged stool in the middle, nursing a baby; the cook was\r\n leaning over the fire, stirring a large cauldron which seemed to\r\n be full of soup.

'There's certainly too much pepper in that soup!' Alice said to\r\n herself, as well as she could for sneezing.

There was certainly too much of it in the air. Even the\r\n Duchess sneezed occasionally; and as for the baby, it was\r\n sneezing and howling alternately without a moment's pause. The\r\n only things in the kitchen that did not sneeze, were the cook,\r\n and a large cat which was sitting on the hearth and grinning from

ear to ear.\r\n\r\n

`Please would you tell me,' said Alice, a little timidly, for\r\nshe was not quite sure whether it was good manners for her to\r\nspeak first, `why your cat grins like that?'\r\n\r\n

`It's a Cheshire cat,' said the Duchess, `and that's why. Pig!'\r\n\r\n

She said the last word with such sudden violence that Alice\r\nquite jumped; but she saw in another moment that it was addressed\r\nto the baby, and not to her, so she took courage, and went on\r\nagain:--\r\n\r\n

`I didn't know that Cheshire cats always grinned; in fact, I\r\ndidn't know that cats COULD grin.'\r\n\r\n

`They all can,' said the Duchess; `and most of 'em do.'\r\n\r\n

`I don't know of any that do,' Alice said very politely,\r\nfeeling quite pleased to have got into a conversation.\r\n\r\n

`You don't know much,' said the Duchess; `and that's a fact.'\r\n\r\n

Alice did not at all like the tone of this remark, and thought\r\nit would be as well to introduce some other subject of\r\nconversation. While she was trying to fix on one, the cook took\r\nthe cauldron of soup off the fire, and at once set to work\r\nthrowing everything within her reach at the Duchess and the baby\r\n--the fire-irons came first; then followed a shower of saucepans,\r\nplates, and dishes. The Duchess took no notice of them even when\r\nthey hit her; and the baby was howling so much already, that it\r\nwas quite impossible to say whether the blows hurt it or not.\r\n\r\n

`Oh, PLEASE mind what you're doing!' cried Alice, jumping up\r\nand down in an agony of terror. `Oh, there goes his PRECIOUS\r\nnose'; as an unusually large saucepan flew close by it, and very\r\nnearly carried it off.\r\n\r\n

`If everybody minded their own business,' the Duchess said in a\r\nhoarse growl, `the world would go round a deal faster than it\r\ndoes.'\r\n\r\n

`Which would NOT be an advantage,' said Alice, who felt very\r\nglad to get an opportunity of showing off a little of her\r\nknowledge. `Just think of what work it would make with the day\r\nand night! You see the earth takes twenty-four hours to turn\r\nround on its axis--'\r\n\r\n

`Talking of axes,' said the Duchess, `chop off her head!'\r\n\r\n

Alice glanced rather anxiously at the cook, to see if she meant\r\nto take the hint; but the cook was busily stirring the soup, and\r\nseemed not to be listening, so she went on again: `Twenty-four\r\nhours, I THINK; or is it twelve? I--'\r\n\r\n

`Oh, don't bother ME,' said the Duchess; `I never could abide\r\nfigures!' And with that she began nursing her child again,\r\nsinging a sort of lullaby to it as she did so, and giving it a\r\nviolent shake at the end of every line:\r\n\r\n

`Speak roughly to your little boy,\r\nAnd beat him when he sneezes:\r\nHe only does it to annoy,\r\nBecause he knows it teases.'\r\n\r\n

CHORUS.\r\n\r\n

(In which the cook and the baby joined):--\r\n\r\n

`Wow! wow! wow!'\r\n\r\n

While the Duchess sang the second verse of the song, she kept\r\ntossing the baby violently up and down, and the poor little thing\r\nhowled so, that Alice could hardly hear the words:--\r\n\r\n

`I speak severely to my boy,\r\nI beat him when he sneezes;\r\nFor he can thoroughly enjoy\r\nThe pepper when he pleases!'\r\n\r\n

CHORUS.\r\n\r\n

`Wow! wow! wow!'\r\n\r\n

`Here! you may nurse it a bit, if you like!' the Duchess said\r\nto Alice, flinging the baby at her as she spoke. `I must go and\r\nget ready to play croquet with the Queen,' and she hurried out of\r\nthe room. The cook threw a frying-pan after her as she went out,\r\nbut it just missed her.\r\n\r\n

Alice caught the baby with some difficulty, as it was a queer-
shaped little creature, and held out its arms and legs in all
directions, 'just like a star-fish,' thought Alice. The poor
little thing was snorting like a steam-engine when she caught it,
and kept doubling itself up and straightening itself out again,
so that altogether, for the first minute or two, it was as much
as she could do to hold it.

As soon as she had made out the proper way of nursing it,
(which was to twist it up into a sort of knot, and then keep
tight hold of its right ear and left foot, so as to prevent its
undoing itself,) she carried it out into the open air. 'IF I
don't take this child away with me,' thought Alice, 'they're sure
to kill it in a day or two: wouldn't it be murder to leave it
behind?' She said the last words out loud, and the little thing
grunted in reply (it had left off sneezing by this time). 'Don't
grunt,' said Alice; 'that's not at all a proper way of expressing
yourself.'

The baby grunted again, and Alice looked very anxiously into
its face to see what was the matter with it. There could be no
doubt that it had a VERY turn-up nose, much more like a snout
than a real nose; also its eyes were getting extremely small for
a baby: altogether Alice did not like the look of the thing at
all. 'But perhaps it was only sobbing,' she thought, and looked
into its eyes again, to see if there were any tears.

No, there were no tears. 'If you're going to turn into a pig,
my dear,' said Alice, seriously, 'I'll have nothing more to do
with you. Mind now!' The poor little thing sobbed again (or
grunted, it was impossible to say which), and they went on for
some while in silence.

Alice was just beginning to think to herself, 'Now, what am I
to do with this creature when I get it home?' when it grunted
again, so violently, that she looked down into its face in some
alarm. This time there could be NO mistake about it: it was
neither more nor less than a pig, and she felt that it would be
quite absurd for her to carry it further.

So she set the little creature down, and felt quite relieved to
see it trot away quietly into the wood. 'If it had grown up,'
she said to herself, 'it would have made a dreadfully ugly child;
but it makes rather a handsome pig, I think.' And she began
thinking over other children she knew, who might do very well as
pigs, and was just saying to herself, 'if one only knew the right
way to change them--' when she was a little startled by seeing
the Cheshire Cat sitting on a bough of a tree a few yards off.

The Cat only grinned when it saw Alice. It looked good-
natured, she thought: still it had VERY long claws and a great
many teeth, so she felt that it ought to be treated with respect.

'Cheshire Puss,' she began, rather timidly, as she did not at
all know whether it would like the name: however, it only
grinned a little wider. 'Come, it's pleased so far,' thought
Alice, and she went on. 'Would you tell me, please, which way I
ought to go from here?'

'That depends a good deal on where you want to get to,' said
the Cat.

'I don't much care where--' said Alice.

'Then it doesn't matter which way you go,' said the Cat.

'--so long as I get SOMEWHERE,' Alice added as an explanation.

'Oh, you're sure to do that,' said the Cat, 'if you only walk
long enough.'

Alice felt that this could not be denied, so she tried another
question. 'What sort of people live about here?'

'In THAT direction,' the Cat said, waving its right paw round,
'lives a Hatter: and in THAT direction,' waving the other paw,
'lives a March Hare. Visit either you like: they're both mad.'

'But I don't want to go among mad people,' Alice remarked.

'Oh, you can't help that,' said the Cat: 'we're all mad here.
I'm mad. You're mad.'

'How do you know I'm mad?' said Alice.

'You must be,' said the Cat, 'or you wouldn't have come here.'

Alice didn't think that proved it at all; however, she went on
'And how do you know that you're mad?'

'To begin with,' said the Cat, 'a dog's not mad. You grant\r\n
 that?'\r\n
 \r\n
 'I suppose so,' said Alice.\r\n
 \r\n
 'Well, then,' the Cat went on, 'you see, a dog growls when it's\r\n
 angry, and wags its tail when it's pleased. Now I growl when I'm\r\n
 pleased, and wag my tail when I'm angry. Therefore I'm mad.'\r\n
 \r\n
 'I call it purring, not growling,' said Alice.\r\n
 \r\n
 'Call it what you like,' said the Cat. 'Do you play croquet\r\n
 with the Queen to-day?'\r\n
 \r\n
 'I should like it very much,' said Alice, 'but I haven't been\r\n
 invited yet.'\r\n
 \r\n
 'You'll see me there,' said the Cat, and vanished.\r\n
 \r\n
 Alice was not much surprised at this, she was getting so used\r\n
 to queer things happening. While she was looking at the place\r\n
 where it had been, it suddenly appeared again.\r\n
 \r\n
 'By-the-bye, what became of the baby?' said the Cat. 'I'd\r\n
 nearly forgotten to ask.'\r\n
 \r\n
 'It turned into a pig,' Alice quietly said, just as if it had\r\n
 come back in a natural way.\r\n
 \r\n
 'I thought it would,' said the Cat, and vanished again.\r\n
 \r\n
 Alice waited a little, half expecting to see it again, but it\r\n
 did not appear, and after a minute or two she walked on in the\r\n
 direction in which the March Hare was said to live. 'I've seen\r\n
 hatters before,' she said to herself; 'the March Hare will be\r\n
 much the most interesting, and perhaps as this is May it won't be\r\n
 raving mad--at least not so mad as it was in March.' As she said\r\n
 this, she looked up, and there was the Cat again, sitting on a\r\n
 branch of a tree.\r\n
 \r\n
 'Did you say pig, or fig?' said the Cat.\r\n
 \r\n
 'I said pig,' replied Alice; 'and I wish you wouldn't keep\r\n
 appearing and vanishing so suddenly: you make one quite giddy.'\r\n
 \r\n
 'All right,' said the Cat; and this time it vanished quite slowly,\r\n
 beginning with the end of the tail, and ending with the grin,\r\n
 which remained some time after the rest of it had gone.\r\n
 \r\n
 'Well! I've often seen a cat without a grin,' thought Alice;\r\n
 'but a grin without a cat! It's the most curious thing I ever\r\n
 saw in my life!'\r\n
 \r\n
 She had not gone much farther before she came in sight of the\r\n
 house of the March Hare: she thought it must be the right house,\r\n
 because the chimneys were shaped like ears and the roof was\r\n
 thatched with fur. It was so large a house, that she did not\r\n
 like to go nearer till she had nibbled some more of the lefthand\r\n
 bit of mushroom, and raised herself to about two feet high: even\r\n
 then she walked up towards it rather timidly, saying to herself\r\n
 'Suppose it should be raving mad after all! I almost wish I'd\r\n
 gone to see the Hatter instead!'\r\n
 \r\n
 \r\n
 \r\n

CHAPTER VII\r\n

A Mad Tea-Party\r\n

There was a table set out under a tree in front of the house,\r\n
 and the March Hare and the Hatter were having tea at it: a\r\n
 Dormouse was sitting between them, fast asleep, and the other two\r\n
 were using it as a cushion, resting their elbows on it, and talking\r\n
 over its head. 'Very uncomfortable for the Dormouse,' thought Alice;\r\n
 'only, as it's asleep, I suppose it doesn't mind.'\r\n
 \r\n
 The table was a large one, but the three were all crowded\r\n
 together at one corner of it: 'No room! No room!' they cried\r\n
 out when they saw Alice coming. 'There's PLENTY of room!' said\r\n
 Alice indignantly, and she sat down in a large arm-chair at one\r\n
 end of the table.\r\n
 \r\n
 'Have some wine,' the March Hare said in an encouraging tone.\r\n
 \r\n
 Alice looked all round the table, but there was nothing on it\r\n
 but tea. 'I don't see any wine,' she remarked.\r\n
 \r\n
 'There isn't any,' said the March Hare.\r\n
 \r\n

`Then it wasn't very civil of you to offer it,' said Alice
angrily.
`It wasn't very civil of you to sit down without being
invited,' said the March Hare.
`I didn't know it was YOUR table,' said Alice; `it's laid for a
great many more than three.'
`Your hair wants cutting,' said the Hatter. He had been
looking at Alice for some time with great curiosity, and this was
his first speech.
`You should learn not to make personal remarks,' Alice said
with some severity; `it's very rude.'
The Hatter opened his eyes very wide on hearing this; but all
he SAID was, `Why is a raven like a writing-desk?'
`Come, we shall have some fun now!' thought Alice. `I'm glad
they've begun asking riddles.--I believe I can guess that,' she
added aloud.
`Do you mean that you think you can find out the answer to it?'
said the March Hare.
`Exactly so,' said Alice.
`Then you should say what you mean,' the March Hare went on.
`I do,' Alice hastily replied; `at least--at least I mean what
I say--that's the same thing, you know.'
`Not the same thing a bit!' said the Hatter. `You might just
as well say that "I see what I eat" is the same thing as "I eat
what I see"!'`
`You might just as well say,' added the March Hare, `that "I
like what I get" is the same thing as "I get what I like"!'`
`You might just as well say,' added the Dormouse, who seemed to
be talking in his sleep, `that "I breathe when I sleep" is the
same thing as "I sleep when I breathe"!'`
`It IS the same thing with you,' said the Hatter, and here the
conversation dropped, and the party sat silent for a minute,
while Alice thought over all she could remember about ravens and
writing-desks, which wasn't much.
The Hatter was the first to break the silence. `What day of
the month is it?' he said, turning to Alice: he had taken his
watch out of his pocket, and was looking at it uneasily, shaking
it every now and then, and holding it to his ear.
Alice considered a little, and then said `The fourth.'
`Two days wrong!' sighed the Hatter. `I told you butter
wouldn't suit the works!' he added looking angrily at the March
Hare.
`It was the BEST butter,' the March Hare meekly replied.
`Yes, but some crumbs must have got in as well,' the Hatter
grumbled: `you shouldn't have put it in with the bread-knife.'
The March Hare took the watch and looked at it gloomily: then
he dipped it into his cup of tea, and looked at it again: but he
could think of nothing better to say than his first remark, `It
was the BEST butter, you know.'
Alice had been looking over his shoulder with some curiosity.
`What a funny watch!' she remarked. `It tells the day of the
month, and doesn't tell what o'clock it is!'
`Why should it?' muttered the Hatter. `Does YOUR watch tell
you what year it is?'
`Of course not,' Alice replied very readily: `but that's
because it stays the same year for such a long time together.'
`Which is just the case with MINE,' said the Hatter.
Alice felt dreadfully puzzled. The Hatter's remark seemed to
have no sort of meaning in it, and yet it was certainly English.
`I don't quite understand you,' she said, as politely as she
could.
`The Dormouse is asleep again,' said the Hatter, and he poured
a little hot tea upon its nose.

The Dormouse shook its head impatiently, and said, without opening its eyes, 'Of course, of course; just what I was going to remark myself.'

'Have you guessed the riddle yet?' the Hatter said, turning to Alice again.

'No, I give it up,' Alice replied: 'what's the answer?'

'I haven't the slightest idea,' said the Hatter.

'Nor I,' said the March Hare.

Alice sighed wearily. 'I think you might do something better with the time,' she said, 'than waste it in asking riddles that have no answers.'

'If you knew Time as well as I do,' said the Hatter, 'you wouldn't talk about wasting IT. It's HIM.'

'I don't know what you mean,' said Alice.

'Of course you don't!' the Hatter said, tossing his head contemptuously. 'I dare say you never even spoke to Time!'

'Perhaps not,' Alice cautiously replied: 'but I know I have to beat time when I learn music.'

'Ah! that accounts for it,' said the Hatter. 'He won't stand beating. Now, if you only kept on good terms with him, he'd do almost anything you liked with the clock. For instance, suppose it were nine o'clock in the morning, just time to begin lessons: you'd only have to whisper a hint to Time, and round goes the clock in a twinkling! Half-past one, time for dinner!'

('I only wish it was,' the March Hare said to itself in a whisper.)

'That would be grand, certainly,' said Alice thoughtfully: 'but then--I shouldn't be hungry for it, you know.'

'Not at first, perhaps,' said the Hatter: 'but you could keep it to half-past one as long as you liked.'

'Is that the way YOU manage?' Alice asked.

The Hatter shook his head mournfully. 'Not I!' he replied. 'We quarrelled last March--just before HE went mad, you know--' (pointing with his tea spoon at the March Hare,) '--it was at the great concert given by the Queen of Hearts, and I had to sing

"Twinkle, twinkle, little bat!
How I wonder what you're at!"

You know the song, perhaps?'

'I've heard something like it,' said Alice.

'It goes on, you know,' the Hatter continued, 'in this way:--

"Up above the world you fly,
Like a tea-tray in the sky.
Twinkle, twinkle--"

Here the Dormouse shook itself, and began singing in its sleep 'Twinkle, twinkle, twinkle, twinkle--' and went on so long that they had to pinch it to make it stop.

'Well, I'd hardly finished the first verse,' said the Hatter, 'when the Queen jumped up and bawled out, "He's murdering the time! Off with his head!"'

'How dreadfully savage!' exclaimed Alice.

'And ever since that,' the Hatter went on in a mournful tone, 'he won't do a thing I ask! It's always six o'clock now.'

A bright idea came into Alice's head. 'Is that the reason so many tea-things are put out here?' she asked.

'Yes, that's it,' said the Hatter with a sigh: 'it's always tea-time, and we've no time to wash the things between whiles.'

'Then you keep moving round, I suppose?' said Alice.

'Exactly so,' said the Hatter: 'as the things get used up.'

'But what happens when you come to the beginning again?' Alice ventured to ask.

`Suppose we change the subject,' the March Hare interrupted,\r\n yawning. `I'm getting tired of this. I vote the young lady\r\n tells us a story.'\r\n\r\n`I'm afraid I don't know one,' said Alice, rather alarmed at\r\n the proposal.\r\n\r\n`Then the Dormouse shall!' they both cried. `Wake up,\r\n Dormouse!' And they pinched it on both sides at once.\r\n\r\nThe Dormouse slowly opened his eyes. `I wasn't asleep,' he\r\n said in a hoarse, feeble voice: `I heard every word you fellows\r\n were saying.'\r\n\r\n`Tell us a story!' said the March Hare.\r\n\r\n`Yes, please do!' pleaded Alice.\r\n\r\n`And be quick about it,' added the Hatter, `or you'll be asleep\r\n again before it's done.'\r\n\r\n`Once upon a time there were three little sisters,' the\r\n Dormouse began in a great hurry; `and their names were Elsie,\r\n Lacie, and Tillie; and they lived at the bottom of a well--'\r\n\r\n`What did they live on?' said Alice, who always took a great\r\n interest in questions of eating and drinking.\r\n\r\n`They lived on treacle,' said the Dormouse, after thinking a\r\n minute or two.\r\n\r\n`They couldn't have done that, you know,' Alice gently\r\n remarked; `they'd have been ill.'\r\n\r\n`So they were,' said the Dormouse; `VERY ill.'\r\n\r\nAlice tried to fancy to herself what such an extraordinary ways\r\n of living would be like, but it puzzled her too much, so she went\r\n on: `But why did they live at the bottom of a well?'\r\n\r\n`Take some more tea,' the March Hare said to Alice, very\r\n earnestly.\r\n\r\n`I've had nothing yet,' Alice replied in an offended tone, `so\r\n I can't take more.'\r\n\r\n`You mean you can't take LESS,' said the Hatter: `it's very\r\n easy to take MORE than nothing.'\r\n\r\n`Nobody asked YOUR opinion,' said Alice.\r\n\r\n`Who's making personal remarks now?' the Hatter asked\r\n triumphantly.\r\n\r\nAlice did not quite know what to say to this: so she helped\r\n herself to some tea and bread-and-butter, and then turned to the\r\n Dormouse, and repeated her question. `Why did they live at the\r\n bottom of a well?'\r\n\r\nThe Dormouse again took a minute or two to think about it, and\r\n then said, `It was a treacle-well.'\r\n\r\n`There's no such thing!' Alice was beginning very angrily, but\r\n the Hatter and the March Hare went `Sh! sh!' and the Dormouse\r\n sulkily remarked, `If you can't be civil, you'd better finish the\r\n story for yourself.'\r\n\r\n`No, please go on!' Alice said very humbly; `I won't interrupt\r\n again. I dare say there may be ONE.'\r\n\r\n`One, indeed!' said the Dormouse indignantly. However, he\r\n consented to go on. `And so these three little sisters--they\r\n were learning to draw, you know--'\r\n\r\n`What did they draw?' said Alice, quite forgetting her promise.\r\n\r\n`Treacle,' said the Dormouse, without considering at all this\r\n time.\r\n\r\n`I want a clean cup,' interrupted the Hatter: `let's all move\r\n one place on.'\r\n\r\nHe moved on as he spoke, and the Dormouse followed him: the\r\n March Hare moved into the Dormouse's place, and Alice rather\r\n unwillingly took the place of the March Hare. The Hatter was the\r\n only one who got any advantage from the change: and Alice was a\r\n good deal worse off than before, as the March Hare had just upset\r\n the milk-jug into his plate.\r\n\r\nAlice did not wish to offend the Dormouse again, so she began

very cautiously: 'But I don't understand. Where did they draw the treacle from?'\r\n\r\n'You can draw water out of a water-well,' said the Hatter; 'so I should think you could draw treacle out of a treacle-well--eh, stupid?'\r\n\r\n'But they were IN the well,' Alice said to the Dormouse, not choosing to notice this last remark.\r\n\r\n'Of course they were', said the Dormouse; '--well in.'\r\n\r\nThis answer so confused poor Alice, that she let the Dormouse go on for some time without interrupting it.\r\n\r\n'They were learning to draw,' the Dormouse went on, yawning and rubbing its eyes, for it was getting very sleepy; 'and they drew all manner of things--everything that begins with an M--'\r\n\r\n'Why with an M?' said Alice.\r\n\r\n'Why not?' said the March Hare.\r\n\r\nAlice was silent.\r\n\r\nThe Dormouse had closed its eyes by this time, and was going off into a doze; but, on being pinched by the Hatter, it woke up again with a little shriek, and went on: '--that begins with an M, such as mouse-traps, and the moon, and memory, and muchness--you know you say things are "much of a muchness"--did you ever see such a thing as a drawing of a muchness?'\r\n\r\n'Really, now you ask me,' said Alice, very much confused, 'I don't think--'\r\n\r\n'Then you shouldn't talk,' said the Hatter.\r\n\r\nThis piece of rudeness was more than Alice could bear: she got up in great disgust, and walked off; the Dormouse fell asleep instantly, and neither of the others took the least notice of her going, though she looked back once or twice, half hoping that they would call after her: the last time she saw them, they were trying to put the Dormouse into the teapot.\r\n\r\n'At any rate I'll never go THERE again!' said Alice as she picked her way through the wood. 'It's the stupidest tea-party I ever was at in all my life!'\r\n\r\nJust as she said this, she noticed that one of the trees had a door leading right into it. 'That's very curious!' she thought. 'But everything's curious today. I think I may as well go in at once.' And in she went.\r\n\r\nOnce more she found herself in the long hall, and close to the little glass table. 'Now, I'll manage better this time,' she said to herself, and began by taking the little golden key, and unlocking the door that led into the garden. Then she went to work nibbling at the mushroom (she had kept a piece of it in her pocket) till she was about a foot high: then she walked down the little passage: and THEN--she found herself at last in the beautiful garden, among the bright flower-beds and the cool fountains.

CHAPTER VIII\r\n

The Queen's Croquet-Ground\r\n

A large rose-tree stood near the entrance of the garden: the roses growing on it were white, but there were three gardeners at it, busily painting them red. Alice thought this a very curious thing, and she went nearer to watch them, and just as she came up to them she heard one of them say, 'Look out now, Five! Don't go splashing paint over me like that!'\r\n\r\n'I couldn't help it,' said Five, in a sulky tone; 'Seven jogged my elbow.'\r\n\r\nOn which Seven looked up and said, 'That's right, Five! Always lay the blame on others!'\r\n\r\n'YOU'D better not talk!' said Five. 'I heard the Queen say only yesterday you deserved to be beheaded!'\r\n\r\n'What for?' said the one who had spoken first.\r\n\r\n'That's none of YOUR business, Two!' said Seven.\r\n\r\n'Yes, it IS his business!' said Five, 'and I'll tell him--it

was for bringing the cook tulip-roots instead of onions.'\r\n\r\n

Seven flung down his brush, and had just begun 'Well, of all\r\nthe unjust things--' when his eye chanced to fall upon Alice, as\r\nshe stood watching them, and he checked himself suddenly: the\r\nothers looked round also, and all of them bowed low.\r\n\r\n

'Would you tell me,' said Alice, a little timidly, 'why you are\r\npainting those roses?'\r\n\r\n

Five and Seven said nothing, but looked at Two. Two began in a\r\nlow voice, 'Why the fact is, you see, Miss, this here ought to\r\nhave been a RED rose-tree, and we put a white one in by mistake;\r\nand if the Queen was to find it out, we should all have our heads\r\ncut off, you know. So you see, Miss, we're doing our best, afore\r\nshe comes, to--' At this moment Five, who had been anxiously\r\nlooking across the garden, called out 'The Queen! The Queen!'\r\nand the three gardeners instantly threw themselves flat upon\r\ntheir faces. There was a sound of many footsteps, and Alice\r\nlooked round, eager to see the Queen.\r\n\r\n

First came ten soldiers carrying clubs; these were all shaped\r\nlike the three gardeners, oblong and flat, with their hands and\r\nfeet at the corners: next the ten courtiers; these were\r\nornamented all over with diamonds, and walked two and two, as the\r\nsoldiers did. After these came the royal children; there were\r\nten of them, and the little dears came jumping merrily along hand\r\nin hand, in couples: they were all ornamented with hearts. Next\r\ncame the guests, mostly Kings and Queens, and among them Alice\r\nrecognised the White Rabbit: it was talking in a hurried nervous\r\nmanner, smiling at everything that was said, and went by without\r\nnoticing her. Then followed the Knave of Hearts, carrying the\r\nKing's crown on a crimson velvet cushion; and, last of all this\r\ngrand procession, came THE KING AND QUEEN OF HEARTS.\r\n\r\n

Alice was rather doubtful whether she ought not to lie down on\r\nher face like the three gardeners, but she could not remember\r\never having heard of such a rule at processions; 'and besides,\r\nwhat would be the use of a procession,' thought she, 'if people\r\nhad all to lie down upon their faces, so that they couldn't see it?'\r\nSo she stood still where she was, and waited.\r\n\r\n

When the procession came opposite to Alice, they all stopped\r\nand looked at her, and the Queen said severely 'Who is this?'\r\nShe said it to the Knave of Hearts, who only bowed and smiled in reply.\r\n\r\n

'Idiot!' said the Queen, tossing her head impatiently; and,\r\nturning to Alice, she went on, 'What's your name, child?'\r\n\r\n

'My name is Alice, so please your Majesty,' said Alice very\r\npolitely; but she added, to herself, 'Why, they're only a pack of\r\ncards, after all. I needn't be afraid of them!'\r\n\r\n

'And who are THESE?' said the Queen, pointing to the three\r\ngardeners who were lying round the rosetree; for, you see, as\r\nthey were lying on their faces, and the pattern on their backs\r\nwas the same as the rest of the pack, she could not tell whether\r\nthey were gardeners, or soldiers, or courtiers, or three of her\r\nown children.\r\n\r\n

'How should I know?' said Alice, surprised at her own courage.\r\n'It's no business of MINE.'\r\n\r\n

The Queen turned crimson with fury, and, after glaring at her\r\nfor a moment like a wild beast, screamed 'Off with her head!\r\nOff--'\r\n\r\n

'Nonsense!' said Alice, very loudly and decidedly, and the\r\nQueen was silent.\r\n\r\n

The King laid his hand upon her arm, and timidly said\r\n'Consider, my dear: she is only a child!'\r\n\r\n

The Queen turned angrily away from him, and said to the Knave\r\n'Turn them over!'\r\n\r\n

The Knave did so, very carefully, with one foot.\r\n\r\n

'Get up!' said the Queen, in a shrill, loud voice, and the\r\nthree gardeners instantly jumped up, and began bowing to the\r\nKing, the Queen, the royal children, and everybody else.\r\n\r\n

'Leave off that!' screamed the Queen. 'You make me giddy.' And then, turning to the rose-tree, she went on, 'What HAVE you been doing here?'\r\n\r\n

'May it please your Majesty,' said Two, in a very humble tone, going down on one knee as he spoke, 'we were trying--'\r\n\r\n

'I see!' said the Queen, who had meanwhile been examining the

roses. 'Off with their heads!' and the procession moved on,\r\n\r\nthree of the soldiers remaining behind to execute the unfortunate\r\ngardeners, who ran to Alice for protection.\r\n\r\n\r\n

'You shan't be beheaded!' said Alice, and she put them into a\r\n\r\nlarge flower-pot that stood near. The three soldiers wandered\r\n\r\nabout for a minute or two, looking for them, and then quietly\r\n\r\nmarched off after the others.\r\n\r\n\r\n

'Are their heads off?' shouted the Queen.\r\n\r\n\r\n

'Their heads are gone, if it please your Majesty!' the soldiers\r\n\r\nshouted in reply.\r\n\r\n\r\n

'That's right!' shouted the Queen. 'Can you play croquet?'\r\n\r\n\r\n

The soldiers were silent, and looked at Alice, as the question\r\n\r\nwas evidently meant for her.\r\n\r\n\r\n

'Yes!' shouted Alice.\r\n\r\n\r\n

'Come on, then!' roared the Queen, and Alice joined the\r\n\r\nprocession, wondering very much what would happen next.\r\n\r\n\r\n

'It's--it's a very fine day!' said a timid voice at her side.\r\n\r\nShe was walking by the White Rabbit, who was peeping anxiously\r\n\r\ninto her face.\r\n\r\n\r\n

'Very,' said Alice: '--where's the Duchess?'\r\n\r\n\r\n

'Hush! Hush!' said the Rabbit in a low, hurried tone. He\r\n\r\nlooked anxiously over his shoulder as he spoke, and then raised\r\n\r\nhimself upon tiptoe, put his mouth close to her ear, and\r\n\r\nwhispered 'She's under sentence of execution.'\r\n\r\n\r\n

'What for?' said Alice.\r\n\r\n\r\n

'Did you say "What a pity!"?' the Rabbit asked.\r\n\r\n\r\n

'No, I didn't,' said Alice: 'I don't think it's at all a pity.\r\n\r\nI said "What for?"'\r\n\r\n\r\n

'She boxed the Queen's ears--' the Rabbit began. Alice gave a\r\n\r\nlittle scream of laughter. 'Oh, hush!' the Rabbit whispered in a\r\n\r\nfrightened tone. 'The Queen will hear you! You see, she came\r\n\r\nrather late, and the Queen said--'\r\n\r\n\r\n

'Get to your places!' shouted the Queen in a voice of thunder,\r\n\r\nand people began running about in all directions, tumbling up\r\n\r\nagainst each other; however, they got settled down in a minute or\r\n\r\ntwo, and the game began. Alice thought she had never seen such a\r\n\r\ncurious croquet-ground in her life; it was all ridges and\r\n\r\nfurrows; the balls were live hedgehogs, the mallets live\r\n\r\nflamingoes, and the soldiers had to double themselves up and to\r\n\r\nstand on their hands and feet, to make the arches.\r\n\r\n\r\n

The chief difficulty Alice found at first was in managing her\r\n\r\nflamingo: she succeeded in getting its body tucked away,\r\n\r\ncomfortably enough, under her arm, with its legs hanging down,\r\n\r\nbut generally, just as she had got its neck nicely straightened\r\n\r\nout, and was going to give the hedgehog a blow with its head, it\r\n\r\nWOULD twist itself round and look up in her face, with such a\r\n\r\npuzzled expression that she could not help bursting out laughing:\r\n\r\nand when she had got its head down, and was going to begin again,\r\n\r\nit was very provoking to find that the hedgehog had unrolled\r\n\r\nitself, and was in the act of crawling away: besides all this,\r\n\r\nthere was generally a ridge or furrow in the way wherever she\r\n\r\nwanted to send the hedgehog to, and, as the doubled-up soldiers\r\n\r\nwere always getting up and walking off to other parts of the\r\n\r\n\r\nground, Alice soon came to the conclusion that it was a very\r\n\r\ndifficult game indeed.\r\n\r\n\r\n

The players all played at once without waiting for turns,\r\n\r\nquarrelling all the while, and fighting for the hedgehogs; and in\r\n\r\n\r\na very short time the Queen was in a furious passion, and went\r\n\r\n\r\nstamping about, and shouting 'Off with his head!' or 'Off with\r\n\r\n\r\nher head!' about once in a minute.\r\n\r\n\r\n

Alice began to feel very uneasy: to be sure, she had not as\r\n\r\nyet had any dispute with the Queen, but she knew that it might\r\n\r\n\r\nhappen any minute, 'and then,' thought she, 'what would become of\r\n\r\n\r\nme? They're dreadfully fond of beheading people here; the great\r\n\r\n\r\nwonder is, that there's any one left alive!'\r\n\r\n\r\n

She was looking about for some way of escape, and wondering\r\n\r\n\r\nwhether she could get away without being seen, when she noticed a\r\n\r\n\r\ncurious appearance in the air: it puzzled her very much at\r\n\r\n\r\nfirst, but, after watching it a minute or two, she made it out to\r\n\r\n\r\nbe a grin, and she said to herself 'It's the Cheshire Cat: now I\r\n\r\n\r\nshall have somebody to talk to.'\r\n\r\n\r\n

\r\n\r\n`How are you getting on?' said the Cat, as soon as there was\r\nmouth enough for it to speak with.\r\n\r\n\r\nAlice waited till the eyes appeared, and then nodded. `It's no\r\nuse speaking to it,' she thought, `till its ears have come, or at\r\nleast one of them.' In another minute the whole head appeared,\r\nand then Alice put down her flamingo, and began an account of the\r\ngame, feeling very glad she had someone to listen to her. The\r\nCat seemed to think that there was enough of it now in sight, and\r\nno more of it appeared.\r\n\r\n\r\n`I don't think they play at all fairly,' Alice began, in rather\r\na complaining tone, `and they all quarrel so dreadfully one can't\r\nhear oneself speak--and they don't seem to have any rules in\r\nparticular; at least, if there are, nobody attends to them--and\r\nyou've no idea how confusing it is all the things being alive;\r\nfor instance, there's the arch I've got to go through next\r\nwalking about at the other end of the ground--and I should have\r\ncroqueted the Queen's hedgehog just now, only it ran away when it\r\nsaw mine coming!'\r\n\r\n\r\n`How do you like the Queen?' said the Cat in a low voice.\r\n\r\n\r\n`Not at all,' said Alice: `she's so extremely--' Just then\r\nshe noticed that the Queen was close behind her, listening: so\r\nshe went on, `--likely to win, that it's hardly worth while\r\nfinishing the game.'\r\n\r\n\r\nThe Queen smiled and passed on.\r\n\r\n\r\n`Who ARE you talking to?' said the King, going up to Alice, and\r\nlooking at the Cat's head with great curiosity.\r\n\r\n\r\n`It's a friend of mine--a Cheshire Cat,' said Alice: `allow me\r\nto introduce it.'\r\n\r\n\r\n`I don't like the look of it at all,' said the King:\r\n`however, it may kiss my hand if it likes.'\r\n\r\n\r\n`I'd rather not,' the Cat remarked.\r\n\r\n\r\n`Don't be impertinent,' said the King, `and don't look at me\r\nlike that!' He got behind Alice as he spoke.\r\n\r\n\r\n`A cat may look at a king,' said Alice. `I've read that in\r\nsome book, but I don't remember where.'\r\n\r\n\r\n`Well, it must be removed,' said the King very decidedly, and\r\nhe called the Queen, who was passing at the moment, `My dear! I\r\nwish you would have this cat removed!'\r\n\r\n\r\nThe Queen had only one way of settling all difficulties, great\r\nor small. `Off with his head!' she said, without even looking\r\nround.\r\n\r\n\r\n`I'll fetch the executioner myself,' said the King eagerly, and\r\nhe hurried off.\r\n\r\n\r\nAlice thought she might as well go back, and see how the game\r\nwas going on, as she heard the Queen's voice in the distance,\r\nscreaming with passion. She had already heard her sentence three\r\nof the players to be executed for having missed their turns, and\r\nshe did not like the look of things at all, as the game was in\r\nsuch confusion that she never knew whether it was her turn or\r\nnot. So she went in search of her hedgehog.\r\n\r\n\r\nThe hedgehog was engaged in a fight with another hedgehog,\r\nwhich seemed to Alice an excellent opportunity for croqueting one\r\nof them with the other: the only difficulty was, that her\r\nflamingo was gone across to the other side of the garden, where\r\nAlice could see it trying in a helpless sort of way to fly up\r\ninto a tree.\r\n\r\n\r\nBy the time she had caught the flamingo and brought it back,\r\nthe fight was over, and both the hedgehogs were out of sight:\r\n`but it doesn't matter much,' thought Alice, `as all the arches\r\nare gone from this side of the ground.' So she tucked it away\r\nunder her arm, that it might not escape again, and went back for\r\na little more conversation with her friend.\r\n\r\n\r\nWhen she got back to the Cheshire Cat, she was surprised to\r\nfind quite a large crowd collected round it: there was a dispute\r\ngoing on between the executioner, the King, and the Queen, who\r\nwere all talking at once, while all the rest were quite silent,\r\nand looked very uncomfortable.\r\n\r\n\r\nThe moment Alice appeared, she was appealed to by all three to\r\nsettle the question, and they repeated their arguments to her,\r\nthough, as they all spoke at once, she found it very hard indeed

to make out exactly what they said.\r\n

\r\n

The executioner's argument was, that you couldn't cut off a\r\nhead unless there was a body to cut it off from: that he had\r\nnever had to do such a thing before, and he wasn't going to begin\r\nat HIS time of life.\r\n

\r\n

The King's argument was, that anything that had a head could be\r\nbeheaded, and that you weren't to talk nonsense.\r\n

\r\n

The Queen's argument was, that if something wasn't done about\r\nit in less than no time she'd have everybody executed, all round.\r\n(It was this last remark that had made the whole party look so\r\ngrave and anxious.)\r\n

\r\n

Alice could think of nothing else to say but `It belongs to the\r\nDuchess: you'd better ask HER about it.'\r\n

\r\n

`She's in prison,' the Queen said to the executioner: `fetch\r\nher here.' And the executioner went off like an arrow.\r\n

\r\n

The Cat's head began fading away the moment he was gone, and,\r\nby the time he had come back with the Duchess, it had entirely\r\ndisappeared; so the King and the executioner ran wildly up and down\r\nlooking for it, while the rest of the party went back to the game.\r\n

\r\n

\r\n

\r\n

CHAPTER IX\r\n

\r\n

The Mock Turtle's Story\r\n

\r\n

\r\n

`You can't think how glad I am to see you again, you dear old\r\nthing!' said the Duchess, as she tucked her arm affectionately\r\ninto Alice's, and they walked off together.\r\n

\r\n

Alice was very glad to find her in such a pleasant temper, and\r\nthought to herself that perhaps it was only the pepper that had\r\nmade her so savage when they met in the kitchen.\r\n

\r\n

`When I'M a Duchess,' she said to herself, (not in a very\r\nhopeful tone though), `I won't have any pepper in my kitchen AT\r\nALL. Soup does very well without--Maybe it's always pepper that\r\nmakes people hot-tempered,' she went on, very much pleased at\r\nhaving found out a new kind of rule, `and vinegar that makes them\r\nsour--and camomile that makes them bitter--and--and barley-sugar\r\nand such things that make children sweet-tempered. I only wish\r\npeople knew that: then they wouldn't be so stingy about it, you\r\nknow--'\r\n

\r\n

She had quite forgotten the Duchess by this time, and was a\r\nlittle startled when she heard her voice close to her ear.\r\n`You're thinking about something, my dear, and that makes you\r\nforget to talk. I can't tell you just now what the moral of that\r\nis, but I shall remember it in a bit.'\r\n

\r\n

`Perhaps it hasn't one,' Alice ventured to remark.\r\n

\r\n

`Tut, tut, child!' said the Duchess. `Everything's got a\r\nmoral, if only you can find it.' And she squeezed herself up\r\ncloser to Alice's side as she spoke.\r\n

\r\n

Alice did not much like keeping so close to her: first,\r\nbecause the Duchess was VERY ugly; and secondly, because she was\r\nexactly the right height to rest her chin upon Alice's shoulder,\r\nand it was an uncomfortably sharp chin. However, she did not\r\nlike to be rude, so she bore it as well as she could.\r\n

\r\n

`The game's going on rather better now,' she said, by way of\r\nkeeping up the conversation a little.\r\n

\r\n

`'Tis so,' said the Duchess: `and the moral of that is--"Oh,\r/>'tis love, 'tis love, that makes the world go round!'"'\r\n

\r\n

`Somebody said,' Alice whispered, `that it's done by everybody\r\nminding their own business!'\r\n

\r\n

`Ah, well! It means much the same thing,' said the Duchess,\r\ndigging her sharp little chin into Alice's shoulder as she added,\r/>and the moral of THAT is--"Take care of the sense, and the\r\nsounds will take care of themselves."'\r\n

\r\n

`How fond she is of finding morals in things!' Alice thought to\r\nherself.\r\n

\r\n

`I dare say you're wondering why I don't put my arm round your\r\nwaist,' the Duchess said after a pause: `the reason is, that I'm\r\ndoubtful about the temper of your flamingo. Shall I try the\r\nexperiment?'\r\n

\r\n`HE might bite,' Alice cautiously replied, not feeling at all\r\nanxious to have the experiment tried.\r\n\r\n\r\n`Very true,' said the Duchess: `flamingoes and mustard both\r\nbite. And the moral of that is--"Birds of a feather flock\r\ntogether."' \r\n\r\n\r\n`Only mustard isn't a bird,' Alice remarked.\r\n\r\n\r\n`Right, as usual,' said the Duchess: `what a clear way you\r\nhave of putting things!' \r\n\r\n\r\n`It's a mineral, I THINK,' said Alice.\r\n\r\n\r\n`Of course it is,' said the Duchess, who seemed ready to agree\r\nto everything that Alice said; `there's a large mustard-mine near\r\nhere. And the moral of that is--"The more there is of mine, the\r\nless there is of yours."' \r\n\r\n\r\n`Oh, I know!' exclaimed Alice, who had not attended to this\r\nlast remark, `it's a vegetable. It doesn't look like one, but it\r\nis.' \r\n\r\n\r\n`I quite agree with you,' said the Duchess; `and the moral of\r\nthat is--"Be what you would seem to be"--or if you'd like it put\r\nmore simply--"Never imagine yourself not to be otherwise than\r\nwhat it might appear to others that what you were or might have\r\nbeen was not otherwise than what you had been would have appeared\r\nto them to be otherwise."' \r\n\r\n\r\n`I think I should understand that better,' Alice said very\r\npolitely, `if I had it written down: but I can't quite follow it\r\nas you say it.' \r\n\r\n\r\n`That's nothing to what I could say if I chose,' the Duchess\r\nreplied, in a pleased tone.\r\n\r\n\r\n`Pray don't trouble yourself to say it any longer than that,'\r\nsaid Alice.\r\n\r\n\r\n`Oh, don't talk about trouble!' said the Duchess. `I make you\r\na present of everything I've said as yet.' \r\n\r\n\r\n`A cheap sort of present!' thought Alice. `I'm glad they don't\r\ngive birthday presents like that!' But she did not venture to\r\nsay it out loud.\r\n\r\n\r\n`Thinking again?' the Duchess asked, with another dig of her\r\nsharp little chin.\r\n\r\n\r\n`I've a right to think,' said Alice sharply, for she was\r\nbeginning to feel a little worried.\r\n\r\n\r\n`Just about as much right,' said the Duchess, `as pigs have to fly;\r\nand the m--'\r\n\r\n\r\nBut here, to Alice's great surprise, the Duchess's voice died\r\naway, even in the middle of her favourite word `moral,' and the\r\narm that was linked into hers began to tremble. Alice looked up,\r\nand there stood the Queen in front of them, with her arms folded,\r\nfrowning like a thunderstorm.\r\n\r\n\r\n`A fine day, your Majesty!' the Duchess began in a low, weak\r\nvoice.\r\n\r\n\r\n`Now, I give you fair warning,' shouted the Queen, stamping on\r\nthe ground as she spoke; `either you or your head must be off,\r\nand that in about half no time! Take your choice!' \r\n\r\n\r\nThe Duchess took her choice, and was gone in a moment.\r\n\r\n\r\n`Let's go on with the game,' the Queen said to Alice; and Alice\r\nwas too much frightened to say a word, but slowly followed her\r\nback to the croquet-ground.\r\n\r\n\r\nThe other guests had taken advantage of the Queen's absence,\r\nand were resting in the shade: however, the moment they saw her,\r\nthey hurried back to the game, the Queen merely remarking that a\r\nmoment's delay would cost them their lives.\r\n\r\n\r\nAll the time they were playing the Queen never left off\r\nquarrelling with the other players, and shouting `Off with his\r\nhead!' or `Off with her head!' Those whom she sentenced were\r\ntaken into custody by the soldiers, who of course had to leave\r\noff being arches to do this, so that by the end of half an hour\r\nor so there were no arches left, and all the players, except the\r\nKing, the Queen, and Alice, were in custody and under sentence of\r\nexecution.\r\n\r\n\r\n

Then the Queen left off, quite out of breath, and said to\r\nAlice, 'Have you seen the Mock Turtle yet?'\r\n\r\n'No,' said Alice. 'I don't even know what a Mock Turtle is.'\r\n\r\n'It's the thing Mock Turtle Soup is made from,' said the Queen.\r\n\r\n'I never saw one, or heard of one,' said Alice.\r\n\r\n'Come on, then,' said the Queen, 'and he shall tell you his\r\nhistory,'\r\n\r\nAs they walked off together, Alice heard the King say in a low\r\nvoice, to the company generally, 'You are all pardoned.' 'Come,\r\nTHAT'S a good thing!' she said to herself, for she had felt quite\r\nunhappy at the number of executions the Queen had ordered.\r\n\r\nThey very soon came upon a Gryphon, lying fast asleep in the\r\nsun. (IF you don't know what a Gryphon is, look at the picture.)\r\n'Up, lazy thing!' said the Queen, 'and take this young lady to\r\nsee the Mock Turtle, and to hear his history. I must go back and\r\nsee after some executions I have ordered'; and she walked off,\r\nleaving Alice alone with the Gryphon. Alice did not quite like\r\nthe look of the creature, but on the whole she thought it would\r\nbe quite as safe to stay with it as to go after that savage\r\nQueen: so she waited.\r\n\r\nThe Gryphon sat up and rubbed its eyes: then it watched the\r\nQueen till she was out of sight: then it chuckled. 'What fun!'\r\nsaid the Gryphon, half to itself, half to Alice.\r\n\r\n'What IS the fun?' said Alice.\r\n\r\n'Why, SHE,' said the Gryphon. 'It's all her fancy, that: they\r\nnever executes nobody, you know. Come on!'\r\n\r\n'Everybody says "come on!" here,' thought Alice, as she went\r\nslowly after it: 'I never was so ordered about in all my life,\r\nnever!'\r\n\r\nThey had not gone far before they saw the Mock Turtle in the\r\ndistance, sitting sad and lonely on a little ledge of rock, and,\r\nas they came nearer, Alice could hear him sighing as if his heart\r\nwould break. She pitied him deeply. 'What is his sorrow?' she\r\nasked the Gryphon, and the Gryphon answered, very nearly in the\r\nsame words as before, 'It's all his fancy, that: he hasn't got\r\nno sorrow, you know. Come on!'\r\n\r\nSo they went up to the Mock Turtle, who looked at them with\r\nlarge eyes full of tears, but said nothing.\r\n\r\n'This here young lady,' said the Gryphon, 'she wants for to\r\nknow your history, she do.'\r\n\r\n'I'll tell it her,' said the Mock Turtle in a deep, hollow\r\ntone: 'sit down, both of you, and don't speak a word till I've\r\nfinished.'\r\n\r\nSo they sat down, and nobody spoke for some minutes. Alice\r\nthought to herself, 'I don't see how he can EVEN finish, if he\r\ndoesn't begin.' But she waited patiently.\r\n\r\n'Once,' said the Mock Turtle at last, with a deep sigh, 'I was\r\na real Turtle.'\r\n\r\nThese words were followed by a very long silence, broken only\r\nby an occasional exclamation of 'Hjckrrh!' from the Gryphon, and\r\nthe constant heavy sobbing of the Mock Turtle. Alice was very\r\nnearly getting up and saying, 'Thank you, sir, for your\r\ninteresting story,' but she could not help thinking there MUST be\r\nmore to come, so she sat still and said nothing.\r\n\r\n'When we were little,' the Mock Turtle went on at last, more\r\ncalmly, though still sobbing a little now and then, 'we went to\r\nschool in the sea. The master was an old Turtle--we used to call\r\nhim Tortoise--'\r\n\r\n'Why did you call him Tortoise, if he wasn't one?' Alice asked.\r\n\r\n'We called him Tortoise because he taught us,' said the Mock\r\nTurtle angrily: 'really you are very dull!'\r\n\r\n'You ought to be ashamed of yourself for asking such a simple\r\nquestion,' added the Gryphon; and then they both sat silent and\r\nlooked at poor Alice, who felt ready to sink into the earth. At\r\nlast the Gryphon said to the Mock Turtle, 'Drive on, old fellow!\r\nDon't be all day about it!' and he went on in these words:\r\n\r\n'Yes, we went to school in the sea, though you mayn't believe\r\nit--'

\r\n\r\n`I never said I didn't!' interrupted Alice.\r\n\r\n\r\n`You did,' said the Mock Turtle.\r\n\r\n\r\n`Hold your tongue!' added the Gryphon, before Alice could speak\r\nagain. The Mock Turtle went on.\r\n\r\n\r\n`We had the best of educations--in fact, we went to school\r\nevery day--'\r\n\r\n\r\n`I'VE been to a day-school, too,' said Alice; `you needn't be\r\nso proud as all that.'\r\n\r\n\r\n`With extras?' asked the Mock Turtle a little anxiously.\r\n\r\n\r\n`Yes,' said Alice, `we learned French and music.'\r\n\r\n\r\n`And washing?' said the Mock Turtle.\r\n\r\n\r\n`Certainly not!' said Alice indignantly.\r\n\r\n\r\n`Ah! then yours wasn't a really good school,' said the Mock\r\nTurtle in a tone of great relief. `Now at OURS they had at the\r\nend of the bill, "French, music, AND WASHING--extra."' \r\n\r\n\r\n`You couldn't have wanted it much,' said Alice; `living at the\r\nbottom of the sea.'\r\n\r\n\r\n`I couldn't afford to learn it.' said the Mock Turtle with a\r\nsigh. `I only took the regular course.'\r\n\r\n\r\n`What was that?' inquired Alice.\r\n\r\n\r\n`Reeling and Writhing, of course, to begin with,' the Mock\r\nTurtle replied; `and then the different branches of Arithmetic--\r\nAmbition, Distraction, Uglification, and Derision.'\r\n\r\n\r\n`I never heard of "Uglification,"' Alice ventured to say. `What is it?'\r\n\r\n\r\nThe Gryphon lifted up both its paws in surprise. `What! Never\r\nheard of uglifying!' it exclaimed. `You know what to beautify is,\r\nI suppose?'\r\n\r\n\r\n`Yes,' said Alice doubtfully: `it means--to--make--anything--prettier.'\r\n\r\n\r\n`Well, then,' the Gryphon went on, `if you don't know what to\r\nuglify is, you ARE a simpleton.'\r\n\r\n\r\nAlice did not feel encouraged to ask any more questions about\r\nit, so she turned to the Mock Turtle, and said `What else had you\r\nto learn?'\r\n\r\n\r\n`Well, there was Mystery,' the Mock Turtle replied, counting\r\noff the subjects on his flappers, `--Mystery, ancient and modern,\r\nwith Seaography: then Drawling--the Drawling-master was an old\r\nconger-eel, that used to come once a week: HE taught us\r\nDrawling, Stretching, and Fainting in Coils.'\r\n\r\n\r\n`What was THAT like?' said Alice.\r\n\r\n\r\n`Well, I can't show it you myself,' the Mock Turtle said: `I'm\r\ntoo stiff. And the Gryphon never learnt it.'\r\n\r\n\r\n`Hadm't time,' said the Gryphon: `I went to the Classics\r\nmaster, though. He was an old crab, HE was.'\r\n\r\n\r\n`I never went to him,' the Mock Turtle said with a sigh: `he\r\ntaught Laughing and Grief, they used to say.'\r\n\r\n\r\n`So he did, so he did,' said the Gryphon, sighing in his turn;\r\nand both creatures hid their faces in their paws.\r\n\r\n\r\n`And how many hours a day did you do lessons?' said Alice, in a\r\nhurry to change the subject.\r\n\r\n\r\n`Ten hours the first day,' said the Mock Turtle: `nine the\r\nnext, and so on.'\r\n\r\n\r\n`What a curious plan!' exclaimed Alice.\r\n\r\n\r\n`That's the reason they're called lessons,' the Gryphon\r\nremarked: `because they lessen from day to day.'\r\n\r\n\r\nThis was quite a new idea to Alice, and she thought it over a\r\nlittle before she made her next remark. `Then the eleventh day\r\nmust have been a holiday?'\r\n\r\n\r\n`Of course it was,' said the Mock Turtle.\r\n\r\n\r\n

`And how did you manage on the twelfth?' Alice went on eagerly.\r\n\r\n`That's enough about lessons,' the Gryphon interrupted in a\r\nvery decided tone: `tell her something about the games now.'\r\n\r\n\r\n\r\n\r\n

CHAPTER X\r\n

\r\n

The Lobster Quadrille\r\n

\r\n

\r\n

The Mock Turtle sighed deeply, and drew the back of one flapper\r\nacross his eyes. He looked at Alice, and tried to speak, but for\r\na minute or two sobs choked his voice. `Same as if he had a bone\r\nin his throat,' said the Gryphon: and it set to work shaking him\r\nand punching him in the back. At last the Mock Turtle recovered\r\nhis voice, and, with tears running down his cheeks, he went on\r\nagain:--\r\n\r\n

`You may not have lived much under the sea--' (`I haven't,' said Alice)--\r\n`and perhaps you were never even introduced to a lobster--'\r\n(Alice began to say `I once tasted--' but checked herself hastily,\r\nand said `No, never') `--so you can have no idea what a delightful\r\nthing a Lobster Quadrille is!'\r\n\r\n

`No, indeed,' said Alice. `What sort of a dance is it?'\r\n\r\n

`Why,' said the Gryphon, `you first form into a line along the sea-shore--'\r\n\r\n

`Two lines!' cried the Mock Turtle. `Seals, turtles, salmon, and so on;\r\nthen, when you've cleared all the jelly-fish out of the way--'\r\n\r\n

`THAT generally takes some time,' interrupted the Gryphon.\r\n\r\n

`--you advance twice--'\r\n\r\n

`Each with a lobster as a partner!' cried the Gryphon.\r\n\r\n

`Of course,' the Mock Turtle said: `advance twice, set to\r\npartners--'\r\n\r\n

`--change lobsters, and retire in same order,' continued the\r\nGryphon.\r\n\r\n

`Then, you know,' the Mock Turtle went on, `you throw the--'\r\n\r\n

`The lobsters!' shouted the Gryphon, with a bound into the air.\r\n\r\n

`--as far out to sea as you can--'\r\n\r\n

`Swim after them!' screamed the Gryphon.\r\n\r\n

`Turn a somersault in the sea!' cried the Mock Turtle,\r\ncapering wildly about.\r\n\r\n

`Change lobsters again!' yelled the Gryphon at the top of its voice.\r\n\r\n

`Back to land again, and that's all the first figure,' said the\r\nMock Turtle, suddenly dropping his voice; and the two creatures,\r\nwho had been jumping about like mad things all this time, sat\r\ndown again very sadly and quietly, and looked at Alice.\r\n\r\n

`It must be a very pretty dance,' said Alice timidly.\r\n\r\n

`Would you like to see a little of it?' said the Mock Turtle.\r\n\r\n

`Very much indeed,' said Alice.\r\n\r\n

`Come, let's try the first figure!' said the Mock Turtle to the\r\nGryphon. `We can do without lobsters, you know. Which shall\r\nsing?'\r\n\r\n

`Oh, YOU sing,' said the Gryphon. `I've forgotten the words.'\r\n\r\n

So they began solemnly dancing round and round Alice, every now\r\nand then treading on her toes when they passed too close, and\r\nwaving their forepaws to mark the time, while the Mock Turtle\r\nsang this, very slowly and sadly:--\r\n\r\n

`"Will you walk a little faster?" said a whiting to a snail.\r\n"There's a porpoise close behind us, and he's treading on my\r\ntail.\r\n

See how eagerly the lobsters and the turtles all advance!\r\nThey are waiting on the shingle--will you come and join the\r\ndance?\r\n\r\n

`Will you, won't you, will you, won't you, will you join the\r\ndance?'\r\n\r\n

Will you, won't you, will you, won't you, won't you join the dance?
 \r\n
 \r\n
 \r\n
 "You can really have no notion how delightful it will be
 When they take us up and throw us, with the lobsters, out to sea!"
 But the snail replied "Too far, too far!" and gave a look
 askance--
 Said he thanked the whiting kindly, but he would not join the dance.
 Would not, could not, would not, could not, would not join the dance.
 Would not, could not, would not, could not, could not join the dance.
 \r\n
 "What matters it how far we go?" his scaly friend replied.
 "There is another shore, you know, upon the other side.
 The further off from England the nearer is to France--
 Then turn not pale, beloved snail, but come and join the dance.
 Will you, won't you, will you, won't you, will you join the dance?
 Will you, won't you, will you, won't you, won't you join the dance?"
 \r\n
 \r\n
 \r\n
 "Thank you, it's a very interesting dance to watch," said Alice, feeling very glad that it was over at last: "and I do so like that curious song about the whiting!"
 "Oh, as to the whiting," said the Mock Turtle, "they--you've seen them, of course?"
 "Yes," said Alice, "I've often seen them at dinner--" she checked herself hastily.
 "I don't know where Dinner may be," said the Mock Turtle, "but if you've seen them so often, of course you know what they're like."
 "I believe so," Alice replied thoughtfully. "They have their tails in their mouths--and they're all over crumbs."
 "You're wrong about the crumbs," said the Mock Turtle: "crumbs would all wash off in the sea. But they HAVE their tails in their mouths; and the reason is--" here the Mock Turtle yawned and shut his eyes.--"Tell her about the reason and all that," he said to the Gryphon.
 "The reason is," said the Gryphon, "that they WOULD go with the lobsters to the dance. So they got thrown out to sea. So they had to fall a long way. So they got their tails fast in their mouths. So they couldn't get them out again. That's all."
 "Thank you," said Alice, "it's very interesting. I never knew so much about a whiting before."
 "I can tell you more than that, if you like," said the Gryphon. "Do you know why it's called a whiting?"
 "I never thought about it," said Alice. "Why?"
 "IT DOES THE BOOTS AND SHOES." the Gryphon replied very solemnly.
 Alice was thoroughly puzzled. "Does the boots and shoes!" she repeated in a wondering tone.
 "Why, what are YOUR shoes done with?" said the Gryphon. "I mean, what makes them so shiny?"
 Alice looked down at them, and considered a little before she gave her answer. "They're done with blacking, I believe."
 "Boots and shoes under the sea," the Gryphon went on in a deep voice, "are done with a whiting. Now you know."
 "And what are they made of?" Alice asked in a tone of great curiosity.
 "Soles and eels, of course," the Gryphon replied rather impatiently: "any shrimp could have told you that."
 "If I'd been the whiting," said Alice, whose thoughts were still running on the song, "I'd have said to the porpoise, 'Keep back, please: we don't want YOU with us!'"
 "They were obliged to have him with them," the Mock Turtle

said: 'no wise fish would go anywhere without a porpoise.'

'Wouldn't it really?' said Alice in a tone of great surprise.

'Of course not,' said the Mock Turtle: 'why, if a fish came to ME, and told me he was going a journey, I should say "With what porpoise?"'

'Don't you mean "purpose"?' said Alice.

'I mean what I say,' the Mock Turtle replied in an offended tone. And the Gryphon added 'Come, let's hear some of YOUR adventures.'

'I could tell you my adventures--beginning from this morning,' said Alice a little timidly: 'but it's no use going back to yesterday, because I was a different person then.'

'Explain all that,' said the Mock Turtle.

'No, no! The adventures first,' said the Gryphon in an impatient tone: 'explanations take such a dreadful time.'

So Alice began telling them her adventures from the time when she first saw the White Rabbit. She was a little nervous about it just at first, the two creatures got so close to her, one on each side, and opened their eyes and mouths so VERY wide, but she gained courage as she went on. Her listeners were perfectly quiet till she got to the part about her repeating 'YOU ARE OLD, FATHER WILLIAM,' to the Caterpillar, and the words all coming different, and then the Mock Turtle drew a long breath, and said 'That's very curious.'

'It's all about as curious as it can be,' said the Gryphon.

'It all came different!' the Mock Turtle repeated thoughtfully. 'I should like to hear her try and repeat something now. Tell her to begin.' He looked at the Gryphon as if he thought it had some kind of authority over Alice.

'Stand up and repeat "'TIS THE VOICE OF THE SLUGGARD,"' said the Gryphon.

'How the creatures order one about, and make one repeat lessons!' thought Alice; 'I might as well be at school at once.' However, she got up, and began to repeat it, but her head was so full of the Lobster Quadrille, that she hardly knew what she was saying, and the words came very queer indeed:--

'Tis the voice of the Lobster; I heard him declare,
 "You have baked me too brown, I must sugar my hair."
 As a duck with its eyelids, so he with his nose
 Trims his belt and his buttons, and turns out his toes.'

[later editions continued as follows
 When the sands are all dry, he is gay as a lark,
 And will talk in contemptuous tones of the Shark,
 But, when the tide rises and sharks are around,
 His voice has a timid and tremulous sound.]

'That's different from what I used to say when I was a child,' said the Gryphon.

'Well, I never heard it before,' said the Mock Turtle; 'but it sounds uncommon nonsense.'

Alice said nothing; she had sat down with her face in her hands, wondering if anything would EVER happen in a natural way again.

'I should like to have it explained,' said the Mock Turtle.

'She can't explain it,' said the Gryphon hastily. 'Go on with the next verse.'

'But about his toes?' the Mock Turtle persisted. 'How COULD he turn them out with his nose, you know?'

'It's the first position in dancing,' Alice said; but was dreadfully puzzled by the whole thing, and longed to change the subject.

'Go on with the next verse,' the Gryphon repeated impatiently: 'it begins "I passed by his garden."'

Alice did not dare to disobey, though she felt sure it would all come wrong, and she went on in a trembling voice:--

'I passed by his garden, and marked, with one eye,
 How the Owl and the Panther were sharing a pie--'

over the wig, (look at the frontispiece if you want to see how he did it,) he did not look at all comfortable, and it was certainly not becoming.

And that's the jury-box,' thought Alice, 'and those twelve creatures,' (she was obliged to say 'creatures,' you see, because some of them were animals, and some were birds,) 'I suppose they are the jurors.' She said this last word two or three times over to herself, being rather proud of it: for she thought, and rightly too, that very few little girls of her age knew the meaning of it at all. However, 'jury-men' would have done just as well.

The twelve jurors were all writing very busily on slates. 'What are they doing?' Alice whispered to the Gryphon. 'They can't have anything to put down yet, before the trial's begun.'

'They're putting down their names,' the Gryphon whispered in reply, 'for fear they should forget them before the end of the trial.'

'Stupid things!' Alice began in a loud, indignant voice, but she stopped hastily, for the White Rabbit cried out, 'Silence in the court!' and the King put on his spectacles and looked anxiously round, to make out who was talking.

Alice could see, as well as if she were looking over their shoulders, that all the jurors were writing down 'stupid things!' on their slates, and she could even make out that one of them didn't know how to spell 'stupid,' and that he had to ask his neighbour to tell him. 'A nice muddle their slates'll be in before the trial's over!' thought Alice.

One of the jurors had a pencil that squeaked. This of course Alice could not stand, and she went round the court and got behind him, and very soon found an opportunity of taking it away. She did it so quickly that the poor little juror (it was Bill, the Lizard) could not make out at all what had become of it; so, after hunting all about for it, he was obliged to write with one finger for the rest of the day; and this was of very little use, as it left no mark on the slate.

'Herald, read the accusation!' said the King.

On this the White Rabbit blew three blasts on the trumpet, and then unrolled the parchment scroll, and read as follows:--

'The Queen of Hearts, she made some tarts,
All on a summer day:
The Knave of Hearts, he stole those tarts,
And took them quite away!'

'Consider your verdict,' the King said to the jury.

'Not yet, not yet!' the Rabbit hastily interrupted. 'There's a great deal to come before that!'

'Call the first witness,' said the King; and the White Rabbit blew three blasts on the trumpet, and called out, 'First witness!'

The first witness was the Hatter. He came in with a teacup in one hand and a piece of bread-and-butter in the other. 'I beg pardon, your Majesty,' he began, 'for bringing these in: but I hadn't quite finished my tea when I was sent for.'

'You ought to have finished,' said the King. 'When did you begin?'

The Hatter looked at the March Hare, who had followed him into the court, arm-in-arm with the Dormouse. 'Fourteenth of March, I think it was,' he said.

'Fifteenth,' said the March Hare.

'Sixteenth,' added the Dormouse.

'Write that down,' the King said to the jury, and the jury eagerly wrote down all three dates on their slates, and then added them up, and reduced the answer to shillings and pence.

'Take off your hat,' the King said to the Hatter.

'It isn't mine,' said the Hatter.

'Stolen!' the King exclaimed, turning to the jury, who instantly made a memorandum of the fact.

'I keep them to sell,' the Hatter added as an explanation; 'I've none of my own. I'm a hatter.'

\r\n
Here the Queen put on her spectacles, and began staring at the\r\nHatter, who turned pale and fidgeted.\r\n\r\n\r\n`Give your evidence,' said the King; `and don't be nervous, or\r\nI'll have you executed on the spot.'\r\n\r\n\r\nThis did not seem to encourage the witness at all: he kept\r\nshifting from one foot to the other, looking uneasily at the\r\nQueen, and in his confusion he bit a large piece out of his\r\nteacup instead of the bread-and-butter.\r\n\r\n\r\nJust at this moment Alice felt a very curious sensation, which\r\npuzzled her a good deal until she made out what it was: she was\r\nbeginning to grow larger again, and she thought at first she\r\nwould get up and leave the court; but on second thoughts she\r\ndecided to remain where she was as long as there was room for\r\nher.\r\n\r\n\r\n`I wish you wouldn't squeeze so.' said the Dormouse, who was\r\nsitting next to her. `I can hardly breathe.'\r\n\r\n\r\n`I can't help it,' said Alice very meekly: `I'm growing.'\r\n\r\n\r\n`You've no right to grow here,' said the Dormouse.\r\n\r\n\r\n`Don't talk nonsense,' said Alice more boldly: `you know\r\nyou're growing too.'\r\n\r\n\r\n`Yes, but I grow at a reasonable pace,' said the Dormouse:\r\n`not in that ridiculous fashion.' And he got up very sulkily\r\nand crossed over to the other side of the court.\r\n\r\n\r\nAll this time the Queen had never left off staring at the\r\nHatter, and, just as the Dormouse crossed the court, she said to\r\none of the officers of the court, `Bring me the list of the\r\nsingers in the last concert!' on which the wretched Hatter\r\ntrembled so, that he shook both his shoes off.\r\n\r\n\r\n`Give your evidence,' the King repeated angrily, `or I'll have\r\nyou executed, whether you're nervous or not.'\r\n\r\n\r\n`I'm a poor man, your Majesty,' the Hatter began, in a\r\ntrembling voice, `--and I hadn't begun my tea--not above a week\r\nor so--and what with the bread-and-butter getting so thin--and\r\nthe twinkling of the tea--'\r\n\r\n\r\n`The twinkling of the what?' said the King.\r\n\r\n\r\n`It began with the tea,' the Hatter replied.\r\n\r\n\r\n`Of course twinkling begins with a T!' said the King sharply.\r\n`Do you take me for a dunce? Go on!'\r\n\r\n\r\n`I'm a poor man,' the Hatter went on, `and most things\r\ntwinkled after that--only the March Hare said--'\r\n\r\n\r\n`I didn't!' the March Hare interrupted in a great hurry.\r\n\r\n\r\n`You did!' said the Hatter.\r\n\r\n\r\n`I deny it!' said the March Hare.\r\n\r\n\r\n`He denies it,' said the King: `leave out that part.'\r\n\r\n\r\n`Well, at any rate, the Dormouse said--' the Hatter went on,\r\nlooking anxiously round to see if he would deny it too: but the\r\nDormouse denied nothing, being fast asleep.\r\n\r\n\r\n`After that,' continued the Hatter, `I cut some more bread-\r\nand-butter--'\r\n\r\n\r\n`But what did the Dormouse say?' one of the jury asked.\r\n\r\n\r\n`That I can't remember,' said the Hatter.\r\n\r\n\r\n`You MUST remember,' remarked the King, `or I'll have you\r\nexecuted.'\r\n\r\n\r\nThe miserable Hatter dropped his teacup and bread-and-butter,\r\nand went down on one knee. `I'm a poor man, your Majesty,' he\r\nbegan.\r\n\r\n\r\n`You're a very poor speaker,' said the King.\r\n\r\n\r\nHere one of the guinea-pigs cheered, and was immediately\r\nsuppressed by the officers of the court. (As that is rather a\r\nhard word, I will just explain to you how it was done. They had\r\na large canvas bag, which tied up at the mouth with strings:\r\ninto this they slipped the guinea-pig, head first, and then sat\r\n\r\n

for the accident of the goldfish kept running in her head, and
she had a vague sort of idea that they must be collected at once
and put back into the jury-box, or they would die.

'The trial cannot proceed,' said the King in a very grave
voice, 'until all the jurymen are back in their proper places--
ALL,' he repeated with great emphasis, looking hard at Alice as
he said so.

Alice looked at the jury-box, and saw that, in her haste, she
had put the Lizard in head downwards, and the poor little thing
was waving its tail about in a melancholy way, being quite unable
to move. She soon got it out again, and put it right; 'not that
it signifies much,' she said to herself; 'I should think it
would be QUITE as much use in the trial one way up as the other.'

As soon as the jury had a little recovered from the shock of
being upset, and their slates and pencils had been found and
handed back to them, they set to work very diligently to write
out a history of the accident, all except the Lizard, who seemed
too much overcome to do anything but sit with its mouth open,
gazing up into the roof of the court.

'What do you know about this business?' the King said to
Alice.

'Nothing,' said Alice.

'Nothing WHATEVER?' persisted the King.

'Nothing whatever,' said Alice.

'That's very important,' the King said, turning to the jury.
They were just beginning to write this down on their slates, when
the White Rabbit interrupted: 'UNimportant, your Majesty means,
of course,' he said in a very respectful tone, but frowning and
making faces at him as he spoke.

'UNimportant, of course, I meant,' the King hastily said, and
went on to himself in an undertone, 'important--unimportant--
unimportant--important--' as if he were trying which word
sounded best.

Some of the jury wrote it down 'important,' and some
'unimportant.' Alice could see this, as she was near enough to
look over their slates; 'but it doesn't matter a bit,' she
thought to herself.

At this moment the King, who had been for some time busily
writing in his note-book, cackled out 'Silence!' and read out
from his book, 'Rule Forty-two. ALL PERSONS MORE THAN A MILE
HIGH TO LEAVE THE COURT.'

Everybody looked at Alice.

'I'M not a mile high,' said Alice.

'You are,' said the King.

'Nearly two miles high,' added the Queen.

'Well, I shan't go, at any rate,' said Alice: 'besides,
that's not a regular rule: you invented it just now.'

'It's the oldest rule in the book,' said the King.

'Then it ought to be Number One,' said Alice.

The King turned pale, and shut his note-book hastily.
'Consider your verdict,' he said to the jury, in a low, trembling
voice.

'There's more evidence to come yet, please your Majesty,' said
the White Rabbit, jumping up in a great hurry; 'this paper has
just been picked up.'

'What's in it?' said the Queen.

'I haven't opened it yet,' said the White Rabbit, 'but it seems
to be a letter, written by the prisoner to--to somebody.'

'It must have been that,' said the King, 'unless it was
written to nobody, which isn't usual, you know.'

'Who is it directed to?' said one of the jurymen.

'It isn't directed at all,' said the White Rabbit; 'in fact,
there's nothing written on the OUTSIDE.' He unfolded the paper
as he spoke, and added 'It isn't a letter, after all: it's a set
of verses.'

\r\n`Are they in the prisoner's handwriting?' asked another of\r\nthe jurymen.\r\n\r\n\r\n`No, they're not,' said the White Rabbit, `and that's the\r\nqueerest thing about it.' (The jury all looked puzzled.)\r\n\r\n\r\n`He must have imitated somebody else's hand,' said the King.\r\n(The jury all brightened up again.)\r\n\r\n\r\n`Please your Majesty,' said the Knave, `I didn't write it, and\r\nthey can't prove I did: there's no name signed at the end.'\r\n\r\n\r\n`If you didn't sign it,' said the King, `that only makes the\r\nmatter worse. You MUST have meant some mischief, or else you'd\r\nhave signed your name like an honest man.'\r\n\r\n\r\nThere was a general clapping of hands at this: it was the\r\nfirst really clever thing the King had said that day.\r\n\r\n\r\n`That PROVES his guilt,' said the Queen.\r\n\r\n\r\n`It proves nothing of the sort!' said Alice. `Why, you don't\r\neven know what they're about!'\r\n\r\n\r\n`Read them,' said the King.\r\n\r\n\r\nThe White Rabbit put on his spectacles. `Where shall I begin,\r\nplease your Majesty?' he asked.\r\n\r\n\r\n`Begin at the beginning,' the King said gravely, `and go on\r\ntill you come to the end: then stop.'\r\n\r\n\r\nThese were the verses the White Rabbit read:--\r\n\r\n\r\n`They told me you had been to her,\r\nAnd mentioned me to him:\r\nShe gave me a good character,\r\nBut said I could not swim.\r\n\r\nHe sent them word I had not gone\r\n(We know it to be true):\r\nIf she should push the matter on,\r\nWhat would become of you?\r\n\r\nI gave her one, they gave him two,\r\nYou gave us three or more;\r\nThey all returned from him to you,\r\nThough they were mine before.\r\n\r\nIf I or she should chance to be\r\nInvolved in this affair,\r\nHe trusts to you to set them free,\r\nExactly as we were.\r\n\r\nMy notion was that you had been\r\n(Before she had this fit)\r\nAn obstacle that came between\r\nHim, and ourselves, and it.\r\n\r\nDon't let him know she liked them best,\r\nFor this must ever be\r\nA secret, kept from all the rest,\r\nBetween yourself and me.'\r\n\r\n\r\n`That's the most important piece of evidence we've heard yet,'\r\nsaid the King, rubbing his hands; `so now let the jury--'\r\n\r\n\r\n`If any one of them can explain it,' said Alice, (she had\r\ngrown so large in the last few minutes that she wasn't a bit\r\nafraid of interrupting him,) `I'll give him sixpence. _I_ don't\r\nbelieve there's an atom of meaning in it.'\r\n\r\n\r\nThe jury all wrote down on their slates, `SHE doesn't believe\r\nthere's an atom of meaning in it,' but none of them attempted to\r\nexplain the paper.\r\n\r\n\r\n`If there's no meaning in it,' said the King, `that saves a\r\nworld of trouble, you know, as we needn't try to find any. And\r\nyet I don't know,' he went on, spreading out the verses on his\r\nknee, and looking at them with one eye; `I seem to see some\r\nmeaning in them, after all. "--SAID I COULD NOT SWIM--" you\r\ncan't swim, can you?' he added, turning to the Knave.\r\n\r\n\r\nThe Knave shook his head sadly. `Do I look like it?' he said.\r\n(Which he certainly did NOT, being made entirely of cardboard.)\r\n\r\n\r\n`All right, so far,' said the King, and he went on muttering\r\nover the verses to himself: `WE KNOW IT TO BE TRUE--" that's\r\nthe jury, of course-- "I GAVE HER ONE, THEY GAVE HIM TWO--" why,

that must be what he did with the tarts, you know--'\r\n\r\n\r\n`But, it goes on "THEY ALL RETURNED FROM HIM TO YOU,"' said\r\nAlice.\r\n\r\n\r\n`Why, there they are!' said the King triumphantly, pointing to\r\nthe tarts on the table. `Nothing can be clearer than THAT.\r\nThen again--"BEFORE SHE HAD THIS FIT--" you never had fits, my\r\ndear, I think?' he said to the Queen.\r\n\r\n\r\n`Never!' said the Queen furiously, throwing an inkstand at the\r\nLizard as she spoke. (The unfortunate little Bill had left off\r\nwriting on his slate with one finger, as he found it made no\r\nmark; but he now hastily began again, using the ink, that was\r\ntrickling down his face, as long as it lasted.)\r\n\r\n\r\n`Then the words don't FIT you,' said the King, looking round\r\nthe court with a smile. There was a dead silence.\r\n\r\n\r\n`It's a pun!' the King added in an offended tone, and\r\neverybody laughed, `Let the jury consider their verdict,' the\r\nKing said, for about the twentieth time that day.\r\n\r\n\r\n`No, no!' said the Queen. `Sentence first--verdict afterwards.'\r\n\r\n\r\n`Stuff and nonsense!' said Alice loudly. `The idea of having\r\nthe sentence first!'\r\n\r\n\r\n`Hold your tongue!' said the Queen, turning purple.\r\n\r\n\r\n`I won't!' said Alice.\r\n\r\n\r\n`Off with her head!' the Queen shouted at the top of her voice.\r\nNobody moved.\r\n\r\n\r\n`Who cares for you?' said Alice, (she had grown to her full\r\nsize by this time.) `You're nothing but a pack of cards!'\r\n\r\n\r\nAt this the whole pack rose up into the air, and came flying\r\ndown upon her: she gave a little scream, half of fright and half\r\nof anger, and tried to beat them off, and found herself lying on\r\nthe bank, with her head in the lap of her sister, who was gently\r\nbrushing away some dead leaves that had fluttered down from the\r\trees upon her face.\r\n\r\n\r\n`Wake up, Alice dear!' said her sister; `Why, what a long\r\nsleep you've had!'\r\n\r\n\r\n`Oh, I've had such a curious dream!' said Alice, and she told\r\nher sister, as well as she could remember them, all these strange\r\nAdventures of hers that you have just been reading about; and\r\nwhen she had finished, her sister kissed her, and said, `It WAS a\r\ncurious dream, dear, certainly: but now run in to your tea; it's\r\ngetting late.' So Alice got up and ran off, thinking while she\r\nran, as well she might, what a wonderful dream it had been.\r\n\r\n\r\nBut her sister sat still just as she left her, leaning her\r\nhead on her hand, watching the setting sun, and thinking of\r\nlittle Alice and all her wonderful Adventures, till she too began\r\ndreaming after a fashion, and this was her dream:--\r\n\r\n\r\nFirst, she dreamed of little Alice herself, and once again the\r\ntiny hands were clasped upon her knee, and the bright eager eyes\r\nwere looking up into hers--she could hear the very tones of her\r\nvoice, and see that queer little toss of her head to keep back\r\nthe wandering hair that WOULD always get into her eyes--and\r\nstill as she listened, or seemed to listen, the whole place\r\naround her became alive the strange creatures of her little\r\nsister's dream.\r\n\r\n\r\nThe long grass rustled at her feet as the White Rabbit hurried\r\nby--the frightened Mouse splashed his way through the\r\nneighbouring pool--she could hear the rattle of the teacups as\r\nthe March Hare and his friends shared their never-ending meal,\r\nand the shrill voice of the Queen ordering off her unfortunate\r\nguests to execution--once more the pig-baby was sneezing on the\r\nDuchess's knee, while plates and dishes crashed around it--once\r\nmore the shriek of the Gryphon, the squeaking of the Lizard's\r\nslate-pencil, and the choking of the suppressed guinea-pigs,\r\nfilled the air, mixed up with the distant sobs of the miserable\r\nMock Turtle.\r\n\r\n\r\nSo she sat on, with closed eyes, and half believed herself in\r\nWonderland, though she knew she had but to open them again, and\r\nall would change to dull reality--the grass would be only\r\nrustling in the wind, and the pool rippling to the waving of the\r\nreeds--the rattling teacups would change to tinkling sheep-\r\nbells, and the Queen's shrill cries to the voice of the shepherd\r\nboy--and the sneeze of the baby, the shriek of the Gryphon, and\r\nall the other queer noises, would change (she knew) to the


```
.... ..0 .... = IG bit: Individual address (unicast)
Type: ARP (0x0806)
[Stream index: 1]
Padding: 00000000000000000000000000000000
Address Resolution Protocol (request)
Hardware type: Ethernet (1)
Protocol type: IPv4 (0x0800)
Hardware size: 6
Protocol size: 4
Opcode: request (1)
Sender MAC address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Sender IP address: 192.168.100.1
Target MAC address: 00:00:00_00:00:00 (00:00:00:00:00:00)
Target IP address: 192.168.100.26

No.      Time      Source      Destination      Protocol Length Info
 206 7.396356      LiteonTechno_52:c1:e7 GuangzhouVSo_35:dd:98 ARP          42      192.168.100.26 is at 9c:2f:9d:52:c1:e7
Frame 206: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:51.941037000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:51.941037000 UTC
  Epoch Arrival Time: 1737488031.941037000
  [Time shift for this packet: 0.00000000 seconds]
  [Time delta from previous captured frame: 0.000010000 seconds]
  [Time delta from previous displayed frame: 0.000010000 seconds]
  [Time since reference or first frame: 7.396356000 seconds]
  Frame Number: 206
  Frame Length: 42 bytes (336 bits)
  Capture Length: 42 bytes (336 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:arp]
  [Coloring Rule Name: ARP]
  [Coloring Rule String: arp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0 .... = LG bit: Globally unique address (factory default)
    .... ..0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0 .... = LG bit: Globally unique address (factory default)
    .... ..0 .... = IG bit: Individual address (unicast)
  Type: ARP (0x0806)
  [Stream index: 0]
Address Resolution Protocol (reply)
Hardware type: Ethernet (1)
Protocol type: IPv4 (0x0800)
Hardware size: 6
Protocol size: 4
Opcode: reply (2)
Sender MAC address: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Sender IP address: 192.168.100.26
Target MAC address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Target IP address: 192.168.100.1

No.      Time      Source      Destination      Protocol Length Info
 207 7.488273      128.119.245.12  192.168.100.26      TCP          56      80 → 52904 [ACK] Seq=1 Ack=92948 Win=1403
Len=0
Frame 207: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
    Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
    Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:52.032954000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:52.032954000 UTC
  Epoch Arrival Time: 1737488032.032954000
  [Time shift for this packet: 0.00000000 seconds]
  [Time delta from previous captured frame: 0.091917000 seconds]
  [Time delta from previous displayed frame: 0.091917000 seconds]
  [Time since reference or first frame: 7.488273000 seconds]
  Frame Number: 207
  Frame Length: 56 bytes (448 bits)
  Capture Length: 56 bytes (448 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0 .... = LG bit: Globally unique address (factory default)
    .... ..0 .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0 .... = LG bit: Globally unique address (factory default)
    .... ..0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
```

```

[Stream index: 0]
Trailer: 0000
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
 0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
  .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94f8 (38136)
010. .... = Flags: 0x2, Don't fragment
  0... .... = Reserved bit: Not set
  .1... .... = Don't fragment: Set
  ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b91 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 92948, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 92948      (relative ack number)
Acknowledgment number (raw): 3794431702
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... .... = Reserved: Not set
  ...0 .... .... = Accurate ECN: Not set
  .... 0... .... = Congestion Window Reduced: Not set
  .... .0.. .... = ECN-Echo: Not set
  .... ..0. .... = Urgent: Not set
  .... ...1 .... = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1403
[Calculated window size: 1403]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x3e45 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.532673000 seconds]
  [Time since previous frame in this TCP stream: 0.095932000 seconds]
[SEQ/ACK analysis]
  [This is an ACK to the segment in frame: 149]
  [The RTT to ACK the segment was: 0.115223000 seconds]
No.      Time      Source      Destination      Protocol Length Info
 208 7.488273      128.119.245.12      192.168.100.26      TCP      56      80 → 52904 [ACK] Seq=1 Ack=99448 Win=1364
Len=0
Frame 208: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.032954000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.032954000 UTC
Epoch Arrival Time: 1737488032.032954000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.488273000 seconds]
Frame Number: 208
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]

```


Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000

Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94f9 (38137)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b90 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]

Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 99448, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 99448 (relative ack number)
Acknowledgment number (raw): 3794438202
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 1364
[Calculated window size: 1364]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x2508 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.532673000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 154]
[The RTT to ACK the segment was: 0.115223000 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
209	7.488561	128.119.245.12	192.168.100.26	TCP	56	80 → 52904 [ACK] Seq=1 Ack=105948 Win=1533

Len=0

Frame 209: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.033242000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.033242000 UTC
Epoch Arrival Time: 1737488032.033242000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000288000 seconds]
[Time delta from previous displayed frame: 0.000288000 seconds]
[Time since reference or first frame: 7.488561000 seconds]

```

Frame Number: 209
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94fa (38138)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b8f [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 105948, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 105948 (relative ack number)
Acknowledgment number (raw): 3794444702
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1533
[Calculated window size: 1533]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x0afb [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.532961000 seconds]
[Time since previous frame in this TCP stream: 0.000288000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 159]
[The RTT to ACK the segment was: 0.115511000 seconds]
No. Time Source Destination Protocol Length Info
210 7.488561 128.119.245.12 192.168.100.26 TCP 56 80 → 52904 [ACK] Seq=1 Ack=112448 Win=1635
Len=0
Frame 210: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi

```

```

Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.033242000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.033242000 UTC
Epoch Arrival Time: 1737488032.033242000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.488561000 seconds]
Frame Number: 210
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94fb (38139)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b8e [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 112448, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 112448 (relative ack number)
Acknowledgment number (raw): 3794451202
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1635
[Calculated window size: 1635]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf130 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.532961000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 164]
[The RTT to ACK the segment was: 0.115511000 seconds]

```

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

```
211 7.488561      128.119.245.12      192.168.100.26      TCP      56      80 → 52904 [ACK] Seq=1 Ack=115336 Win=1680
Len=0
Frame 211: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:52.033242000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:52.033242000 UTC
    Epoch Arrival Time: 1737488032.033242000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000000000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 7.488561000 seconds]
    Frame Number: 211
    Frame Length: 56 bytes (448 bits)
    Capture Length: 56 bytes (448 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
  Trailer: 0000
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 40
  Identification: 0x94fc (38140)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 48
  Protocol: TCP (6)
  Header Checksum: 0x1b8d [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 128.119.245.12
  Destination Address: 192.168.100.26
  [Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 115336, Len: 0
  Source Port: 80
  Destination Port: 52904
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0. = SYN: Absent
  [Completeness Flags: ..DA..]
  [TCP Segment Len: 0]
  Sequence Number: 1 (relative sequence number)
  Sequence Number (raw): 494965843
  [Next Sequence Number: 1 (relative sequence number)]
  Acknowledgment Number: 115336 (relative ack number)
  Acknowledgment number (raw): 3794454090
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0. .... = ECN-Echo: Not set
    ....0. .... = Urgent: Not set
    ....1... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0. .... = Reset: Not set
    ....0. .... = Syn: Not set
    ....0. .... = Fin: Not set
  [TCP Flags: .....A....]
  Window: 1680
  [Calculated window size: 1680]
  [Window size scaling factor: -1 (unknown)]
  Checksum: 0xe5bb [unverified]
  [Checksum Status: Unverified]
```

```
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.532961000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [This is an ACK to the segment in frame: 167]
  [The RTT to ACK the segment was: 0.115511000 seconds]
No.      Time      Source      Destination      Protocol Length Info
 212 7.488561    128.119.245.12    192.168.100.26    TCP      56      80 → 52904 [ACK] Seq=1 Ack=117936 Win=1720
Len=0
Frame 212: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.033242000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.033242000 UTC
Epoch Arrival Time: 1737488032.033242000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.488561000 seconds]
Frame Number: 212
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  ....0. .... = LG bit: Globally unique address (factory default)
  ....0. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  ....0. .... = LG bit: Globally unique address (factory default)
  ....0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
....0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  0000 00.. = Differentiated Services Codepoint: Default (0)
  ....1.00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94fd (38141)
010. .... = Flags: 0x2, Don't fragment
  0... .... = Reserved bit: Not set
  .1.. .... = Don't fragment: Set
  ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b8c [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 117936, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  ....1... = Data: Present
  ....1.. = ACK: Present
  ....0. = SYN-ACK: Absent
  ....0. = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 117936 (relative ack number)
Acknowledgment number (raw): 3794456690
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  ....0... = Congestion Window Reduced: Not set
  ....0. .... = ECN-Echo: Not set
  ....0. .... = Urgent: Not set
  ....1. .... = Acknowledgment: Set
  ....0... = Push: Not set
  ....0. .... = Reset: Not set
```

```

.... ..0. = Syn: Not set
.... ..0. = Fin: Not set
[TCP Flags: .....A....]
Window: 1720
[Calculated window size: 1720]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xdb6b [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.532961000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 169]
[The RTT to ACK the segment was: 0.115292000 seconds]
No.      Time      Source      Destination      Protocol Length Info
 213 7.488561    128.119.245.12  192.168.100.26   TCP        56      80 → 52904 [ACK] Seq=1 Ack=124436 Win=1822
Len=0
Frame 213: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.033242000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.033242000 UTC
Epoch Arrival Time: 1737488032.033242000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.488561000 seconds]
Frame Number: 213
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94fe (38142)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b8b [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 124436, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... 1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 124436 (relative ack number)
Acknowledgment number (raw): 3794463190
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)

```

```
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ....1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[ TCP Flags: .....A.... ]
Window: 1822
[ Calculated window size: 1822 ]
[ Window size scaling factor: -1 (unknown) ]
Checksum: 0xc1a1 [unverified]
[ Checksum Status: Unverified ]
Urgent Pointer: 0
[ Timestamps ]
[ Time since first frame in this TCP stream: 0.532961000 seconds ]
[ Time since previous frame in this TCP stream: 0.000000000 seconds ]
[ SEQ/ACK analysis ]
[ This is an ACK to the segment in frame: 174 ]
[ The RTT to ACK the segment was: 0.115292000 seconds ]
No.      Time      Source      Destination      Protocol Length Info
 214 7.488561    128.119.245.12  192.168.100.26    TCP      56      80 → 52904 [ACK] Seq=1 Ack=125736 Win=1845
Len=0
Frame 214: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.033242000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.033242000 UTC
Epoch Arrival Time: 1737488032.033242000
[ Time shift for this packet: 0.000000000 seconds ]
[ Time delta from previous captured frame: 0.000000000 seconds ]
[ Time delta from previous displayed frame: 0.000000000 seconds ]
[ Time since reference or first frame: 7.488561000 seconds ]
Frame Number: 214
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[ Frame is marked: False ]
[ Frame is ignored: False ]
[ Protocols in frame: eth:ethertype:ip:tcp ]
[ Coloring Rule Name: HTTP ]
[ Coloring Rule String: http || tcp.port == 80 || http2 ]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[ Stream index: 0 ]
Trailer: 0000
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x94ff (38143)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b8a [validation disabled]
[ Header checksum status: Unverified ]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[ Stream index: 2 ]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 125736, Len: 0
Source Port: 80
Destination Port: 52904
[ Stream index: 6 ]
[ Conversation completeness: Incomplete (12) ]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[ Completeness Flags: ..DA.. ]
```

```

[TCP Segment Len: 0]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 125736      (relative ack number)
Acknowledgment number (raw): 3794464490
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 1845
[Calculated window size: 1845]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xbc76 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.532961000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [This is an ACK to the segment in frame: 175]
    [The RTT to ACK the segment was: 0.115292000 seconds]
No.      Time      Source      Destination      Protocol Length Info
   215  7.513633    128.119.245.12    192.168.100.26      TCP      56      80 → 52904 [ACK] Seq=1 Ack=132236 Win=1884
Len=0
Frame 215: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.058314000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.058314000 UTC
Epoch Arrival Time: 1737488032.058314000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.025072000 seconds]
[Time delta from previous displayed frame: 0.025072000 seconds]
[Time since reference or first frame: 7.513633000 seconds]
Frame Number: 215
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x9500 (38144)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b89 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 132236, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]

```



```

[Conversation completeness: Incomplete (12)]
...0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 132236      (relative ack number)
Acknowledgment number (raw): 3794470990
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1884
[Calculated window size: 1884]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xa2eb [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.558033000 seconds]
[Time since previous frame in this TCP stream: 0.025072000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 187]
[The RTT to ACK the segment was: 0.121292000 seconds]
No.      Time      Source      Destination      Protocol Length Info
216 7.513633      128.119.245.12      192.168.100.26      TCP      56      80 → 52904 [ACK] Seq=1 Ack=138736 Win=1845
Len=0
Frame 216: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.058314000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.058314000 UTC
Epoch Arrival Time: 1737488032.058314000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.513633000 seconds]
Frame Number: 216
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x9501 (38145)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b88 [validation disabled]

```

```

[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 138736, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 138736      (relative ack number)
Acknowledgment number (raw): 3794477490
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1845
[Calculated window size: 1845]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x89ae [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.558033000 seconds]
  [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
  [This is an ACK to the segment in frame: 192]
  [The RTT to ACK the segment was: 0.121292000 seconds]
No.      Time      Source      Destination      Protocol Length Info
  217  7.515994      128.119.245.12      192.168.100.26      TCP      56      80 → 52904 [ACK] Seq=1 Ack=145236 Win=1884
Len=0
Frame 217: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.060675000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.060675000 UTC
Epoch Arrival Time: 1737488032.060675000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.002361000 seconds]
[Time delta from previous displayed frame: 0.002361000 seconds]
[Time since reference or first frame: 7.515994000 seconds]
Frame Number: 217
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ...0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  0000 00.. = Differentiated Services Codepoint: Default (0)
  .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x9502 (38146)

```

010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1... = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b87 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 145236, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 145236 (relative ack number)
Acknowledgment number (raw): 3794483990
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 1884
[Calculated window size: 1884]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x7023 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.560394000 seconds]
[Time since previous frame in this TCP stream: 0.002361000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 197]
[The RTT to ACK the segment was: 0.123653000 seconds]
No. Time Source Destination Protocol Length Info
218 7.516234 128.119.245.12 192.168.100.26 TCP 56 80 → 52904 [ACK] Seq=1 Ack=149136 Win=1899
Len=0
Frame 218: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.060915000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.060915000 UTC
Epoch Arrival Time: 1737488032.060915000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000240000 seconds]
[Time delta from previous displayed frame: 0.000240000 seconds]
[Time since reference or first frame: 7.516234000 seconds]
Frame Number: 218
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. = LG bit: Globally unique address (factory default)
.... ...0 = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. = LG bit: Globally unique address (factory default)
.... ...0 = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000

Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x9503 (38147)
010. = Flags: 0x2, Don't fragment
0... = Reserved bit: Not set
.1.. = Don't fragment: Set
..0. = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b86 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 149136, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 149136 (relative ack number)
Acknowledgment number (raw): 3794487890
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A.....]
Window: 1899
[Calculated window size: 1899]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x60d8 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.560634000 seconds]
[Time since previous frame in this TCP stream: 0.000240000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 200]
[The RTT to ACK the segment was: 0.123893000 seconds]
No. Time Source Destination Protocol Length Info
219 7.517144 128.119.245.12 192.168.100.26 TCP 56 80 → 52904 [ACK] Seq=1 Ack=151736 Win=1884
Len=0
Frame 219: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.061825000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.061825000 UTC
Epoch Arrival Time: 1737488032.061825000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000910000 seconds]
[Time delta from previous displayed frame: 0.000910000 seconds]
[Time since reference or first frame: 7.517144000 seconds]
Frame Number: 219
Frame Length: 56 bytes (448 bits)
Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)

```

.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000

Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 0.0 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x9504 (38148)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b85 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 151736, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 151736 (relative ack number)
Acknowledgment number (raw): 3794490490
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... ....0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1884
[Calculated window size: 1884]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x56bf [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.561544000 seconds]
[Time since previous frame in this TCP stream: 0.000910000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 202]
[The RTT to ACK the segment was: 0.124803000 seconds]
No. Time Source Destination Protocol Length Info
220 7.517144 128.119.245.12 192.168.100.26 TCP 56 80 → 52904 [ACK] Seq=1 Ack=152969 Win=1876
Len=0
Frame 220: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.061825000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.061825000 UTC
Epoch Arrival Time: 1737488032.061825000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.517144000 seconds]
Frame Number: 220
Frame Length: 56 bytes (448 bits)

```

```

Capture Length: 56 bytes (448 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Trailer: 0000

Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00.. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x9505 (38149)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x1b84 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 152969, Len: 0
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 152969 (relative ack number)
Acknowledgment number (raw): 3794491723
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 1876
[Calculated window size: 1876]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x51f6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.561544000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 203]
[The RTT to ACK the segment was: 0.124803000 seconds]
No. Time Source Destination Protocol Length Info
221 7.517144 128.119.245.12 192.168.100.26 HTTP 831 HTTP/1.1 200 OK (text/html)
Frame 221: 831 bytes on wire (6648 bits), 831 bytes captured (6648 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.061825000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.061825000 UTC

```

```
Epoch Arrival Time: 1737488032.061825000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 7.517144000 seconds]
Frame Number: 221
Frame Length: 831 bytes (6648 bits)
Capture Length: 831 bytes (6648 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 817
Identification: 0x9506 (38150)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x187a [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 1, Ack: 152969, Len: 777
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 777]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 494965843
[Next Sequence Number: 778 (relative sequence number)]
Acknowledgment Number: 152969 (relative ack number)
Acknowledgment number (raw): 3794491723
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    .... 0... = Congestion Window Reduced: Not set
    .... .0.. = ECN-Echo: Not set
    .... ..0. = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 1... = Push: Set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 1909
[Calculated window size: 1909]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xa02c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 0.561544000 seconds]
    [Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
    [Bytes in flight: 777]
    [Bytes sent since last PSH flag: 777]
TCP payload (777 bytes)
Hypertext Transfer Protocol
HTTP/1.1 200 OK\r\n
    Response Version: HTTP/1.1
    Status Code: 200
```

```
[Status Code Description: OK]
Response Phrase: OK
Date: Tue, 21 Jan 2025 19:33:52 GMT\r\n
Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.4.33 mod_perl/2.0.11 Perl/v5.16.3\r\n
Last-Modified: Sat, 06 Feb 2021 18:23:47 GMT\r\n
ETag: "1a2-5baaf09abd7a9"\r\n
Accept-Ranges: bytes\r\n
Content-Length: 418\r\n
[Content length: 418]
Keep-Alive: timeout=5, max=100\r\n
Connection: Keep-Alive\r\n
Content-Type: text/html; charset=UTF-8\r\n
\r\n
[Request in frame: 203]
[Time since request: 0.124803000 seconds]
[Request URI: /wireshark-labs/lab3-1-reply.htm]
[Full request URI: http://gaia.cs.umass.edu/wireshark-labs/lab3-1-reply.htm]
File Data: 418 bytes
Line-based text data: text/html (11 lines)
<TITLE>Upload page for TCP Wireshark Lab</TITLE>\n
<body bgcolor="#FFFFFF">\n
<p><font face="Arial, Helvetica, sans-serif" size="4"> Congratulations! <br> </font>\n
\n
<p><font face="Arial, Helvetica, sans-serif"> You've now transferred a copy of alice.txt from\n
your computer to \n
gaia.cs.umass.edu. You should now stop Wireshark packet capture. It's time to start analyzing the captured Wireshark
packets! </font>\n
\n
</FORM>\n
\n
\n
No.      Time           Source           Destination      Protocol Length Info
 222 7.563961      192.168.100.26   128.119.245.12   TCP           54      52904 → 80 [ACK] Seq=152969 Ack=778 Win=509
Len=0
Frame 222: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
        Interface description: Wi-Fi
      Encapsulation type: Ethernet (1)
      Arrival Time: Jan 21, 2025 16:33:52.108642000 Hora oficial do Brasil
      UTC Arrival Time: Jan 21, 2025 19:33:52.108642000 UTC
      Epoch Arrival Time: 1737488032.108642000
      [Time shift for this packet: 0.000000000 seconds]
      [Time delta from previous captured frame: 0.046817000 seconds]
      [Time delta from previous displayed frame: 0.046817000 seconds]
      [Time since reference or first frame: 7.563961000 seconds]
      Frame Number: 222
      Frame Length: 54 bytes (432 bits)
      Capture Length: 54 bytes (432 bits)
      [Frame is marked: False]
      [Frame is ignored: False]
      [Protocols in frame: eth:ethertype:ip:tcp]
      [Coloring Rule Name: HTTP]
      [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... 0. .... = LG bit: Globally unique address (factory default)
    .... 0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... 0.0 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 40
  Identification: 0x0d2d (3373)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 128
  Protocol: TCP (6)
  Header Checksum: 0x535c [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 192.168.100.26
  Destination Address: 128.119.245.12
  [Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 152969, Ack: 778, Len: 0
  Source Port: 52904
  Destination Port: 80
  [Stream index: 6]
  [Conversation completeness: Incomplete (12)]
```



```
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 152969 (relative sequence number)
Sequence Number (raw): 3794491723
[Next Sequence Number: 152969 (relative sequence number)]
Acknowledgment Number: 778 (relative ack number)
Acknowledgment number (raw): 494966620
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... .... = Reserved: Not set
...0 .... .... = Accurate ECN: Not set
.... 0... .... = Congestion Window Reduced: Not set
.... .0.. .... = ECN-Echo: Not set
.... ..0. .... = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x5444 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.608361000 seconds]
[Time since previous frame in this TCP stream: 0.046817000 seconds]
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 221]
[The RTT to ACK the segment was: 0.046817000 seconds]
No.      Time      Source      Destination      Protocol Length Info
223 8.206028      2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP      1286    57454 → 443 Len=1224
Frame 223: 1286 bytes on wire (10288 bits), 1286 bytes captured (10288 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.750709000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.750709000 UTC
Epoch Arrival Time: 1737488032.750709000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.642067000 seconds]
[Time delta from previous displayed frame: 0.642067000 seconds]
[Time since reference or first frame: 8.206028000 seconds]
Frame Number: 223
Frame Length: 1286 bytes (10288 bits)
Capture Length: 1286 bytes (10288 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... .00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0101 0111 0111 0100 1010 = Flow Label: 0x5774a
Payload Length: 1232
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454
Destination Port: 443
Length: 1232
Checksum: 0x39f9 [unverified]
```

[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 23]
[Timestamps]
[Time since first frame: 7.021588000 seconds]
[Time since previous frame: 3.810716000 seconds]
UDP payload (1224 bytes)
Data (1224 bytes)
0000 48 f4 ff db d5 d2 10 94 30 fa f4 33 b3 97 69 22 H.....0..3..i"
0010 5b b3 7b 3e 73 f4 e0 d7 a6 c2 c3 3d 11 fc e8 14 [.{>s.....=....
0020 8e 9a b3 a3 28 e2 c2 87 10 17 4e 21 0e db 80 b7(.....N!....
0030 13 fa 74 86 5c 66 d1 7b 3e 60 1d 5e d8 2a 38 49 ..t.\f.{>`.^.*8I
0040 d0 e7 95 cb 67 62 5f f6 48 c3 c7 b5 b0 6b f9 8fgb_.H....k..
0050 d2 9e bb 94 df 1c f9 57 22 2c 72 6b 58 a6 80 f6xW",rkX...
0060 7b 0c dd 52 c9 2f 98 e8 f8 f9 94 79 4a da a4 cf {...R./.....yJ...
0070 d1 20 e5 99 6e 9d f2 22 7f a2 8c d8 6e 9e 1d 74 . .n.."......t
0080 cd b7 75 f5 18 ef 28 b1 ae 24 c1 5c 43 80 63 14 ..u...(.\$.\\C.c.
0090 22 e7 5b 05 99 70 ab 91 d1 d6 c7 53 6b 50 f1 7f ".[.p.....SkP..
00a0 2f 7d b4 9f 34 81 ea d6 1d 2b 12 43 b9 35 8b 8e /}.4.....+C.5..
00b0 ee 9c 8c 43 2c 91 d1 b5 79 65 0e de f5 c1 cc a0 ...C,...ye.....
00c0 42 3f b6 9e dc fe 45 bb 17 1a fa 9c a7 de af ae B?....E.....
00d0 79 de 49 be c3 ae fa 91 1e 69 f5 7a 59 92 ef a9 y.I.....i.zY...
00e0 8a 11 b8 82 0d 6c 22 34 4d 27 b7 d6 34 0e 2f 18l":M'..4./..
00f0 ca 13 b9 7e 34 56 7e 78 a3 5f bb 39 af 26 4f ea ...~4V~x._.9.&0..
0100 f6 c9 2b e9 87 27 c1 48 46 52 57 52 d9 41 64 a9 ..+..'HFWRW.Ad..
0110 81 13 1f 99 a0 39 a1 16 50 08 0a 91 5d 33 78 b09...P...]3x..
0120 b4 a6 b2 57 a2 ff e8 9c ee 63 97 92 36 62 8d ca ...W.....c..6b..
0130 18 00 e0 a5 01 60 8c b9 f4 83 68 a9 72 c4 ac af`.....h.r...
0140 44 e5 f4 f7 22 a2 3c 98 34 f4 eb dd ea 4f 61 92 D..."<.4....0a..
0150 92 89 0d c8 4c 69 6a f8 7a 4d 84 fd a4 d4 84 46Lij.zM.....F
0160 98 81 b3 75 73 84 c0 53 b0 1e 42 7e 17 35 2f 86 ...us..S..B~5/..
0170 d7 ea c4 0c 79 da db f6 c8 1e f1 32 71 58 85 3ey.....2qX.>
0180 84 a6 18 48 37 28 5b 7d 8e 55 26 30 1a 3b 3c 6d ...H7{[}.U&0.;<m
0190 67 bf c8 12 24 8d ee a1 26 8c e2 92 1d c3 34 a9 g...\$.&.....4..
01a0 4c 66 95 9e 0a 25 ba 7d b1 de a0 db e1 4e 1b f5 Lf...%.).....N..
01b0 db d0 13 c0 be 1e 94 0a 52 3e 16 49 9d 50 e8 20R>.I.P..
01c0 7a 25 41 26 cb f1 06 ab 4a ad 25 59 f6 35 72 90 z%A&....J.%Y.5r..
01d0 b4 50 6f 09 70 07 70 81 cf 5e 6c 85 dc ca eb e8 .Po.p.p..^l.....
01e0 67 90 d3 ca 23 4d 68 a7 7f 6c 7f d5 05 86 4a 9c g...#Mh..l....J..
01f0 99 14 8e 1d 00 ae f1 28 e3 45 03 bf f4 72 49 56(E...rIV
0200 15 e8 a1 db 8d 18 f3 90 fa b2 06 f3 c2 f5 4f 820..
0210 03 b2 8c 0b b0 41 1d 1c 32 24 d9 87 45 5c cd d3A..2\$.E\\..
0220 ff d9 87 d2 79 ea 6e c7 8f 19 b3 b1 c9 2a 41 b9y.....*A..
0230 77 dd 5d 44 cc 84 ce 32 49 a5 a8 6f 8b 3c 33 cf w.]D...2I..o.<3..
0240 a4 a4 47 fc 4f 96 0e d6 8e 48 2f 18 12 b4 c2 87 ..G.O....H/.....
0250 4d fb b7 1d 0e 3f 28 c8 aa b9 55 d8 d0 7f 68 1e M....?(...U...h..
0260 40 02 d3 9f 0f 43 5f d4 82 c9 4b fc 6b cf 7e 80 @....C_...K.k.~..
0270 fb 8a d2 0a 63 df bb 56 ca 72 12 0a 11 5d 0f c7c..V.r...[]..
0280 d1 18 dc 75 5a a7 e3 67 bb dc 92 72 ac a5 a8 ac ...uZ..g...r....
0290 42 8c f4 5d f7 c3 a0 6c 72 a0 a2 64 1c 98 1b 9c B..]...lr..d....
02a0 d7 ae f3 fb 34 be df 1d dc 54 4a cd 38 7b bb b04....TJ.8{..
02b0 ed f0 7d ac 70 80 39 36 9c f6 6e 06 bf 4a f8 5e ..}.p.96..n..J.^
02c0 6d 0f 35 1f 9a 09 03 87 7f 7c 12 4f 40 5b f5 a2 m.5.....|.0@[..
02d0 49 52 21 b0 cb bd 0b 5f 83 20 d9 00 7e 91 ec 5a IR!...._. ..~..Z
02e0 5c e2 e9 97 f8 e1 e6 15 a0 00 f1 82 db eb 82 2f \\...../..
02f0 1a 39 20 4d 9c f6 76 20 ed b6 35 96 a2 39 3b 92 .9 M..v ..5..9;..
0300 3e ef f9 15 a1 71 8f 26 37 29 3f cf 62 41 fd b5 6....q.&7)?..bA..
0310 83 72 9c 87 8a db 6a f7 f7 bd 8c 0d a3 33 15 2f .r....j.....3./..
0320 ba e1 a5 4b 96 56 a6 7f 94 b3 b1 6b 1b 16 2e 70 ...K.V.....k...p
0330 28 17 05 a2 88 28 23 e7 0e 67 37 d7 24 65 b4 af (....(#..g7.\$e..
0340 56 b4 53 94 8f c0 10 66 b0 87 d1 69 a9 1d 1c db V.S....f...i....
0350 c3 20 41 67 7a 66 ef 53 21 5e 95 17 de 9a ea 31 . Agzf.S!^.....1
0360 e3 42 84 d5 62 66 f1 d9 ad 31 81 ac 7c 4f 61 ee .B..bf...1..|0a..
0370 f1 68 f5 4c f4 40 42 51 95 13 33 18 78 a5 17 de .h.L.@BQ...3.x...
0380 d7 08 be a6 4b 19 58 5f 18 21 79 c5 9b 62 72 32K.X_!y..br2
0390 c1 ea ed b0 01 31 80 3d 6d 3a b8 9c ad b5 87 a51.=m:.....
03a0 a0 9d df 0d 4e 48 1f 21 57 b8 31 53 3c 3f b6 01NH.!W.1S<?..
03b0 23 91 92 f8 b7 bb da 94 7c a7 d3 ed 35 c5 9d 22 #.....|...5.."
03c0 49 11 2b 7b 36 66 53 ae c6 00 c5 f9 ec 95 d5 37 I.+{6fS.....7
03d0 76 59 7b 12 03 9b 40 21 94 5c 6d f3 6f 26 1c d2 vY{...@!..\\m.o&..
03e0 db 01 3a 26 a7 81 20 f6 59 8e ca e8 08 24 00 1f ...:&...Y....\$..
03f0 47 82 ff 0c b4 c1 94 a0 81 ba 6b a0 0c d2 3f 15 G.....k...?..
0400 e7 4f 13 39 d1 02 b6 25 5c a5 45 53 26 e6 af fb .O.9...%\\ES&...
0410 25 be 3e ae 13 7a 66 e0 2f 42 9b 2a 3f 47 55 5f %.>..zf./B.*?GU_
0420 26 7a 4f ce 29 d7 fb 9e d9 5d 7d 61 37 1d 76 cd &zO.)....]}a7.v..
0430 05 9d 31 8a 49 ab 82 52 42 39 b6 5d 7e 51 76 69 ..1.I..RB9.]~Qvi
0440 f8 9d f0 12 24 ea 8e 4d 9d 49 d4 40 61 cf 95 74\$.M.I.@a..t
0450 36 3e 8b 4f a1 94 59 f4 4c ca 7f cc 06 3a 7f 21 6>.O..Y.L.....:!
0460 fd 05 f5 91 99 25 f5 78 ce a6 76 f9 37 df 49 a3%.x..v.7.I..
0470 b0 5c 97 26 49 ef b9 46 19 68 2c c3 91 f3 fd 2b .\\.&I..F.h,....+
0480 0a ac 6a 95 b7 f2 06 62 e7 03 5a ef 13 c4 c4 54 ..j....b..Z....T
0490 9b d1 25 a1 b1 ae d6 68 52 f3 88 5d e6 3d d1 fb ..%.....R..].=-..
04a0 91 af bc 7b f3 ef 30 30 9c e4 13 b3 06 07 12 93 ...{..00.....
04b0 cc f0 e0 d6 9d b4 f8 bb 3d 89 c6 76 d7 a8 7f ed=..v....
04c0 45 68 61 1f 31 22 ea 83 Eha.1"..
Data [...]:
48f4ffdbd5d2109430faf433b39769225bb37b3e73f4e0d7a6c2c33d11fce8148e9ab3a328e2c28710174e210edb80b713fa74865c66d17b3e601d5ed82a3849d0
[Length: 1224]

No.	Time	Source	Destination	Protocol	Length	Info
224	8.206225	2804:1eb0:103:c121:ad55:b075:da7b:d842	2800:3f0:4001:804::200e	UDP	441	57454 → 443 Len=379

Frame 224: 441 bytes on wire (3528 bits), 441 bytes captured (3528 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

Section number: 1

Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})

Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}

Interface description: Wi-Fi

Encapsulation type: Ethernet (1)

Arrival Time: Jan 21, 2025 16:33:52.750906000 Hora oficial do Brasil

UTC Arrival Time: Jan 21, 2025 19:33:52.750906000 UTC

Epoch Arrival Time: 1737488032.750906000

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 0.000197000 seconds]

[Time delta from previous displayed frame: 0.000197000 seconds]

[Time since reference or first frame: 8.206225000 seconds]

Frame Number: 224

Frame Length: 441 bytes (3528 bits)

Capture Length: 441 bytes (3528 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ipv6:udp:data]

[Coloring Rule Name: UDP]

[Coloring Rule String: udp]

Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)

.... ..0. = LG bit: Globally unique address (factory default)

.... ..0 = IG bit: Individual address (unicast)

Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)

.... ..0. = LG bit: Globally unique address (factory default)

.... ..0 = IG bit: Individual address (unicast)

Type: IPv6 (0x86dd)

[Stream index: 0]

Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e

0110 = Version: 6

.... 0000 0000 = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)

.... 0000 00.. = Differentiated Services Codepoint: Default (0)

.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)

.... 0101 0111 0111 0100 1010 = Flow Label: 0x5774a

Payload Length: 387

Next Header: UDP (17)

Hop Limit: 64

Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842

[Address Space: Global Unicast]

Destination Address: 2800:3f0:4001:804::200e

[Address Space: Global Unicast]

[Stream index: 1]

User Datagram Protocol, Src Port: 57454, Dst Port: 443

Source Port: 57454

Destination Port: 443

Length: 387

Checksum: 0xbd99 [unverified]

[Checksum Status: Unverified]

[Stream index: 0]

[Stream Packet Number: 24]

[Timestamps]

[Time since first frame: 7.021785000 seconds]

[Time since previous frame: 0.000197000 seconds]

UDP payload (379 bytes)

Data (379 bytes)

0000	51 f4 ff db d5 d2 10 94 30 3c 59 8f 1f ab d5 58	Q.....0<Y....X
0010	a2 bb b8 ed f1 b8 5e 81 1f 93 1d 04 bc a1 28 ad	^.....(.
0020	b0 74 41 9a 26 74 95 9d bf 25 a1 c9 a5 c9 19 f2	.tA.&t...%.....
0030	3e b1 9e bc e7 f4 0c b0 e8 31 f5 da 48 1d 4d 05	>.....1..H.M.
0040	24 8a 82 21 f7 b6 e9 e3 fd aa 3b eb 41 66 42 71	\$.!.....;.AfBq
0050	13 82 ed 9d 6e 64 a5 7c 18 3c a0 b3 12 b7 59 eb	nd. .<....Y.
0060	53 ab ab 28 ac b9 bc 97 fb a0 f9 a9 fe ce 03 df	S..(.....Y.
0070	a4 3e c0 ec 45 0a fd b5 e0 03 93 3a a8 60 ee 49	.>..E.....:.`.I
0080	f5 20 17 20 50 db 20 96 8f a2 72 c1 5e 0b 71 f6	. . P. ...r.^..q.
0090	b9 8f 3a 55 ae a4 96 12 a6 e3 47 94 e6 f9 b0 95	..:U.....G.....
00a0	c1 18 d7 e2 f8 a9 98 97 dd 02 2c f5 2f 41 b5 fb	I.....,/A..
00b0	59 2b 23 be 4b a0 6d a0 38 f0 ca 45 a0 fc 64 7b	Y+#.K.m.8..E..d{
00c0	fe 9c 26 a9 c1 0e 26 8c 25 70 6c 8a f6 ea e6 1f	..&...&.%pl.....
00d0	c8 1a f3 f4 52 2d 35 35 f4 e6 bd 22 a4 c8 30 c0	R-55..."..0.
00e0	4e ec 4c 2b b8 eb 68 26 37 a9 44 38 ae 32 55 fc	N.L+..h&7.D8.2U.
00f0	6b 11 83 c5 85 f6 c1 4c 79 6e 5d 4b 12 b0 a8 a3	k.....Lyn]K....
0100	f4 67 95 38 f5 fd bc a2 6b 5e ce bc 9c cc d0 8f	.g.8....k^.....
0110	f1 34 2e 29 d3 de df ba 41 97 15 e1 8c 8f 67 78	.4.)....A.....gx
0120	06 95 b3 75 d8 2e fb 87 30 d7 3f 33 f3 3d 88 e6	...u....0.?3.=..
0130	13 4f 40 c6 96 78 c8 7e ce cc 10 4c 57 46 2c cc	.0@..x.~...LWF,.e
0140	a4 8b 99 11 e7 74 c7 61 e7 06 bf 03 43 12 57 b0	t.a....C.W.
0150	4a e7 97 f2 59 c4 bd 14 17 af 40 a9 a2 5d ec df	J...Y.....@..]..
0160	54 30 64 1f 39 60 b8 e6 b2 b7 ee 51 56 74 e1 6c	T0d.9`.....QVt.l
0170	03 2e 92 9c 5d 95 b8 b6 cd 35 e9	]....5.

Data [...]:

51f4ffdbd5d21094303c598f1fabd558a2bbb8edf1b85e811f931d04bca128adb074419a2674959dbf25a1c9a5c919f23eb19ebce7f40cb0e831f5da481d4d0524

[Length: 379]

No.	Time	Source	Destination	Protocol	Length	Info
225	8.264423	2800:3f0:4001:804::200e	2804:1eb0:103:c121:ad55:b075:da7b:d842	UDP	90	443 → 57454 Len=28

Frame 225: 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0

Section number: 1

```
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.809104000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.809104000 UTC
Epoch Arrival Time: 1737488032.809104000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.058198000 seconds]
[Time delta from previous displayed frame: 0.058198000 seconds]
[Time since reference or first frame: 8.264423000 seconds]
Frame Number: 225
Frame Length: 90 bytes (720 bits)
Capture Length: 90 bytes (720 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. .... = Differentiated Services Codepoint: Class Selector 4 (32)
.... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 36
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 36
Checksum: 0x7f10 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 25]
[Timestamps]
[Time since first frame: 7.079983000 seconds]
[Time since previous frame: 0.058198000 seconds]
UDP payload (28 bytes)
Data (28 bytes)
0000 49 9b fc b5 be 2f 97 12 72 b5 f7 3c a3 3f 96 a5 I..../.r..<.?..
0010 92 36 73 17 63 9d 88 0a 50 8f 70 15 .6s.c...P.p.
Data: 499bfc b5be2f971272b5f73ca33f96a592367317639d880a508f7015
[Length: 28]

No.      Time                Source                Destination            Protocol Length Info
226 8.288012          192.168.100.26        128.119.245.12         HTTP      498    GET /favicon.ico HTTP/1.1
Frame 226: 498 bytes on wire (3984 bits), 498 bytes captured (3984 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.832693000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.832693000 UTC
Epoch Arrival Time: 1737488032.832693000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.023589000 seconds]
[Time delta from previous displayed frame: 0.023589000 seconds]
[Time since reference or first frame: 8.288012000 seconds]
Frame Number: 226
Frame Length: 498 bytes (3984 bits)
Capture Length: 498 bytes (3984 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp:http]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
```

```
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 484
Identification: 0x0d2e (3374)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x519f [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 152969, Ack: 778, Len: 444
Source Port: 52904
Destination Port: 80
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 444]
Sequence Number: 152969 (relative sequence number)
Sequence Number (raw): 3794491723
[Next Sequence Number: 153413 (relative sequence number)]
Acknowledgment Number: 778 (relative ack number)
Acknowledgment number (raw): 494966620
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 1... = Push: Set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x8460 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 1.332412000 seconds]
[Time since previous frame in this TCP stream: 0.724051000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 444]
[Bytes sent since last PSH flag: 444]
TCP payload (444 bytes)
Hypertext Transfer Protocol
GET /favicon.ico HTTP/1.1\r\n
Request Method: GET
Request URI: /favicon.ico
Request Version: HTTP/1.1
Host: gaia.cs.umass.edu\r\n
Connection: keep-alive\r\n
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36
OPR/115.0.0.0\r\n
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8\r\n
Referer: http://gaia.cs.umass.edu/wireshark-labs/lab3-1-reply.htm\r\n
Accept-Encoding: gzip, deflate\r\n
Accept-Language: pt-BR,pt;q=0.9,en-US;q=0.8,en;q=0.7\r\n
\r\n
[Response in frame: 231]
[Full request URI: http://gaia.cs.umass.edu/favicon.ico]
No. Time Source Destination Protocol Length Info
227 8.300310 2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP 95 57454 → 443 Len=33
Frame 227: 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
```

```
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.844991000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.844991000 UTC
Epoch Arrival Time: 1737488032.844991000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.012298000 seconds]
[Time delta from previous displayed frame: 0.012298000 seconds]
[Time since reference or first frame: 8.300310000 seconds]
Frame Number: 227
Frame Length: 95 bytes (760 bits)
Capture Length: 95 bytes (760 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0101 0111 0111 0100 1010 = Flow Label: 0x5774a
Payload Length: 41
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454
Destination Port: 443
Length: 41
Checksum: 0x3cc8 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 26]
[Timestamps]
[Time since first frame: 7.115870000 seconds]
[Time since previous frame: 0.035887000 seconds]
UDP payload (33 bytes)
Data (33 bytes)
0000 50 f4 ff db d5 d2 10 94 30 12 88 6c a9 5f 89 96 P.....0..l._..
0010 a3 69 4c 45 52 2f 0d 65 2d ec 82 a1 f0 bf b3 06 .iLER/.e-.....
0020 6d m
Data: 50f4ffdbd5d210943012886ca95f8996a3694c45522f0d652dec82a1f0bfb3066d
[Length: 33]
No. Time Source Destination Protocol Length Info
228 8.332058 2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 745 443 → 57454 Len=683
Frame 228: 745 bytes on wire (5960 bits), 745 bytes captured (5960 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.876739000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.876739000 UTC
Epoch Arrival Time: 1737488032.876739000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.031748000 seconds]
[Time delta from previous displayed frame: 0.031748000 seconds]
[Time since reference or first frame: 8.332058000 seconds]
Frame Number: 228
Frame Length: 745 bytes (5960 bits)
Capture Length: 745 bytes (5960 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
```

Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 = Version: 6
.... 1000 0000 = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. = Differentiated Services Codepoint: Class Selector 4 (32)
....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 = Flow Label: 0x00000
Payload Length: 691
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 691
Checksum: 0x307b [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 27]
[Timestamps]
[Time since first frame: 7.147618000 seconds]
[Time since previous frame: 0.031748000 seconds]
UDP payload (683 bytes)
Data (683 bytes)
0000 5d ff c1 3e c1 6e cf 23 e2 98 e8 f3 f8 37 be f2]...n.#.....7..
0010 c6 e9 38 3e 03 99 a6 3c bc 4f f6 9e ad 07 eb 16 ..8>...<.0.....
0020 cd 07 f9 e9 44 88 45 da 38 a7 cd 05 42 3e 52 8eD.E.8...B>R..
0030 20 8c b8 c7 b5 43 a4 c0 97 ff f3 26 27 db 2b 19 edC....&'..+..
0040 5a b0 ee da 5a 24 98 c9 92 c9 59 f0 52 b6 f2 e6 Z....\$....Y.R...
0050 3c 73 b4 5a 2d 75 77 44 e8 06 f1 fb 64 e6 79 5f <s.Z-uwD....d.y_
0060 e4 46 6d 8a b5 8c a7 bb b9 da 5d 83 88 ce 8b 6d .Fm.....]....m
0070 e2 8c 36 b0 2f 07 02 2d 7d cb 2c 5b e9 53 18 d0 ..6./..-}.,[.S..
0080 97 50 3b 72 4b 6a 56 55 13 b0 35 8a 29 18 97 d9 .P;rKjVU..5.)...
0090 64 a0 7f 42 e4 f3 d0 91 8d 8d b1 af 6e a8 b7 b1 d..B.....n...
00a0 87 1e a6 93 33 c7 27 59 59 41 22 e0 38 7b 89 9d3.'YYA".8{..
00b0 13 2c 91 a7 c6 66 90 1e cc 23 96 5c 1a a5 53 13 ,...f...#.\\..S..
00c0 28 05 27 50 fa 45 8c af 54 44 b7 bd 59 eb 2e 53 (. 'P.E..TD..Y..S
00d0 35 bd 9c 4a 91 c0 2b 38 ca 72 a6 cb 92 2f 30 4d 5...J..+8.r.../0M
00e0 d2 be cf 7b 82 79 b7 55 3e ca ee 9e a6 ef cd 29 ...{.y.U>.....)
00f0 56 97 d5 3b 09 a9 4a 61 1a e8 c5 63 84 15 5f ba V...;..Ja...c..._
0100 7f d7 45 60 a0 3c 17 39 92 77 e3 8b 28 bf d3 41 ..E`.<.9.w...(..
0110 c4 9a d5 4a c7 7c 44 55 36 e0 c8 2e 9a 48 9f 29 ...J.|DU6....H.)
0120 09 a8 19 f2 c8 8b ac 30 a9 26 6b ed a9 b4 94 030.&k.....
0130 c4 68 4d b1 a6 3c 77 da 30 90 30 5b 54 20 67 06 .hM..<w.0.0[T g..
0140 06 f3 02 0b 2c 9a 47 1e a4 3a e4 a3 63 4a 70 0c,G...:..cJp..
0150 ae 2c 7b 45 4c 26 ce cf b8 3d 56 1e b6 df b1 3d .,{EL&...=V....=
0160 b0 02 a7 7a 39 0e 05 d9 66 1a 16 46 ed 3d 44 4d ...z9...f..F.=DM
0170 63 f2 c4 cd e9 b1 a7 ea 7d 7f 18 a6 d2 9f fa 41 c.....}......A
0180 82 0f b8 a0 50 17 fe f6 80 92 28 59 17 fe 79 b1P.....(Y..y..
0190 d4 9c 4e 95 eb 80 f4 18 71 b5 23 a6 e5 b2 96 88 ..N.....q.#.....
01a0 78 37 53 0a 94 62 7d 2f 44 4c 4d 39 28 28 00 b7 x7S..b}/DLM9((..
01b0 08 39 92 02 b0 ba bd e2 c7 97 70 4e 42 cb 8d fd .9.....pNB...
01c0 48 e8 74 6f 5c af 73 9e 8a 29 bb 1e 86 51 b3 b5 H.to\\s...)...Q..
01d0 9b 9c bc 7e 80 e4 84 44 e1 82 0e 8c b7 40 02 12 ...~...D.....@..
01e0 40 bc e9 a8 ea 93 c1 40 b3 12 04 2f 4d 8f 25 a8 @.....@.../M.%..
01f0 49 2a f6 09 aa 9b a7 cf f2 99 37 69 42 38 d6 dd I*.....7iB8..
0200 d0 e3 c7 97 6f 8b 37 de f5 b1 10 4e 7f 9e a8 09 5e `...o.7.[.N....^
0210 65 de 71 4e 77 07 28 81 5b 69 5e 8d e3 60 83 65 ..qNw.(.[i^...`e
0220 ea 1e 2d 54 b6 90 b8 28 3b ab d1 2c 46 26 10 46 ..-T...(;...F&.F
0230 bb dc 5c 6e 4f 74 06 bb 29 f7 83 73 c3 2b 60 b6 ..\n0t...).s.+`..
0240 22 8c ca d5 11 94 a5 68 5c ea 96 90 18 39 8d a0 "...h\\....9..
0250 bb 9c 77 3f 6b de 39 8e 1b 7d 04 50 73 ae 29 72 ..w?k.9..}.Ps.)r
0260 9a 40 35 97 e8 2f 62 96 27 5a 99 fc 5e e2 3a 09 .@5../b.'Z...^:..
0270 06 30 1c dc 72 e1 3e a6 a8 19 4a 88 5c 42 7c 95 .0..r.>...J.\\B|..
0280 f8 2d 12 7f 5e 07 3a 37 e4 e0 69 2b 29 21 2e ab .-...^.:7..i+)!..
0290 47 3e 21 ea 37 b0 49 06 d9 82 34 ed fc c6 3d 53 G>!7.I...4...=S
02a0 b6 46 6a 5b a1 30 ee 7d c4 2b b4 .Fj[.0.}.+..
Data [...]:
5dffc13ec16ecf23e298e8f3f837bef2c6e9383e0399a63cbc4fff69ead07eb16cd07f9e9448845da38a7cd05423e528e208cb8c7b543a407fff32627db2b19ed5a
[Length: 683]
No. Time Source Destination Protocol Length Info
229 8.332058 2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP 90 443 -> 57454 Len=28
Frame 229: 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on interface \\Device\\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\\Device\\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \\Device\\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.876739000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.876739000 UTC
Epoch Arrival Time: 1737488032.876739000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000000000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 8.332058000 seconds]
Frame Number: 229

```

Frame Length: 90 bytes (720 bits)
Capture Length: 90 bytes (720 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
.... 1000 00.. .... = Differentiated Services Codepoint: Class Selector 4 (32)
.... ....00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0000 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 36
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 36
Checksum: 0xb5c3 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 28]
[Timestamps]
[Time since first frame: 7.147618000 seconds]
[Time since previous frame: 0.000000000 seconds]
UDP payload (28 bytes)
Data (28 bytes)
0000 5a 58 86 cc d7 55 ad 36 2b a3 50 bc bf 34 46 ac ZX...U.6+.P..4F.
0010 95 0f 6b 52 67 1e 63 51 3c 13 cb 7b ..kRg.CQ<..{
Data: 5a5886cccd755ad362ba350bcbf3446ac950f6b52671e63513c13cb7b
[Length: 28]
No. Time Source Destination Protocol Length Info
230 8.332383 2804:1eb0:103:c121:ad55:b075:da7b:d842 2800:3f0:4001:804::200e UDP 98 57454 → 443 Len=36
Frame 230: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.877064000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.877064000 UTC
Epoch Arrival Time: 1737488032.877064000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000325000 seconds]
[Time delta from previous displayed frame: 0.000325000 seconds]
[Time since reference or first frame: 8.332383000 seconds]
Frame Number: 230
Frame Length: 98 bytes (784 bits)
Capture Length: 98 bytes (784 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:udp:data]
[Coloring Rule Name: UDP]
[Coloring Rule String: udp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2800:3f0:4001:804::200e
0110 .... = Version: 6
.... 0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00.. .... = Differentiated Services Codepoint: Default (0)
.... ....00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0101 0111 0111 0100 1010 = Flow Label: 0x5774a
Payload Length: 44
Next Header: UDP (17)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842

```



```
[Address Space: Global Unicast]
Destination Address: 2800:3f0:4001:804::200e
[Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 57454, Dst Port: 443
Source Port: 57454
Destination Port: 443
Length: 44
Checksum: 0xf01b [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 29]
[Timestamps]
[Time since first frame: 7.147943000 seconds]
[Time since previous frame: 0.000325000 seconds]
UDP payload (36 bytes)
Data (36 bytes)
0000  5a f4 ff db d5 d2 10 94 30 03 19 1a c8 0f a9 4f  Z.....0.....0
0010  f8 9d 01 35 2d c0 12 24 fd 5f b3 4c a4 d8 a4 57  ...5-...$._.L...W
0020  6f 96 e1 0b                                     o...
Data: 5af4ffdbdbd5d210943003191ac80fa94ff89d01352dc01224fd5fb34ca4d8a4576f96e10b
[Length: 36]
No.      Time                Source                Destination          Protocol Length Info
 231 8.397852          128.119.245.12        192.168.100.26      HTTP      538    HTTP/1.1 404 Not Found (text/html)
Frame 231: 538 bytes on wire (4304 bits), 538 bytes captured (4304 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:52.942533000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:52.942533000 UTC
Epoch Arrival Time: 1737488032.942533000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.065469000 seconds]
[Time delta from previous displayed frame: 0.065469000 seconds]
[Time since reference or first frame: 8.397852000 seconds]
Frame Number: 231
Frame Length: 538 bytes (4304 bits)
Capture Length: 538 bytes (4304 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 00. .... = LG bit: Globally unique address (factory default)
.... 00. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 00. .... = LG bit: Globally unique address (factory default)
.... 00. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00.. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 524
Identification: 0x9507 (38151)
010. .... = Flags: 0x2, Don't fragment
0.... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0x199e [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52904, Seq: 778, Ack: 153413, Len: 484
Source Port: 80
Destination Port: 52904
[Stream index: 6]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 484]
Sequence Number: 778 (relative sequence number)
Sequence Number (raw): 494966620
```

```

[Next Sequence Number: 1262 (relative sequence number)]
[Acknowledgment Number: 153413 (relative ack number)]
Acknowledgment number (raw): 3794492167
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
 000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... ....1... = Push: Set
.... .....0.. = Reset: Not set
.... .....0. = Syn: Not set
.... .....0 = Fin: Not set
[TCP Flags: .....AP...]
Window: 1909
[Calculated window size: 1909]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xdf78 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 1.442252000 seconds]
  [Time since previous frame in this TCP stream: 0.109840000 seconds]
[SEQ/ACK analysis]
  [This is an ACK to the segment in frame: 226]
  [The RTT to ACK the segment was: 0.109840000 seconds]
  [Bytes in flight: 484]
  [Bytes sent since last PSH flag: 484]
TCP payload (484 bytes)
Hypertext Transfer Protocol
HTTP/1.1 404 Not Found\r\n
  Response Version: HTTP/1.1
  Status Code: 404
  [Status Code Description: Not Found]
  Response Phrase: Not Found
Date: Tue, 21 Jan 2025 19:33:53 GMT\r\n
Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.4.33 mod_perl/2.0.11 Perl/v5.16.3\r\n
Content-Length: 209\r\n
  [Content length: 209]
Keep-Alive: timeout=5, max=99\r\n
Connection: Keep-Alive\r\n
Content-Type: text/html; charset=iso-8859-1\r\n
\r\n
[Request in frame: 226]
[Time since request: 0.109840000 seconds]
[Request URI: /favicon.ico]
[Full request URI: http://gaia.cs.umass.edu/favicon.ico]
File Data: 209 bytes
Line-based text data: text/html (7 lines)
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">\n
<html><head>\n
<title>404 Not Found</title>\n
</head><body>\n
<h1>Not Found</h1>\n
<p>The requested URL /favicon.ico was not found on this server.</p>\n
</body></html>\n
No.      Time      Source      Destination      Protocol Length Info
 232 8.414225 2800:3f0:4001:804::200e 2804:1eb0:103:c121:ad55:b075:da7b:d842 UDP      87      443 → 57454 Len=25
Frame 232: 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
        Interface description: Wi-Fi
      Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:52.958906000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:52.958906000 UTC
    Epoch Arrival Time: 1737488032.958906000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.016373000 seconds]
    [Time delta from previous displayed frame: 0.016373000 seconds]
    [Time since reference or first frame: 8.414225000 seconds]
    Frame Number: 232
    Frame Length: 87 bytes (696 bits)
    Capture Length: 87 bytes (696 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ipv6:udp:data]
    [Coloring Rule Name: UDP]
    [Coloring Rule String: udp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ..0. .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ..0. .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)

```

```
[Stream index: 0]
Internet Protocol Version 6, Src: 2800:3f0:4001:804::200e, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
 0110 .... = Version: 6
  .... 1000 0000 .... = Traffic Class: 0x80 (DSCP: CS4, ECN: Not-ECT)
  .... 1000 00.. = Differentiated Services Codepoint: Class Selector 4 (32)
  .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  .... 0000 0000 0000 0000 = Flow Label: 0x000000
Payload Length: 33
Next Header: UDP (17)
Hop Limit: 59
Source Address: 2800:3f0:4001:804::200e
  [Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
  [Address Space: Global Unicast]
[Stream index: 1]
User Datagram Protocol, Src Port: 443, Dst Port: 57454
Source Port: 443
Destination Port: 57454
Length: 33
Checksum: 0x6fd5 [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 30]
[Timestamps]
  [Time since first frame: 7.229785000 seconds]
  [Time since previous frame: 0.081842000 seconds]
UDP payload (25 bytes)
Data (25 bytes)
0000 52 79 a3 ec 56 32 21 56 36 0f 7e eb 4f 0e 4b 10   Ry..V2!V6.~.O.K.
0010 d5 ab 48 15 24 d1 1e ac e2                      ..H.$....
Data: 5279a3ec56322156360f7eeb4f0e4b10d5ab481524d11eace2
[Length: 25]
No.      Time           Source           Destination      Protocol Length Info
 233 8.440102      192.168.100.26   128.119.245.12   TCP           54      52904 → 80 [ACK] Seq=153413 Ack=1262 Win=507
Len=0
Frame 233: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:52.984783000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:52.984783000 UTC
  Epoch Arrival Time: 1737488032.984783000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.025877000 seconds]
  [Time delta from previous displayed frame: 0.025877000 seconds]
  [Time since reference or first frame: 8.440102000 seconds]
  Frame Number: 233
  Frame Length: 54 bytes (432 bits)
  Capture Length: 54 bytes (432 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: HTTP]
  [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ..00 .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  .... ..0. .... = LG bit: Globally unique address (factory default)
  .... ..00 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  0000 00.. = Differentiated Services Codepoint: Default (0)
  .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x0d2f (3375)
010. .... = Flags: 0x2, Don't fragment
  0... .... = Reserved bit: Not set
  .1.. .... = Don't fragment: Set
  ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x535a [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52904, Dst Port: 80, Seq: 153413, Ack: 1262, Len: 0
Source Port: 52904
Destination Port: 80
[Stream index: 6]
```

```

[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 153413      (relative sequence number)
Sequence Number (raw): 3794492167
[Next Sequence Number: 153413      (relative sequence number)]
Acknowledgment Number: 1262    (relative ack number)
Acknowledgment number (raw): 494967104
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 507
[Calculated window size: 507]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x50a6 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 1.484502000 seconds]
  [Time since previous frame in this TCP stream: 0.042250000 seconds]
[SEQ/ACK analysis]
  [This is an ACK to the segment in frame: 231]
  [The RTT to ACK the segment was: 0.042250000 seconds]
No.      Time      Source      Destination      Protocol Length Info
 234 8.476610 18.209.201.158 192.168.100.26    TCP      56      [TCP Keep-Alive] 443 → 52167 [ACK] Seq=91
Ack=74 Win=8 Len=0
Frame 234: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:53.021291000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:53.021291000 UTC
  Epoch Arrival Time: 1737488033.021291000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.036508000 seconds]
  [Time delta from previous displayed frame: 0.036508000 seconds]
  [Time since reference or first frame: 8.476610000 seconds]
  Frame Number: 234
  Frame Length: 56 bytes (448 bits)
  Capture Length: 56 bytes (448 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp]
  [Coloring Rule Name: TCP]
  [Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
  Trailer: 0000
Internet Protocol Version 4, Src: 18.209.201.158, Dst: 192.168.100.26
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 40
  Identification: 0x7f14 (32532)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 243
  Protocol: TCP (6)
  Header Checksum: 0x0789 [validation disabled]

```

```

[Header checksum status: Unverified]
Source Address: 18.209.201.158
Destination Address: 192.168.100.26
[Stream index: 1]
Transmission Control Protocol, Src Port: 443, Dst Port: 52167, Seq: 91, Ack: 74, Len: 0
Source Port: 443
Destination Port: 52167
[Stream index: 2]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 91      (relative sequence number)
Sequence Number (raw): 4100410532
[Next Sequence Number: 91      (relative sequence number)]
Acknowledgment Number: 74      (relative ack number)
Acknowledgment number (raw): 1712998358
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... = Reserved: Not set
  ...0 .... = Accurate ECN: Not set
  .... 0... = Congestion Window Reduced: Not set
  .... .0.. = ECN-Echo: Not set
  .... ..0. = Urgent: Not set
  .... ...1 = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 8
[Calculated window size: 8]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf21a [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 6.042313000 seconds]
  [Time since previous frame in this TCP stream: 5.895184000 seconds]
[SEQ/ACK analysis]
  [TCP Analysis Flags]
    [Expert Info (Note/Sequence): TCP keep-alive segment]
      [TCP keep-alive segment]
      [Severity level: Note]
      [Group: Sequence]
No.      Time      Source      Destination      Protocol Length Info
235 8.476646 192.168.100.26 18.209.201.158 TCP 54 [TCP Keep-Alive ACK] 52167 → 443 [ACK] Seq=74
Ack=92 Win=508 Len=0
Frame 235: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
    Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
      Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
      Interface description: Wi-Fi
    Encapsulation type: Ethernet (1)
    Arrival Time: Jan 21, 2025 16:33:53.021327000 Hora oficial do Brasil
    UTC Arrival Time: Jan 21, 2025 19:33:53.021327000 UTC
    Epoch Arrival Time: 1737488033.021327000
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000036000 seconds]
    [Time delta from previous displayed frame: 0.000036000 seconds]
    [Time since reference or first frame: 8.476646000 seconds]
    Frame Number: 235
    Frame Length: 54 bytes (432 bits)
    Capture Length: 54 bytes (432 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp]
    [Coloring Rule Name: TCP]
    [Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
  Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... = LG bit: Globally unique address (factory default)
    .... ...0 .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
  [Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 18.209.201.158
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)

```

```

Total Length: 40
Identification: 0x2790 (10128)
010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0xd20d [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 18.209.201.158
[Stream index: 1]
Transmission Control Protocol, Src Port: 52167, Dst Port: 443, Seq: 74, Ack: 92, Len: 0
Source Port: 52167
Destination Port: 443
[Stream index: 2]
[Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..0. = SYN-ACK: Absent
    .... ...0 = SYN: Absent
    [Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 74      (relative sequence number)
Sequence Number (raw): 1712998358
[Next Sequence Number: 74      (relative sequence number)]
Acknowledgment Number: 92      (relative ack number)
Acknowledgment number (raw): 4100410533
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
    000. .... .... = Reserved: Not set
    ...0 .... .... = Accurate ECN: Not set
    .... 0... .... = Congestion Window Reduced: Not set
    .... .0.. .... = ECN-Echo: Not set
    .... ..0. .... = Urgent: Not set
    .... ...1 .... = Acknowledgment: Set
    .... .... 0... = Push: Not set
    .... .... .0.. = Reset: Not set
    .... .... ..0. = Syn: Not set
    .... .... ...0 = Fin: Not set
    [TCP Flags: .....A....]
Window: 508
[Calculated window size: 508]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf025 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
    [Time since first frame in this TCP stream: 6.042349000 seconds]
    [Time since previous frame in this TCP stream: 0.000036000 seconds]
[SEQ/ACK analysis]
[TCP Analysis Flags]
    [Expert Info (Note/Sequence): ACK to a TCP keep-alive segment]
        [ACK to a TCP keep-alive segment]
        [Severity level: Note]
        [Group: Sequence]
No.      Time      Source      Destination      Protocol Length Info
 236 9.779145      192.168.100.26      128.119.245.12      TCP      55      52908 → 80 [ACK] Seq=1 Ack=1 Win=512 Len=1
Frame 236: 55 bytes on wire (440 bits), 55 bytes captured (440 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:54.323826000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:54.323826000 UTC
Epoch Arrival Time: 1737488034.323826000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 1.302499000 seconds]
[Time delta from previous displayed frame: 1.302499000 seconds]
[Time since reference or first frame: 9.779145000 seconds]
Frame Number: 236
Frame Length: 55 bytes (440 bits)
Capture Length: 55 bytes (440 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)
    .... ...0 .... .... = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    .... ..0. .... .... = LG bit: Globally unique address (factory default)

```

```

.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.100.26, Dst: 128.119.245.12
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 41
Identification: 0x0d30 (3376)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 128
Protocol: TCP (6)
Header Checksum: 0x5358 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.100.26
Destination Address: 128.119.245.12
[Stream index: 2]
Transmission Control Protocol, Src Port: 52908, Dst Port: 80, Seq: 1, Ack: 1, Len: 1
Source Port: 52908
Destination Port: 80
[Stream index: 7]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 869612469
[Next Sequence Number: 2 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 1609234689
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... ....0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 512
[Calculated window size: 512]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x7c19 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.00000000 seconds]
[Time since previous frame in this TCP stream: 0.00000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 1]
[Bytes sent since last PSH flag: 1]
TCP payload (1 byte)
No. Time Source Destination Protocol Length Info
237 9.889159 128.119.245.12 192.168.100.26 TCP 66 80 → 52908 [ACK] Seq=1 Ack=2 Win=229 Len=0
SLE=1 SRE=2
Frame 237: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:54.433840000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:54.433840000 UTC
Epoch Arrival Time: 1737488034.433840000
[Time shift for this packet: 0.00000000 seconds]
[Time delta from previous captured frame: 0.110014000 seconds]
[Time delta from previous displayed frame: 0.110014000 seconds]
[Time since reference or first frame: 9.889159000 seconds]
Frame Number: 237
Frame Length: 66 bytes (528 bits)
Capture Length: 66 bytes (528 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]

```

```
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.100.26
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 52
Identification: 0xfad6 (64214)
010. .... = Flags: 0x2, Don't fragment
0... .... = Reserved bit: Not set
.1... .... = Don't fragment: Set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 48
Protocol: TCP (6)
Header Checksum: 0xb5a6 [validation disabled]
[Header checksum status: Unverified]
Source Address: 128.119.245.12
Destination Address: 192.168.100.26
[Stream index: 2]
Transmission Control Protocol, Src Port: 80, Dst Port: 52908, Seq: 1, Ack: 2, Len: 0
Source Port: 80
Destination Port: 52908
[Stream index: 7]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 1609234689
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 2 (relative ack number)
Acknowledgment number (raw): 869612470
1000 .... = Header Length: 32 bytes (8)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 .... = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 229
[Calculated window size: 229]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x6807 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), SACK
TCP Option - No-Operation (NOP)
Kind: No-Operation (1)
TCP Option - No-Operation (NOP)
Kind: No-Operation (1)
TCP Option - SACK 1-2
Kind: SACK (5)
Length: 10
left edge = 1 (relative)
right edge = 2 (relative)
[TCP SACK Count: 1]
[D-SACK Left Edge = 1 (relative)]
[D-SACK Right Edge = 2 (relative)]
D-SACK Sequence
[Expert Info (Warning/Sequence): D-SACK Sequence]
[D-SACK Sequence]
[Severity level: Warning]
[Group: Sequence]
[Timestamps]
[Time since first frame in this TCP stream: 0.110014000 seconds]
[Time since previous frame in this TCP stream: 0.110014000 seconds]
[SEQ/ACK analysis]
```


[This is an ACK to the segment in frame: 236]
[The RTT to ACK the segment was: 0.110014000 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
238	10.464362	2804:1eb0:103:c121:ad55:b075:da7b:d842	2620:117:c004:320:107:167:96:30	TCP	75	52914 → 443 [ACK]

Seq=1 Ack=1 Win=64088 Len=1
Frame 238: 75 bytes on wire (600 bits), 75 bytes captured (600 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:55.009043000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:55.009043000 UTC
Epoch Arrival Time: 1737488035.009043000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.575203000 seconds]
[Time delta from previous displayed frame: 0.575203000 seconds]
[Time since reference or first frame: 10.464362000 seconds]
Frame Number: 238
Frame Length: 75 bytes (600 bits)
Capture Length: 75 bytes (600 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:tcp]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2620:117:c004:320:107:167:96:30
0110 = Version: 6
.... 0000 0000 = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00. = Differentiated Services Codepoint: Default (0)
.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0011 1010 1101 1111 1001 = Flow Label: 0x3adf9
Payload Length: 21
Next Header: TCP (6)
Hop Limit: 64
Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2620:117:c004:320:107:167:96:30
[Address Space: Global Unicast]
[Stream index: 5]
Transmission Control Protocol, Src Port: 52914, Dst Port: 443, Seq: 1, Ack: 1, Len: 1
Source Port: 52914
Destination Port: 443
[Stream index: 8]
[Conversation completeness: Incomplete (12)]
..0. = RST: Absent
...0 = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 4014604984
[Next Sequence Number: 2 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 957894157
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. = Reserved: Not set
...0 = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... 0... = Push: Not set
....0.. = Reset: Not set
....0. = Syn: Not set
....0 = Fin: Not set
[TCP Flags:A....]
Window: 64088
[Calculated window size: 64088]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x64f2 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.000000000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]

```
[SEQ/ACK analysis]
  [Bytes in flight: 1]
  [Bytes sent since last PSH flag: 1]
TCP payload (1 byte)
TCP segment data (1 byte)
No.      Time                Source                Destination                Protocol Length Info
239 10.587740        2620:117:c004:320:107:167:96:30 2804:1eb0:103:c121:ad55:b075:da7b:d842 TCP      74      443 → 52914 [ACK]
Seq=1 Ack=2 Win=41199 Len=0
Frame 239: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
  Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
  Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Jan 21, 2025 16:33:55.132421000 Hora oficial do Brasil
  UTC Arrival Time: Jan 21, 2025 19:33:55.132421000 UTC
  Epoch Arrival Time: 1737488035.132421000
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 0.123378000 seconds]
  [Time delta from previous displayed frame: 0.123378000 seconds]
  [Time since reference or first frame: 10.587740000 seconds]
  Frame Number: 239
  Frame Length: 74 bytes (592 bits)
  Capture Length: 74 bytes (592 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ipv6:tcp]
  [Coloring Rule Name: TCP]
  [Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
  Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
    ....0. .... = LG bit: Globally unique address (factory default)
    ....0. .... = IG bit: Individual address (unicast)
  Type: IPv6 (0x86dd)
  [Stream index: 0]
Internet Protocol Version 6, Src: 2620:117:c004:320:107:167:96:30, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
  0110 .... = Version: 6
  ....0000 0000 .... = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
  ....0000 00.. .... = Differentiated Services Codepoint: Default (0)
  .... ....00 .. ... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  ....0010 0001 1010 1100 0011 = Flow Label: 0x21ac3
  Payload Length: 20
  Next Header: TCP (6)
  Hop Limit: 54
  Source Address: 2620:117:c004:320:107:167:96:30
    [Address Space: Global Unicast]
  Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
    [Address Space: Global Unicast]
  [Stream index: 5]
Transmission Control Protocol, Src Port: 443, Dst Port: 52914, Seq: 1, Ack: 2, Len: 0
  Source Port: 443
  Destination Port: 52914
  [Stream index: 8]
  [Conversation completeness: Incomplete (12)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    ....1... = Data: Present
    ....1.. = ACK: Present
    ....0. = SYN-ACK: Absent
    ....0. = SYN: Absent
    [Completeness Flags: ..DA..]
  [TCP Segment Len: 0]
  Sequence Number: 1 (relative sequence number)
  Sequence Number (raw): 957894157
  [Next Sequence Number: 1 (relative sequence number)]
  Acknowledgment Number: 2 (relative ack number)
  Acknowledgment number (raw): 4014604985
  0101 .... = Header Length: 20 bytes (5)
  Flags: 0x010 (ACK)
    000. .... = Reserved: Not set
    ...0 .... = Accurate ECN: Not set
    ....0... = Congestion Window Reduced: Not set
    ....0.. = ECN-Echo: Not set
    ....0. .... = Urgent: Not set
    ....1. .... = Acknowledgment: Set
    ....0... = Push: Not set
    ....0.. = Reset: Not set
    ....0. .... = Syn: Not set
    ....0. .... = Fin: Not set
  [TCP Flags: .....A....]
  Window: 41199
  [Calculated window size: 41199]
  [Window size scaling factor: -1 (unknown)]
  Checksum: 0xbe5b [unverified]
  [Checksum Status: Unverified]
  Urgent Pointer: 0
```

[illegible]

Sender MAC address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Sender IP address: 192.168.100.1
Target MAC address: 00:00:00_00:00:00 (00:00:00:00:00:00)
Target IP address: 192.168.100.26

No.	Time	Source	Destination	Protocol	Length	Info
242	11.185347	LiteonTechno_52:c1:e7	GuangzhouVSo_35:dd:98	ARP	42	192.168.100.26 is at 9c:2f:9d:52:c1:e7

Frame 242: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:55.730028000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:55.730028000 UTC
Epoch Arrival Time: 1737488035.730028000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.000018000 seconds]
[Time delta from previous displayed frame: 0.000018000 seconds]
[Time since reference or first frame: 11.185347000 seconds]
Frame Number: 242
Frame Length: 42 bytes (336 bits)
Capture Length: 42 bytes (336 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:arp]
[Coloring Rule Name: ARP]
[Coloring Rule String: arp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: ARP (0x0806)
[Stream index: 0]
Address Resolution Protocol (reply)
Hardware type: Ethernet (1)
Protocol type: IPv4 (0x0800)
Hardware size: 6
Protocol size: 4
Opcode: reply (2)
Sender MAC address: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Sender IP address: 192.168.100.26
Target MAC address: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Target IP address: 192.168.100.1

No.	Time	Source	Destination	Protocol	Length	Info
243	11.263407	2804:1eb0:103:c121:ad55:b075:da7b:d842	2620:117:c004:320:107:167:96:30	TCP	75	52918 → 443 [ACK]

Seq=1 Ack=1 Win=63800 Len=1
Frame 243: 75 bytes on wire (600 bits), 75 bytes captured (600 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:55.808088000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:55.808088000 UTC
Epoch Arrival Time: 1737488035.808088000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.078060000 seconds]
[Time delta from previous displayed frame: 0.078060000 seconds]
[Time since reference or first frame: 11.263407000 seconds]
Frame Number: 243
Frame Length: 75 bytes (600 bits)
Capture Length: 75 bytes (600 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:tcp]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7), Dst: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
Destination: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Source: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... 0. = LG bit: Globally unique address (factory default)
.... 0 = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2804:1eb0:103:c121:ad55:b075:da7b:d842, Dst: 2620:117:c004:320:107:167:96:30
0110 = Version: 6
.... 0000 0000 = Traffic Class: 0x00 (DSCP: CS0, ECN: Not-ECT)
.... 0000 00. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 0010 1010 1001 1110 1000 = Flow Label: 0x2a9e8
Payload Length: 21
Next Header: TCP (6)
Hop Limit: 64

```

Source Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
[Address Space: Global Unicast]
Destination Address: 2620:117:c004:320:107:167:96:30
[Address Space: Global Unicast]
[Stream index: 5]
Transmission Control Protocol, Src Port: 52918, Dst Port: 443, Seq: 1, Ack: 1, Len: 1
Source Port: 52918
Destination Port: 443
[Stream index: 9]
[Conversation completeness: Incomplete (12)]
..0. .... = RST: Absent
...0 .... = FIN: Absent
.... 1... = Data: Present
.... .1.. = ACK: Present
.... ..0. = SYN-ACK: Absent
.... ...0 = SYN: Absent
[Completeness Flags: ..DA..]
[TCP Segment Len: 1]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 3786378548
[Next Sequence Number: 2      (relative sequence number)]
Acknowledgment Number: 1      (relative ack number)
Acknowledgment number (raw): 3898377431
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Accurate ECN: Not set
.... 0... = Congestion Window Reduced: Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window: 63800
[Calculated window size: 63800]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x031e [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[Time since first frame in this TCP stream: 0.000000000 seconds]
[Time since previous frame in this TCP stream: 0.000000000 seconds]
[SEQ/ACK analysis]
[Bytes in flight: 1]
[Bytes sent since last PSH flag: 1]
TCP payload (1 byte)
TCP segment data (1 byte)
No.      Time      Source      Destination      Protocol Length Info
244 11.395405 2620:117:c004:320:107:167:96:30 2804:1eb0:103:c121:ad55:b075:da7b:d842 TCP 74 443 → 52918 [ACK]
Seq=1 Ack=2 Win=41230 Len=0
Frame 244: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15})
Interface name: \Device\NPF_{ED91EC35-9F79-4616-A8EC-EE34DDA67C15}
Interface description: Wi-Fi
Encapsulation type: Ethernet (1)
Arrival Time: Jan 21, 2025 16:33:55.940086000 Hora oficial do Brasil
UTC Arrival Time: Jan 21, 2025 19:33:55.940086000 UTC
Epoch Arrival Time: 1737488035.940086000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.131998000 seconds]
[Time delta from previous displayed frame: 0.131998000 seconds]
[Time since reference or first frame: 11.395405000 seconds]
Frame Number: 244
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:tcp]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98), Dst: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
Destination: LiteonTechno_52:c1:e7 (9c:2f:9d:52:c1:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Source: GuangzhouVSo_35:dd:98 (6c:68:a4:35:dd:98)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ...0 .... = IG bit: Individual address (unicast)
Type: IPv6 (0x86dd)
[Stream index: 0]
Internet Protocol Version 6, Src: 2620:117:c004:320:107:167:96:30, Dst: 2804:1eb0:103:c121:ad55:b075:da7b:d842
0110 .... = Version: 6
.... 0010 1000 .... = Traffic Class: 0x28 (DSCP: AF11, ECN: Not-ECT)
.... 0010 10.. .... = Differentiated Services Codepoint: Assured Forwarding 11 (10)
.... .... ..00 .... = Explicit Congestion Notification: Not ECN-Capable Transport (0)
.... 1111 1101 0011 1000 0000 = Flow Label: 0xfd380

```

```
Payload Length: 20
Next Header: TCP (6)
Hop Limit: 52
Source Address: 2620:117:c004:320:107:167:96:30
  [Address Space: Global Unicast]
Destination Address: 2804:1eb0:103:c121:ad55:b075:da7b:d842
  [Address Space: Global Unicast]
[Stream index: 5]
Transmission Control Protocol, Src Port: 443, Dst Port: 52918, Seq: 1, Ack: 2, Len: 0
Source Port: 443
Destination Port: 52918
[Stream index: 9]
[Conversation completeness: Incomplete (12)]
  ..0. .... = RST: Absent
  ...0 .... = FIN: Absent
  .... 1... = Data: Present
  .... .1.. = ACK: Present
  .... ..0. = SYN-ACK: Absent
  .... ...0 = SYN: Absent
  [Completeness Flags: ..DA..]
[TCP Segment Len: 0]
Sequence Number: 1      (relative sequence number)
Sequence Number (raw): 3898377431
[Next Sequence Number: 1      (relative sequence number)]
Acknowledgment Number: 2      (relative ack number)
Acknowledgment number (raw): 3786378549
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
  000. .... .... = Reserved: Not set
  ...0 .... .... = Accurate ECN: Not set
  .... 0... .... = Congestion Window Reduced: Not set
  .... .0.. .... = ECN-Echo: Not set
  .... ..0. .... = Urgent: Not set
  .... ...1 .... = Acknowledgment: Set
  .... .... 0... = Push: Not set
  .... .... .0.. = Reset: Not set
  .... .... ..0. = Syn: Not set
  .... .... ...0 = Fin: Not set
  [TCP Flags: .....A....]
Window: 41230
[Calculated window size: 41230]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x5b48 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
  [Time since first frame in this TCP stream: 0.131998000 seconds]
  [Time since previous frame in this TCP stream: 0.131998000 seconds]
[SEQ/ACK analysis]
  [This is an ACK to the segment in frame: 243]
  [The RTT to ACK the segment was: 0.131998000 seconds]
```