Parent Class	Field Colour Code Legend field name in yellow = required field name in purple = recommended **field name in white = optional**	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label	Deprecated ID	Version Tracking Label	ID	Description/Guidance
						IMPORTANT: Only labels and/or IDs will be deprecated, always with replacement version provided. If a term changes in its meaning, a new term will be created.				
	Database Identifiers	**GENEPIO:0001122**								
Database Identifiers	sample_collector_sample_ID	GENEPIO:0001123	The user-defined name for the sample.	The sample_ID should represent the identifier assigned to the sample at time of collection, for which all the descriptive information applies. If the original sample_ID is unknown or cannot be provided, leave blank or provide a null value.	ABCD123			1.0.0	1.0.0	1.0.0
Database Identifiers	BioProject_accession	GENEPIO:0001136	The INSDC (i.e., ENA, NCBI, or DDBJ) accession number of the BioProject(s) to which the BioSample belongs.	Store the BioProject accession number. BioProjects are an organizing tool that links together raw sequence data, assemblies, and their associated metadata. Each province will be assigned a different bioproject accession number by the National Microbiology Lab. A valid NCBI BioProject accession has prefix PRJN e.g., PRJNA12345, and is created once at the beginning of a new sequencing project.	PRJNA608651			1.0.0	1.0.0	1.0.0
Database Identifiers	BioSample_accession	GENEPIO:0001139	The identifier assigned to a BioSample in INSDC archives.	Store the accession returned from the BioSample submission. NCBI BioSamples will have the prefix SAMN, while ENA BioSamples will have the prefix SAMEA.	SAMN14180202			1.0.0	1.0.0	1.0.0
	Sample collection and processing	**GENEPIO:0001150**						**1.0.0**	**1.0.0**	**1.0.0**
Sample collection and processing	sample_collection_data_steward_contact_email	GENEPIO:0101107	The email address of the individual responsible for the data governance, (meta)data usage and distribution of the sample.	Provide the email address of the sample collection data steward. This may or may not be the same individual/organization that collected the sample. If the contact is the same, provide the same address as the "sample collector contact email".	bloggsj@aglab.ca			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collected_by	GENEPIO:0001153	The name of the organization with which the sample collector is affiliated.	The name of the agency should be written out in full, (with minor exceptions) and be consistent across multiple submissions.	Public Health Agency of Canada			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_name	GENEPIO:0100429	The name of the sample collection.	If the sample is associated with a particular collection, provide the name of the sample collection. Type culture collection names can be referenced here. Private collections and sample collection project names can also be included.	American Type Culture Collection (ATCC)			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_ID	OBIB:0000001	The identifier associated with the sample collection.	If the sample is associated with a particular collection that can be refered to by an identifier, provide the identifier of the sample collection.	BCRCAMUAMR			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_URL	GENEPIO:0102067	The URL associated with online material about a sample collection.	If the sample collection has online materials that may be useful for providing context, include the URL associated with the sample collection.	https://www.jpiamr.eu/projects/b2b2b-amrdx/			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collector_contact_email	GENEPIO:0001156	The email address of the contact responsible for follow-up regarding the sample.	The email address can represent a specific individual or lab e.g. johnnyblogs@lab.ca, or RespLab@lab.ca	WaterTester@facility.ca			1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_name_(country)	GENEPIO:0001181	The country of origin of the sample.	If known, select a value from the pick list.	Canada			1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_name_(state/province/territory)	GENEPIO:0001185	The state/province/territory of origin of the sample.	Provide the state/province/territory name from the GAZ geography ontology. Search for geography terms here: https://www.ebi.ac.uk/ols/ontologies/ga	Western Cape			1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_name_(site)	GENEPIO:0100436	The name of a specific geographical location e.g. Credit River (rather than river).	Provide the name of the specific geographical site using a specific noun (a word that names a certain place, thing).	Credit River			1.0.0	1.0.0	1.0.0
Sample collection and processing	organism	GENEPIO:0001191	Taxonomic name of the organism.	Provide the official nomenclature for the organism present in the sample.	Salmonella enterica subsp. enterica [NCBITaxon:59201]			1.0.0	1.0.0	1.0.0
Sample collection and processing	purpose_of_sampling	GENEPIO:0001198	The reason that the sample was collected.	The reason a sample was collected may provide information about potential biases in sampling strategy. Provide the purpose of sampling from the picklist in the template. Most likely, the sample was collected for Diagnostic testing. The reason why a sample was originally collected may differ from the reason why it was selected for sequencing, which should be indicated in the "purpose of sequencing" field.	Surveillance [GENEPIO:0100004]			1.0.0	1.0.0	1.0.0
Sample collection and processing	presampling_activity	GENEPIO:0100433	The experimental activities or variables that affected the sample collected.	If there was experimental activity that would affect the sample prior to collection (this is different than sample processing), provide the experimental activities by selecting one or more values from the template pick list. If the information is unknown or cannot be provided, leave blank or provide a null value.	Antimicrobial pre-treatment [GENEPIO:0100537]			1.0.0	1.0.0	1.0.0
Sample collection and processing	presampling_activity_details	GENEPIO:0100434	The details of the experimental activities or variables that affected the sample collected.	Briefly describe the experimental details using free text.	Chicken feed containing novobiocin was fed to chickens for 72 hours prior to collection of litter.			1.0.0	1.0.0	1.0.0

Parent Class	Field Colour Code Legend field name in yellow = required field name in purple = recommended **field name in white = optional**	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label	Deprecated ID	Version Tracking Label	ID	Description/Guidance
						IMPORTANT: Only labels and/or IDs will be deprecated, always with replacement version provided. If a term changes in its meaning, a new term will be created.				
Sample collection and processing	experimental_specimen_role_type	GENEPIO:0100921	The type of role that the sample represents in the experiment.	Samples can play different types of roles in experiments. A sample under study in one experiment may act as a control or be a replicate of another sample in another experiment. This field is used to distinguish samples under study from controls, replicates, etc. If the sample acted as an experimental control or a replicate, select a role type from the picklist. If the sample was not a control, leave blank or select "Not Applicable".	Positive experimental control [GENEPIO:0101018]			1.0.0	1.0.0	1.0.0
Sample collection and processing	experimental_control_details	GENEPIO:0100922	The details regarding the experimental control contained in the sample.	Provide details regarding the nature of the reference strain used as a control, or what is was used to monitor.				1.0.0	1.0.0	1.0.0
Sample collection and processing	specimen_processing	GENEPIO:0100435	The processing applied to samples post-collection, prior to further testing, characterization, or isolation procedures.	Provide the sample processing information by selecting a value from the template pick list. If the information is unknown or cannot be provided, leave blank or provide a null value.	Samples pooled [OBI:0600016]			1.0.0	1.0.0	1.0.0
Sample collection and processing	specimen_processing_details	GENEPIO:0100311	The details of the processing applied to the sample during or after receiving the sample.	Briefly describe the processes applied to the sample.	25 samples were pooled and further prepared as a single sample during library prep.			1.0.0	1.0.0	1.0.0
Sample collection and processing	food_product_origin_geo_loc_name (country)	GENEPIO:0100437	The country of origin of a food product.	If a food product was sampled and the food product was manufactured outside of Canada, provide the name of the country where the food product originated by selecting a value from the template pick list. If the information is unknown, cannot be provided, or is not applicable to the sample type, leave blank or provide a null value.	United States of America [GAZ:00002459]			1.0.0	1.0.0	1.0.0
Sample collection and processing	host_origin_geo_loc_name_(country)	GENEPIO:0100438	The country of origin of the host.	If a sample is from a human or animal host that originated from outside of Canada, provide the the name of the country where the host originated by selecting a value from the template pick list. If the information is unknown, cannot be provided, or is not applicable to the sample type, leave blank or provide a null value.	South Africa [GAZ:00001094]			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_date	GENEPIO:0001174	The date on which the sample was collected.	Provide the date according to the ISO 8601 standard "YYYY-MM-DD", "YYYY-MM" or "YYYY".	2020-10-30			1.0.0	1.0.0	1.0.0
Sample collection and processing	environmental_site	GENEPIO:0001232	An environmental location may describe a site in the natural or built environment e.g. hospital, wet market, bat cave.	If applicable, select the standardized term and ontology ID for the environmental site from the picklist provided. Multiple values can be provided, separated by a semi-colon.	Poultry hatchery [ENVO:01001874]			1.0.0	1.0.0	1.0.0
Sample collection and processing	environmental_material	GENEPIO:0001223	A substance obtained from the natural or man-made environment e.g. soil, water, sewage, door handle, bed handrail, face mask.	If applicable, select the standardized term and ontology ID for the environmental material from the picklist provided. Multiple values can be provided, separated by a semi-colon.	Wastewater [ENVO:00002001]			1.0.0	1.0.0	1.0.0
Sample collection and processing	anatomical_material	GENEPIO:0001211	A substance obtained from an anatomical part of an organism e.g. tissue, blood.	An anatomical material is a substance taken from the body. If applicable, select the standardized term and ontology ID for the anatomical material from the picklist provided. Multiple values can be provided, separated by a semi-colon.	Tissue [UBERON:0000479]; Blood [UBERON:0000178]			1.0.0	1.0.0	1.0.0
Sample collection and processing	body_product	GENEPIO:0001216	A substance excreted/secreted from an organism e.g. feces, urine, sweat.	A body product is a substance produced by the body but meant to be excreted/secreted (i.e. not part of the body). If applicable, select the standardized term and ontology ID for the body product from the picklist provided. Multiple values can be provided, separated by a semi-colon.	Feces [UBERON:0001988]; Urine [UBERON:0001088]			1.0.0	1.0.0	1.0.0
Sample collection and processing	food_product_properties	GENEPIO:0100445	Any characteristic of the food product pertaining to its state, processing, or implications for consumers.	Provide any characteristics of the food product including whether it has been cooked, processed, preserved, any known information about its state (e.g. raw, ready-to-eat), any known information about its containment (e.g. canned), and any information about a label claim (e.g. organic, fat-free).	Food (chopped) [FOODON:00002777]			1.0.0	1.0.0	1.0.0
Sample collection and processing	collection_device	GENEPIO:0001234	The instrument or container used to collect the sample e.g. swab.	This field includes animal feed. If applicable, select the standardized term and ontology ID for the anatomical material from the picklist provided. Multiple values can be provided, separated by a semi-colon.	Vacutainer [OBIB:0000032]			1.0.0	1.0.0	1.0.0
Sample collection and processing	collection_method	GENEPIO:0001241	The process used to collect the sample e.g. phlebotomy, necropsy.	If applicable, provide the standardized term and ontology ID for the anatomical material from the picklist provided. Multiple values can be provided, separated by a semi-colon.	Necropsy [MMO:0000344]			1.0.0	1.0.0	1.0.0
	Host information	**GENEPIO:0001268**						**1.0.0**	**1.0.0**	**1.0.0**

Parent Class	Field Colour Code Legend field name in yellow = required field name in purple = recommended **field name in white = optional**	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label	Deprecated ID	Version Tracking Label	ID	Description/Guidance
						IMPORTANT: Only labels and/or IDs will be deprecated, always with replacement version provided. If a term changes in its meaning, a new term will be created.				
Host information	host_(common_name)	GENEPIO:0001386	The commonly used name of the host.	Common name or scientific name are required if there was a host. Both can be provided, if known. Use terms from the pick lists in the template. Common name e.g. human, bat. If the sample was environmental, put "not applicable.	Human [NCBITaxon:9606]			1.0.0	1.0.0	1.0.0
Host information	host_(scientific_name)	GENEPIO:0001387	The taxonomic, or scientific name of the host.	Common name or scientific name are required if there was a host. Both can be provided, if known. Use terms from the pick lists in the template. Scientific name e.g. Homo sapiens, If the sample was environmental, put "not applicable	Homo sapiens [NCBITaxon:9606]			1.0.0	1.0.0	1.0.0
Host information	host_disease	GENEPIO:0001391	The name of the disease experienced by the host.	This field is only required if there was a host. If the host was a human select COVID-19 from the pick list. If the host was asymptomatic, this can be recorded under “host health state details”. "COVID-19" should still be provided if patient is asymptomatic. If the host is not human, and the disease state is not known or the host appears healthy, put “not applicable”.	Mastitis [MONDO:0006849]			1.0.0	1.0.0	1.0.0
Host Information	host_age	GENEPIO:0001392	Age of host at the time of sampling.	If there was a host and the host age is known, provide the age.	79			1.0.0	1.0.0	1.0.0
Host Information	host_age_unit	GENEPIO:0001393	The units used to measure the host's age.	If known, provide the age units used to measure the host's age from the pick list.	year			1.0.0	1.0.0	1.0.0
Host Information	host_gender	GENEPIO:0001395	The gender of the host at the time of sample collection.	If known, select a value from the pick list.	Male			1.0.0	1.0.0	1.0.0
	Strain and isolation information	**GENEPIO:0100453**						**1.0.0**	**1.0.0**	**1.0.0**
Strain and isolation information	isolate_ID	GENEPIO:0100456	The user-defined identifier for the isolate, as provided by the laboratory that originally isolated the isolate.	Provide the isolate_ID created by the lab that first isolated the isolate (i.e. the original isolate ID). If the information is unknown or cannot be provided, leave blank or provide a null value. If only an alternate isolate ID is known (e.g. the ID from your lab, if your lab did not isolate the isolate from the original sample), make asure to include it in the alternative_isolate_ID field.	SA20131043			1.0.0	1.0.0	1.0.0
Strain and isolation information	isolated_by	GENEPIO:0100461	The name of the agency, organization or institution with which the individual who performed the isolation procedure is affiliated.	Provide the name of the agency, organization or institution that isolated the original isolate in full (avoid abbreviations). If the information is unknown or cannot be provided, leave blank or provide a null value.	Public Health Agency of Canada			1.0.0	1.0.0	1.0.0
Strain and isolation information	isolated_by_contact_email	GENEPIO:0100464	The email address of the contact responsible for follow-up regarding the isolate.	Provide the email associated with the listed contact. As personnel turnover may render an individual's email obsolete, it is more prefereable to provide an address for a position or lab, to ensure accuracy of information and institutional memory. If the information is unknown or cannot be provided, leave blank or provide a null value.	enterics@lab.ca			1.0.0	1.0.0	1.0.0
	Sequence information	**GENEPIO:0001441**						**1.0.0**	**1.0.0**	**1.0.0**
Sequence information	sequencing_assay_type	GENEPIO:0100997	The overarching sequencing methodology that was used to determine the sequence of a biomaterial.	Provide the name of the DNA or RNA sequencing technology used in your study. If unsure refer to the protocol documentation, or provide a null value.	Whole genome sequencing assay [OBI:0002117]			1.0.0	1.0.0	1.0.0
Sequence information	library_ID	GENEPIO:0001448	The user-specified identifier for the library prepared for sequencing.	The library name should be unique, and can be an autogenerated ID from your LIMS, or modification of the isolate ID.	XYZ_123345			1.0.0	1.0.0	1.0.0
Sequence information	nucleic_acid_extraction_method	GENEPIO:0100939	The process used to extract genomic material from a sample.	Briefly describe the extraction method used.	Direct wastewater RNA capture and purification via the "Sewage, Salt, Silica and SARS-CoV-2 (4S)" method v4 found at https://www.protocols.io/view/v-4-direct-wastewater-rna-capture-and-purification-36wgq581ygk5/v4			1.0.0	1.0.0	1.0.0
Sequence information	genomic_target_enrichment_method	GENEPIO:0100966	The molecular technique used to selectively capture and amplify specific regions of interest from a genome.	Provide the name of the enrichment method	Hybrid selection method (bait-capture) [GENEPIO:0001950]			1.0.0	1.0.0	1.0.0
Sequence information	library_preparation_kit	GENEPIO:0001450	The name of the DNA library preparation kit used to generate the library being sequenced.	Provide the name of the library preparation kit used.	Nextera XT			1.0.0	1.0.0	1.0.0
Sequence information	sequencing_platform	GENEPIO:0100473	The platform technology used to perform the sequencing.	Provide the name of the company that created the sequencing instrument by selecting a value from the template pick list. If the information is unknown or cannot be provided, leave blank or provide a null value.	Illumina [GENEPIO:0001923]			1.0.0	1.0.0	1.0.0

Parent Class	Field Colour Code Legend field name in yellow = required field name in purple = recommended **field name in white = optional**	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label **IMPORTANT:** Only labels and/or IDs will be deprecated, always with replacement version provided. If a term changes in its meaning, a new term will be created.	Deprecated ID	Version Tracking Label	ID	Description/Guidance
Sequence information	sequencing_instrument	GENEPIO:0001452	The model of the sequencing instrument used.	Provide the model sequencing instrument by selecting a value from the template pick list. If the information is unknown or cannot be provided, leave blank or provide a null value.	Illumina HiSeq 2500 [GENEPIO:0100117]			1.0.0	1.0.0	1.0.0
Sequence information	purpose_of_sequencing	GENEPIO:0001445	The reason that the sample was sequenced.	The reason why a sample was originally collected may differ from the reason why it was selected for sequencing. The reason a sample was sequenced may provide information about potential biases in sequencing strategy. Provide the purpose of sequencing from the picklist in the template. The reason for sample collection should be indicated in the "purpose of sampling" field.	Cluster/Outbreak investigation [GENEPIO:0100001]			1.0.0	1.0.0	1.0.0
Sequence information	purpose_of_sequencing_details	GENEPIO:0001446	The description of why the sample was sequenced providing specific details.	Provide an expanded description of why the sample was sequenced using free text. The description may include the importance of the sequences for a particular public health investigation/surveillance activity/research question. Suggested standardized descriptions include: Assessing public health control measures, Determining early introductions and spread, Investigating airline-related exposures, Investigating remote regions, Investigating health care workers, Investigating schools/universities.	Hospital outbreak			1.0.0	1.0.0	1.0.0
Sequence information	sequenced_by	GENEPIO:0100416	The name of the agency, organization or institution responsible for sequencing the isolate's genome.	Provide the name of the agency, organization or institution that performed the sequencing in full (avoid abbreviations). If the information is unknown or cannot be provided, leave blank or provide a null value.	Public Health Agency of Canada			1.0.0	1.0.0	1.0.0
Sequence information	sequenced_by_contact_email	GENEPIO:0100471	The email address of the contact responsible for follow-up regarding the sequence.	Provide the email associated with the listed contact. As personnel turnover may render an individual's email obsolete, it is more prefereable to provide an address for a position or lab, to ensure accuracy of information and institutional memory. If the information is unknown or cannot be provided, leave blank or provide a null value.	enterics@lab.ca			1.0.0	1.0.0	1.0.0
Sequence information	sequence_submitted_by	GENEPIO:0001159	The name of the agency that submitted the sequence to a database.	The name of the agency should be written out in full, (with minor exceptions) and be consistent across multiple submissions. For Canadian institutions submitting specimens rather than sequencing data, please put the "National Microbiology Laboratory (NML)".	Public Health Ontario (PHO)			1.0.0	1.0.0	1.0.0
Sequence information	sequence_submitter_contact_email	GENEPIO:0001165	The email address of the contact responsible for follow-up regarding the sequence.	The email address can represent a specific individual or laboratory.	RespLab@lab.ca			1.0.0	1.0.0	1.0.0
	Bioinformatics and QC metrics	**GENEPIO:0001457**						**1.0.0**	**1.0.0**	**1.0.0**
Bioinformatics and QC metrics	raw_sequence_data_processing_method	GENEPIO:0001458	The names of the software and version number used for raw data processing such as removing barcodes, adapter trimming, filtering etc.	Provide the software name followed by the version e.g. Trimmomatic v. 0.38, Porechop v. 0.2.3	Porechop 0.2.3			1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	dehosting_method	GENEPIO:0001459	The method used to remove host reads from the pathogen sequence.	Provide the name and version number of the software used to remove host reads.	Nanostripper			1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	number_of_total_reads	GENEPIO:0100827	The total number of non-unique reads generated by the sequencing process.	Provide a numerical value (no need to include units).	423867			1.0.0	1.0.0	1.0.0
	Antimicrobial resistance phenotypic testing	**GENEPIO:0001516**						**1.0.0**	**1.0.0**	**1.0.0**
Antimicrobial resistance phenotypic testing	AMR_testing_by	GENEPIO:0100511	The name of the organization that performed the antimicrobial resistance testing.	Provide the name of the agency, organization or institution that performed the AMR testing, in full (avoid abbreviations). If the information is unknown or cannot be provided, leave blank or provide a null value.	Canadian Food Inspection Agency			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_testing_by_laboratory_name	GENEPIO:0100512	The name of the lab within the organization that performed the antimicrobial resistance testing.	Provide the name of the specific laboratory that performed the AMR testing (avoid abbreviations). If the information is unknown or cannot be provided, leave blank or provide a null value.	Topp Lab			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_testing_by_contact_name	GENEPIO:0100513	The name of the individual or the individual's role in the organization that performed the antimicrobial resistance testing.	Provide the name of an individual or their job title. As personnel turnover may render the contact's name obsolete, it is more preferable to provide a job title for ensuring accuracy of information and institutional memory. If the information is unknown or cannot be provided, leave blank or provide a null value.	Enterics Lab Manager			1.0.0	1.0.0	1.0.0

Parent Class	Field Colour Code Legend field name in yellow = required field name in purple = recommended **field name in white = optional**	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label **IMPORTANT:** Only labels and/or IDs will be deprecated, always with replacement version provided. If a term changes in its meaning, a new term will be created.	Deprecated ID	Version Tracking Label	ID	Description/Guidance
Antimicrobial resistance phenotypic testing	AMR_testing_by_contact_email	GENEPIO:0100514	The email of the individual or the individual's role in the organization that performed the antimicrobial resistance testing.	Provide the email associated with the listed contact. As personnel turnover may render an individual's email obsolete, it is more preferable to provide an address for a position or lab, to ensure accuracy of information and institutional memory. If the information is unknown or cannot be provided, leave blank or provide a null value.	johnnyblogs@lab.ca			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_testing_date	GENEPIO:0100515	The date the antimicrobial resistance testing was performed.	Provide the date according to the ISO 8601 standard "YYYY-MM-DD", "YYYY-MM" or "YYYY".	2022-04-03			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_agent_name	GENEPIO:0100521	The name of the agent that kills or slows the growth of microorganisms, including bacteria, viruses, fungi and protozoans.	The names of the drug have already been matched with measurement, breakpoint, and phenotype fields in the template. No need to add these unless the drug of interest is not present. Use the Term Request System to request the addition of other agents.	Amoxicillin-clavulanic [ARO:3003997]			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_phenotype	GENEPIO:0100525	The antimicrobial resistance phenotype, as determined by the antibiotic susceptibility measurement and testing standard.	Select a phenotype from the pick list provided.	Susceptible antimicrobial phenotype [ARO:3004302]			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_measurement_sign	GENEPIO:0100524	The qualifier associated with the antibiotic susceptibility measurement	Select the comparator sign from the pick list provided. Use the Term Request System to request the addition of other signs if necessary.	greater than (>) [GENEPIO:0001006]			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_measurement	GENEPIO:0100522	The measured value of antimicrobial resistance.	This field should only contain a number (either an integer or a number with decimals).	4			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_measurement_units	GENEPIO:0100523	The units of the antimicrobial resistance measurement.	Select the units from the pick list provided. Use the Term Request System to request the addition of other units if necessary.	ug/mL [UO:0000274]			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_laboratory_typing_method	GENEPIO:0100526	The general method used for antibiotic susceptibility testing.	Select a typing method from the pick list provided. Use the Term Request System to request the addition of other methods if necessary.	Broth dilution [ARO:3004397]			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_laboratory_typing_platform	GENEPIO:0100527	The brand/platform used for antibiotic susceptibility testing	Select a typing platform from the pick list provided. Use the Term Request System to request the addition of other platforms if necessary.	Sensitire [ARO:3004402]			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_laboratory_typing_platform_version	GENEPIO:0100528	The specific name and version of the plate, panel, or other platform used for antibiotic susceptibility testing.	Include any additional information about the antimicrobial susceptibility test such as the drug panel details.	CMV3AGNF			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_vendor_name	GENEPIO:0100529	The name of the vendor of the testing platform used.	Provide the full name of the company (avoid abbreviations).	Sensititre [ARO:3004402]			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_testing_standard	GENEPIO:0100530	The testing standard used for determination of resistance phenotype	Select a testing standard from the pick list provided.	Clinical Laboratory and Standards Institute (CLSI) [ARO:3004366]			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_testing_standard_version	GENEPIO:0100531	The version number associated with the testing standard used for determination of resistance phenotype	If applicable, include a version number for the testing standard used.	M100			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_testing_standard_details	GENEPIO:0100520	The additional details associated with the testing standard used for determination of resistance phenotype	This information may include the year or location where the testing standard was published. If not applicable, leave blank.	27th ed. Wayne, PA: Clinical and Laboratory Standards Institute; 2017.			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_testing_susceptible_breakpoint	GENEPIO:0100516	The maximum measurement, in the units specified in the "AMR_measurement_units" field, for a sample to be considered "sensitive" to this antibiotic	This field should only contain a number (either an integer or a number with decimals), since the "<=" qualifier is implied.	8			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_testing_intermediate_breakpoint	GENEPIO:0100517	The intermediate measurement(s), in the units specified in the "AMR_measurement_units" field, where a sample would be considered to have an "intermediate" phenotype for this antibiotic	This field should only contain a number (either an integer or a number with decimals), since the ">_<" qualifier is implied.	16			1.0.0	1.0.0	1.0.0
Antimicrobial resistance phenotypic testing	AMR_testing_resistant_breakpoint	GENEPIO:0100518	The minimum measurement, in the units specified in the "AMR_measurement_units" field, for a sample to be considered "resistant" to this antibiotic	This field should only contain a number (either an integer or a number with decimals), since the ">=" qualifier is implied.	32			1.0.0	1.0.0	1.0.0
	Contributor acknowledgement	**GENEPIO:0001516**						**1.0.0**	**1.0.0**	**1.0.0**
Contributor acknowledgement	authors	GENEPIO:0001517	Names of individuals contributing to the processes of sample collection, sequence generation, analysis, and data submission.	Include the first and last names of all individuals that should be attributed, separated by a semicolon.	Tejinder Singh; Fei Hu; Joe Blogs			1.0.0	1.0.0	1.0.0
Contributor acknowledgement	DataHarmonizer provenance	GENEPIO:0001518	The DataHarmonizer software and template version provenance.	The current software and template version information will be automatically generated in this field after the user utilizes the "validate" function. This information will be generated regardless as to whether the row is valid of not.	DataHarmonizer v3.3.3, B2B2B v1.0.0			1.0.0	1.0.0	1.0.0