Parent Class	Field	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label Deprecated ID	Version Tracking		
	Colour Code Legend					IMPORTANT: Only labels and/or IDs will be deprecated, always with replacement version	Label	ID	Description/Gui dance
	field name in yellow = required					provided. If a term changes in its meaning, a new term will be created.			dance
	field name in purple = recommended					new term will be created.			
	field name in white = optional								
	Database Identifiers	GENEPIO:0001122		Store the collector sample ID. If this number is					
				considered identifiable information, provide an alternative ID. Be sure to store the key that map:					
				between the original and alternative IDs for traceability and follow up if necessary. Every					
				collector sample ID from a single submitter must be unique. It can have any format, but we					
Database identifiers	and the second s	GENEPIO:0001123	The user-defined name for the sample.	suggest that you make it concise, unique and	ASDFG123		1.0.0	1.0.0	1.0.0
Database identifiers	specimen_collector_sample_ID	GENEPIO:0001123	The user-defined name for the sample.	consistent within your lab.	ASDFG123		1.0.0	1.0.0	1.0.0
Database identifiers	specimen_collector_subsample_ID	GENEPIO:0100752	The user-defined identifier assigned to a portion of the original sample.	Store the ID for the subsample/aliquot.  If the sample being analyzed is the result of	ASDFG123_12	2	1.0.0	1.0.0	1.0.0
			The control of the different land to a control of the different land to the different la	pooling individual samples, rename the pooled sample with a new identifier. Store the pooled					
Database identifiers	pooled_sample_ID	GENEPIO:0100996	The user-defined identifier assigned to a combined (pooled) set of samples.	sample ID.	12345AYZ		1.0.0	1.0.0	1.0.0
				Store the ID for the site from which a sample was taken. The "site" is user defined (e.g. it may					
				be a building and its environs, a specific entity within an environment). Please use the same					
				site ID for all samples from a given site, regardless of when these samples were taken.					
Database identifiers	assessible to a like UD	GENEPIO:0100760	The user-defined identifier assigned to a specific location from which	Any important changes in site location, should	Site 12A		1.0.0	1.0.0	1.0.0
Database identifiers	sampling_site_ID	GENEPIO:0100760	samples are taken.	be represented with a new site ID.  Store the ID for the event during which a sample			1.0.0	1.0.0	1.0.0
				or samples were taken. For example, an event could be one person taking samples from					
Database identifiers	sampling event ID	GENEPIO:0100761	The user-defined identifier assigned to a specific event during which one or more samples are taken, from one or more sites.	multiple sites, or multiple people taking samples from one site.	Event 120522.	1	1.0.0	1.0.0	1.0.0
	. 3			Store the BioProject accession number.					
				BioProjects are an organizing tool that links together raw sequence data, assemblies, and					
				their associated metadata. Each province will be assigned a different bioproject accession					
				number by the National Microbiology Lab. A valid NCBI BioProject accession has prefix					
Database identifiers	BioProject_accession	GENEPIO:0001136	The INSDC (i.e., ENA, NCBI, or DDBJ) accession number of the BioProject(s) to which the BioSample belongs.	PRJN e.g., PRJNA12345, and is created once a the beginning of a new sequencing project.	PRJNA608651		1.0.0	1.0.0	1.0.0
				Store the accession returned from the BioSample submission. NCBI BioSamples will	SAMN1418020 2.				
Database identifiers	BioSample accession	GENEPIO:0001139	The identifier assigned to a BioSample in INSDC (i.e., ENA, NCBI, or DDBJ) archives.	have the prefix SAMN, ENA have the prefix SAMEA, DDBJ have SAMD	SAMD0000000		1.0.0	1.0.0	1.0.0
Database identifiers	Diodampic_accession	GENET 10.0001133	DDDS) aranves.	OAMEA, BBB Have OAMB			1.0.0	1.0.0	1.0.0
			The versioned identifier assigned to an assembly or consensus	Store the versioned GenBank accession					
Database identifiers	GenBank_accession_(versioned)	GENEPIO:0100754	sequence in GenBank archives.	assigned to the submitted sequence.	LZ986655.1		1.0.0	1.0.0	1.0.0
			The Sequence Read Archive (SRA) identifier linking raw read data, methodological metadata and quality control metrics submitted to the	Store the accession assigned to the submitted sequence. NCBI-SRA accessions start with					
Database identifiers	SRA_accession	GENEPIO:0001142	INSDC.	SRR.	SRR11177792		1.0.0	1.0.0	1.0.0
				Store the accession assigned to the submitted					
Database identifiers	ENA_accession	GENEPIO:0100755	The identifier assigned to a sequence in the European Nucleotide Archive (ENA).	sequence. ENA sequence accessions start with ERR.	ERR123456		1.0.0	1.0.0	1.0.0
Database identifiers	DRA accession	GENEPIO:0100757	The identifier assigned to a sequence in DNA Data Bank of Japan (DDBJ) sequence read archives.	Store the accession assigned to the submitted sequence, DRA accessions start with DRR.	DRR123456		1.0.0	1.0.0	1.0.0
		52.12.10.0100737	(L===) =squareo roda diolittos.		3111120700			1.0.0	1.0.0
	Sample collection and processing	GENEPIO:0001150							
			The name of the individual responsible for the data governance,	Provide the name of the sample collection data					
Sample collection and processing	sample_collection_data_steward_name	GENEPIO:0100762	(meta)data usage and distribution of the sample.	steward.	Joe Bloggs		1.0.0	1.0.0	1.0.0
				Provide the email address of the sample collection data steward. This may or may not be					
				the same individual/organization that collected the sample. If the contact is the same, provide					
Sample collection and processing	sample_collection_data_steward_contact_email	GENEPIO:0101107	The email address of the individual responsible for the data governance, (meta)data usage and distribution of the sample.	the same address as the "sample collector contact email".	bloggsj@aglab ca		1.0.0	1.0.0	1.0.0
			- ' '						

		Ontology Identifier				Deprecated Label	Deprecated ID	Version		
Parent Class	Field	Identifier	Definition	Guidance	Examples			Tracking		
Sample collection and processing	sample_collected_by	GENEPIO:0001153	The name of the organization with which the sample collector is affiliated.	The name of the agency should be written out in full, (with minor exceptions) and be consistent across multiple submissions.	Public Health Agency of Canada			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collector_contact_email	GENEPIO:0001156	The email address of the contact responsible for follow-up regarding the sample.	The email address can represent a specific individual or lab e.g. johnnyblogs@lab.ca, or RespLab@lab.ca	WaterTester@f acility.ca			1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_name_(country)	GENEPIO:0001181	The country of origin of the sample.	If known, select a value from the pick list.  Provide the state/province/territory name from	Canada			1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_name_(state/province/territory)	GENEPIO:0001185	The state/province/territory of origin of the sample.	the GAZ geography ontology. Search for geography terms here: https://www.ebi.ac.uk/ols/ontologies/ga	Western Cape			1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_name_(county/region)	GENEPIO:0100280	The county/region of origin of the sample.	Provide the county/region name from the GAZ geography ontology. Search for geography terms here: https://www.ebi.ac.uk/ols/ontologies/gaz	S Derbyshire			1.0.0	1.0.0	1.0.0
				Provide the city name from the GAZ geography ontology. Search for geography terms here:						
Sample collection and processing	geo_loc_name_(city)	GENEPIO:0001189	The city of origin of the sample.	https://www.ebi.ac.uk/ols/ontologies/gaz  Provide the name of the specific geographical	Vancouver			1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_name_(site)	GENEPIO:0100436	The name of a specific geographical location e.g. Credit River (rather than river).	site using a specific noun (a word that names a certain place, thing).	Credit River			1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_latitude	GENEPIO:0100309	The latitude coordinates of the geographical location of sample collection.	Provide latitude coordinates if available. Do not use the centre of the city/region/province/state/country or the location of your agency as a proxy, as this implicates a real location and is misleading. Specify as degrees latitude in format "d[d.dddd] N[S".	38.98 N			100	1.0.0	100
Sample collection and processing	geo_loc_longitude	GENEPIO:0100310	The longitude coordinates of the geographical location of sample collection.	Provide longitude coordinates if available. Do no use the centre of the city/region/province/state/country or the location of your agency as a proxy, as this implicates a real location and is misleading. Specify as degrees longitude in format "d[dd.dddd] W[E".	77.11 W			1.0.0	1.0.0	1.0.0
				Provide the official nomenclature for the organism(s) present in the sample. Multiple organisms can be entered, separated by semicolons. Avoid abbreviations. Search for taxonomic names here:						
Sample collection and processing	organism	GENEPIO:0001191	Taxonomic name of the organism.	ncbi.nlm.nih.gov/taxonomy.	Vibrio cholerae			1.0.0	1.0.0	1.0.0
Sample collection and processing	influenza_subtype	GENEPIO:0101108						1.0.0	1.0.0	1.0.0
Sample collection and processing	influenza_subtyping_scheme_name	GENEPIO:0101109						1.0.0	1.0.0	1.0.0
Sample collection and processing	taxonomic_identification_process	GENEPIO:0100583						1.0.0	1.0.0	1.0.0
Sample collection and processing	virus identifier	GENEPIO:0101110						1.0.0	1.0.0	1.0.0
Sample collection and processing	WHO/OIE/FAO_clade	GENEPIO:0101111		If your sample is a continuous sample please				1.0.0	1.0.0	1.0.0
			The date on which the sample was collected, or sampling began for a	use this field to capture your start date. Sample collection date is critical for surveillance and many types of analyses. Required granularity includes year, month and day. The date should be provided in ISO 8601 standard format						
Sample collection and processing	sample_collection_date	GENEPIO:0001174	continuous sample.	"YYYY-MM-DD".  Provide the date that sample collection ended in	2020-03-16			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_end_date	GENEPIO:0101071 GENEPIO:0101072	The date on which sample collection ended for a continuous sample.  The time at which sample collection began.	ISO 8601 format i.e. YYYY-MM-DD  Provide this time in ISO 8601 24hr format, in you	2020-03-18			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_start_time sample_collection_end_time	GENEPIO:0101072 GENEPIO:0101073	The time at which sample collection began.  The time at which sample collection ended.	Provide this time in ISO 8601 24hr format, in you Provide this time in ISO 8601 24hr format, in you				1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_time_of_day	GENEPIO:0100765	The descriptive time of day during which the sample was collected.	If known, select a value from the pick list. The tin				1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_time_duration_value	GENEPIO:0100766	The amount of time over which the sample was collected.	Provide the numerical value of time.	4			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_time_duration_unit	GENEPIO:0100767	The units of the time duration measurement of sample collection.	Provide the units from the pick list.	Hour			1.0.0	1.0.0	1.0.0

		Ontology			Ī	Deprecated Label Deprecated ID	Version		
Parent Class	Field	Identifier	Definition	Guidance	Examples		Tracking	100	
Sample collection and processing	sample received date	GENEPIO:0001179	The date on which the sample was received.	Provide the sample received date in ISO 8601 for Provide the sample processed date in ISO 8601 format, i.e. "YYYY-MM-DD". The sample may be collected and processed (e.g. filtered, extraction)			1.0.0	1.0.0	1.0.0
Sample collection and processing  Sample collection and processing	sample processing date  host origin geo loc name (country)	GENEPIO:0100763  GENEPIO:0100438	The date on which the sample was processed.  The country of origin of the host.	on the same day, or on different dates. If a sample is from a human or animal host that originated from outside of Canada, provide the the name of the country where the host originated by selecting a value from the template pick list. If the information is unknown or cannot be provided, leave blank or provide a null value,	[GAZ:0000109		1.0.0	1.0.0	1.0.0
			, ,	If a food product was sampled and the food product was manufactured outside of Canada, provide the name of the country where the food product originated by selecting a value from the template pick list. If the information is unknown or cannot be provided, leave blank or provide a					
Sample collection and processing	food_product_origin_geo_loc_name (country)	GENEPIO:0100437	The country of origin of a food product.	null value.  This field includes animal feed. If applicable, select the standardized term and ontology ID for			1.0.0	1.0.0	1.0.0
Sample collection and processing	food_product	GENEPIO:0100444	A material consumed and digested for nutritional value or enjoyment.	the anatomical material from the picklist provided. Multiple values can be provided, separated by a semi-colon.	[FOODON:000 02703]		1.0.0	1.0.0	1.0.0
Sample collection and processing	food product properties	GENEPIO:0100445	Any characteristic of the food product pertaining to its state, processing a label claim, or implications for consumers.	Provide any characteristics of the food product including whether it has been cooked, processed, preserved, any known information about its state (e.g. raw, ready-to-eat), any known information about its state (e.g. raw, ready-to-eat), any known information about its containment (e.g. canned), and any information about a label claim (e.g. organic, fat-free).	Food (chopped) [FOODON:000 02777]; Ready-to-eat (RTE) [FOODON:033 16636]		1.0.0	1.0.0	1.0.0
Sample collection and processing	food_packaging	GENEPIO:0100445	The type of packaging used to contain a food product.		Plastic tray or pan [FOODON:034 90126]		1.0.0	1.0.0	1.0.0
Sample collection and processing	food_quality_date	GENEPIO:0100615	A date recommended for the use of a product while at peak quality, this date is not a reflection of safety unless used on infant formula.	This date is typically labeled on a food product as "best if used by", best by", "use by", or	2020-05-25		1.0.0	1.0.0	1.0.0
O and a self-self-self-self-self-self-self-self-		GENEPIO:0100616	A food product's packaging date as marked by a food manufacturer or retailer.	The packaging date should not be confused with, nor replaced by a Best Before date or other food quality date. If the date is known, leave blank or provide a null value.	2020-05-25		1.0.0	1.0.0	1.0.0
Sample collection and processing  Sample collection and processing	food_packaging_date environmental_site	GENEPIO:0100616	retailer.  An environmental location may describe a site in the natural or built environment e.g. hospital, wet market, bat cave.	plank or provide a null value.  If applicable, select the standardized term and ontology ID for the environmental site from the picklist provided. Multiple values can be provided, separated by a semi-colon.	Poultry hatchery [ENVO:010018 74]		1.0.0	1.0.0	1.0.0
			A substance obtained from the natural or man-made environment e.g.	If applicable, select the standardized term and ontology ID for the environmental material from the picklist provided. Multiple values can be	Soil [ENVO:000019 98]; Water [CHEBI:15377]; Wastewater [ENVO:000020 01]; Broom [ENVO:035013				
Sample collection and processing  Sample collection and processing	environmental_material anatomical_material	GENEPIO:0001223	soil, water, sewage, door handle, bed handrail, face mask.  A substance obtained from an anatomical part of an organism e.g. tissue, blood.	provided, separated by a semi-colon.  An anatomical material is a substance taken from the body, If applicable, select the standardized term and ontology ID for the anatomical material from the picklist provided. Multiple values can be provided, separated by a semi-colon.	77] Tissue [UBERON:000 0479]; Blood [UBERON:000 0178]		1.0.0	1.0.0	1.0.0
Sample collection and processing	body_product	GENEPIO:0001211	A substance excreted/secreted from an organism e.g. feces, urine, sweat.	A body product is a substance produced by the body but meant to be excreted/secreted (i.e. not part of the body). If applicable, select the standardized term and ontology ID for the body product from the picklist provided. Multiple values can be provided, separated by a semi-colon.	Feces [UBERON:000 1988]; Urine [UBERON:000		1.0.0	1.0.0	10.0
				An anatomical part is a structure or location in the body. If applicable, select the standardized term and ontology ID for the anatomical material from the picklist provided. Multiple values can be	Snout [UBERON:000				10.0
Sample collection and processing	anatomical_part	GENEPIO:0001214	An anatomical part of an organism e.g. oropharynx.	provided, separated by a semi-colon.  This field includes animal feed. If applicable, select the standardized term and ontology ID for the anatomical material from the picklist provided. Multiple values can be provided,	Drag swab		1.0.0	1.0.0	1.0.0
Sample collection and processing	collection_device	GENEPIO:0001234	The instrument or container used to collect the sample e.g. swab.	separated by a semi-colon.	[OBI:0002822]		1.0.0	1.0.0	1.0.0

		Ontology				Deprecated Label	Deprecated ID	Version		
Parent Class	Field	Identifier	Definition	Guidance	Examples	Deprecated Label	Deprecated ID	Tracking		
		051/5510 000 101		ontology ID for the anatomical material from the picklist provided. Multiple values can be	Rinsing for specimen collection [GENEPIO_00					
Sample collection and processing	collection_method	GENEPIO:0001241	The process used to collect the sample e.g. phlebotomy, necropsy.	provided, separated by a semi-colon.	02116]			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_volume_measurement_value	GENEPIO:0100768	The numerical value of the volume measurement of the sample collected.	Provide the numerical value of volume.	5			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_volume_measurement_unit	GENEPIO:0100769	The units of the volume measurement of the sample collected.	Provide the units from the pick list.	milliliter (mL) [UO:0000098] No residual			1.0.0	1.0.0	1.0.0
Sample collection and processing	residual sample status	GENEPIO:0101090	The status of the residual sample (whether any sample remains after its original use).	Residual samples are samples that remain after the sample material was used for its original purpose. Select a residual sample status from the picklist. If sample still exists, select "Residual sample remaining (some sample left)".	sample (sample all used)			1.0.0	1.0.0	1.0.0
Sample collection and processing	purpose of sampling	GENEPIO:0001198	The reason that the sample was collected.	The reason a sample was collected may provide information about potential biases in sampling strategy. Provide the purpose of sampling from the picklist in the template. Most likely, the sample was collected for Public health surveillance. The reason why a sample was originally collected may differ from the reason why it was selected for sequencing, which should be indicated in the "purpose of sequencing" field.	Public health surveillance			1.0.0	1.0.0	1.0.0
			The activities or variables upstream of sample collection that may affect	If there was an activity that would affect the sample prior to collection (this is different than sample processing), provide the activities by selecting one or more values from the template pick list. If the information is unknown or cannot	Agricultural					
Sample collection and processing	presampling activity	GENEPIO:0100433	the sample.	be provided, leave blank or provide a null value.	Agricultural			1.0.0	1.0.0	1.0.0
Sample collection and processing	presampling activity details	GENEPIO:0100434	The details of the activities or variables that affected the sample collected.	Briefly describe the presampling activities using free text.	waste from large farm contributes waste to the site sampled.			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample storage method	GENEPIO:0100448	The process used to store the sample.	Provide details of how the sample was stored from time of collection until time of processing. If there were issues with the cold chain storage, note those here.	The sample was placed in a tube in a cooler bag during transportation (~3 hours) to the lab site. At this point the sample was placed in storage medium and put in a -10C freezer until it was processed and extracted 5 days later.			1.0.0	1.0.0	1.0.0
				Desired the second seco	O DI					
				Provide the name of the transport medium or storage medium used for this sample. If none	Cary-Blair transport					
Sample collection and processing	sample storage medium	GENEPIO:0100449	The medium in which a sample is stored.	was used, leave blank or write "None".	medium			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample storage duration value	GENEPIO:0101014	The numerical value of the time measurement during which a sample is in storage.	Provide the numerical value of time.	5			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample storage duration unit	GENEPIO:0101015	The units of a measured sample storage duration.	Provide the units from the pick list.	Day			1.0.0	1.0.0	1.0.0
Sample collection and processing	specimen processing	GENEPIO:0001253	Any processing applied to the sample during or after receiving the sample.	Select processes from the picklist that were applied to this sample.	Centrifugation			1.0.0	1.0.0	1.0.0
Sample collection and processing	specimen processing details	GENEPIO:0100311	The details of the processing applied to the sample during or after receiving the sample.	Briefly describe the processes applied to the sample.	25 samples were pooled and further prepared as a single sample during library prep.			1.0.0	1.0.0	1.0.0

Parent Class	Field	Ontology Identifier	Definition	Guidance		eprecated Label	Version Tracking		
Sample collection and processing	experimental protocol field	GENEPIO:0101029	Definition  The name of the overarching experimental methodology that was used to process the biomaterial.	Provide the name of the methodology used in	Examples		1.0.0	1.0.0	100
				Samples can play different types of roles in experiments. A sample under study in one experiment may act as a control or be a replicate of another sample in another experiment. This field is used to distinguish samples under study from controls, replicates, etc. If the sample acted as an experimental control or a replicate, select a role type from the picklist. If the sample was not a control, leave blank or select 'Not	Positive experimental				
Sample collection and processing	experimental specimen role type	GENEPIO:0100921	The type of role that the sample represents in the experiment.	Applicable".	control		1.0.0	1.0.0	1.0.0
Sample collection and processing	experimental specimen details	GENEPIO:0101112		This field provides information about additional data types that are available that may provide context for interpretation of the sequence data.			1.0.0	1.0.0	1.0.0
Sample collection and processing	available_data_types	GENEPIO:0100690	The type of data that is available, that may or may not require permission to access.	Provide a term from the picklist for additional data types that are available. Additional data types may require special permission to access. Contact the data provider for more information.	Total coliform count [GENEPIO:010 0729]		1.0.0	1.0.0	1.0.0
Sample collection and processing	available_data_type_details	GENEPIO:0101023	Detailed information regarding other available data types.	Use this field to provide free text details describing other available data types that may provide context for interpreting genomic sequence data.	Pooled metagenomes containing extended spectrum beta-lactamase (ESBL) bacteria		1.0.0	1.0.0	1.0.0
	Host information	GENEPIO:0001268							
Host information	host (common name)	GENEPIO:0001386	The commonly used name of the host.	If the sample is directly from a host, either a common or scientific name must be provided (although both can be included, if known). If known, provide the common name.	Cow [NCBITaxon:99 13]; Chicken [NCBITaxon:99 13], Human [NCBITaxon:96 06]		1.0.0	1.0.0	1.0.0
Host information	host (scientific name)	GENEPIO:0001387	The taxonomic, or scientific name of the host.	If the sample is directly from a host, either a common or scientific name must be provided (although both can be included, if known). If known, select the scientific name from the picklist provided.	Bos taurus [NCBITaxon:99 13]; Homo sapiens [NCBITaxon:91 03]		1.0.0	1.0.0	1.0.0
Host information	host (ecotype)	GENEPIO:0100450	The biotype resulting from selection in a particular habitat, e.g. the A. thaliana Ecotype Ler.	Provide the name of the ecotype of the host organism.	Sea ecotype		1.0.0	1.0.0	1.0.0
Host information	host (breed)	GENEPIO:0100451	A breed is a specific group of domestic animals or plants having homogeneous appearance, homogeneous behavior, and other characteristics that distinguish it from other animals or plants of the same species and that were arrived at through selective breeding.	Provide the name of the breed of the host organism.	Holstein		1.0.0	1.0.0	1.0.0
Host information	host (food production name)	GENEPIO:0100452	The name of the host at a certain stage of food production, which may depend on its age or stage of sexual maturity.	Select the host's food production name from the pick list.	Calf [FOODON:034 11349]		1.0.0	1.0.0	1.0.0
Host Information	host age	GENEPIO:0001392	Age of host at the time of sampling.	If known, provide age. Age-binning is also acceptable.	79		1.0.0	1.0.0	1.0.0
Host Information	host age unit	GENEPIO:0001393	The units used to measure the host's age.	If known, provide the age units used to measure the host's age from the pick list. Select the corresponding host age bin from the	year [UO:0000036]		1.0.0	1.0.0	1.0.0
Host information	host_age_bin	GENEPIO:0001394	Age of host at the time of sampling, expressed as an age group.	pick list provided in the template. If not available, provide a null value or leave blank.			1.0.0	1.0.0	1.0.0
Host information	host disease	GENEPIO:0001391	The name of the disease experienced by the host.	This field is only required if the Pathogen.cl package was selected. If the host was sick, provide the name of the disease.The standardized term can be sourced from this look-up servicy.www.ebi.ac.uk/ols/ontologies/doid if the disease is not known, put "missing".	mastitis,		1.0.0	1.0.0	1.0.0
Host Information	host health state	GENEPIO:0001388	Health status of the host at the time of sample collection.	If known, select a value from the pick list.	Asymptomatic [NCIT:C3833]		1.0.0	1.0.0	1.0.0
Host Information	host health status details	GENEPIO:0001389	Further details pertaining to the health or disease status of the host at time of collection.	If known, select a value from the pick list.	Hospitalized (ICU) [GENEPIO:010 0046]		1.0.0	1.0.0	1.0.0
					Recovered				

Parent Class	Field	Ontology Identifier	Definition	Guidance	[ Examples	Deprecated Label Dep	precated ID	Version Tracking		
Parent Class	rieid	identiner	Definition	Should be a unique, user-defined identifier. This ID can help link laboratory data with	Examples			Truoimig		
Host Information	host subject ID	GENEPIO:0001398	A unique identifier by which each host can be referred to e.g. #131	epidemiological data, however, is likely sensitive information. Consult the data steward.	BCxy123			1.0.0	1.0.0	1.0.0
Host Information	case ID	GENEPIO:0100281	The identifier used to specify an epidemiologically detected case of disease.	Provide the case identifer. The case ID greatly facilitates linkage between laboratory and epidemiological data. The case ID may be considered identifiable information. Consult the data steward before sharing.	ABCD1234			1.0.0	1.0.0	1.0.0
Host Information	symptom onset date	GENEPIO:0001399	The date on which the symptoms began or were first noted.	If known, provide the symptom onset date in ISO 8601 standard format "YYYY-MM-DD".				1.0.0	1.0.0	1.0.0
Tool mornaudi	Symponionactuae	CENEL 10.0001030	A perceived change in function or sensation, (loss, disturbance or	Select all of the symptoms experienced by the	Cough [HP:0012735], Fever [HP:0001945], Rigors (fever shakes)			1.0.0	1.0.0	1.0.0
Host Information	signs and symptoms	GENEPIO:0001400	appearance) indicative of a disease, reported by a patient.  Patient pre-existing conditions and risk factors.	host from the pick list.	[HP:0025145]			1.0.0	1.0.0	1.0.0
Host Information	pre-existing conditions and risk factors	GENEPIO:0001401	Pre-existing condition: A medical condition that existed prior to the current infection.  Risk Factor: A variable associated with an increased risk of disease or infection.	Select all of the pre-existing conditions and risk factors experienced by the host from the pick list If the desired term is missing, contact the curation team.	Asthma [HP:0002099]			1.0.0	1.0.0	1.0.0
Host Information	complications	GENEPIO:0001402	Patient medical complications that are believed to have occurred as a result of host disease.	Select all of the complications experienced by the host from the pick list.	Acute respiratory failure [MONDO:0001 208]			1.0.0	1.0.0	1.0.0
	Host exposure information	GENEPIO:0001409								
Host exposure information	exposure event	GENEPIO:0001417	Event leading to exposure.	Select an exposure event from the pick list provided in the template. If the desired term is missing, contact the curation team.	Social Gathering			1.0.0	1.0.0	1.0.0
Host exposure information	exposure contact level	GENEPIO:0001418	The exposure transmission contact type.	Select direct or indirect exposure from the pick-list.	Direct			1.0.0	1.0.0	1.0.0
				Select the host's personal role(s) from the pick list provided in the template. If the desired term						
Host exposure information	host role	GENEPIO:0001419	The role of the host in relation to the exposure setting.	is missing, contact the curation team.	Inpatient			1.0.0	1.0.0	1.0.0
Host exposure information	exposure setting	GENEPIO:0001428	The setting leading to exposure.	Select the host exposure setting(s) from the pick list provided in the template. If a desired term is missing, contact the curation team.	Healthcare Setting			1.0.0	1.0.0	1.0.0
Host exposure information	exposure details	GENEPIO:0001431	Additional host exposure information.	Free text description of the exposure.	Case infected family at home			1.0.0	1.0.0	1.0.0
	Host vaccination information	GENEPIO:0001403								
Host vaccination information	host vaccination status	GENEPIO:0001404	The vaccination status of the host (fully vaccinated, partially vaccinated, or not vaccinated).	Select the vaccination status of the host from the pick list.	Fully Vaccinated [GENEPIO:010 0100]			1.0.0	1.0.0	1.0.0
Host vaccination information	number of vaccine doses received	GENEPIO:0001406	The number of doses of the vaccine received by the host.	Record how many doses of the vaccine the host has received	2			1.0.0	1.0.0	1.0.0
			The name of the vaccine administered as the first dose of a vaccine	Provide the name and the corresponding manufacturer of the COVID-19 vaccine administered as the first dose by selecting a	Pfizer-BioNTec					
Host vaccination information	vaccination dose 1 vaccine name	GENEPIO:0100313	regimen.	value from the pick list Provide the date the first dose of COVID-19 vaccine was administered. The date should be provided in ISO 8601 standard format	h (Comirnaty)			1.0.0	1.0.0	1.0.0
Host vaccination information	vaccination dose 1 vaccination date	GENEPIO:0100314	The date the first dose of a vaccine was administered.	"YYYY-MM-DD".  Provide the name and the corresponding	2021-03-01			1.0.0	1.0.0	1.0.0
Host vaccination information	vaccination dose 2 vaccine name	GENEPIO:0100315	The name of the vaccine administered as the second dose of a vaccine regimen.	manufacturer of the COVID-19 vaccine administered as the second dose by selecting a value from the pick list	Pfizer-BioNTec h (Comirnaty)			1.0.0	1.0.0	1.0.0
Host vaccination information	vaccination dose 2 vaccination date	GENEPIO:0100316	The date the second dose of a vaccine was administered.	Provide the date the second dose of COVID-19 vaccine was administered. The date should be provided in ISO 8601 standard format "YYYY-MM-DD".	2021-09-01			1.0.0	1.0.0	1.0.0
Host vaccination information	vaccination dose 3 vaccine name	GENEPIO:0100317	The name of the vaccine administered as the third dose of a vaccine	Provide the name and the corresponding manufacturer of the COVID-19 vaccine administered as the third dose by selecting a value from the pick list	Pfizer-BioNTec			1.0.0	1.0.0	1.0.0
			regimen.	Provide the date the third dose of COVID-19 vaccine was administered. The date should be provided in ISO 8601 standard format	h (Comirnaty)					
Host vaccination information	vaccination dose 3 vaccination date	GENEPIO:0100318	The date the third dose of a vaccine was administered.  The name of the vaccine administered as the fourth dose of a vaccine	"YYYY-MM-DD".  Provide the name and the corresponding manufacturer of the COVID-19 vaccine administered as the fourth dose by selecting a	2021-12-30 Pfizer-BioNTec			1.0.0	1.0.0	1.0.0
Host vaccination information	vaccination dose 4 vaccine name	GENEPIO:0100319	regimen.	value from the pick list	h (Comirnaty)			1.0.0	1.0.0	1.0.0

		Ontology				Deprecated Label	Deprecated ID	Version		
Parent Class	Field	Identifier	Definition	Guidance	Examples			Tracking		
				Provide the date the fourth dose of COVID-19						
				vaccine was administered. The date should be provided in ISO 8601 standard format						
lost vaccination information	vaccination dose 4 vaccination date	GENEPIO:0100320	The date the fourth dose of a vaccine was administered.	"YYYY-MM-DD".	2022-01-15			1.0.0	1.0.0	1.0.0
					Pfizer-BioNTec					
				Free text description of the dates and vaccines	h (Comirnaty);					
				administered against a particular disease/set of diseases. It is also acceptable to concatenate	2021-03-01; Pfizer-BioNTec					
			A description of the vaccines received and the administration dates of a		h (Comirnaty);					
Host vaccination information	vaccination history	GENEPIO:0100321	series of vaccinations against a specific disease or a set of diseases.	vaccination date) separated by semicolons.	2022-01-15			1.0.0	1.0.0	1.0.0
	Host treatment information									
lost treatment information	prior influenza antiviral agent administration	GENEPIO:0101113						1.0.0	1.0.0	1.0.0
lost treatment information	prior influenza antiviral agent	GENEPIO:0101114	A substance that destroys or inhibits replication of viruses.					1.0.0	1.0.0	1.0.0
lost treatment information	prior influenza antiviral treatment date	GENEPIO:0101115						1.0.0	1.0.0	1.0.0
	Environmental conditions and measurements									
	ren water catchment area human population measurement value	GENEPIO:0100773	The numerical value of the human population measurement that contribu-					1.0.0	1.0.0	1.0.0
	ren water catchment area human population range	GENEPIO:0100774	The human population range of the water catchment that contributes effl					1.0.0	1.0.0	1.0.0
	ren water catchment area human population measurement method	GENEPIO:0100775	The method by which a water catchment 's human population size was r			diction encompassing th			1.0.0	1.0.0
	ren water catchment area human population density value	GENEPIO:0100776	The numerical value describing the number of humans per geographical					1.0.0	1.0.0	1.0.0
	ren water catchment area human population density unit	GENEPIO:0100777	The unit describing the number of humans per geographical area in a wa			2		1.0.0	1.0.0	1.0.0
nvironmental conditions and measu		GENEPIO:0100778	A type of area that is populated by humans to different degrees.	Provide the populated area type from the pick list				1.0.0	1.0.0	1.0.0
nvironmental conditions and measu		GENEPIO:0100779	The state of the atmosphere at a place and time as regards heat, drynes					1.0.0	1.0.0	1.0.0
	ren presampling weather conditions	GENEPIO:0100780	Weather conditions prior to collection that may affect the sample.	Provide the weather conditions prior to sample of				1.0.0	1.0.0	1.0.0
	ren precipitation measurement value	GENEPIO:0100911	The amount of water which has fallen during a precipitation process.	Provide the quantity of precipitation in the area I				1.0.0	1.0.0	1.0.0
nvironmental conditions and measu		GENEPIO:0100440	The depth of some water.	Provide the numerical depth only of water only				1.0.0	1.0.0	1.0.0
nvironmental conditions and measu		GENEPIO:0101025	The units of measurement for water depth.	Provide the units of measurement for which the		[80000		1.0.0	1.0.0	1.0.0
vironmental conditions and measu	ren sediment_depth	GENEPIO:0100697	The depth of some sediment.	Provide the numerical depth only of the sedimer				1.0.0	1.0.0	1.0.0
vironmental conditions and measu	- ' -	GENEPIO:0101026	The units of measurement for sediment depth.	Provide the units of measurement for which the		00008]		1.0.0	1.0.0	1.0.0
vironmental conditions and measu		GENEPIO:0100441	The temperature of some air.	Provide the numerical value for the temperature				1.0.0	1.0.0	1.0.0
vironmental conditions and measu		GENEPIO:0101027	The units of measurement for air temperature.	Provide the units of measurement for which the		C) [UO:0000027]		1.0.0	1.0.0	1.0.0
vironmental conditions and measu	- '	GENEPIO:0100698	The temperature of some water.	Provide the numerical value for the temperature	0 4			1.0.0	1.0.0	1.0.0
nvironmental conditions and measu	ren water_temperature_units	GENEPIO:0101028	The units of measurement for water temperature.	Provide the units of measurement for which the				1.0.0	1.0.0	1.0.0
vironmental conditions and measu	-71	GENEPIO:0100442	The state of the atmosphere at a place and time as regards heat, drynes			1564]		1.0.0	1.0.0	1.0.0
nvironmental conditions and measu		GENEPIO:0100912	The units of measurement for the amount of water which has fallen during					1.0.0	1.0.0	1.0.0
	ren precipitation measurement method	GENEPIO:0100913	The process used to measure the amount of water which has fallen duri	·		a 12 hour period prior to		1.0.0	1.0.0	1.0.0
	ren ambient temperature measurement value	GENEPIO:0100935	The numerical value of a measurement of the ambient temperature.	Provide the numerical value of the measured ter				1.0.0	1.0.0	1.0.0
	ren ambient temperature measurement unit	GENEPIO:0100936	The units of a measurement of the ambient temperature.	Provide the units of the measured temperature.		<b>(</b> )		1.0.0	1.0.0	1.0.0
nvironmental conditions and measu	'	GENEPIO:0001736	The measured pH value indicating the acidity or basicity(alkalinity) of an	'				1.0.0	1.0.0	1.0.0
nvironmental conditions and measu	'	GENEPIO:0100781	The process used to measure pH value.	Provide the name of the procedure or technolog		us test)		1.0.0	1.0.0	1.0.0
	ren total daily flow rate measurement value	GENEPIO:0100905	The numerical value of a measured fluid flow rate over the course of a d					1.0.0	1.0.0	1.0.0
	ren total daily flow rate measurement unit	GENEPIO:0100906	The units of a measured fluid flow rate over the course of a day.	Provide the units of the measured flow rate by s		r day (MGD)		1.0.0	1.0.0	1.0.0
	ren total daily flow rate measurement method	GENEPIO:0100907	The process used to measure total daily fluid flow rate.	Provide the name of the procedure or technolog				1.0.0	1.0.0	1.0.0
	ren instantaneous flow rate measurement value	GENEPIO:0100908	The numerical value of a measured instantaneous fluid flow rate.	Provide the numerical value of the measured flo				1.0.0	1.0.0	1.0.0
	ren instantaneous flow rate measurement unit	GENEPIO:0100909	The units of a measured instantaneous fluid flow rate.	Provide the units of the measured flow rate by s		our (m^3/h)		1.0.0	1.0.0	1.0.0
	ren instantaneous flow rate measurement method	GENEPIO:0100910	The process used to measure instantaneous fluid flow rate.	Provide the name of the procedure or technolog				1.0.0	1.0.0	1.0.0
nvironmental conditions and measu	•	GENEPIO:0100783	The numerical value of a measurement of turbidity.	Provide the numerical value of the measured tur				1.0.0	1.0.0	1.0.0
nvironmental conditions and measu		GENEPIO:0100914	The units of a measurement of turbidity.	Provide the units of the measured turbidity by se				1.0.0	1.0.0	1.0.0
nvironmental conditions and measu	*	GENEPIO:0101013	The process used to measure turbidity.	Provide the name of the procedure or technolog		etnoa		1.0.0	1.0.0	1.0.0
	ren dissolved oxygen measurement value	GENEPIO:0100915	The numerical value of a measurement of dissolved oxygen.	Provide the numerical value of the measured dis		>		1.0.0	1.0.0	1.0.0
	ren dissolved oxygen measurement unit	GENEPIO:0100784 GENEPIO:0100785	The units of a measurement of dissolved oxygen.	Provide the units of the measured dissolved oxy				1.0.0	1.0.0	1.0.0
	ren dissolved oxygen measurement method		The method used to measure dissolved oxygen.	Provide the name of the procedure or technolog		meter in vertical directio				
	ren oxygen reduction potential (ORP) measurement value	GENEPIO:0100917 GENEPIO:0100786	The numerical value of a measurement of oxygen reduction potential (O  The units of a measurement of oxygen reduction potential (ORP).	F Provide the numerical value of the measured ox Provide the units of the measured oxygen reduce				1.0.0	1.0.0	1.0.0
	ren oxygen reduction potential (ORP) measurement unit	GENEPIO:0100786 GENEPIO:0100787	The method used to measure oxygen reduction potential (ORP).	Provide the units of the measured oxygen reduce Provide the name of the procedure or technolog				1.0.0	1.0.0	1.0.0
	ren chemical oxygen demand (COD) measurement method	GENEPIO:0100787	The measured value from a chemical oxygen demand (COD) test.	Provide the numerical value of the COD test res	"			1.0.0	1.0.0	1.0.0
	ren chemical oxygen demand (COD) measurement value ren chemical oxygen demand (COD) measurement unit	GENEPIO:0100788	The units associated with a value from a chemical oxygen demand (COI) test.	1 TOVIGO DIO HUMONOGI VAIGO OT DIO OCE TOOL TOO	milligram per liter	(mall )		1.0.0	1.0.0	1.0.0
	ren chemical oxygen demand (COD) measurement unit ren chemical oxygen demand (COD) measurement method	GENEPIO:0100789 GENEPIO:0100790	The method used to measure chemical oxygen demand (COI).	Provide the units of the COD test result.  Provide the name of the procedure or technolog		,		1.0.0	1.0.0	1.0.0
	ren chemical oxygen demand (COD) measurement method ren carbonaceous biochemical oxygen demand (CBOD) measurement		The numerical value of a measurement of carbonaceous biochemical ox					1.0.0	1.0.0	1.0.0
	ren carbonaceous biochemical oxygen demand (CBOD) measurement		The units of a measurement of carbonaceous biochemical oxygen dema	1		(ma/L)		1.0.0	1.0.0	1.0.0
	ren carbonaceous biochemical oxygen demand (CBOD) measurement		The method used to measure carbonaceous biochemical oxygen demar					1.0.0	1.0.0	1.0.0
	ren total suspended solids (TSS) measurement value	GENEPIO:0100793	The numerical value from a total suspended solids (TSS) test	Provide the numerical value of the measured TS		on by option prope		1.0.0	1.0.0	1.0.0
	ren total suspended solids (TSS) measurement unit	GENEPIO:0100794 GENEPIO:0100795	The units associated with a value from a total suspended solids (TSS) test.		nercent (%)			1.0.0	1.0.0	1.0.0
	ren total suspended solids (TSS) measurement method	GENEPIO:0100796	The method used to measure total suspended solids (TSS).	Provide the name of the procedure or technolog	porcont (70)	ugh a 2-micron filter the			1.0.0	1.0.0
	ren total dissolved solids (TDS) measurement value	GENEPIO:0100797	The numerical value from a total dissolved solids (TDS) test.	Provide the numerical value of the measured TE		_g u into, the		1.0.0	1.0.0	1.0.0
	ren total dissolved solids (TDS) measurement unit	GENEPIO:0100797	The units associated with a value from a total dissolved solids (TDS) test.		percent (%)			1.0.0	1.0.0	1.0.0
	ron total dissolved solids (TDS) illeasurement unit				F()					1.0.0
	ren total dissolved solids (TDS) measurement method	GENERIO:0100700	The method used to measure total dissolved solids (TDS)	Provide the name of the procedure or tochnolog	y Subtract calculate	d TSS from calculated T	ς	100	100	
nvironmental conditions and measu	ren total dissolved solids (TDS) measurement method	GENEPIO:0100799 GENEPIO:0100800	The method used to measure total dissolved solids (TDS).  The numerical value from a total solids (TS) test.	Provide the name of the procedure or technolog  Provide the numerical value of the measured TS		ed TSS from calculated T		1.0.0	1.0.0	1.0.0

Parent Class	Field	Ontology Identifier	Definition	Guidance	Deprecated Label Deprecated II Examples	Version Tracking		
	n total solids (TS) measurement method	GENEPIO:0100802	The method used to measure total solids (TS).		Gravimetric method by oven drying, then weighing	1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100878	The numerical value of a measurement of alkalinity.	Provide the numerical value of the measured alk		1.0.0	1.0.0	1.0.0
Environmental conditions and measure	n alkalinity measurement unit	GENEPIO:0100879	The units of a measurement of alkalinity.	Provide the units of the measured alkalinity.	milligram per liter of calcium carbonate (mg/L CaCO3)	1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100880	The process used to measure alkalinity.	Provide the name of the procedure or technology		1.0.0	1.0.0	1.0.0
Environmental conditions and measure	r conductivity measurement value	GENEPIO:0100916	The numerical value of a measurement of conductivity.	Provide the numerical value of the measured co	nc 1412	1.0.0	1.0.0	1.0.0
Environmental conditions and measure	r conductivity measurement unit	GENEPIO:0100803	The units of a measurement of conductivity.	Provide the units of the measured conductivity.	microSiemen per centimeter (µS/cm)	1.0.0	1.0.0	1.0.0
Environmental conditions and measure	r conductivity measurement method	GENEPIO:0100804	The method used to measure conductivity.	Provide the name of the procedure or technology	Conductivity electrode and meter	1.0.0	1.0.0	1.0.0
Environmental conditions and measure	r salinity measurement value	GENEPIO:0100805	The numerical value of a measurement of salinity.	Provide the numerical value of the measured sal	ir 35	1.0.0	1.0.0	1.0.0
Environmental conditions and measure	n salinity measurement unit	GENEPIO:0100806	The units of a measurement of salinity.	Provide the units of the measured salinity.	practical salinity unit (PSU)	1.0.0	1.0.0	1.0.0
Environmental conditions and measure	n salinity measurement method	GENEPIO:0100807	The method used to measure salinity.	Provide the name of the procedure or technology	y conductivity meter	1.0.0	1.0.0	1.0.0
Environmental conditions and measure	r total nitrogen (TN) measurement value	GENEPIO:0100808	The numerical value of a measurement of total nitrogen (TN).	Provide the numerical value of the measured TN	1. 120	1.0.0	1.0.0	1.0.0
Environmental conditions and measure	n total nitrogen (TN) measurement unit	GENEPIO:0100809	The units of a measurement of total nitrogen (TN).	Provide the units of the measured TN.	milligram per liter (mg/L)	1.0.0	1.0.0	1.0.0
	n total nitrogen (TN) measurement method	GENEPIO:0100810	The method used to measure total nitrogen (TN).	Provide the name of the procedure or technology		1.0.0	1.0.0	1.0.0
	n total phosphorus (TP) measurement value	GENEPIO:0100811	The numerical value of a measurement of total phosphorus (TP).	Provide the numerical value of the measured TP		1.0.0	1.0.0	1.0.0
	r total phosphorus (TP) measurement unit	GENEPIO:0100812	The units of a measurement of total phosphorus (TP).	Provide the units of the measured TP.	milligrams orthophosphate as phosphorus per liter (mg PO4-		1.0.0	1.0.0
Environmental conditions and measure	n total phosphorus (TP) measurement method	GENEPIO:0100813	The method used to measure total phosphorus (TP).	Provide the name of the procedure or technology		1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100814	A gene, virus, bacteria, or substance used to measure the sanitary qual			1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100815	The numerical value of a measurement of fecal contamination.	Provide the numerical value of the measured fed		1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100816	The units of a measurement of fecal contamination.	Provide the units of the measured fecal contamin		1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100817	The method used to measure fecal contamination.	Provide the name of the procedure or technology		1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100818	The numerical value of a measurement of fecal coliforms within a samp			1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100819	The units of a measurement of fecal coliforms.	Provide the units of the measured fecal coliforms		1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100820	The method used to measure fecal coliforms.		y MPN method via serial dilutions until lack of growth	1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100837	A gene, virus, bacteria, or substance used to measure the sanitary qual			1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100838	The numerical value of a measurement of urinary contamination.	Provide the numerical value of the measured uri	-	1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100839	The units of a measurement of urinary contamination.	Provide the units of the measured urinary contar		1.0.0	1.0.0	1.0.0
Environmental conditions and measure		GENEPIO:0100840	The method used to measure urinary contamination.	Provide the name of the procedure or technology		1.0.0	1.0.0	1.0.0
	n sample temperature value (at collection)	GENEPIO:0100821	The numerical value of a measurement of temperature of a sample at or			1.0.0	1.0.0	1.0.0
	n sample temperature unit (at collection)	GENEPIO:0100822	The units of a measurement of temperature of a sample at the time of o	· '	3	1.0.0	1.0.0	1.0.0
	r sample temperature value (when received)	GENEPIO:0100823	The numerical value of a measurement of temperature of a sample upo			1.0.0	1.0.0	1.0.0
Environmental conditions and measure	r sample temperature unit (when received)	GENEPIO:0100824	The units of a measurement of temperature of a sample at the time upon	Provide the units of the measured temperature.	degree Celsius (C)	1.0.0	1.0.0	1.0.0
	Sequence information	GENEPIO:0001441		E				
				Every "library ID" from a single submitter must be unique. It can have any format, but we suggest that you make it concise, unique and consistent within your lab. and as informative as	LS 2010 NP			
Sequence information	library_ID	GENEPIO:0001448	The user-specified identifier for the library prepared for sequencing.	possible.	123446	1.0.0	1.0.0	1.0.0
Sequence information	sequencing assay type	GENEPIO:0100997	The overarching sequencing methodology that was used to determine the sequence of a biomaterial	Example Guidance: Provide the name of the DNA or RNA sequencing technology used in your study. If unsure refer to the protocol documentation, or provide a null value.	whole genome sequencing assay [OBI:0002117]	1.0.0	1.0.0	1.0.0
Sequence information	sequenting_assay_type	GENEFIO.0100997	the sequence of a biomaterial.	documentation, or provide a fruit value.	[051.0002117]	1.0.0	1.0.0	1.0.0
Sequence information	sequencing date	GENEPIO:0001447	The date the sample was sequenced.	ISO 8601 standard "YYYY-MM-DD".	2020-06-22	1.0.0	1.0.0	1.0.0
Sequence information	purpose of sequencing	GENEPIO:0001445	The reason that the sample was sequenced.	The reason why a sample was originally collected may differ from the reason why it was selected for sequencing. The reason a sample was sequenced may provide information about potential biases in sequencing strategy. Provide the purpose of sequencing from the picklist in the template. The reason for sample collection should be indicated in the "purpose of sampling" field.	Travel-associat ed surveillaince	1.0.0	1.0.0	1.0.0
Sequence information	purpose of sequencing details	GENEPIO:0001446	The description of why the sample was sequenced providing specific details.	Provide an expanded description of why the sample was sequenced using free text. The description may include the importance of the sequences for a particular public health investigation/surveillance activity/research question. Suggested standardized descriptions include: Assessing public health control measures, Determining early introductions and spread, Investigating arline-related exposures, Investigating remote regions, Investigating schools/universities.	Investigating schools/univers itles	1.0.0	1.0.0	1.0.0
Sequence information	sequenced by	GENEPIO:0100416	The name of the agency, organization or institution responsible for sequencing the isolate's genome.	Provide the name of the agency, organization or institution that performed the sequencing in full (avoid abbreviations). If the information is unknown or cannot be provided, leave blank or provide a null value.	Public Health Agency of Canada (PHAC) [PBCPI0:010 0551]	1.0.0	1.0.0	1.0.0

Parent Class	Field	Ontology Identifier	D. Statistaria	Outdoor	Formulas	Deprecated Label Deprecat	ed ID Version Tracking		
Parent Class	Field	identifier	Definition  The specific laboratory affiliation of the responsible for sequencing the	Guidance  Provide the name of the specific laboratory that that performed the sequencing in full (avoid abbreviations). If the information is unknown or cannot be provided, leave blank or provide a null	Examples		Tracking		
Sequence information	sequenced_by_laboratory_name	GENEPIO:0100470	isolate's genome.	value.  Provide the name of an individual or their job title. As personnel turnover may render the contact's name obsolete, it is more prefereable to provide a job title for ensuring accuracy of	Topp Lab		1.0.0	1.0.0	1.0.0
Sequence information	sequenced_by_contact_name	GENEPIO:0100471	The name or title of the contact responsible for follow-up regarding the sequence.	information and institutional memory. If the information is unknown or cannot be provided, leave blank or provide a null value.	Enterics Lab Manager		1.0.0	1.0.0	1.0.0
·			The email address of the contact responsible for follow-up regarding the	Provide the email associated with the listed contact. As personnel turnover may render an individual's email obsolete, it is more prefereable to provide an address for a position or lab, to ensure accuracy of information and institutional					
Sequence information	sequenced_by_contact_email	GENEPIO:0100422	sequence.	be provided, leave blank or provide a null value.  The name of the agency should be written out in	a		1.0.0	1.0.0	1.0.0
Sequence information	sequence submitted by	GENEPIO:0001159	The name of the agency that submitted the sequence to a database.	full, (with minor exceptions) and be consistent across multiple submissions. For Canadian institutions submitting specimens rather than sequencing data, please put the "National Microbiology Laboratory (NML)".	Public Health Ontario (PHO)		1.0.0	1.0.0	1.0.0
Sequence information	sequence submitter contact email	GENEPIO:0001165	The email address of the contact responsible for follow-up regarding the sequence.	The email address can represent a specific individual or laboratory.	RespLab@lab.		1.0.0	1.0.0	1.0.0
					Direct wastewater RNA capture and purification via the "Sewage, Salt, Silica and SARS-CoV-2 (45)" method v4 found at https://www.pro tocols.io/view/v-d-direct-waste water-rna-captur re-and-purificati no-36wqg651y on-36wqg651y				
Sample collection and processing	nucleic acid extraction method	GENEPIO:0100939	The process used to extract genomic material from a sample.	Briefly describe the extraction method used.	gk5/v4		1.0.0	1.0.0	1.0.0
Sample collection and processing	nucleic acid extraction kit	GENEPIO:0100772	The kit used to extract genomic material from a sample	Provide the name of the genomic extraction kit used.	QlAamp PowerFecal Pro DNA Kit		1.0.0	1.0.0	1.0.0
			The description of the endogenous controls included when extracting a	Provide the names of endogenous controls that were used as a reference during extraction. If relevant, include titers of these controls, as well as whether any controls were expected but not					
Sample collection and processing  Sequence information	endogenous control details sequencing_project_name	GENEPIO:0100923  GENEPIO:0100472	sample.  The name of the project/initiative/program for which sequencing was performed.	identified in the sample.  Provide the name of the project and/or the project ID here. If the information is unknown or cannot be provided, leave blank or provide a null value.	AMR-GRDI (PA-1356)		1.0.0	1.0.0	1.0.0
Sequence information	sequencing platform	GENEPIO:0100473	The platform technology used to perform the sequencing.	Provide the name of the company that created the sequencing instrument by selecting a value from the template pick list. If the information is unknown or cannot be provided, leave blank or provide a null value.	Illumina [GENEPIO:000 1923]		1.0.0	1.0.0	1.0.0
Sequence information		GENEPIO:0100473		Provide a nun value.  Provide the model sequencing instrument by selecting a value from the template pick list. If the information is unknown or cannot be provided, leave blank or provide a null value.	Illumina HiSeq 2500 [GENEPIO:010		1.0.0	1.0.0	1.0.0
ocquence information	sequencing_instrument	GENEPIO.0001452	The model of the sequencing instrument used.	provided, leave blatik of provide a fluit value.	0117]		1.0.0	1.0.0	1.0.0
Sequence information							1.0.0	1.0.0	1.0.0
Sequence information	library_preparation_kit	GENEPIO:0001450	The name of the DNA library preparation kit used to generate the library being sequenced.	Provide the name of the library preparation kit used.	Nextera XT		1.0.0	1.0.0	1.0.0
Sequence information	DNA fragment length	GENEPIO:0100843	The length of the DNA fragment generated by mechanical shearing or enzymatic digestion for the purposes of library preparation.	Provide the fragment length in base pairs (do not include the units).	t 400		1.0.0	1.0.0	1.0.0

		Ontology			Deprecated Label	Deprecated ID Ve	rsion		
Parent Class	Field	Identifier	Definition	Guidance	Examples	Tr	acking		
Sequence information	genomic target enrichment method	GENEPIO:0100966	The molecular technique used to selectively capture and amplify specific regions of interest from a genome.	Provide the name of the enrichment method	Hybrid selection method (bait-capture) [GENEPIO:000 1950]	11	0.0	1.0.0	1.0.0
			Details that provide additional context to the molecular technique used to selectively capture and amplify specific regions of interest from a	Provide details that are applicable to the method you used. Note: If bait-capture methods were used for enrichment, provide the panel name and version number (or a URL providing that	enrichment was done using Twist's respiratory virus research panel: https://www.twi stbioscience.co m/products/ngs //fixed-panels/re spiratory-virus-r				
Sequence information  Sequence information	genomic target enrichment method details  amplicon pcr primer scheme	GENEPIO:0100967  GENEPIO:0001456	genome.  The specifications of the primers (primer sequences, binding positions, fragment size generated etc) used to generate the amplicons to be sequenced.	information).  Provide the name and version of the primer scheme used to generate the amplicons for sequencing.	esearch-panel  artic v3		0.0	1.0.0	1.0.0
Sequence information	amplicon size	GENEPIO:0001449	The length of the amplicon generated by PCR amplification.	Provide the amplicon size expressed in base pairs.	300	1.1	0.0	1.0.0	1.0.0
Sequence information	sequencing flow cell version	GENEPIO:0101102	The version number of the flow cell used for generating sequence data.	Flow cells can vary in terms of design, chemistry capacity, etc. The version of the flow cell used to generate sequence data can affect sequence quantity and quality. Record the version of the flow cell used to generate sequence data. Do not include "version" or "v" in the version number.	R.9.4.1	1.9	0.0	1.0.0	1.0.0
Sequence information	sequencing_protocol	GENEPIO:0001454	The protocol or method used for sequencing.	Provide the name and version of the procedure or protocol used for sequencing. You can also provide a link to a protocol online.	https://www.pro tocols.io/view/n cov-2019-sequ encing-protocol -bbmuik6w/?ver sion_warning=n Q	1.	0.0	1.0.0	1.0.0
Sequence information	r1_fastq_filename	GENEPIO:0001476	The user-specified filename of the r1 FASTQ file.	Provide the r1 FASTQ filename.	ABC123_S1_L 001_R1_001.fa stq.gz	1.0	0.0	1.0.0	1.0.0
Sequence information	r2_fastq_filename	GENEPIO:0001477	The user-specified filename of the r2 FASTQ file.	Provide the r2 FASTQ filename.	ABC123_S1_L 001_R2_001.fa stq.gz	1.	0.0	1.0.0	1.0.0
Sequence information	fast5_filename	GENEPIO:0001480	The user-specified filename of the FAST5 file.	Provide the FAST5 filename.	batch1a_seque nces.fast5	1.0	0.0	1.0.0	1.0.0
Sequence information	consensus_sequence_filename	GENEPIO:01011119				1.0	0.0	1.0.0	1.0.0
Sequence information	assembly_filename	GENEPIO:0001461	The user-defined filename of the FASTA file.	Provide the FASTA filename.	pathogenasse mbly123.fasta	1.	0.0	1.0.0	1.0.0
	Bioinformatics and QC metrics	GENEPIO:0001457							
Bioinformatics and QC metrics	quality control method name	GENEPIO:0100557	The name of the method used to assess whether a sequence passed a predetermined quality control threshold.	Providing the name of the method used for quality control is very important for interpreting the rest of the QC information. Method names can be provided as the name of a pipeline or a link to a GitHub repository. Multiple methods should be listed and separated by a semi-colon. Do no include QC tags in other fields if no method name is provided.	ncov-tools	1.1	0.0	1.0.0	1.0.0
				Methods updates can make big differences to their outputs. Provide the version of the method used for quality control. The version can be expressed using whatever convention the developer implements (e.g. date, semantic versioning). If multiple methods were used, record the version numbers in the same order as					
Bioinformatics and QC metrics	quality control method version	GENEPIO:0100558	The version number of the method used to assess whether a sequence passed a predetermined quality control threshold.	the method names. Separate the version numbers using a semi-colon.	1.2.3	1.0	0.0	1.0.0	1.0.0

Parent Class	Field	Ontology Identifier	Definition	Guidance	Deprecated Label Examples	Deprecated ID	Version Tracking		
Bioinformatics and QC metrics	quality control determination	GENEPIO:0100559	The determination of a quality control assessment.	Select a value from the pick list provided. If a desired value is missing, submit a new term request to the PHA4GE QC Tag GitHub	sequence failed quality control		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	quality control issues	GENEPIO:0100560	The reason contributing to, or causing, a low quality determination in a quality control assessment.	Select a value from the pick list provided. If a desired value is missing, submit a new term request to the PHA4GE QC Tag GitHub	low average genome coverage		1.0.0	1.0.0	1.0.0
					CT value of 39. Low viral load. Low DNA concentration				
Bioinformatics and QC metrics	quality control details	GENEPIO:0100561	The details surrounding a low quality determination in a quality control assessment.	Provide notes or details regarding QC results using free text.	after amplification.		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	raw sequence data processing method	GENEPIO:0001458	The method used for raw data processing such as removing barcodes, adapter trimming, filtering etc.	Raw data processing can have a significant impact on data quality and how it can be used. Provide the names and version numbers of software used for trimming adaptors, quality filtering, etc. (e.g. Trimmomatic v. 0.38, Porechop v. 0.2.3), or a link to a GitHub protocol.	Porechop 0.2.3		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	dehosting method	GENEPIO:0001459	The method used to remove host reads from the pathogen sequence.	Provide the name and version number of the software used to remove host reads.	Nanostripper		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	sequence assembly software name	GENEPIO:0100825	The name of the software used to assemble a sequence.	Provide the name of the software used to assemble the sequence.	SPAdes Genome Assembler, Canu, wtdbg2, velvet		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	sequence assembly software version	GENEPIO:0100826	The version of the software used to assemble a sequence.	Provide the version of the software used to assemble the sequence.	3.15.5		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	consensus sequence software name	GENEPIO:0001463	The name of the software used to generate the consensus sequence.	Provide the name of the software used to generate the consensus sequence.	iVar		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	consensus sequence software version	GENEPIO:0001469	The version of the software used to generate the consensus sequence.	Provide the version of the software used to generate the consensus sequence.	1.3		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	breadth of coverage value	GENEPIO:0001472	The percentage of the reference genome covered by the sequenced data, to a prescribed depth.	Provide value as a percent.	95		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	depth of coverage value	GENEPIO:0001474	The average number of reads representing a given nucleotide in the reconstructed sequence.	Provide value as a fold of coverage.	400		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	depth of coverage threshold	GENEPIO:0001475	The threshold used as a cut-off for the depth of coverage.	Provide the threshold fold coverage.	100		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	genome completeness	GENEPIO:0100844	The percentage of expected genes identified in the genome being sequenced. Missing genes indicate missing genomic regions (incompleteness) in the data.	Provide the genome completeness as a percent (no need to include units).	85		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	number of base pairs sequenced	GENEPIO:0001482	The number of total base pairs generated by the sequencing process.	Provide a numerical value (no need to include units).	387566		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	number of total reads	GENEPIO:0100827	The total number of non-unique reads generated by the sequencing process.	Provide a numerical value (no need to include units).	423867		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	number of unique reads	GENEPIO:0100828	The number of unique reads generated by the sequencing process.	Provide a numerical value (no need to include units).	248236		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	minimum post-trimming read length	GENEPIO:0100829	The threshold used as a cut-off for the minimum length of a read after trimming.	Provide a numerical value (no need to include units).	150		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	number of contigs	GENEPIO:0100937	The number of contigs (contiguous sequences) in a sequence assembly.	Provide a numerical value.	10		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	percent Ns across total genome length	GENEPIO:0100830	The percentage of the assembly that consists of ambiguous bases (Ns)	Provide a numerical value (no need to include units).	2		1.0.0	1.0.0	1.0.0

Parent Class	Field	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label Deprecated ID	Version Tracking		
arent olass	Tield	identifier	Benniden	Caracinec	Lxumpics		· ·		
Bioinformatics and QC metrics	Ns per 100 kbp	GENEPIO:0001484	The number of ambiguous bases (Ns) normalized per 100 kilobasepairs (kbp).	Provide a numerical value (no need to include units).	342		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	N50	GENEPIO:0100938	The length of the shortest read that, together with other reads, represents at least 50% of the nucleotides in a set of sequences.	Provide the N50 value in Mb.	150		1.0.0	1.0.0	1.0.0
			The percent of the total number of reads identified as contamination	Provide the percent contamination value (no					
Bioinformatics and QC metrics	percent read contamination	GENEPIO:0100845	(not belonging to the target organism) in a sequence dataset.	need to include units).	2		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	sequence assembly length	GENEPIO:0100846	The length of the genome generated by assembling reads using a scaffold or by reference-based mapping.	Provide a numerical value (no need to include units).	34272		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	consensus genome length	GENEPIO:0001483	The length of the genome defined by the most common nucleotides at each position.	Provide a numerical value (no need to include units).	38677		1.0.0	1.0.0	1.0.0
Significant and QC metrics	consensus genome length	GENEFIO.0001463	each position.	units).	30077		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	reference genome accession	GENEPIO:0001485	A persistent, unique identifier of a genome database entry.	Provide the accession number of the reference genome.	NC_045512.2		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	deduplication method	GENEPIO:0100831	The method used to remove duplicated reads in a sequence read dataset.	Provide the deduplication software name followed by the version, or a link to a tool or method.	DeDup 0.12.8		1.0.0	1.0.0	1.0.0
		SENET IS STOCKED	Sandon.	Further details regarding the methods used to process raw data, and/or generate assemblies, and/or generate consensus sequences can. This information can be provided in an SOP or protocol or pipeline/workflow. Provide the name	https://github.c		1.0.0	1.0.0	10.0
Bioinformatics and QC metrics	bioinformatics protocol	GENEPIO:0001489	A description of the overall bioinformatics strategy used.	and version number of the protocol, or a GitHub link to a pipeline or workflow.	cov2019-artic-n		1.0.0	1.0.0	1.0.0
			37		-				
	Taxonomic identification information	GENEPIO:0101082							
Taxonomic identification information	read mapping software name	GENEPIO:0100832	The name of the software used to map sequence reads to a reference genome or set of reference genes.	Provide the name of the read mapping software.	Bowtie2, BWA-MEM, TopHat		1.0.0	1.0.0	1.0.0
Taxonomic identification information	read mapping software version	GENEPIO:0100833	The version of the software used to map sequence reads to a reference genome or set of reference genes.	Provide the version number of the read mapping software.	2.5.1		1.0.0	1.0.0	1.0.0
Taxonomic identification information	taxonomic reference database name	GENEPIO:0100834	The name of the taxonomic reference database used to identify the	Provide the name of the taxonomic reference database.	NCBITaxon		1.0.0	1.0.0	1.0.0
raxonomic identification information	taxonomic reference database name	GENEPIO.0100834	organism.	database.	NCBHAXOH		1.0.0	1.0.0	1.0.0
Taxonomic identification information	taxonomic reference database version	GENEPIO:0100835	The version of the taxonomic reference database used to identify the organism.	Provide the version number of the taxonomic reference database.	1.3		1.0.0	1.0.0	1.0.0
Taxonomic identification information	taxonomic analysis report filename	GENEPIO:0101074	The filename of the report containing the results of a taxonomic analysis.	Provide the filename of the report containing the results of the taxonomic analysis.	WWtax_report_ Feb1 2024.doc		1.0.0	1.0.0	1.0.0
				Providing the date that an analyis was performed can help provide context for tool and reference database versions. Provide the date that the	_				
Taxonomic identification information	taxonomic analysis date	GENEPIO:0101075	The date a taxonomic analysis was performed.	taxonomic analysis was performed in ISO 8601 format, i.e. "YYYY-MM-DD".	2024-02-01		1.0.0	1.0.0	1.0.0
Taxonomic identification information	and manning stitute	GENEPIO:0100836	A description of the criteria used to map reads to a reference sequence.	Provide a description of the read mapping	Phred score		1.0.0	1.0.0	1.0.0
raxonomic identification information	read mapping criteria	GENEPIO.0100836	A description of the differial used to map reads to a reference sequence.	инена.	~20		1.0.0	1.0.0	1.0.0
	Pathogen diagnostic testing	GENEPIO:0001506							
				Provide the full name of the gene used in the test. Standardized gene names can be found in					
Pathogen diagnostic testing	genetic target name	GENEPIO:0101116	The name of the genetic marker used for testing.	the Gene Ontology using this look-up service: https://bit.ly/2Sq1Lbl	gyrase A		1.0.0	1.0.0	1.0.0
Pathogen diagnostic testing	genetic target region	GENEPIO:0101117					1.0.0	1.0.0	1.0.0

Parent Class	Field	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label	Deprecated ID	Version Tracking		
r arent class	rieid	identinei	Definition	Guidance	Lxamples					
Pathogen diagnostic testing	genetic target region reference genome	GENEPIO:0101118						1.0.0	1.0.0	1.0.0
Tatilogen diagnostic testing	genetic target region reference genome	CENEL IO:0101110						1.0.0	1.0.0	1.0.0
				Select a value from the pick list provided, to						
Pathogen diagnostic testing	diagnostic target presence	GENEPIO:0100962	The binary value of the result from a diagnostic test.	describe whether a target was determined to be present or absent within a sample.	diagnostic target present			1.0.0	1.0.0	1.0.0
ratilogen diagnostic testing	diagnostic target presence	GENEFIO:0100902	The billary value of the result from a diagnostic test.	present or absent within a sample.	taiget present			1.0.0	1.0.0	1.0.0
Pathogen diagnostic testing	diagnostic measurement value	GENEPIO:0100963	The value of the result from a diagnostic test.	Provide the numerical result of a diagnostic test (no need to include units).	1000			1.0.0	1.0.0	1.0.0
Tatiogen diagnostic testing	diagnostic measurement value	GENET 10:0100303	The value of the result from a diagnostic test.	(no need to include dritts).	1000			1.0.0	1.0.0	1.0.0
Pathogen diagnostic testing	diagnostic measurement unit	GENEPIO:0100964	The unit of the result from a diagnostic test.	Select a value from the pick list provided, to describe the units of the given diagnostic test.	cycle threshold (Ct)			1.0.0	1.0.0	1.0.0
r anogen diagnostic testing	diagnostic measurement unit	GENET 10:0100304	The unit of the result from a diagnostic test.	describe the units of the given diagnostic test.	(Ot)			1.0.0	1.0.0	1.0.0
				Select a value from the pick list provided to						
Pathogen diagnostic testing	diagnostic measurement method	GENEPIO:0100965	The method by which a diagnostic result was determined.	describe the method used for a given diagnostic test.	aPCR			1.0.0	1.0.0	1.0.0
Patriogeri diagnostic testing	diagnostic measurement method	GENEPIO:0100965	The metriod by which a diagnostic result was determined.	test.	qrck			1.0.0	1.0.0	1.0.0
Dethe and discussed to the state of	diamental Academia de Calabara	GENEPIO:0101104						1.0.0	100	1.0.0
Pathogen diagnostic testing	diagnostic testing threshold value	GENEPIO:0101104						1.0.0	1.0.0	1.0.0
Dath and discount to the state of	diamagnetic description about the last contract	OFNEDIO 0404405						100	100	400
Pathogen diagnostic testing	diagnostic testing threshold units	GENEPIO:0101105						1.0.0	1.0.0	1.0.0
		05115510 0101100								
Pathogen diagnostic testing	diagnostic testing details	GENEPIO:0101106						1.0.0	1.0.0	1.0.0
		05115010 0100150								
	Risk assessment information	GENEPIO:0100478		Risk assessment requires detailed information						_
				regarding the quantities of a pathogen in a						
				specified location, commodity, or environment.						
				As such, it is useful for risk assessors to know what types of information are available through						
				documented methods and results. Provide the						
				metric types that are available in the surveillance project sample plan by selecting them from the						
				pick list. The metrics of interest are " Number of	Number of total					
				total samples collected", "Number of positive	samples					
				samples", "Average count of hazard organism", "Average count of indicator organism". You do	collected, Number of					
			Metrics regarding the prevalence of the pathogen of interest obtained	not need to provide the actual values, just	positive					
Risk assessment information	prevalence_metrics	GENEPIO:0100480	from a surveillance project.	indicate that the information is available.	samples			1.0.0	1.0.0	1.0.0
					Hazard organism					
					counts (i.e.					
				If there are details pertaining to samples or	Salmonella) do not distinguish					
			The details pertaining to the prevalence metrics from a surveillance	organism counts in the sample plan that might	between					
Risk assessment information	prevalence_metrics_details	GENEPIO:0100481	project.	be informative, provide details using free text.	serovars.			1.0.0	1.0.0	1.0.0
					Abattoir					
					[ENVO:010009					
Risk assessment information	stage_of_production	GENEPIO:0100482	The stage of food production.	Provide the stage of food production as free text	25]			1.0.0	1.0.0	1.0.0
				In some surveys, a particular intervention in the food supply chain in studied. If there was an						
				intervention specified in the sample plan, select						
Diek eegenment !-f	average and all interpretations	OENEDIO 0400400	The category of the experimental intervention applied in the food	the intervention category from the pick list	Vaccination			100	100	100
Risk assessment information	experimental_intervention	GENEPIO:0100483	production system.	provided.	[NCIT:C15346]			1.0.0	1.0.0	1.0.0
					2% cranberry					
District of the state of the st		OFFICE CONT.	The details of the experimental intervention applied in the food	If an experimental intervention was applied in the				400	400	100
Risk assessment information	experiment_intervention_details	GENEPIO:0100484	production system.	survey, provide details in this field as free text.	in feed			1.0.0	1.0.0	1.0.0