



CO223 - Lab 01

E/21/019

ADIKARI A.M.H.S.



- List 3 different protocols that appear in the protocol column in the unfiltered packet-listing window in step 7 above.
 - TPC
 - DNS
 - MDNS
 - LLMNR
- How long did it take from when the HTTP GET message was sent until the HTTP OK reply was received? (By default, the value of the Time column in the packet-listing window is the amount of time, in seconds, since Wireshark tracing began. To display the Time field in time-of-day format, select the Wireshark *View* pull down menu, then select *Time Display Format*, then select *Time-of-day*.)
 - Time taken=15:40:10.555605–15:40:10.522700=0.032905 seconds (or 32.905 milliseconds)



3. What is the Internet address of the gaia.cs.umass.edu (also known as www-net.cs.umass.edu)? What is the Internet address of your computer?

- Internet Address - 172.64.149.23
- My Computer Address - 10.20.0.118

```
Source Address: 10.30.0.118
Destination Address: 172.64.149.23
```

4. Print the two HTTP messages (GET and OK) referred to in question 2 above. To do so, select *Print* from the Wireshark *File* command menu, and select the “*Selected Packet Only*” and “*Print as displayed*” radial buttons, and then click OK.

No.	Time	Source	Destination	Protocol	Length	Info
709	15:40:10.470951	10.30.0.118	172.64.149.23	HTTP	293	GET /

MFIwUDBOMewwSjAJBgUrDgMCGglUABBTNMJMNdQcqx8FcBWK16EHdimS6QQUU3m%2FWqorSs9UgOHYm8Cd8rIDZssCEQCDW3YVIG0tbgl%2BC25An%2B%2FA HTTP/1.1

Frame 709: 293 bytes on wire (2344 bits), 293 bytes captured (2344 bits) on interface \Device\NPF_{1B9CEA87-A161-4BBB-A564-3AB561549520}, id 0

Ethernet II, Src: Intel_2b:9a:1c (6c:94:66:2b:9a:1c), Dst: HewlettPacka_6f:16:81 (d0:7e:28:6f:16:81)

Destination: HewlettPacka_6f:16:81 (d0:7e:28:6f:16:81)

Source: Intel_2b:9a:1c (6c:94:66:2b:9a:1c)

Type: IPv4 (0x0800)

[Stream index: 23]

Internet Protocol Version 4, Src: 10.30.0.118, Dst: 172.64.149.23

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total Length: 279

Identification: 0xb179 (45433)

010. = Flags: 0x2, Don't fragment

...0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 128

Protocol: TCP (6)

Header Checksum: 0x0000 [validation disabled]

[Header checksum status: Unverified]

Source Address: 10.30.0.118

Destination Address: 172.64.149.23

[Stream index: 73]

Transmission Control Protocol, Src Port: 1993, Dst Port: 80, Seq: 1, Ack: 1, Len: 239

Hypertext Transfer Protocol

No.	Time	Source	Destination	Protocol	Length	Info
715	15:40:10.522700	172.64.149.23	10.30.0.118	OCSP	1377	Response

Frame 715: 1377 bytes on wire (11016 bits), 1377 bytes captured (11016 bits) on interface \Device\NPF_{1B9CEA87-A161-4BBB-A564-3AB561549520}, id 0

Ethernet II, Src: HewlettPacka_6f:16:81 (d0:7e:28:6f:16:81), Dst: Intel_2b:9a:1c (6c:94:66:2b:9a:1c)

Destination: Intel_2b:9a:1c (6c:94:66:2b:9a:1c)

Source: HewlettPacka_6f:16:81 (d0:7e:28:6f:16:81)

Type: IPv4 (0x0800)

[Stream index: 23]

Internet Protocol Version 4, Src: 172.64.149.23, Dst: 10.30.0.118

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x88 (DSCP: AF41, ECN: Not-ECT)

Total Length: 1363

Identification: 0x455c (17756)

010. = Flags: 0x2, Don't fragment

...0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 57

Protocol: TCP (6)

Header Checksum: 0xaad5 [validation disabled]

[Header checksum status: Unverified]

Source Address: 172.64.149.23

Destination Address: 10.30.0.118

[Stream index: 73]

Transmission Control Protocol, Src Port: 80, Dst Port: 1993, Seq: 1461, Ack: 240, Len: 1323

[2 Reassembled TCP Segments (2783 bytes): #714(1460), #715(1323)]

Hypertext Transfer Protocol

Online Certificate Status Protocol