



| Revision No.: | Revision Date: | Description of Change: | Originator / Author Name: | Title / Department: |
|---------------|----------------|---|---------------------------|---------------------|
| 0 | 20220805 | Original | Arnel Ryan | PCQI / Compliance |
| 1 | 20240209 | 1. Aligned with updated policy. 2. Updated Policy, Procedure, Responsibility, Corrective Action, and Review-Quality. 3. Changed Lesson to Training Material and Comprehensive Quiz in the title. 4. Updated questions. 5. Added Comprehensive Quiz: ANSWER KEY. | Arnel Ryan | PCQI / Compliance |

Requirements:

- (1) The trainee has read or received a verbal translation of all or part of the policy, procedure, method, and or SOP for which they are being trained.
- (2) The trainee has demonstrated the task they are to perform or the procedure for which they are being trained as required.
- (3) The trainee has demonstrated the ability to perform the task with acceptable proficiency and with minimal supervision as required.

| | | | |
|---|--|------------------------|---------------------------|
| TRAINEE (Print Name): DOUGLAS GOMEZ | TRAINEE (Signature):  | Date: 2-9-24 | Department: #60 |
| Trainer / Supervisor (Print Name): | Trainer (Signature): | Date: | Department: |

UPON COMPLETION – EMAIL TO rfp@interlinkiq.com



| | |
|---------------------------------------|------------------------|
| NAME (Print): DOUGLAS DAMEZ | Date: 2-9-24 |
|---------------------------------------|------------------------|

Glass and Brittle Plastic Control Training Material and Comprehensive Quiz

Direction: Choose the best answer and encircle the letter.

1. **Who is responsible for monitoring and documenting non-conformance observation also known as discrepancy using the Corrective Action, Preventive Action Report form.**
 - A. QC Inspector
 - ☒ B. Quality Department/Preventative Control Qualified Individual (PCQI)
 - C. Sanitation Personnel

2. **These areas are offices, labs, shops, lunchrooms, and outside grounds; these areas have a low probability of food contamination in the event of glass or brittle plastic breakage.**
 - A. Indirect product safety areas
 - ☒ B. Non-product safety areas
 - C. Direct product safety areas

3. **Identified areas are inspected to ensure that containers, thermometers, equipment, and materials made out of glass, ceramics, or brittle plastic are free from cracks and in good condition.**
 - ☒ A. True
 - B. False

4. **Who is responsible for recording the glass breakage incident?**
 - A. Supervisors
 - B. PCQI
 - ☒ C. QC Personnel

5. **Laboratory glassware if transported through production areas in a non-glass sealed container by unauthorized personnel.**
 - A. True
 - ☒ B. False

UPON COMPLETION – EMAIL TO rfp@interlinkiq.com