## **API Reference**

# **FastAPI**

API Version: 0.1.0

Before consuming the endpoints set the variable MODEL\_DIRECTORY in .env to a directory that contains model checkpoints (.ckpt). Models outside of this directory can't be used for inference via endpoints.

Command for running the server:

(venv) username@pc:~/lumen-geoguesser\$ python3 src/app/main.py

## **INDEX**

1. AVAILABLE MODELS	3
1.1 GET /models	3
2. PREDICT	4
2.1 POST /model/{model_name}/predict-images	4
2.2 POST /model/{model_name}/predict-directory	5
2.3 POST /model/{model name}/predict-cardinal-images	6

## API

## 1. AVAILABLE MODELS

All available models from the MODEL\_DIRECTORY directory defined in the .env file

#### 1.1 GET /models

#### **Get Models**

Returns names of all available models on the server. You must use model names for all POST request predictions. Model name is a stem of the model checkpoint, e.g. model with filename my\_model.ckpt has the name my\_model. Models are fetched from the directory MODEL\_DIRECTORY which is defined in the .env file. Only models with the extension MODEL\_EXTENSION are fetched. Model names will be returned instead of the model filenames.

#### **REQUEST**

No request parameters

#### **RESPONSE**

STATUS CODE - 200: Successful Response

## 2. PREDICT

Endpoints used for predicting latitude and longitudes for given data. Curl example for multiple images:

curl -i \-F "images=@data/raw/images/train/e788b3d1-9d20-466c-9dee-97982f0f9a3b/0.jpg" \-F "images=@data/raw/images/train/e788b3d1-9d20-466c-9dee-97982f0f9a3b/0.jpg" \http://0.0.0.0:8090/model/

Golf\_76\_\_haversine\_0.0098\_\_val\_acc\_0.47\_\_val\_loss\_1.98\_\_05-04-03-36-32/predict-images

## 2.1 POST /model/{model\_name}/predict-images

#### **Predict Images**

Infers latitude and longitude for multiple images. If you have a group of images where each image represents one cardinal direction (north, east, south, and west) ("0.jpg", ..., "270.jpg") you should use the `/model/{model\_name}/predict-cardinal-images endpoint

#### **REQUEST**

#### PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*model_name	string	

#### FORM DATA PARAMETERS

NAME	TYPE	DESCRIPTION
images	array of string	

#### **RESPONSE**

#### STATUS CODE - 200: Successful Response

## RESPONSE MODEL - application/json

		pp, j
NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
latitude*	number	
longitude*	number	

#### STATUS CODE - 422: Validation Error

NAME	TYPE	DESCRIPTION
OBJECT WITH B	ELOW STRUCT	ΓURE
detail	array	
loc*	array	
ANY:OF	object	
prop0	string	
prop1	integer	

NAME	TYPE	DESCRIPTION
msg*	string	
type*	string	

## 2.2 POST /model/{model\_name}/predict-directory

#### **Predict Dataset**

Infers latitude and longitude for all images in the directory (dataset\_directory\_path) which contains subdirectories (uuid) with images for each cardinal direction. This structure is the same as the structure of the original dataset. Exactly 4 images must be sent per subdirectory and each image filename must match image's cardinal direction ("0.jpg", "90.jpg", "180.jpg", "270.jpg"). E.g northen image should be named "0.jpg". If csv\_filename is provided, results will also be saved to a .csv file.

#### **REQUEST**

#### **PATH PARAMETERS**

NAME	TYPE	DESCRIPTION
*model_name	string	

## REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
csv_filename	string	
dataset_directory_path*	string	

#### **RESPONSE**

#### STATUS CODE - 200: Successful Response

#### **RESPONSE MODEL - application/json**

NAME	TYPE	DESCRIPTION
ARRAY OF OBJ	ECT WITH E	ELOW STRUCTURE
uuid*	string	
latitude*	number	
longitude*	number	

#### STATUS CODE - 422: Validation Error

NAME	TYPE	DESCRIPTION
OBJECT WITH B	ELOW STRUC	TURE
detail	array	
loc*	array	
ANY:OF	object	
prop0	string	
prop1	integer	
msg*	string	
type*	string	

## 2.3 POST /model/{model\_name}/predict-cardinal-images

#### **Predict Cardinal Images**

Infers latitude and longitude for a single location which is defined by exactly 4 images, each for one cardinal direction. Exactly 4 images must be sent and each image filename must match image's cardinal direction ("0.jpg", "90.jpg", "180.jpg", "270.jpg"). E.g northen image should be named "0.jpg". This structure is the same as the structure of the original dataset.

#### **REQUEST**

#### **PATH PARAMETERS**

NAME	TYPE	DESCRIPTION
*model_name	string	

#### **FORM DATA PARAMETERS**

NAME	TYPE	DESCRIPTION
images	array of string	

#### **RESPONSE**

STATUS CODE - 200: Successful Response

#### **RESPONSE MODEL - application/json**

NAME	TYPE	DESCRIPTION	
ARRAY OF OBJECT WITH BELOW STRUCTURE			
latitude*	number		
longitude*	number		

#### STATUS CODE - 422: Validation Error

NAME	TYPE	DESCRIPTION	
OBJECT WITH BELOW STRUCTURE			
detail	array		
loc*	array		
ANY:OF	object		
prop0	string		
prop1	integer		
msg*	string		
type*	string		