ITF\_008\_5\_STUDENT.md 4/6/2021

# **STUDENT VERSION (TW-5)**







# **Meeting Agenda**

- ► Icebreaking
- **▶** Questions
- ► Interview Questions
- ► Coffee Break
- ► Logical Reasoning Questions
- ► Video of the week
- ► Retro meeting
- ► Case study / project

ITF\_008\_5\_STUDENT.md 4/6/2021

## **Teamwork Schedule**

Ice-breaking 10m

- Personal Questions (Stay at home & Corona, Study Environment, Kids etc.)
- Any challenges (Classes, Coding, studying, etc.)
- Ask how they're studying, give personal advice.
- Remind that practice makes perfect.

Ask Questions 15m

#### 1. What is the term to describe this code in Python?

```
count, fruit, price = (2, 'apple', 3.5)
```

- A. tuple assignment
- B. tuple unpacking
- **C.** tuple matching
- D. tuple duplication

#### 2. What built-in list method would you use to remove items from a list in Python?

- A. ".delete()" method
- **B.** pop(my\_list)
- C. del(my\_list)
- D. ".pop()" method

#### 3. What buit-in Python data type is commonly used to represent a stack?

- A. set
- **B.** list
- C. dictionary
- **D.** None. You can only build a stack from scratch.

#### 4. What would this expression return in Python?

ITF 008 5 STUDENT.md 4/6/2021

```
college_years = ['Freshman', 'Sophomore', 'Junior', 'Senior']
print(list(enumerate(college_years, 2019)))
```

- **A.** [('Freshman', 2019), ('Sophomore', 2020), ('Junior', 2021), ('Senior', 2022)]
- **B.** [(2019, 2020, 2021, 2022), ('Freshman', 'Sophomore', 'Junior', 'Senior')]
- C. [('Freshman', 'Sophomore', 'Junior', 'Senior'), (2019, 2020, 2021, 2022)]
- **D.** [(2019, 'Freshman'), (2020, 'Sophomore'), (2021, 'Junior'), (2022, 'Senior')]

# 5. Given the following three list, how would you create a new list that matches the desired output printed below in Python?

```
fruits = ['Apples', 'Oranges', 'Bananas']
quantities = [5, 3, 4]
prices = [1.50, 2.25, 0.89]
# Desired output
[('Apples', 5, 1.50),
('Oranges', 3, 2.25),
('Bananas', 4, 0.89)]
```

#### A.

```
fruits = ['Apples', 'Oranges', 'Bananas']
quantities = [5, 3, 4]
prices = [1.50, 2.25, 0.89]
output=[]

fruit_tuple_0 = (fruits[0], quantities[0], prices[0])
output.append(output)
fruit_tuple_1 = (fruits[1], quantities[1], prices[1])
output.append(output)
fruit_tuple_2 = (fruits[2], quantities[2], prices[2])
output.append(output)
print(fruit_tuple_0, fruit_tuple_1, fruit_tuple_2)
```

В.

```
fruits = ['Apples', 'Oranges', 'Bananas']
quantities = [5, 3, 4]
prices = [1.50, 2.25, 0.89]
i = 0
output = []
for fruit in fruits:
    temp_qty = quantities[i]
    temp_price = prices[i]
    output.append((fruit, temp_qty, temp_price))
```

ITF\_008\_5\_STUDENT.md 4/6/2021

```
i += 1
print(output)
```

C.

```
fruits = ['Apples', 'Oranges', 'Bananas']
quantities = [5, 3, 4]
prices = [1.50, 2.25, 0.89]

groceries = zip(fruits, quantities, prices)
print(list(groceries))
```

D.

```
fruits = ['Apples', 'Oranges', 'Bananas']
quantities = [5, 3, 4]
prices = [1.50, 2.25, 0.89]
i = 0
output = []
for fruit in fruits:
    for qty in quantities:
        for price in prices:
            output.append((fruit, qty, price))
        i += 1
print(output)
```

#### 6. Command to download all the objects and references from a specified repository?

- A. git config --list
- B. git help
- C. git fetch
- D. git log -n

#### 7. Which od the following command line environment is used for interacting with Git?

- A. Git Bash
- B. Git Hub
- C. Git Boot
- D. Git Lab

#### 8. The main objectives of Git are?

ITF_008_5_STUDENT.md	
<ul><li>A. speed</li><li>B. data integrity</li><li>C. support for distributed non-linear workflow</li><li>D. All of the above</li></ul>	ws
9. What comes first, staging with git add.	or committing
<ul><li>A. Committing with git commit</li><li>B. Staging your commit with git status</li><li>C. Staging your commits with git add</li><li>D. None of these</li></ul>	

with git commit?

- A. .gitignore
- **B.** gitignore.txt
- C. git.ignore
- **D.** ignore.git

### 11. The prompt of the root user is?

- **A.** @
- **B.** #
- **C**. %
- **D.** \$

### 12. The complete path name of a file or directory is

- A. Root name
- **B.** Tree name
- C. Relative path name
- **D.** Absolute path name

### 13. In Linux, if all the members of the group share their files, they are called as?

- A. File owner
- **B.** Other users
- C. File users
- **D.** Group users

14. When you are in the command mode in vim editor, what takes you to the ii	ne earting mode:
A. Cursor	
B.: colon	
C. Esc	
<b>D.</b> Enter	
15. The location where the user enter user name is called as?	
A. Login location	
B. Login user	
C. Login prompt	
<b>D.</b> Login name	
<b>D.</b> Login name	
Interview Questions	15m
1. What is the major difference between tuples and lists in Python?	
2. What is a commit message, and how is the commit command executed?	
3. What is the difference between git fetch and git pull?	
Coffee Break	10m
Logical Reasoning Questions	15m
1. A man is facing west. He turns 45 degrees in the clockwise direction and then the same direction and then 270 degrees in the anticlockwise direction. Find whow?	<del>-</del>
A. A. South-West  B. West	

C. South		
<b>D.</b> East-South		
2. In this question, five words have been given, out of which four are alike in some manner and the fifth one is different. Choose out the odd one?		
<ul><li>A. Potassium</li><li>B. Silicon</li><li>C. Zirconium</li><li>D. Gallium</li></ul>		
3. In this question, five words have been given, out of which fourArrange the words given below in a meaningful sequence?		
1.Elephant 2.Cat 3.Mosquito 4.Tiger 5. Whale		
<b>A.</b> 5, 3, 1, 2, 4 <b>B.</b> 3, 2, 4, 1, 5 <b>C.</b> 1, 3, 5, 4, 2 <b>D.</b> 2, 5, 1, 4, 3		
Video of the Week  • How to Prepare for a Virtual Interview	10m	
Retro Meeting on a personal and team level	10m	
<ul> <li>Ask the questions below:</li> <li>What went well?</li> <li>What could be improved?</li> <li>What will we commit to do better in the next week?</li> </ul>		
Closing	5m	
Next week's plan		
QA Session		