

CSS Lists

 [w3schools.com/css/css_list.asp](https://www.w3schools.com/css/css_list.asp)

[< Previous](#) [Next >](#)

Unordered Lists:

- Coffee
 - Tea
 - Coca Cola
-
- Coffee
 - Tea
 - Coca Cola

Ordered Lists:

1. Coffee
 2. Tea
 3. Coca Cola
-
1. Coffee
 2. Tea
 3. Coca Cola

HTML Lists and CSS List Properties

In HTML, there are two main types of lists:

- unordered lists () - the list items are marked with bullets
- ordered lists () - the list items are marked with numbers or letters

The CSS list properties allow you to:

- Set different list item markers for ordered lists
 - Set different list item markers for unordered lists
 - Set an image as the list item marker
 - Add background colors to lists and list items
-

Different List Item Markers

The `list-style-type` property specifies the type of list item marker.

The following example shows some of the available list item markers:

Example

```
ul.a {  
  list-style-type: circle;  
}  
  
ul.b {  
  list-style-type: square;  
}  
  
ol.c {  
  list-style-type: upper-roman;  
}  
  
ol.d {  
  list-style-type: lower-alpha;  
}
```

[Try it Yourself »](#)

Note: Some of the values are for unordered lists, and some for ordered lists.

An Image as The List Item Marker

The `list-style-image` property specifies an image as the list item marker:

Example

```
ul {  
  list-style-image: url('sqpurple.gif');  
}
```

[Try it Yourself »](#)

Position The List Item Markers

The `list-style-position` property specifies the position of the list-item markers (bullet points).

"list-style-position: outside;" means that the bullet points will be outside the list item. The start of each line of a list item will be aligned vertically. This is default:

- Coffee - A brewed drink prepared from roasted coffee beans...
- Tea
- Coca-cola

"list-style-position: inside;" means that the bullet points will be inside the list item. As it is part of the list item, it will be part of the text and push the text at the start:

- Coffee - A brewed drink prepared from roasted coffee beans...
- Tea
- Coca-cola

Example

```
ul.a {  
  list-style-position: outside;  
}
```

```
ul.b {  
  list-style-position: inside;  
}
```

[Try it Yourself »](#)

Remove Default Settings

The `list-style-type:none` property can also be used to remove the markers/bullets. Note that the list also has default margin and padding. To remove this, add `margin:0` and `padding:0` to `` or ``:

Example

```
ul {  
  list-style-type: none;  
  margin: 0;  
  padding: 0;  
}
```

[Try it Yourself »](#)

List - Shorthand property

The `list-style` property is a shorthand property. It is used to set all the list properties in one declaration:

Example

```
ul {  
  list-style: square inside url("sqpurple.gif");  
}
```

[Try it Yourself »](#)

When using the shorthand property, the order of the property values are:

- `list-style-type` (if a `list-style-image` is specified, the value of this property will be displayed if the image for some reason cannot be displayed)
- `list-style-position` (specifies whether the list-item markers should appear inside or outside the content flow)
- `list-style-image` (specifies an image as the list item marker)

If one of the property values above are missing, the default value for the missing property will be inserted, if any.

Styling List With Colors

We can also style lists with colors, to make them look a little more interesting.

Anything added to the `` or `` tag, affects the entire list, while properties added to the `` tag will affect the individual list items:

Example

```
ol {  
  background: #ff9999;  
  padding: 20px;  
}
```

```
ul {  
  background: #3399ff;  
  padding: 20px;  
}
```

```
ol li {  
  background: #ffe5e5;  
  color: darkred;  
  padding: 5px;  
  margin-left: 35px;  
}
```

```
ul li {  
  background: #cce5ff;  
  color: darkblue;  
  margin: 5px;  
}
```

Result:

1. Coffee
2. Tea

3. Coca Cola

- Coffee
- Tea
- Coca Cola

[Try it Yourself »](#)

More Examples

[Customized list with a red left border](#)

This example demonstrates how to create a list with a red left border.

[Full-width bordered list](#)

This example demonstrates how to create a bordered list without bullets.

[All the different list-item markers for lists](#)

This example demonstrates all the different list-item markers in CSS.

Test Yourself With Exercises

Exercise:

Set the list style for unordered lists to "square".

```
<style>
ul {
  list-style-type: square;
}
</style>

<body>
<ul>
  <li>Coffee</li>
  <li>Tea</li>
  <li>Coca Cola</li>
</ul>
</body>
```

[Start the Exercise](#)

All CSS List Properties

Property	Description
list-style	Sets all the properties for a list in one declaration

<u>list-style-image</u>	Specifies an image as the list-item marker
<u>list-style-position</u>	Specifies the position of the list-item markers (bullet points)
<u>list-style-type</u>	Specifies the type of list-item marker

[◀ Previous](#) [Next ▶](#)

