





All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.



All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.




All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.



All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.

05. PDB 3JZO | pepbdb_3jzo_P | target O15151


Peptide: LTFEHYWAQLTS | observed residues: 87 | contacts: 17




All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.


06. PDB 3JZP | pepbdb_3jzp_P | target O15151

Peptide: LTFEHWWAQLTS | observed residues: 87 | contacts: 18




All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.


07. PDB 3JZQ | pepbdb_3jzq_P | target O15151
Peptide: ETFEHWWSQLLS | observed residues: 84 | contacts: 18
True contact
Prior
Linear
Random forest
Extra trees
Histogram GB
25 N
35 K
45 E
55 Y
65 L
75 Y
85 L
95 P
108 T
Source target-sequence position (1-based) and amino acid
1.0
0.5
0.0
Reference label / mean model score
All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.


08. PDB 3JZS | pepbdb_3jzs_P | target Q00987
Peptide: ETFEHWWSQLLS | observed residues: 83 | contacts: 17
True contact
Prior
Linear
Random forest
Extra trees
Histogram GB
26 T
36 K
46 D
56 Y
66 L
76 Y
86 F
96 H
108 V
Source target-sequence position (1-based) and amino acid
1.0
0.5
0.0
Reference label / mean model score
All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.

09. PDB 5SXM | pepbdb_5sxm_C | target P61964


Peptide: ARTEVY | observed residues: 304 | contacts: 22



All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.

10. PDB 5UMM | pepbdb_5umm_B | target Q00987


Peptide: LTFLEYWAQLMQ | observed residues: 82 | contacts: 18



All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.

11. PDB 6EFK | pepbdb_6efk_D | target Q9UNE7


Peptide: IEEVD | observed residues: 132 | contacts: 16



All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.

12. PDB 6NSV | pepbdb_6nsv_C | target Q9UNE7

Peptide: LWWPD | observed residues: 128 | contacts: 18



All 12 held-out complexes are shown. Source-sequence positions are not PDB residue numbers. Labels describe geometric contacts, not functional hotspots. Mean scores are descriptive; per-seed scores and thresholds remain unchanged.