
LM generation
New peptide / known target
M1 vs M0 (3/3)
M2 vs M1 (3/3)
M3 vs M2 (1/3)
M3 vs A_L (1/3)
M3 vs A_Q (1/3)
M3 vs M0 (1/3)
Reference MAE − candidate MAE (pKD units)
Positive: lower candidate error
LM generation
New peptide / new target
M1 vs M0 (2/3)
M2 vs M1 (3/3)
M3 vs M2 (3/3)
M3 vs A_L (3/3)
M3 vs A_Q (3/3)
M3 vs M0 (2/3)
Reference MAE − candidate MAE (pKD units)
Positive: lower candidate error
Numeric head
New peptide / known target
M1 vs M0 (3/3)
M2 vs M1 (3/3)
M3 vs M2 (1/3)
M3 vs A_L (1/3)
M3 vs A_Q (1/3)
M3 vs M0 (1/3)
-1.0
0.0
1.0
Reference MAE − candidate MAE (pKD units)
Positive: lower candidate error
Numeric head
New peptide / new target
M1 vs M0 (2/3)
M2 vs M1 (3/3)
M3 vs M2 (3/3)
M3 vs A_L (3/3)
M3 vs A_Q (3/3)
M3 vs M0 (2/3)
-1.0
0.0
1.0
Reference MAE − candidate MAE (pKD units)
Positive: lower candidate error
Seed 17
Seed 42
Seed 2026
Mean ± sample SD (3/3 only)