

Supplementary File for “A Global and Local Search-Assisted Evolutionary Algorithm for Large-scale Constrained Multiobjective Optimisation”

CONTENTS

LIST OF FIGURES

S-I	The population distribution of seven algorithms on 1000-dimensional MW3.	6
S-II	The population distribution of median IGD values obtained by seven algorithms on 1000-dimensional DC1_DTLZ3.	6

LIST OF TABLES

S-I	The IGD results obtained by GLCMEA and six compared algorithms on LIRCMOP test suite	2
S-II	The HV results obtained by GLCMEA and six compared algorithms on LIRCMOP test suite	3
S-III	The IGD results obtained by GLCMEA and six compared algorithms on MW test suite	4
S-IV	The HV results obtained by GLCMEA and six compared algorithms on MW test suite	5
S-V	The IGD results obtained by GLCMEA and six compared algorithms on (D)C_DTLZ test suite	7
S-VI	The HV results obtained by GLCMEA and six compared algorithms on (D)C_DTLZ test suite	8
S-VII	The IGD results of GLCMEA with $\delta = 0.05$ and different g values	9
S-VIII	The IGD results of GLCMEA with $g = 35$ and different δ values	10
S-IX	The IGD results of GLCMEA and GLCMEA-LMEA	11
S-X	The IGD results of GLCMEA and GLCMEA-UPF	12
S-XI	The IGD results of GLCMEA, GLCMEA-random1, and GLCMEA-random2	13
S-XII	The IGD results of GLCMEA and six compared algorithms on CLSMOP test suite	14

TABLE S-I
THE IGD RESULTS OBTAINED BY GLCMEA AND SIX COMPARED ALGORITHMS ON LIRC MOP TEST SUITE

Problem	D	CCMO	MTCMO	C_LMEA	C_LMOCO	DPSEA	POCEA	TLCMEA
LIRC MOP1	100	3.1383e-1 (2.40e-2)	2.5271e-1 (3.93e-3)	3.4685e-1 (7.87e-3)	1.3440e-2 (1.14e-3) +	2.9412e-1 (2.00e-2)	4.9748e-2 (1.83e-2)	4.9450e-2 (9.58e-3)
	200	3.2046e-1 (1.73e-2)	2.8792e-1 (3.50e-3)	NaN (0.00%) -	1.3867e-2 (1.10e-3) +	3.0887e-1 (1.67e-2)	5.2148e-2 (2.81e-2)	7.3324e-2 (1.59e-2)
	500	3.2950e-1 (9.60e-3)	3.1574e-1 (1.89e-3)	NaN (0.00%) -	2.6215e-2 (3.67e-2) +	3.1427e-1 (9.88e-3)	1.7252e-1 (9.24e-2)	1.3319e-1 (3.34e-2)
	1000	3.3847e-1 (7.17e-3)	3.3054e-1 (1.06e-3)	NaN (0.00%) -	1.3581e-1 (1.05e-1) =	3.2414e-1 (7.30e-3)	3.4755e-1 (7.57e-3)	1.8303e-1 (4.53e-2)
LIRC MOP2	100	2.3702e-1 (2.69e-2)	2.1987e-1 (3.11e-3)	3.0652e-1 (5.42e-3)	1.5217e-2 (9.79e-4) +	2.5229e-1 (1.95e-2)	5.7454e-2 (2.18e-2)	3.0733e-2 (4.39e-3)
	200	2.6288e-1 (1.68e-2)	2.5035e-1 (2.33e-3)	NaN (0.00%) -	1.5545e-2 (1.37e-3) +	2.5905e-1 (1.74e-2)	5.0823e-2 (1.77e-2)	3.9048e-2 (5.96e-3)
	500	2.8846e-1 (1.17e-2)	2.7735e-1 (1.40e-3)	NaN (0.00%) -	1.5886e-2 (1.30e-3) +	2.7338e-1 (1.10e-2)	7.9303e-2 (5.29e-2)	6.6126e-2 (1.78e-2)
	1000	2.8913e-1 (7.13e-3)	2.9092e-1 (1.25e-3)	NaN (0.00%) -	2.7834e-1 (1.10e-2)	2.8292e-1 (4.60e-3)	3.1309e-1 (9.64e-3)	7.7415e-2 (2.08e-2)
LIRC MOP3	100	3.0266e-1 (2.83e-2)	2.4517e-1 (2.09e-2)	3.4134e-1 (4.35e-3)	1.6854e-1 (1.22e-1)	3.0355e-1 (4.01e-2)	NaN (96.67%) -	2.4964e-2 (1.01e-2)
	200	3.2079e-1 (2.14e-2)	3.2890e-1 (6.60e-4)	NaN (0.00%) -	3.3130e-1 (1.73e-3)	3.3256e-1 (9.74e-3)	NaN (96.67%) -	3.5257e-2 (1.23e-2)
	500	3.4013e-1 (1.04e-2)	3.2979e-1 (1.52e-3)	NaN (0.00%) -	3.3185e-1 (2.49e-3)	3.3312e-1 (1.34e-2)	NaN (96.67%) -	5.1600e-2 (1.52e-2)
	1000	3.4106e-1 (7.54e-3)	3.3526e-1 (3.50e-3)	NaN (0.00%) -	3.3213e-1 (2.30e-3)	3.3311e-1 (4.35e-3)	3.4231e-1 (7.06e-3)	8.3270e-2 (4.54e-2)
LIRC MOP4	100	2.8471e-1 (3.19e-2)	2.3394e-1 (1.71e-2)	3.1629e-1 (4.97e-3)	2.1173e-1 (8.42e-2)	2.8112e-1 (3.03e-2)	NaN (93.33%) -	2.4573e-2 (7.63e-3)
	200	3.0092e-1 (2.08e-2)	2.9755e-1 (1.90e-2)	NaN (0.00%) -	3.0756e-1 (2.32e-3)	3.0492e-1 (1.43e-2)	NaN (96.67%) -	4.0084e-2 (1.63e-2)
	500	3.1079e-1 (1.63e-2)	3.0788e-1 (1.71e-3)	NaN (0.00%) -	3.0812e-1 (2.15e-3)	3.1118e-1 (9.22e-3)	NaN (86.67%) -	7.3788e-2 (3.10e-2)
	1000	3.1518e-1 (5.83e-3)	3.1329e-1 (3.61e-3)	NaN (0.00%) -	3.0874e-1 (2.22e-3)	3.1023e-1 (3.25e-3)	3.1845e-1 (6.15e-3)	8.2616e-2 (2.71e-2)
LIRC MOP5	100	3.6569e-1 (3.35e-2)	8.1975e-1 (4.35e-1)	6.2762e-1 (4.79e-1)	1.2184e+0 (2.53e-3)	3.5636e-1 (2.46e-2)	1.1973e+0 (1.61e-1)	1.2488e-1 (3.96e-2)
	200	3.6360e-1 (1.94e-2)	8.7818e-1 (4.23e-1)	9.9926e-1 (7.21e-1)	1.2172e+0 (1.97e-3)	3.6543e-1 (1.98e-2)	1.2256e+0 (4.61e-3)	1.7798e-1 (7.96e-2)
	500	3.7236e-1 (1.79e-2) +	1.2236e+0 (1.91e-3)	1.9444e+0 (7.33e-1)	1.2186e+0 (1.04e-3)	3.7310e-1 (1.73e-2) +	1.2252e+0 (3.07e-3)	3.8259e-1 (3.45e-1)
	1000	3.7496e-1 (1.20e-2) +	1.2258e+0 (1.25e-3) =	1.8438e+0 (5.74e-1)	1.2193e+0 (9.94e-4)	3.7300e-1 (1.01e-2) +	1.2274e+0 (3.26e-3) =	9.8283e-1 (4.20e-1)
LIRC MOP6	100	4.2154e-1 (5.16e-2)	7.7084e-1 (4.47e-1)	7.4578e-1 (4.36e-1)	1.3484e+0 (1.06e-3)	3.9561e-1 (3.67e-2)	1.3497e+0 (1.40e-3)	1.2337e-1 (6.38e-2)
	200	4.2739e-1 (2.86e-2)	9.5990e-1 (4.49e-1)	1.0512e+0 (4.67e-1)	1.3476e+0 (9.39e-4)	4.2294e-1 (2.49e-2)	1.3496e+0 (1.31e-3)	2.2614e-1 (8.08e-2)
	500	4.2944e-1 (2.84e-2) +	1.3450e+0 (1.22e-4)	1.4391e+0 (5.59e-1)	1.3475e+0 (6.92e-4)	4.3304e-1 (1.85e-2)	1.3491e+0 (1.75e-3)	7.4292e-1 (4.78e-1)
	1000	4.3440e-1 (1.91e-2) +	1.3451e+0 (1.12e-4)	1.2979e+0 (5.06e-1)	1.3470e+0 (5.66e-4)	4.3562e-1 (1.39e-2)	1.3488e+0 (1.52e-3)	1.0514e+0 (4.66e-1)
LIRC MOP7	100	1.4738e-1 (1.82e-2)	1.4684e-1 (1.85e-2)	7.3518e-1 (5.77e-1)	1.6854e+0 (1.41e-3)	1.4315e-1 (1.29e-2)	9.8008e-1 (7.70e-1)	1.2624e-1 (4.81e-1)
	200	1.5314e-1 (1.56e-2)	1.6055e-1 (1.17e-2)	1.0512e+0 (5.83e-1)	1.6844e+0 (1.00e-3)	1.5045e-1 (1.42e-2)	1.4386e+0 (5.67e-1)	1.4850e-1 (4.42e-1)
	500	1.5341e-1 (7.68e-3) +	1.6928e-1 (7.72e-3) +	1.4771e+0 (5.29e-1)	1.6844e+0 (8.54e-4)	1.5511e-1 (7.49e-3) +	1.6382e+0 (7.49e-3) +	1.9604e-1 (4.84e-1)
	1000	1.5541e-1 (7.28e-3)	1.7125e-1 (6.40e-3)	1.9458e+0 (3.27e-1)	1.6834e+0 (7.60e-4)	1.5780e-1 (8.07e-3)	1.6876e+0 (2.71e-3)	1.1866e-1 (3.05e-2)
LIRC MOP8	100	2.5314e-1 (2.30e-2)	2.5457e-1 (3.30e-2)	9.5931e-1 (5.52e-1)	1.6849e+0 (1.37e-3)	2.3154e-1 (1.59e-2)	1.4066e+0 (5.74e-1)	7.2234e-2 (8.60e-2)
	200	2.4689e-1 (1.44e-2)	2.6102e-1 (1.48e-2)	1.0901e+0 (5.46e-1)	1.6843e+0 (9.24e-4)	2.5148e-1 (1.41e-2)	1.6876e+0 (2.46e-3)	8.7930e-2 (4.92e-2)
	500	2.5627e-1 (1.08e-2)	2.7327e-1 (1.11e-2)	1.7674e+0 (2.43e-1)	1.6840e+0 (8.76e-4)	2.6061e-1 (6.56e-3)	1.6873e+0 (2.67e-3)	1.4588e-1 (5.84e-2)
	1000	2.5626e-1 (8.55e-3)	2.8308e-1 (7.58e-3)	2.2202e+0 (6.91e-1)	1.6831e+0 (5.99e-4)	2.6162e-1 (6.67e-3) =	1.6867e+0 (2.41e-3)	2.3934e-1 (8.75e-2)
LIRC MOP9	100	1.1733e+0 (1.35e-1)	1.0410e+0 (1.32e-1)	4.3870e-1 (9.33e-2)	5.2134e-1 (9.36e-2)	6.9502e-1 (1.73e-1)	9.9688e-1 (3.10e-1)	1.0477e-1 (2.91e-2)
	200	1.2838e+0 (1.37e-2)	1.1947e+0 (1.33e-1)	4.6378e-1 (9.76e-2)	4.8488e-1 (4.76e-2)	1.0173e+0 (1.95e-1)	1.2671e+0 (6.81e-2)	1.3141e-1 (4.32e-2)
	500	1.2938e+0 (1.84e-1)	1.2891e+0 (1.56e-3)	5.6564e-1 (1.78e-1)	7.6122e-1 (3.36e-1)	1.2918e+0 (2.45e-3)	1.2985e+0 (2.46e-3)	2.6483e-1 (1.05e-1)
	1000	1.2940e+0 (6.52e-4)	1.2901e+0 (1.81e-3)	6.6682e-1 (2.51e-1)	1.2014e+0 (2.37e-1)	1.2940e+0 (5.84e-4)	1.2394e+0 (6.62e-2)	4.4066e-1 (1.90e-1)
LIRC MOP10	100	2.8239e-1 (1.27e-2)	4.1256e-1 (1.29e-1)	3.4595e-1 (1.37e-1)	6.3813e-1 (9.65e-2)	4.0118e-1 (7.59e-2)	8.1466e-1 (2.24e-1)	2.9075e-2 (1.93e-2)
	200	4.5481e-1 (1.51e-1)	4.7624e-1 (1.61e-1)	4.7875e-1 (2.3e-1)	9.0466e-1 (1.87e-1)	4.2605e-1 (7.76e-2)	8.0465e-1 (1.90e-1)	5.9388e-2 (2.90e-2)
	500	5.1722e-1 (1.84e-1)	5.6207e-1 (1.50e-1)	6.4407e-1 (2.46e-1)	1.0787e+0 (2.40e-2)	4.2680e-1 (7.75e-2)	7.9970e-1 (1.44e-1)	1.7475e-1 (9.38e-2)
	1000	6.0599e-1 (1.98e-1)	7.4029e-1 (1.52e-1)	6.2525e-1 (1.07e-1)	1.0698e+0 (3.46e-2)	4.3825e-1 (9.26e-2)	7.6487e-1 (9.94e-2)	3.5842e-1 (1.61e-1)
LIRC MOP11	100	1.5742e-1 (7.78e-2)	4.9603e-1 (3.24e-1)	4.4562e-1 (1.40e-1)	5.3729e-1 (1.22e-1)	1.5164e-1 (1.16e-2)	1.0297e+0 (1.06e-1)	6.0970e-3 (2.36e-3)
	200	3.0988e-1 (2.60e-1)	4.0089e-1 (2.69e-1)	4.0096e-1 (1.11e-1)	6.9534e-1 (2.32e-1)	2.4301e-1 (8.89e-2)	1.1080e+0 (9.30e-2)	1.1437e-2 (6.44e-3)
	500	6.5255e-1 (3.20e-1)	7.8102e-1 (3.12e-1)	5.2153e-1 (1.94e-1)	1.0947e+0 (4.93e-3)	3.3604e-1 (1.22e-1)	1.1472e+0 (8.60e-2)	1.4396e-1 (2.51e-1)
	1000	6.8826e-1 (2.17e-1)	8.3455e-1 (2.80e-1)	5.9107e-1 (2.79e-1)	1.1415e+0 (9.01e-2)	3.5785e-1 (1.39e-1)	1.1753e+0 (1.03e-1)	1.6695e-1 (1.88e-1)
LIRC MOP12	100	8.5846e-1 (1.11e-1)	7.3862e-1 (6.72e-2)	4.5012e-1 (1.66e-1)	2.6524e-1 (2.31e-2)	3.9183e-1 (6.14e-2)	7.4566e-1 (2.70e-1)	4.5125e-2 (1.78e-1)
	200	9.5194e-1 (4.53e-3)	8.2000e-1 (9.07e-2)	4.6057e-1 (1.69e-1)	2.7412e-1 (3.61e-2)	8.9672e-1 (1.21e-1)	9.5095e-1 (1.09e-1)	6.0073e-2 (1.42e-1)
	500	9.5515e-1 (4.67e-3)	9.4921e-1 (1.03e-3)	5.2735e-1 (2.16e-1)	4.5207e-1 (3.06e-1)	9.4970e-1 (8.40e-4)	9.7364e-1 (1.95e-2)	1.1493e-1 (1.96e-1)
	1000	9.5586e-1 (2.04e-4)	9.5052e-1 (8.20e-4)	6.1676e-1 (2.40e-1)	7.6967e-1 (3.04e-1)	9.5063e-1 (7.20e-4)	9.8014e-1 (2.00e-2)	2.0543e-1 (1.40e-1)
LIRC MOP13	100	9.3070e-2 (9.70e-4)	1.3147e+0 (1.97e-3)	9.2176e-2 (1.01e-3) +	1.3015e+0 (1.02e-4)	9.2126e-2 (1.04e-3) +	4.9351e-1 (5.68e-1)	9.3096e-2 (1.16e-3)
	200	9.3384e-2 (9.21e-4)	1.3156e+0 (1.70e-3)	9.2024e-2 (1.05e-3)	1.3013e+0 (1.18e-4)	9.2021e-2 (8.48e-4) +	4.9141e-1 (5.72e-1)	9.3164e-2 (8.95e-4)
	500	9.3519e-2 (1.18e-3)	1.3149e+0 (1.71e-3)	9.1843e-2 (9.68e-4) +	1.3012e+0 (3.69e-5)	9.2274e-2 (1.05e-3)	1.9442e-1 (3.15e-1)	9.3509e-2 (9.75e-4)
	1000	9.4163e-2 (1.04e-3)	1.3152e+0 (1.85e-3)	9.1948e-2 (9.27e-4) +	1.3012e+0 (2.19e-5)	9.2306e-2 (8.99e-4)	1.5361e-1 (2.78e-1)	9.3829e-2 (9.69e-4)
LIRC MOP14	100	9.5799e-2 (9.26e-4)	1.2719e+0 (1.94e-3)	1.3214e-1 (1.05e-2)	1.2577e+0 (1.69e-4)	9.4342e-2 (7.85e-4)	5.2538e-1 (5.66e-1)	9.5092e-2 (1.48e-3)
	200	9.5750e-2 (1.08e-3)	1.2720e+0 (1.53e-3)	1.4312e-1 (1.25e-2)	1.2575e+0 (1.17e-4)	9.4302e-2 (6.63e-4)	4.3785e-1 (5.36e-1)	9.5047e-2 (1.02e-3)
	500	9.5634e-2 (1.02e-3)	1.2720e+0 (1.74e-3)	1.5082e-1 (1.88e-2)	1.2573e+0 (5.96e-5)	9.4177e-2 (8.53e-4)	1.0795e-1 (1.50e-2)	9.4729e-2 (7.73e-4)
	1000	9.5419e-2 (8.60e-4)	1.2711e+0 (1.88e-3)	1.4551e-1 (1.96e-2)	1.2573e+0 (2.35e-5)	9.4232e-2 (1.08e-3) =	1.0006e-1 (1.33e-3)	9.4685e-2 (9.05e-4)
+/-/=		5/46/5	1/54/1	4/52/0	6/49/1	12/42/2	1/52/3	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the compared algorithm is significantly better than, worse than, and similar to the proposed algorithm, respectively. “NaN” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.

TABLE S-II
THE HV RESULTS OBTAINED BY GLCMEA AND SIX COMPARED ALGORITHMS ON LIRCMOP TEST SUITE

Problem	D	CCMO	MTCMO	C_LMEA	C_LMOCSO	DPSEA	POCEA	TLCMEA
LIRCMOP1	100	1.0892e-1 (6.12e-3) -	1.2794e-1 (3.85e-3) -	9.8663e-2 (2.33e-3) -	2.3143e-1 (8.81e-4) +	1.1471e-1 (5.95e-3) -	2.0879e-1 (1.16e-2) +	2.0494e-1 (6.32e-3)
	200	1.0570e-1 (5.69e-3) -	1.1681e-1 (2.99e-3) -	NaN (0.00%) -	2.3100e-1 (7.61e-4) +	1.0903e-1 (5.12e-3) -	2.0643e-1 (1.51e-2) +	1.9213e-1 (8.04e-3)
	500	1.0398e-1 (3.00e-3) -	1.0802e-1 (1.82e-3) -	NaN (0.00%) -	2.2709e-1 (1.08e-2) +	1.0846e-1 (2.83e-3) -	1.5264e-1 (3.15e-2) -	1.6382e-1 (1.45e-2)
	1000	1.0149e-1 (2.12e-3) -	1.0345e-1 (1.14e-3) -	NaN (0.00%) -	1.7635e-1 (4.75e-2) =	1.0504e-1 (2.55e-3) -	9.6458e-2 (2.80e-3) -	1.4586e-1 (1.61e-2)
LIRCMOP2	100	2.3735e-1 (1.26e-2) -	2.4714e-1 (4.84e-3) -	2.0950e-1 (5.14e-3) -	3.5284e-1 (6.44e-4) +	2.3221e-1 (8.94e-3) -	3.3116e-1 (1.18e-2) -	3.4688e-1 (2.11e-3)
	200	2.2511e-1 (9.26e-3) -	2.3255e-1 (2.97e-3) -	NaN (0.00%) -	3.5248e-1 (7.49e-4) +	2.2915e-1 (7.93e-3) -	3.3411e-1 (8.51e-3) -	3.3960e-1 (4.16e-3)
	500	2.1679e-1 (5.20e-3) -	2.2159e-1 (2.52e-3) -	NaN (0.00%) -	3.5196e-1 (7.95e-4) +	2.2328e-1 (5.56e-3) -	3.2174e-1 (2.45e-2) =	3.2153e-1 (1.08e-2)
	1000	2.1651e-1 (3.55e-3) -	2.1588e-1 (1.58e-3) -	NaN (0.00%) -	2.2201e-1 (4.93e-3) -	2.1943e-1 (3.14e-3) -	2.1235e-1 (3.66e-3) -	3.1380e-1 (1.58e-2)
LIRCMOP3	100	1.0360e-1 (9.43e-3) -	1.1837e-1 (7.12e-3) -	9.1012e-2 (3.18e-3) -	1.4465e-1 (4.50e-2) -	1.0383e-1 (1.09e-2) -	NaN (96.67%) -	1.9898e-1 (3.53e-3)
	200	9.7855e-2 (5.59e-3) -	9.7035e-2 (2.15e-3) -	NaN (0.00%) -	9.5297e-2 (7.40e-4) -	9.5320e-2 (2.93e-3) -	NaN (96.67%) -	1.9358e-1 (4.97e-3)
	500	9.3192e-2 (2.41e-3) -	9.6730e-2 (2.24e-3) -	NaN (0.00%) -	9.4837e-2 (9.25e-4) -	9.4745e-2 (3.66e-3) -	NaN (96.67%) -	1.8547e-1 (6.50e-3)
	1000	9.3056e-2 (3.28e-3) -	9.5183e-2 (1.24e-3) -	NaN (0.00%) -	9.4747e-2 (9.80e-4) -	9.6041e-2 (1.60e-3) -	9.2160e-2 (1.73e-3) -	1.7196e-1 (1.28e-2)
LIRCMOP4	100	1.9367e-1 (1.41e-2) -	2.1639e-1 (8.46e-3) -	1.8105e-1 (3.95e-3) -	2.2524e-1 (3.59e-2) -	1.9521e-1 (1.32e-2) -	NaN (93.33%) -	3.0767e-1 (3.24e-3)
	200	1.8778e-1 (9.64e-3) -	1.9002e-1 (9.40e-3) -	NaN (0.00%) -	1.8117e-1 (1.12e-3) -	1.8578e-1 (7.21e-3) -	NaN (96.67%) -	2.9983e-1 (7.42e-3)
	500	1.8397e-1 (7.72e-3) -	1.8420e-1 (2.03e-3) -	NaN (0.00%) -	1.8041e-1 (1.37e-3) -	1.8290e-1 (4.04e-3) -	NaN (86.67%) -	2.8471e-1 (1.68e-2)
	1000	1.8144e-1 (1.74e-3) -	1.8254e-1 (2.05e-3) -	NaN (0.00%) -	1.8005e-1 (1.46e-3) -	1.8313e-1 (9.73e-4) -	1.7668e-1 (2.79e-3) -	2.8124e-1 (1.24e-2)
LIRCMOP5	100	1.3283e-1 (1.39e-2) -	6.1797e-2 (6.75e-2) -	1.1443e-1 (8.23e-2) -	0.0000e+0 (0.00e+0) -	1.3575e-1 (1.03e-2) -	4.5452e-3 (2.49e-2) -	2.2938e-1 (1.99e-2)
	200	1.3224e-1 (6.78e-3) -	5.2137e-2 (6.53e-2) -	7.5818e-2 (8.46e-2) -	0.0000e+0 (0.00e+0) -	1.3189e-1 (7.67e-3) -	0.0000e+0 (0.00e+0) -	2.0842e-1 (3.15e-2)
	500	1.2914e-1 (6.94e-3) -	0.0000e+0 (0.00e+0) -	1.1512e-2 (4.38e-2) -	0.0000e+0 (0.00e+0) -	1.2952e-1 (6.78e-3) -	0.0000e+0 (0.00e+0) -	1.5858e-1 (6.82e-2)
	1000	1.2941e-1 (4.71e-3) +	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	1.2959e-1 (3.64e-3) +	0.0000e+0 (0.00e+0) -	4.7506e-2 (8.07e-2)
LIRCMOP6	100	9.1261e-2 (1.65e-3) -	5.7863e-2 (4.49e-2) -	6.0616e-2 (4.23e-2) -	0.0000e+0 (0.00e+0) -	9.4283e-2 (3.53e-3) -	0.0000e+0 (0.00e+0) -	1.5201e-1 (1.38e-2)
	200	8.9873e-2 (6.40e-4) -	3.8562e-2 (4.49e-2) -	3.0581e-2 (4.18e-2) -	0.0000e+0 (0.00e+0) -	9.0641e-2 (1.80e-3) -	0.0000e+0 (0.00e+0) -	1.2791e-1 (1.56e-2)
	500	8.8516e-2 (6.18e-4) +	0.0000e+0 (0.00e+0) -	1.0841e-2 (2.82e-2) -	0.0000e+0 (0.00e+0) -	8.8536e-2 (2.95e-4) +	0.0000e+0 (0.00e+0) -	6.0166e-2 (4.90e-2)
	1000	8.8274e-2 (3.93e-4) +	0.0000e+0 (0.00e+0) -	1.6741e-2 (3.49e-2) =	0.0000e+0 (0.00e+0) -	8.8305e-2 (2.77e-4) +	0.0000e+0 (0.00e+0) -	2.9186e-2 (4.73e-2)
LIRCMOP7	100	2.4070e-1 (5.08e-3) -	2.4074e-1 (5.60e-3) -	1.3173e-1 (8.01e-2) -	0.0000e+0 (0.00e+0) -	2.4190e-1 (3.89e-3) -	1.0916e-1 (1.19e-1) -	2.6738e-1 (5.08e-2)
	200	2.3904e-1 (4.36e-3) -	2.3739e-1 (3.32e-3) -	8.4208e-2 (7.34e-2) -	0.0000e+0 (0.00e+0) -	2.3990e-1 (3.77e-3) -	3.7821e-2 (8.61e-2) -	2.5878e-1 (5.59e-2)
	500	2.3921e-1 (2.19e-3) -	2.3505e-1 (2.20e-3) -	3.5301e-2 (6.11e-2) -	0.0000e+0 (0.00e+0) -	2.3886e-1 (1.94e-3) -	7.6825e-3 (4.21e-2) -	2.4682e-1 (5.42e-2)
	1000	2.3858e-1 (2.07e-3) -	2.3453e-1 (1.89e-3) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	2.3850e-1 (2.27e-3) -	0.0000e+0 (0.00e+0) -	2.5322e-1 (9.49e-3)
LIRCMOP8	100	2.1979e-1 (8.88e-4) -	2.2106e-1 (3.04e-3) -	1.0169e-1 (7.66e-2) -	0.0000e+0 (0.00e+0) -	2.2401e-1 (2.11e-3) -	4.3126e-2 (8.77e-2) -	2.6791e-1 (2.14e-2)
	200	2.1949e-1 (2.89e-4) -	2.1912e-1 (9.82e-4) -	8.3803e-2 (7.26e-2) -	0.0000e+0 (0.00e+0) -	2.2045e-1 (1.16e-3) -	0.0000e+0 (0.00e+0) -	2.6357e-1 (1.07e-2)
	500	2.1895e-1 (2.22e-4) -	2.1567e-1 (7.06e-4) -	5.1843e-3 (2.84e-2) -	0.0000e+0 (0.00e+0) -	2.1928e-1 (4.03e-4) -	0.0000e+0 (0.00e+0) -	2.5015e-1 (1.12e-2)
	1000	2.1879e-1 (1.39e-4) -	2.1380e-1 (3.98e-4) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	2.1897e-1 (1.65e-4) -	0.0000e+0 (0.00e+0) -	2.3215e-1 (1.61e-2)
LIRCMOP9	100	1.9768e-1 (2.45e-2) -	1.9590e-1 (3.75e-2) -	4.1199e-1 (4.55e-2) -	3.4332e-1 (6.58e-2) -	2.8938e-1 (5.42e-2) -	2.0212e-1 (7.96e-2) -	5.2700e-1 (1.16e-2)
	200	1.6351e-1 (5.92e-3) -	1.7591e-1 (8.36e-3) -	3.9211e-1 (5.42e-2) -	3.6552e-1 (3.75e-2) -	1.8466e-1 (3.17e-2) -	1.5313e-1 (2.26e-3) -	5.1558e-1 (1.53e-2)
	500	1.5450e-1 (1.18e-3) -	1.6203e-1 (1.55e-3) -	3.3918e-1 (8.94e-2) -	2.6743e-1 (1.03e-1) -	1.5683e-1 (9.31e-4) -	1.4626e-1 (3.58e-3) -	4.6309e-1 (4.23e-2)
	1000	1.5411e-1 (1.09e-3) -	1.5986e-1 (6.18e-4) -	2.8599e-1 (1.16e-1) -	1.6951e-1 (5.87e-2) -	1.5384e-1 (6.52e-4) -	1.1339e-1 (1.82e-2) -	3.7407e-1 (1.02e-1)
LIRCMOP10	100	5.5373e-1 (1.06e-2) -	4.7049e-1 (1.01e-1) -	5.1292e-1 (4.42e-2) -	2.4765e-1 (8.49e-2) -	4.9003e-1 (4.68e-2) -	1.8677e-1 (1.18e-1) -	6.8969e-1 (7.72e-3)
	200	4.4473e-1 (1.25e-1) -	4.1954e-1 (1.37e-1) -	4.3007e-1 (6.88e-2) -	1.3491e-1 (4.92e-2) -	4.7357e-1 (7.12e-2) -	1.9397e-1 (9.88e-2) -	6.7170e-1 (1.31e-2)
	500	3.8439e-1 (1.62e-1) -	3.4525e-1 (1.18e-1) -	3.2644e-1 (1.28e-1) -	9.3969e-2 (7.28e-4) -	4.6718e-1 (7.00e-2) -	2.0848e-1 (7.21e-2) -	5.9973e-1 (6.09e-2)
	1000	3.3955e-1 (1.71e-1) -	2.4177e-1 (1.24e-1) -	2.9057e-1 (8.25e-2) -	9.3942e-2 (4.03e-4) -	4.4731e-1 (8.51e-2) =	2.2916e-1 (4.93e-2) -	4.7844e-1 (1.16e-1)
LIRCMOP11	100	5.9549e-1 (4.03e-2) -	4.0932e-1 (1.61e-1) -	4.1722e-1 (6.51e-2) -	3.1569e-1 (8.34e-2) -	5.9136e-1 (1.18e-2) -	1.7273e-1 (7.54e-2) -	6.9103e-1 (1.60e-3)
	200	4.7490e-1 (1.85e-1) -	4.5306e-1 (1.39e-1) -	4.5053e-1 (4.68e-2) -	2.4498e-1 (7.90e-2) -	5.3177e-1 (6.75e-2) -	1.8385e-1 (8.81e-2) -	6.8773e-1 (4.55e-3)
	500	2.8817e-1 (1.89e-1) -	2.3546e-1 (1.67e-1) -	3.7770e-1 (8.54e-2) -	1.2585e-1 (2.03e-3) -	4.6478e-1 (1.20e-1) -	2.2741e-1 (9.16e-2) -	6.3315e-1 (9.05e-2)
	1000	2.5348e-1 (1.74e-1) -	2.2093e-1 (1.51e-1) -	3.3627e-1 (1.09e-1) -	1.1519e-1 (1.10e-2) -	4.4288e-1 (1.38e-1) -	2.0236e-1 (1.00e-1) -	6.2281e-1 (6.78e-2)
LIRCMOP12	100	3.8220e-1 (1.66e-2) -	3.8672e-1 (1.39e-2) -	3.8749e-1 (7.85e-2) -	4.9672e-1 (1.54e-2) -	4.3294e-1 (2.11e-2) -	3.8633e-1 (2.88e-2) -	6.0622e-1 (5.14e-2)
	200	3.6686e-1 (3.95e-3) -	3.7483e-1 (3.05e-3) -	3.7568e-1 (8.21e-2) -	4.8879e-1 (2.47e-2) -	3.7701e-1 (1.08e-2) -	3.6677e-1 (9.85e-3) -	5.9937e-1 (3.82e-2)
	500	3.6421e-1 (4.18e-3) -	3.6933e-1 (8.29e-4) -	3.7522e-1 (9.72e-2) -	4.5871e-1 (5.90e-2) -	3.6892e-1 (6.58e-4) -	3.6022e-1 (4.89e-3) -	5.7829e-1 (5.64e-2)
	1000	3.6353e-1 (1.78e-3) -	3.6826e-1 (6.79e-4) -	3.3244e-1 (9.75e-2) -	4.0124e-1 (5.68e-2) -	3.6817e-1 (5.72e-4) -	3.5637e-1 (6.14e-3) -	5.3343e-1 (4.93e-2)
LIRCMOP13	100	5.5462e-1 (1.57e-3) -	1.3419e-4 (1.28e-4) -	5.6032e-1 (1.88e-3) +	4.5389e-4 (3.71e-7) -	5.5689e-1 (1.39e-3) +	3.5841e-1 (2.40e-1) -	5.5541e-1 (1.26e-3)
	200	5.5462e-1 (1.48e-3) =	1.7608e-4 (1.35e-4) -	5.6062e-1 (1.10e-3) +	4.5405e-4 (1.72e-7) -	5.5695e-1 (1.60e-3) +	3.6275e-1 (2.42e-1) -	5.5454e-1 (1.34e-3)
	500	5.5406e-1 (1.19e-3) =	1.3507e-4 (1.09e-4) -	5.6085e-1 (9.83e-4) +	4.5412e-4 (1.64e-8) -	5.5663e-1 (8.84e-4) +	4.9657e-1 (1.37e-1) -	5.5380e-1 (1.51e-3)
	1000	5.5211e-1 (1.84e-3) -	1.7362e-4 (1.17e-4) -	5.6065e-1 (9.06e-4) +	4.5413e-4 (1.87e-9) -	5.5566e-1 (1.32e-3) +	5.2853e-1 (8.61e-2) -	5.5317e-1 (1.54e-3)
LIRCMOP14	100	5.5439e-1 (1.47e-3) =	6.4007e-4 (2.63e-4) -	5.3369e-1 (8.77e-3) -	1.0066e-3 (7.17e-7) -	5.5658e-1 (1.06e-3) +	3.4073e-1 (2.47e-1) -	5.5498e-1 (1.37e-3)
	200	5.5395e-1 (1.30e-3) -	6.6733e-4 (3.23e-4) -	5.3156e-1 (9.19e-3) -	1.0069e-3 (9.87e-8) -	5.5651e-1 (1.22e-3) +	3.8562e-1 (2.40e-1) -	5.5549e-1 (1.24e-3)
	500	5.5423e-1 (1.11e-3) -	4.7685e-4 (3.64e-4) -	5.2666e-1 (1.23e-2) -	1.0070e-3 (1.47e-8) -	5.5702e-1 (9.77e-4) +	5.4109e-1 (1.54e-2) -	5.5561e-1 (1.22e-3)
	1000	5.5451e-1 (1.12e-3) -	5.6921e-4 (2.70e-4) -	5.2998e-1 (8.94e-3) -	1.0070e-3 (3.69e-8) -	5.5731e-1 (1.04e-3) +	5.4980e-1 (8.98e-4) -	5.5598e-1 (1.22e-3)
+/-/=		3/50/3	0/56/0	4/51/1	6/49/1	11/44/1	2/53/1	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the compared algorithm is significantly better than, worse than, and similar to the proposed algorithm, respectively. “NaN ” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.

TABLE S-III
THE IGD RESULTS OBTAINED BY GLCMEA AND SIX COMPARED ALGORITHMS ON MW TEST SUITE

Problem	<i>D</i>	CCMO	MTCMO	C_LMEA	C_LMOCSSO	DPSEA	POCEA	TLCMEA
MW1	100	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	1.6091e-3 (1.09e-5)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (83.33%)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (3.33%)
	1000	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%)
MW2	100	NaN (80.00%) -	NaN (66.67%) -	NaN (0.00%) -	NaN (0.00%) -	8.8841e-2 (5.46e-2) -	NaN (0.00%) -	5.6942e-3 (5.97e-4)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (50.00%) -	NaN (0.00%) -	5.7855e-3 (9.75e-4)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	6.2154e-3 (1.16e-3)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	6.8191e-3 (1.14e-3)
MW3	100	7.0578e-3 (9.58e-4) -	7.9312e-3 (1.22e-3) -	NaN (0.00%) -	1.4690e-2 (2.02e-3) -	7.2705e-3 (7.27e-4) -	1.8451e-2 (3.58e-3) -	5.4699e-3 (2.24e-4)
	200	9.8846e-3 (1.63e-3) -	1.0881e-2 (1.50e-3) -	NaN (0.00%) -	1.6454e-2 (1.76e-3) -	8.7406e-3 (1.05e-3) -	2.1332e-2 (4.01e-3) -	6.3542e-3 (3.28e-4)
	500	1.8566e-2 (2.06e-3) -	2.2926e-2 (7.77e-3) -	NaN (0.00%) -	2.0030e-2 (2.09e-3) -	1.5012e-2 (1.66e-3) -	3.8745e-2 (3.62e-3) -	1.0816e-2 (1.01e-3)
	1000	4.6083e-2 (3.40e-3) -	4.8049e-2 (4.45e-3) -	NaN (0.00%) -	2.6688e-2 (3.39e-3) -	3.0400e-2 (9.76e-3) -	5.2365e-2 (5.69e-3) -	1.6374e-2 (8.37e-4)
MW4	100	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	4.8342e-2 (1.61e-3)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	4.7882e-2 (2.02e-3)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (13.33%)
	1000	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%)
MW5	100	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (93.33%)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (73.33%)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (26.67%)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (6.67%)
MW6	100	NaN (93.33%) -	NaN (83.33%) -	NaN (0.00%) -	NaN (0.00%) -	3.8659e-1 (1.99e-1) -	NaN (0.00%) -	2.7454e-3 (2.80e-5)
	200	NaN (10.00%) -	NaN (10.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (70.00%) -	NaN (0.00%) -	2.7541e-3 (2.68e-5)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	2.7484e-3 (2.36e-5)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	2.7600e-3 (3.02e-5)
MW7	100	5.4022e-3 (5.55e-4) -	7.0863e-3 (6.75e-4) -	NaN (0.00%) -	7.8428e-3 (8.97e-4) -	5.0785e-3 (4.42e-4) -	1.5554e-2 (2.48e-3) -	4.5148e-3 (2.16e-4)
	200	6.8534e-3 (6.70e-4) -	9.8548e-3 (1.43e-3) -	NaN (0.00%) -	1.0513e-2 (1.06e-3) -	6.2077e-3 (6.23e-4) -	1.5912e-2 (2.57e-3) -	5.5500e-3 (3.50e-4)
	500	1.0466e-2 (1.07e-3) =	1.6645e-2 (1.25e-3) -	NaN (0.00%) -	1.0978e-2 (6.29e-4) -	9.9133e-3 (9.22e-4) =	1.6512e-2 (2.25e-3) -	1.0011e-2 (7.52e-4)
	1000	1.4672e-2 (9.02e-4) +	2.2940e-2 (8.09e-4) -	NaN (0.00%) -	1.2272e-2 (8.15e-4) +	1.5266e-2 (1.19e-3) =	1.7964e-2 (6.65e-3) =	1.9258e-2 (6.81e-3)
MW8	100	NaN (36.67%) -	NaN (40.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	4.2930e-2 (5.77e-4)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (30.00%) -	NaN (0.00%) -	4.2961e-2 (6.06e-4)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	4.2944e-2 (6.34e-4)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	4.2906e-2 (4.70e-4)
MW9	100	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (93.33%)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (50.00%)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (16.67%)
	1000	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%)
MW10	100	NaN (10.00%) -	NaN (3.33%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (86.67%) -	NaN (0.00%) -	3.4078e-3 (4.88e-5)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	3.4148e-3 (3.45e-5)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (83.33%)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (63.33%)
MW11	100	5.9070e-3 (1.06e-4) =	5.8588e-3 (9.42e-5) =	NaN (0.00%) -	3.3560e-2 (6.32e-3) -	5.8175e-3 (9.02e-5) +	4.6217e-2 (1.04e-2) -	5.9115e-3 (1.16e-4)
	200	5.9304e-3 (8.64e-5) =	5.8693e-3 (9.97e-5) =	NaN (0.00%) -	3.9370e-2 (8.83e-3) -	5.8561e-3 (9.46e-5) =	4.9159e-2 (1.10e-2) -	5.8960e-3 (6.08e-5)
	500	5.9261e-3 (8.44e-5) =	5.8748e-3 (1.16e-4) =	NaN (0.00%) -	5.7857e-2 (8.92e-3) -	5.8925e-3 (9.97e-5) =	5.1242e-2 (1.26e-2) -	5.8888e-3 (1.07e-4)
	1000	5.9424e-3 (1.22e-4) =	5.8853e-3 (1.14e-4) =	NaN (0.00%) -	7.0396e-2 (6.95e-3) -	5.8937e-3 (8.21e-5) =	8.8258e-2 (2.29e-2) -	5.8880e-3 (1.17e-4)
MW12	100	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (93.33%)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (63.33%)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (33.33%)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (3.33%)
MW13	100	7.4912e-1 (3.32e-1) -	7.8854e-1 (3.72e-1) -	NaN (0.00%) -	3.2219e+0 (7.01e-1) -	2.1370e-1 (9.45e-2) -	2.9857e+0 (1.02e+0) -	1.0715e-2 (1.66e-4)
	200	1.6380e+0 (3.75e-1) -	1.7183e+0 (4.50e-1) -	NaN (0.00%) -	6.3719e+0 (1.35e+0) -	7.0694e-1 (2.98e-1) -	NaN (96.67%) -	1.0810e-2 (5.31e-4)
	500	4.8775e+0 (8.93e-1) -	5.2530e+0 (1.41e+0) -	NaN (0.00%) -	NaN (0.00%) -	2.4917e+0 (5.95e-1) -	NaN (0.00%) -	1.1046e-2 (9.41e-4)
	1000	NaN (30.00%) -	NaN (3.33%) -	NaN (0.00%) -	NaN (0.00%) -	7.0470e+0 (1.19e+0) -	NaN (0.00%) -	1.1175e-2 (6.08e-4)
MW14	100	3.3012e-1 (1.17e-1) -	3.1556e-1 (1.22e-1) -	1.5484e+0 (2.65e-1) -	1.7470e+0 (3.61e-1) -	2.7052e-1 (1.04e-1) -	3.7976e-1 (2.01e-1) -	9.7530e-2 (2.06e-3)
	200	5.8032e-1 (3.66e-2) -	5.2354e-1 (5.05e-2) -	2.1627e+0 (5.47e-1) -	2.3821e+0 (4.30e-1) -	5.3764e-1 (5.42e-2) -	9.7991e-1 (3.14e-1) -	9.8581e-2 (1.57e-3)
	500	1.0047e+0 (1.11e-1) -	8.9421e-1 (7.98e-2) -	NaN (93.33%) -	2.4374e+0 (4.20e-1) -	8.6016e-1 (5.98e-2) -	1.2151e+0 (4.59e-1) -	1.8848e-1 (7.71e-2)
	1000	1.5418e+0 (1.29e-1) -	1.4643e+0 (8.47e-2) -	NaN (0.00%) -	2.4618e+0 (3.75e-1) -	1.3727e+0 (1.07e-1) -	1.5457e+0 (9.60e-1) -	3.3623e-1 (1.10e-1)
+/-/=		1/47/8	0/49/7	0/53/3	1/52/3	1/47/8	0/52/4	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the compared algorithm is significantly better than, worse than, and similar to the proposed algorithm, respectively. “NaN ” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.

TABLE S-IV
THE HV RESULTS OBTAINED BY GLCMEA AND SIX COMPARED ALGORITHMS ON MW TEST SUITE

Problem	D	CCMO	MTCMO	C_LMEA	C_LMOCSSO	DPSEA	POCEA	TLCMEA
MW1	100	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	4.9012e-1 (2.76e-5)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (83.33%)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (3.33%)
	1000	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%)
MW2	100	NaN (80.00%) -	NaN (66.67%) -	NaN (0.00%) -	NaN (0.00%) -	4.6209e-1 (6.60e-2) -	NaN (0.00%) -	5.8002e-1 (7.15e-4)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (50.00%) -	NaN (0.00%) -	5.7986e-1 (1.27e-3)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.7934e-1 (1.44e-3)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.7859e-1 (1.43e-3)
MW3	100	5.4010e-1 (1.44e-3) -	5.3866e-1 (1.94e-3) -	NaN (0.00%) -	5.3014e-1 (2.71e-3) -	5.4044e-1 (1.38e-3) -	5.2249e-1 (5.60e-3) -	5.4334e-1 (3.70e-4)
	200	5.3571e-1 (2.41e-3) -	5.3416e-1 (2.19e-3) -	NaN (0.00%) -	5.2722e-1 (2.59e-3) -	5.3765e-1 (1.58e-3) -	5.1781e-1 (5.83e-3) -	5.4139e-1 (5.44e-4)
	500	5.2325e-1 (2.89e-3) -	5.1545e-1 (1.39e-2) -	NaN (0.00%) -	5.2152e-1 (3.35e-3) -	5.2832e-1 (2.36e-3) -	4.8981e-1 (4.95e-3) -	5.3431e-1 (1.46e-3)
	1000	4.7621e-1 (4.77e-3) -	4.7344e-1 (6.27e-3) -	NaN (0.00%) -	5.0935e-1 (5.91e-3) -	5.0217e-1 (1.76e-2) -	4.7156e-1 (8.25e-3) -	5.2628e-1 (1.17e-3)
MW4	100	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	8.3514e-1 (1.56e-3)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	8.3555e-1 (1.83e-3)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (13.33%)
	1000	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%)
MW5	100	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (93.33%)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (73.33%)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (26.67%)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (6.67%)
MW6	100	NaN (93.33%) -	NaN (83.33%) -	NaN (0.00%) -	NaN (0.00%) -	1.4668e-1 (6.36e-2) -	NaN (0.00%) -	3.2851e-1 (1.85e-5)
	200	NaN (10.00%) -	NaN (10.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (70.00%) -	NaN (0.00%) -	3.2848e-1 (1.32e-4)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	3.2845e-1 (1.41e-4)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	3.2840e-1 (1.42e-4)
MW7	100	4.0960e-1 (1.07e-3) -	4.0654e-1 (1.16e-3) -	NaN (0.00%) -	4.0463e-1 (1.69e-3) -	4.1024e-1 (8.50e-4) -	3.9744e-1 (2.76e-3) -	4.1158e-1 (3.93e-4)
	200	4.0700e-1 (1.16e-3) -	4.0189e-1 (2.33e-3) -	NaN (0.00%) -	4.0023e-1 (1.88e-3) -	4.0811e-1 (1.06e-3) -	3.9684e-1 (3.76e-3) -	4.0923e-1 (6.65e-4)
	500	4.0088e-1 (1.78e-3) =	3.9095e-1 (1.89e-3) -	NaN (0.00%) -	3.9967e-1 (1.15e-3) -	4.0180e-1 (1.50e-3) =	3.9559e-1 (3.24e-3) -	4.0164e-1 (1.26e-3)
	1000	3.9406e-1 (1.42e-3) +	3.8161e-1 (1.18e-3) -	NaN (0.00%) -	3.9706e-1 (1.58e-3) +	3.9318e-1 (1.83e-3) =	3.9300e-1 (8.94e-3) +	3.8978e-1 (6.38e-3)
MW8	100	NaN (36.67%) -	NaN (40.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (96.67%) -	NaN (0.00%) -	5.5212e-1 (9.56e-4)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (30.00%) -	NaN (0.00%) -	5.5227e-1 (8.80e-4)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.5218e-1 (8.62e-4)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.5234e-1 (8.67e-4)
MW9	100	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (93.33%)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (50.00%)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (16.67%)
	1000	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%) =	NaN (0.00%)
MW10	100	NaN (10.00%) -	NaN (3.33%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (86.67%) -	NaN (0.00%) -	4.5492e-1 (2.89e-4)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	4.5499e-1 (2.16e-4)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (83.33%)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (63.33%)
MW11	100	4.4833e-1 (5.01e-5) +	4.4840e-1 (5.21e-5) +	NaN (0.00%) -	4.3857e-1 (2.57e-3) -	4.4830e-1 (6.35e-5) +	4.2628e-1 (5.32e-3) -	4.4823e-1 (9.15e-5)
	200	4.4841e-1 (3.86e-5) +	4.4845e-1 (3.60e-5) +	NaN (0.00%) -	4.3588e-1 (3.41e-3) -	4.4839e-1 (6.11e-5) =	4.2694e-1 (4.53e-3) -	4.4837e-1 (5.52e-5)
	500	4.4843e-1 (2.91e-5) =	4.4845e-1 (4.12e-5) +	NaN (0.00%) -	4.2966e-1 (3.03e-3) -	4.4846e-1 (3.08e-5) +	4.2695e-1 (5.02e-3) -	4.4841e-1 (4.50e-5)
	1000	4.4844e-1 (3.63e-5) =	4.4843e-1 (4.55e-5) =	NaN (0.00%) -	4.2546e-1 (2.54e-3) -	4.4847e-1 (2.75e-5) =	4.1178e-1 (1.05e-2) -	4.4845e-1 (3.22e-5)
MW12	100	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (93.33%)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (63.33%)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (33.33%)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (3.33%)
MW13	100	1.6228e-1 (7.01e-2) -	1.5393e-1 (9.00e-2) -	NaN (0.00%) -	0.0000e+0 (0.00e+0) -	3.5447e-1 (5.36e-2) -	3.6944e-3 (1.42e-2) -	4.7665e-1 (1.89e-4)
	200	9.3544e-3 (2.44e-2) -	1.6457e-2 (4.16e-2) -	NaN (0.00%) -	0.0000e+0 (0.00e+0) -	1.7198e-1 (7.60e-2) -	NaN (96.67%) -	4.7656e-1 (3.13e-4)
	500	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	NaN (0.00%) -	NaN (0.00%) -	0.0000e+0 (0.00e+0) -	NaN (0.00%) -	4.7643e-1 (6.12e-4)
	1000	NaN (30.00%) -	NaN (3.33%) -	NaN (0.00%) -	NaN (0.00%) -	0.0000e+0 (0.00e+0) -	NaN (0.00%) -	4.7642e-1 (3.45e-4)
MW14	100	3.8477e-1 (5.61e-2) -	3.9052e-1 (5.16e-2) -	3.4988e-2 (5.15e-3) -	5.5107e-2 (7.04e-2) -	4.1199e-1 (4.08e-2) -	3.3031e-1 (6.77e-2) -	4.7232e-1 (1.53e-3)
	200	2.5228e-1 (2.37e-2) -	2.8674e-1 (3.06e-2) -	2.4322e-2 (7.46e-3) -	1.8964e-2 (1.55e-2) -	2.7876e-1 (3.41e-2) -	1.6133e-1 (8.38e-2) -	4.6980e-1 (1.99e-3)
	500	1.5783e-1 (1.92e-2) -	1.7736e-1 (1.57e-2) -	NaN (93.33%) -	1.7245e-2 (1.52e-2) -	1.8491e-1 (1.13e-2) -	1.1996e-1 (7.53e-2) -	4.4728e-1 (1.76e-2)
	1000	6.7415e-2 (3.26e-2) -	4.7315e-2 (2.04e-2) -	NaN (0.00%) -	1.6203e-2 (1.43e-2) -	9.6346e-2 (2.61e-2) -	1.0272e-1 (6.86e-2) -	3.7763e-1 (5.05e-2)
+/-/=		3/47/6	3/49/4	0/53/3	1/52/3	2/47/7	1/52/3	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the compared algorithm is significantly better than, worse than, and similar to the proposed algorithm, respectively. “NaN ” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.




Fig. S-I. The population distribution of seven algorithms on 1000-dimensional MW3.




Fig. S-II. The population distribution of median IGD values obtained by seven algorithms on 1000-dimensional DC1_DTLZ3.

TABLE S-V
THE IGD RESULTS OBTAINED BY GLCMEA AND SIX COMPARED ALGORITHMS ON (D)C_DTLZ TEST SUITE

Problem	D	CCMO	MTCMO	C_LMEA	C_LMOCSO	DPSEA	POCEA	TLCMEA
C1_DTLZ1	100	4.8380e-2 (1.46e-2) -	3.2521e-2 (7.76e-3) -	NaN (0.00%) -	NaN (0.00%) -	8.1080e-2 (2.53e-2) -	NaN (0.00%) -	2.1656e-2 (7.64e-4)
	200	5.2708e-2 (1.31e-2) -	3.9471e-2 (8.62e-3) -	NaN (0.00%) -	NaN (0.00%) -	1.1994e-1 (2.12e-2) -	NaN (0.00%) -	2.1434e-2 (1.44e-3)
	500	8.8865e-2 (2.54e-2) -	6.7772e-2 (1.11e-2) -	NaN (0.00%) -	NaN (0.00%) -	2.4212e-1 (3.73e-2) -	NaN (0.00%) -	3.5113e-2 (6.74e-3)
	1000	6.9024e-2 (1.75e-2) =	7.3195e-2 (9.41e-3) -	NaN (0.00%) -	NaN (0.00%) -	2.1988e-1 (1.92e-2) -	NaN (0.00%) -	6.3585e-2 (1.69e-2)
C1_DTLZ3	100	5.4839e-2 (2.02e-3) -	8.0063e+0 (1.74e-3) -	5.4655e-2 (1.02e-3) -	5.6286e+1 (1.44e+1) -	9.4026e-2 (5.71e-2) -	8.0712e+0 (6.40e-2) -	5.3401e-2 (8.39e-4)
	200	5.5669e-2 (1.03e-3) -	8.0051e+0 (1.18e-3) -	5.5442e-2 (1.94e-3) -	9.5789e+1 (2.24e+1) -	8.7840e-1 (2.42e+0) -	8.0772e+0 (5.80e-2) -	5.3179e-2 (4.90e-4)
	500	1.6942e-1 (1.03e-1) -	8.0040e+0 (6.05e-4) -	5.5173e-2 (1.53e-3) -	2.0815e+2 (6.25e+1) -	8.0038e+0 (6.11e-4) -	8.1531e+0 (1.01e-1) -	5.3299e-2 (5.48e-4)
	1000	1.5511e-1 (1.04e-1) -	8.0036e+0 (6.52e-4) -	5.5117e-2 (1.19e-3) -	3.9325e+2 (8.42e+1) -	8.0032e+0 (5.06e-4) -	8.1251e+0 (7.17e-2) -	5.3515e-2 (5.97e-4)
C2_DTLZ2	100	4.2972e-2 (6.02e-4) -	4.2625e-2 (5.94e-4) =	NaN (13.33%) -	5.0247e-2 (4.92e-4) -	4.2499e-2 (3.98e-4) =	5.1179e-2 (1.77e-3) -	4.2478e-2 (3.72e-4)
	200	4.2938e-2 (4.80e-4) =	4.2487e-2 (5.43e-4) =	NaN (0.00%) -	4.9934e-2 (4.45e-4) -	4.2500e-2 (4.34e-4) =	5.0682e-2 (9.58e-4) -	4.2751e-2 (6.37e-4)
	500	4.2787e-2 (5.54e-4) =	4.2721e-2 (4.86e-4) =	NaN (0.00%) -	4.9938e-2 (4.17e-4) -	4.2424e-2 (5.36e-4) =	5.1508e-2 (1.16e-3) -	4.2707e-2 (7.36e-4)
	1000	4.3175e-2 (6.31e-4) -	4.2513e-2 (5.60e-4) =	NaN (0.00%) -	4.9715e-2 (1.37e-5) -	4.2316e-2 (5.05e-4) =	5.1174e-2 (1.18e-3) -	4.2555e-2 (4.91e-4)
C3_DTLZ4	100	2.1883e-1 (2.83e-1) =	1.4424e-1 (1.89e-1) =	5.9380e-1 (1.96e-1) -	1.2434e-1 (9.97e-2) -	9.3634e-2 (1.07e-3) +	1.0771e-1 (3.49e-3) +	1.1941e-1 (1.36e-1)
	200	2.1841e-1 (2.83e-1) =	1.4381e-1 (1.90e-1) =	4.6771e-1 (1.65e-1) -	9.1358e-2 (1.72e-4) +	9.4151e-2 (1.30e-3) =	1.3030e-1 (1.36e-1) -	9.4402e-2 (1.69e-3)
	500	1.4355e-1 (1.90e-1) -	1.4419e-1 (1.89e-1) =	2.9512e-1 (1.20e-1) -	1.4180e-1 (1.92e-1) -	9.4243e-2 (1.27e-3) =	1.0317e-1 (4.13e-3) -	9.4733e-2 (1.11e-3)
	1000	1.1870e-1 (1.36e-1) +	1.1961e-1 (1.36e-1) =	2.6308e-1 (2.07e-1) -	9.1303e-2 (2.81e-6) +	9.4470e-2 (1.27e-3) =	1.2501e-1 (1.36e-1) +	1.4473e-1 (1.89e-1)
DC1_DTLZ1	100	6.5956e-2 (7.58e-2) -	2.8166e-2 (4.89e-3) -	1.2184e-2 (3.37e-4) -	3.1874e+2 (1.02e+2) -	8.9337e-2 (1.36e-1) -	1.5082e+1 (6.08e+0) -	1.1516e-2 (1.60e-4)
	200	1.2111e-1 (9.52e-2) -	4.7926e-2 (8.07e-3) -	1.2475e-2 (4.85e-4) -	6.6111e+2 (1.81e+2) -	2.5446e-1 (2.16e-1) -	2.6997e+1 (1.12e+1) -	1.1974e-2 (3.84e-4)
	500	8.0617e+0 (3.71e+0) -	1.5092e-1 (5.74e-2) -	1.3573e-2 (7.45e-4) +	1.1473e+3 (5.33e+2) -	2.1202e+1 (4.38e+0) -	5.7459e+1 (2.83e+1) -	1.4393e-2 (1.19e-3)
	1000	2.7221e+1 (7.96e+0) -	2.2840e-1 (1.26e-1) -	1.5282e-2 (8.57e-4) +	9.5067e+2 (9.48e+2) -	8.6331e+1 (7.85e+0) -	1.8237e+2 (2.14e+2) -	1.7596e-2 (2.36e-3)
DC1_DTLZ3	100	3.5138e-2 (6.71e-4) -	3.4453e-2 (4.35e-4) -	3.3810e-2 (5.22e-4) =	5.9933e+1 (1.66e+1) -	3.5069e-2 (7.01e-4) -	2.0374e+0 (8.18e-1) -	3.3915e-2 (4.04e-4)
	200	3.6939e-2 (8.63e-4) -	3.5170e-2 (4.55e-4) -	3.3919e-2 (5.90e-4) =	1.2332e+2 (2.49e+1) -	3.6989e-2 (1.26e-3) -	2.2421e+0 (9.68e-1) -	3.3790e-2 (2.46e-4)
	500	7.0257e-2 (2.89e-2) -	4.0591e-2 (1.33e-3) -	3.4039e-2 (7.17e-4) -	2.4231e+2 (5.82e+1) -	1.4155e-1 (1.07e-1) -	3.3708e+0 (1.34e+0) -	3.3864e-2 (3.60e-4)
	1000	9.7723e-2 (4.22e-2) -	3.9980e-2 (1.03e-3) -	3.4180e-2 (7.57e-4) =	4.1627e+2 (8.21e+1) -	4.2521e-1 (2.33e-1) -	1.9359e+0 (8.47e-1) -	3.3846e-2 (3.68e-4)
DC2_DTLZ1	100	NaN (20.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	2.0216e-2 (1.84e-4)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	2.0603e-2 (3.21e-4)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	1.2141e-1 (6.62e-2)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	1.6398e-1 (1.94e-4)
DC2_DTLZ3	100	4.1283e-1 (2.32e-1) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.2633e-2 (3.42e-4)
	200	NaN (33.33%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.2674e-2 (4.44e-4)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.2804e-2 (4.45e-4)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.2837e-2 (4.12e-4)
DC3_DTLZ1	100	4.5814e+0 (2.36e+0) -	1.7307e+1 (3.60e+0) -	5.6079e+2 (5.95e+1) -	5.4316e+2 (9.94e+1) -	6.1011e+0 (2.07e+0) -	2.2074e+2 (6.19e+1) -	6.9864e-3 (1.65e-4)
	200	1.4855e+1 (3.34e+0) -	4.3550e+1 (5.81e+0) -	1.4169e+3 (1.33e+2) -	8.8930e+2 (1.45e+2) -	2.7380e+1 (4.85e+0) -	4.7231e+2 (1.09e+2) -	7.8867e-3 (5.85e-4)
	500	9.9467e+1 (1.51e+1) -	1.6255e+2 (1.64e+1) -	4.3200e+3 (1.60e+2) -	1.9999e+3 (4.37e+2) -	1.9848e+2 (2.49e+1) -	1.6911e+3 (6.17e+2) -	1.2158e-2 (1.70e-3)
	1000	3.2620e+2 (2.72e+1) -	3.0403e+2 (1.82e+1) -	9.3868e+3 (2.52e+2) -	3.8449e+3 (8.26e+2) -	6.2159e+2 (4.32e+1) -	6.6872e+3 (1.70e+3) -	7.1628e-2 (7.53e-2)
DC3_DTLZ3	100	7.9799e-1 (4.26e-1) -	1.9068e+1 (1.62e+0) -	1.7100e+2 (2.44e+1) -	1.6583e+2 (2.74e+1) -	2.4009e+0 (6.48e-1) -	7.6898e+1 (2.33e+1) -	1.9924e-2 (2.12e-4)
	200	2.4942e+0 (9.34e-1) -	3.9659e+1 (2.84e+0) -	4.7417e+2 (3.48e+1) -	2.7107e+2 (4.61e+1) -	9.6011e+0 (1.31e+0) -	1.6271e+2 (3.62e+1) -	1.9921e-2 (2.22e-4)
	500	2.2277e+1 (2.45e+0) -	1.0119e+2 (3.81e+0) -	1.4057e+3 (6.88e+1) -	5.8381e+2 (7.72e+1) -	5.1936e+1 (4.91e+0) -	5.7897e+2 (2.63e+2) -	2.0060e-2 (2.21e-4)
	1000	6.7820e+1 (5.22e+0) -	2.0480e+2 (6.99e+0) -	3.1090e+3 (1.02e+2) -	1.0893e+3 (1.69e+2) -	1.4967e+2 (7.07e+0) -	2.0081e+3 (5.26e+2) -	2.0343e-2 (2.77e-4)
+/-/=		1/34/5	0/32/8	2/34/4	2/38/0	1/32/7	2/38/0	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the compared algorithm is significantly better than, worse than, and similar to the proposed algorithm, respectively. “NaN ” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.

TABLE S-VI
THE HV RESULTS OBTAINED BY GLCMEA AND SIX COMPARED ALGORITHMS ON (D)C_DTLZ TEST SUITE

Problem	D	CCMO	MTCMO	C_LMEA	C_LMOCSSO	DPSEA	POCEA	TLCMEA
C1_DTLZ1	100	6.9274e-1 (4.22e-2) -	7.4228e-1 (2.91e-2) -	NaN (0.00%) -	NaN (0.00%) -	6.1280e-1 (5.66e-2) -	NaN (0.00%) -	8.0829e-1 (8.19e-3)
	200	6.7855e-1 (3.35e-2) -	7.1666e-1 (2.76e-2) -	NaN (0.00%) -	NaN (0.00%) -	5.3075e-1 (4.11e-2) -	NaN (0.00%) -	8.0191e-1 (1.40e-2)
	500	5.9413e-1 (5.23e-2) -	6.3908e-1 (2.61e-2) -	NaN (0.00%) -	NaN (0.00%) -	3.1865e-1 (5.99e-2) -	NaN (0.00%) -	7.3110e-1 (2.41e-2)
	1000	6.3699e-1 (3.91e-2) =	6.2589e-1 (2.14e-2) -	NaN (0.00%) -	NaN (0.00%) -	3.5388e-1 (3.16e-2) -	NaN (0.00%) -	6.5063e-1 (4.25e-2)
C1_DTLZ3	100	5.4992e-1 (3.61e-3) -	0.0000e+0 (0.00e+0) -	5.5996e-1 (7.71e-4) -	0.0000e+0 (0.00e+0) -	4.7306e-1 (9.75e-2) -	0.0000e+0 (0.00e+0) -	5.6085e-1 (1.04e-3)
	200	5.4436e-1 (3.57e-3) -	0.0000e+0 (0.00e+0) -	5.5966e-1 (1.01e-3) -	0.0000e+0 (0.00e+0) -	4.4823e-1 (1.85e-1) -	0.0000e+0 (0.00e+0) -	5.6128e-1 (8.10e-4)
	500	3.5571e-1 (1.46e-1) -	0.0000e+0 (0.00e+0) -	5.5888e-1 (8.74e-4) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	5.6084e-1 (8.57e-4)
	1000	3.7705e-1 (1.44e-1) -	0.0000e+0 (0.00e+0) -	5.5777e-1 (8.60e-4) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	5.6040e-1 (1.14e-3)
C2_DTLZ2	100	5.1581e-1 (1.44e-3) -	5.1732e-1 (1.54e-3) =	NaN (13.33%) -	5.1260e-1 (1.16e-4) -	5.1859e-1 (8.54e-4) +	5.0110e-1 (5.89e-3) -	5.1665e-1 (1.62e-3)
	200	5.1402e-1 (1.63e-3) -	5.1684e-1 (1.14e-3) =	NaN (0.00%) -	5.1273e-1 (9.69e-5) -	5.1852e-1 (1.29e-3) +	5.0287e-1 (4.10e-3) -	5.1683e-1 (1.69e-3)
	500	5.1403e-1 (1.93e-3) -	5.1650e-1 (1.40e-3) =	NaN (0.00%) -	5.1252e-1 (8.92e-5) -	5.1800e-1 (1.21e-3) +	4.9977e-1 (3.83e-3) -	5.1607e-1 (1.68e-3)
	1000	5.1244e-1 (2.17e-3) -	5.1574e-1 (1.35e-3) =	NaN (0.00%) -	5.1275e-1 (7.66e-5) -	5.1781e-1 (9.17e-4) +	5.0119e-1 (3.19e-3) -	5.1607e-1 (1.44e-3)
C3_DTLZ4	100	7.4864e-1 (9.55e-2) =	7.7376e-1 (6.39e-2) =	6.0206e-1 (1.15e-1) -	7.8432e-1 (3.58e-2) +	7.9133e-1 (1.01e-3) +	7.8221e-1 (2.22e-3) +	7.8187e-1 (4.60e-2)
	200	7.4870e-1 (9.56e-2) =	7.7412e-1 (6.40e-2) =	6.7760e-1 (8.13e-2) -	7.9617e-1 (3.70e-5) +	7.9094e-1 (1.14e-3) =	7.7461e-1 (4.86e-2) -	7.9072e-1 (1.21e-3)
	500	7.7406e-1 (6.40e-2) =	7.7370e-1 (6.39e-2) =	7.1675e-1 (4.74e-2) -	7.7740e-1 (7.15e-2) -	7.9090e-1 (1.15e-3) =	7.8454e-1 (1.66e-3) -	7.9045e-1 (1.28e-3)
	1000	7.8278e-1 (4.61e-2) +	7.8136e-1 (4.58e-2) =	7.2646e-1 (8.28e-2) -	7.9622e-1 (6.91e-6) +	7.9070e-1 (1.12e-3) +	7.7738e-1 (4.86e-2) +	7.7328e-1 (6.38e-2)
DC1_DTLZ1	100	4.8560e-1 (1.27e-1) -	5.7072e-1 (1.43e-2) -	6.2468e-1 (4.37e-3) -	0.0000e+0 (0.00e+0) -	4.6785e-1 (1.78e-1) -	1.2698e-2 (6.96e-2) -	6.3044e-1 (2.01e-3)
	200	3.6143e-1 (1.31e-1) -	5.1224e-1 (2.36e-2) -	6.2121e-1 (7.08e-3) -	0.0000e+0 (0.00e+0) -	2.3408e-1 (1.92e-1) -	6.2132e-3 (3.40e-2) -	6.2670e-1 (3.07e-3)
	500	7.8289e-4 (4.29e-3) -	2.8187e-1 (6.08e-2) -	6.1458e-1 (6.88e-3) =	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	6.1456e-1 (5.36e-3)
	1000	0.0000e+0 (0.00e+0) -	1.8078e-1 (6.70e-2) -	6.0665e-1 (8.70e-3) +	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	6.0305e-1 (8.53e-3)
DC1_DTLZ3	100	4.6358e-1 (2.95e-3) -	4.6710e-1 (2.46e-3) -	4.7199e-1 (9.31e-4) -	0.0000e+0 (0.00e+0) -	4.6413e-1 (3.41e-3) -	0.0000e+0 (0.00e+0) -	4.7466e-1 (7.10e-4)
	200	4.5583e-1 (2.99e-3) -	4.6272e-1 (2.58e-3) -	4.7134e-1 (1.39e-3) -	0.0000e+0 (0.00e+0) -	4.5582e-1 (4.42e-3) -	3.2155e-4 (1.76e-3) -	4.7465e-1 (8.26e-4)
	500	3.8320e-1 (5.12e-2) -	4.4431e-1 (3.53e-3) -	4.7070e-1 (8.75e-4) -	0.0000e+0 (0.00e+0) -	2.8424e-1 (1.28e-1) -	0.0000e+0 (0.00e+0) -	4.7383e-1 (8.67e-4)
	1000	3.3438e-1 (7.12e-2) -	4.4573e-1 (2.87e-3) -	4.6906e-1 (9.08e-4) -	0.0000e+0 (0.00e+0) -	7.8475e-2 (1.04e-1) -	2.7269e-4 (1.42e-3) -	4.7292e-1 (9.38e-4)
DC2_DTLZ1	100	NaN (20.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	8.4095e-1 (1.17e-3)
	200	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	8.3799e-1 (1.72e-3)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.8544e-1 (1.64e-1)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	4.8013e-1 (9.96e-4)
DC2_DTLZ3	100	1.6713e-1 (2.38e-1) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.6149e-1 (5.74e-4)
	200	NaN (33.33%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.6125e-1 (9.73e-4)
	500	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.6033e-1 (1.10e-3)
	1000	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	NaN (0.00%) -	5.5913e-1 (1.03e-3)
DC3_DTLZ1	100	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	5.3353e-1 (2.29e-3)
	200	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	5.2664e-1 (3.94e-3)
	500	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	5.0734e-1 (6.79e-3)
	1000	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	3.5109e-1 (1.93e-1)
DC3_DTLZ3	100	9.8107e-3 (5.37e-2) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	3.6891e-1 (5.82e-4)
	200	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	3.6865e-1 (8.12e-4)
	500	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	3.6686e-1 (1.63e-3)
	1000	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	0.0000e+0 (0.00e+0) -	3.6429e-1 (1.76e-3)
+/-/=		1/35/4	0/32/8	1/38/1	3/37/0	6/32/2	2/38/0	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the compared algorithm is significantly better than, worse than, and similar to the proposed algorithm, respectively. “NaN ” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.

TABLE S-VII
THE IGD RESULTS OF GLCMEA WITH $\delta = 0.05$ AND DIFFERENT g VALUES

Problem	$g = 5$ and $\delta = 0.05$	$g = 15$ and $\delta = 0.05$	$g = 25$ and $\delta = 0.05$	$g = 35$ and $\delta = 0.05$	$g = 45$ and $\delta = 0.05$
C1_DTLZ1	3.9030e-2 (9.97e-3) -	4.4978e-2 (1.34e-2) -	2.3397e-2 (6.70e-3) =	2.1656e-2 (7.64e-4)	2.1713e-2 (2.94e-4) =
C1_DTLZ3	6.6843e+0 (3.02e+0) -	5.8452e-1 (2.02e+0) =	5.3380e-2 (5.15e-4) =	5.3401e-2 (8.39e-4)	5.3316e-2 (6.19e-4) =
C2_DTLZ2	4.2617e-2 (5.32e-4) =	4.2610e-2 (6.19e-4) =	4.2674e-2 (5.37e-4) =	4.2478e-2 (3.72e-4)	4.2419e-2 (4.63e-4) =
C3_DTLZ4	1.1927e-1 (1.36e-1) =	9.4649e-2 (1.36e-3) =	1.1957e-1 (1.36e-1) =	1.1941e-1 (1.36e-1)	9.4438e-2 (1.32e-3) =
DC1_DTLZ1	2.8315e-2 (5.50e-3) -	2.1743e-2 (5.31e-3) -	1.2144e-2 (8.65e-4) -	1.1516e-2 (1.60e-4)	1.1427e-2 (1.24e-4) +
DC1_DTLZ3	3.4710e-2 (5.63e-4) -	3.4399e-2 (5.15e-4) -	3.3903e-2 (3.71e-4) =	3.3915e-2 (4.04e-4)	3.3734e-2 (4.30e-4) =
DC2_DTLZ1	NaN (0.00%) -	NaN (16.67%) -	4.9299e-2 (5.85e-2) -	2.0216e-2 (1.84e-4)	2.0132e-2 (1.34e-4) =
DC2_DTLZ3	NaN (6.67%) -	NaN (56.67%) -	8.6997e-2 (1.30e-1) -	5.2633e-2 (3.42e-4)	5.2703e-2 (4.04e-4) =
DC3_DTLZ1	9.3322e+0 (2.46e+0) -	9.1310e-1 (6.49e-1) -	8.1438e-3 (1.43e-3) -	6.9864e-3 (1.65e-4)	6.9100e-3 (1.33e-4) +
DC3_DTLZ3	9.1881e+0 (5.39e+0) -	8.1349e-1 (8.09e-1) -	1.9984e-2 (2.40e-4) =	1.9924e-2 (2.12e-4)	2.0018e-2 (2.09e-4) =
LIRC MOP1	6.4540e-2 (1.94e-2) -	5.5233e-2 (1.42e-2) =	5.6571e-2 (1.45e-2) =	4.9450e-2 (9.58e-3)	NaN (93.33%) -
LIRC MOP2	5.0605e-2 (1.77e-2) -	3.4057e-2 (5.47e-3) -	3.5638e-2 (6.21e-3) -	3.0733e-2 (4.39e-3)	3.0361e-2 (3.88e-3) =
LIRC MOP3	5.8278e-2 (2.47e-2) -	3.9536e-2 (1.46e-2) -	2.7342e-2 (8.08e-3) =	2.4964e-2 (1.01e-2)	NaN (80.00%) -
LIRC MOP4	8.0970e-2 (3.43e-2) -	3.6695e-2 (1.31e-2) -	2.5396e-2 (7.79e-3) =	2.4573e-2 (7.63e-3)	NaN (96.67%) -
LIRC MOP5	8.5466e-1 (4.92e-1) -	3.7155e-1 (3.92e-1) -	1.5868e-1 (5.36e-2) -	1.2488e-1 (3.96e-2)	1.0956e-1 (3.30e-2) =
LIRC MOP6	9.3532e-1 (5.15e-1) -	3.3357e-1 (2.41e-1) -	1.9881e-1 (9.89e-2) -	1.2337e-1 (6.38e-2)	1.2130e-1 (6.14e-2) =
LIRC MOP7	3.0643e-1 (5.49e-1) -	5.8753e-2 (2.68e-2) +	4.1953e-2 (1.82e-2) =	1.2624e-1 (4.81e-1)	NaN (96.67%) -
LIRC MOP8	1.9889e-1 (1.07e-1) -	1.0389e-1 (4.83e-2) -	8.4752e-2 (3.83e-2) -	7.2234e-2 (8.60e-2)	NaN (96.67%) -
LIRC MOP9	4.7043e-1 (2.65e-1) -	1.4956e-1 (8.74e-2) -	1.1025e-1 (3.05e-2) =	1.0477e-1 (2.91e-2)	9.9082e-2 (2.29e-2) =
LIRC MOP10	3.0497e-1 (1.33e-1) -	8.9363e-2 (6.24e-2) -	3.3781e-2 (2.03e-2) -	2.9075e-2 (1.93e-2)	2.4595e-2 (7.60e-3) =
LIRC MOP11	1.9910e-1 (2.18e-1) -	1.9535e-2 (2.23e-2) -	8.6784e-3 (6.39e-3) =	6.0970e-3 (2.36e-3)	7.7327e-2 (2.69e-1) =
LIRC MOP12	1.7780e-1 (2.15e-1) -	2.8672e-2 (1.58e-2) +	1.8059e-2 (7.63e-3) +	4.5125e-2 (1.78e-1)	7.4893e-2 (2.24e-1) =
LIRC MOP13	2.9703e-1 (4.64e-1) =	9.3074e-2 (9.05e-4) =	9.3421e-2 (9.63e-4) =	9.3096e-2 (1.16e-3)	9.3047e-2 (1.19e-3) =
LIRC MOP14	4.0903e-1 (5.29e-1) -	9.5154e-2 (1.02e-3) =	9.5119e-2 (9.94e-4) =	9.5092e-2 (1.48e-3)	9.5208e-2 (9.43e-4) =
MW1	2.5684e-3 (1.05e-3) -	1.7550e-3 (2.94e-4) -	1.6130e-3 (9.51e-6) =	1.6091e-3 (1.09e-5)	1.6131e-3 (1.17e-5) =
MW2	6.2620e-3 (2.86e-3) =	5.6069e-3 (5.37e-4) =	5.6570e-3 (9.03e-4) =	5.6942e-3 (5.97e-4)	5.6645e-3 (7.24e-4) =
MW3	6.1425e-3 (6.06e-4) -	5.7283e-3 (3.72e-4) -	5.6017e-3 (3.26e-4) =	5.4699e-3 (2.24e-4)	5.4166e-3 (3.00e-4) =
MW4	4.1991e-2 (2.68e-3) +	4.0588e-2 (1.15e-3) +	4.8852e-2 (1.46e-3) =	4.8342e-2 (1.61e-3)	4.8620e-2 (1.60e-3) =
MW5	NaN (66.67%) -	NaN (76.67%) -	NaN (90.00%) -	NaN (93.33%)	NaN (93.33%) =
MW6	1.0770e-2 (2.06e-2) -	2.7509e-3 (2.51e-5) =	2.7519e-3 (2.25e-5) =	2.7454e-3 (2.80e-5)	2.7541e-3 (1.97e-5) =
MW7	6.0524e-3 (8.55e-4) -	5.1882e-3 (3.69e-4) -	4.6162e-3 (2.49e-4) =	4.5148e-3 (2.16e-4)	4.4061e-3 (1.73e-4) +
MW8	4.3377e-2 (1.64e-3) =	4.2927e-2 (6.49e-4) =	4.2944e-2 (6.53e-4) =	4.2930e-2 (5.77e-4)	4.2852e-2 (5.70e-4) =
MW9	NaN (63.33%) -	NaN (83.33%) -	NaN (86.67%) -	NaN (93.33%)	NaN (83.33%) -
MW10	7.1587e-3 (1.01e-2) -	3.4105e-3 (4.23e-5) =	3.4176e-3 (3.31e-5) =	3.4078e-3 (4.88e-5)	3.4242e-3 (5.67e-5) =
MW11	5.8969e-3 (1.05e-4) =	5.9331e-3 (1.07e-4) =	5.8939e-3 (9.71e-5) =	5.9115e-3 (1.16e-4)	5.9404e-3 (1.12e-4) =
MW12	NaN (83.33%) -	NaN (80.00%) -	NaN (90.00%) -	NaN (93.33%)	NaN (86.67%) -
MW13	1.2660e-2 (8.92e-3) =	1.0654e-2 (1.67e-4) =	1.0816e-2 (8.91e-4) =	1.0715e-2 (1.66e-4)	1.0670e-2 (1.40e-4) =
MW14	1.2044e-1 (3.79e-2) -	9.8885e-2 (1.76e-3) -	9.8020e-2 (2.14e-3) =	9.7530e-2 (2.06e-3)	9.7031e-2 (1.96e-3) =
+/-=	1/30/7	3/23/12	1/12/25	3/7/28	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the GLCMEA with $\delta = 0.05$ and different g value is significantly better than, worse than, and similar to the GLCMEA with $g = 35$ and $\delta = 0.05$, respectively. “NaN ” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.

TABLE S-VIII
THE IGD RESULTS OF GLCMEA WITH $g = 35$ AND DIFFERENT δ VALUES

Problem	$g = 35$ and $\delta = 0.001$	$g = 35$ and $\delta = 0.01$	$g = 35$ and $\delta = 0.05$	$g = 35$ and $\delta = 0.1$	$g = 35$ and $\delta = 1$
C1_DTLZ1	2.1670e-2 (2.86e-4) =	2.1700e-2 (1.91e-4) =	2.1656e-2 (7.64e-4)	2.0476e-2 (8.80e-4) +	2.0938e-2 (1.08e-3) +
C1_DTLZ3	5.3381e-2 (7.34e-4) =	5.3282e-2 (7.49e-4) =	5.3401e-2 (8.39e-4)	5.3218e-2 (5.84e-4) =	5.3339e-2 (6.07e-4) =
C2_DTLZ2	4.2672e-2 (5.14e-4) =	4.2494e-2 (6.05e-4) =	4.2478e-2 (3.72e-4)	4.2651e-2 (5.86e-4) =	4.2604e-2 (5.65e-4) =
C3_DTLZ4	NaN (83.33%) -	2.1885e-1 (2.83e-1) =	1.1941e-1 (1.36e-1)	1.1942e-1 (1.36e-1) =	1.1943e-1 (1.36e-1) =
DC1_DTLZ1	1.1404e-2 (8.85e-5) +	1.1389e-2 (9.59e-5) +	1.1516e-2 (1.60e-4)	1.1800e-2 (3.57e-4) -	1.1589e-2 (1.84e-4) =
DC1_DTLZ3	3.3750e-2 (3.78e-4) =	3.3914e-2 (3.31e-4) =	3.3915e-2 (4.04e-4)	3.3786e-2 (3.37e-4) =	3.3724e-2 (3.13e-4) +
DC2_DTLZ1	2.0048e-2 (1.20e-4) +	2.0082e-2 (1.26e-4) +	2.0216e-2 (1.84e-4)	2.0290e-2 (2.01e-4) =	2.0254e-2 (1.52e-4) =
DC2_DTLZ3	5.2762e-2 (4.14e-4) =	5.2667e-2 (3.38e-4) =	5.2633e-2 (3.42e-4)	5.2753e-2 (4.19e-4) =	5.2717e-2 (3.92e-4) =
DC3_DTLZ1	6.8620e-3 (5.63e-5) +	6.8634e-3 (4.95e-5) +	6.9864e-3 (1.65e-4)	7.2675e-3 (3.44e-4) -	7.1961e-3 (2.36e-4) -
DC3_DTLZ3	1.9919e-2 (3.22e-4) =	1.9879e-2 (2.45e-4) =	1.9924e-2 (2.12e-4)	1.9986e-2 (2.26e-4) =	2.0009e-2 (2.96e-4) =
LIRCPOP1	NaN (0.00%) -	NaN (46.67%) -	4.9450e-2 (9.58e-3)	5.4047e-2 (1.18e-2) =	5.7387e-2 (9.83e-3) -
LIRCPOP2	NaN (3.33%) =	NaN (60.00%) -	3.0733e-2 (4.39e-3)	3.2775e-2 (4.31e-3) -	3.4528e-2 (6.34e-3) -
LIRCPOP3	NaN (0.00%) -	NaN (6.67%) -	2.4964e-2 (1.01e-2)	2.6496e-2 (8.75e-3) =	2.7442e-2 (8.72e-3) =
LIRCPOP4	NaN (0.00%) -	NaN (60.00%) -	2.4573e-2 (7.63e-3)	2.8375e-2 (1.07e-2) =	2.8771e-2 (1.07e-2) =
LIRCPOP5	6.6187e-2 (1.99e-2) +	7.7009e-2 (2.10e-2) +	1.2488e-1 (3.96e-2)	1.6062e-1 (3.23e-2) -	1.7154e-1 (3.21e-2) -
LIRCPOP6	5.5998e-2 (1.71e-2) +	5.9993e-2 (2.28e-2) +	1.2337e-1 (6.38e-2)	1.5077e-1 (6.41e-2) =	1.9798e-1 (7.38e-2) -
LIRCPOP7	NaN (66.67%) -	NaN (63.33%) -	1.2624e-1 (4.81e-1)	4.7234e-2 (1.76e-2) =	4.8294e-2 (2.21e-2) +
LIRCPOP8	NaN (66.67%) -	NaN (66.67%) -	7.2234e-2 (8.60e-2)	7.7961e-2 (3.51e-2) -	5.9238e-2 (2.90e-2) =
LIRCPOP9	1.0923e-1 (3.42e-2) =	1.0540e-1 (2.75e-2) =	1.0477e-1 (2.91e-2)	1.0461e-1 (2.55e-2) =	1.4240e-1 (4.49e-2) -
LIRCPOP10	2.4283e-2 (5.93e-3) =	2.5122e-2 (5.98e-3) =	2.9075e-2 (1.93e-2)	4.1652e-2 (2.53e-2) -	4.4582e-2 (2.58e-2) -
LIRCPOP11	NaN (90.00%) -	4.7149e-1 (5.22e-1) -	6.0970e-3 (2.36e-3)	6.5715e-3 (3.35e-3) =	8.4674e-3 (4.20e-3) -
LIRCPOP12	NaN (96.67%) -	4.7063e-1 (4.70e-1) -	4.5125e-2 (1.78e-1)	1.7796e-2 (8.02e-3) +	2.2981e-2 (1.20e-2) +
LIRCPOP13	9.3726e-2 (1.32e-3) =	9.3239e-2 (1.03e-3) =	9.3096e-2 (1.16e-3)	9.3086e-2 (1.05e-3) =	9.3240e-2 (1.01e-3) =
LIRCPOP14	9.4891e-2 (7.48e-4) =	9.5209e-2 (1.07e-3) =	9.5092e-2 (1.48e-3)	9.5400e-2 (1.14e-3) =	9.5233e-2 (9.83e-4) =
MW1	1.6130e-3 (1.40e-5) =	1.6131e-3 (1.12e-5) =	1.6091e-3 (1.09e-5)	1.6093e-3 (9.68e-6) =	1.6114e-3 (9.20e-6) =
MW2	5.4098e-3 (7.12e-4) =	5.5330e-3 (7.30e-4) =	5.6942e-3 (5.97e-4)	5.4221e-3 (6.26e-4) =	5.6099e-3 (4.37e-4) =
MW3	3.7112e-2 (2.41e-2) -	5.4801e-3 (3.65e-4) =	5.4699e-3 (2.24e-4)	5.4935e-3 (2.28e-4) =	5.4310e-3 (2.66e-4) =
MW4	4.8517e-2 (1.76e-3) =	4.8350e-2 (1.86e-3) =	4.8342e-2 (1.61e-3)	4.8778e-2 (1.64e-3) =	4.8318e-2 (1.59e-3) =
MW5	NaN (90.00%) -	NaN (86.67%) -	NaN (93.33%)	2.7636e-2 (1.34e-1) =	NaN (76.67%) -
MW6	2.7490e-3 (1.88e-5) =	2.7548e-3 (2.87e-5) =	2.7454e-3 (2.80e-5)	2.7462e-3 (2.21e-5) =	2.7504e-3 (3.16e-5) =
MW7	2.0216e-1 (8.94e-2) -	1.1077e-2 (3.62e-2) =	4.5148e-3 (2.16e-4)	4.6159e-3 (2.36e-4) =	4.5194e-3 (2.14e-4) =
MW8	4.3156e-2 (5.42e-4) =	4.3006e-2 (6.66e-4) =	4.2930e-2 (5.77e-4)	4.2962e-2 (6.04e-4) =	4.2833e-2 (5.53e-4) =
MW9	NaN (90.00%) -	NaN (80.00%) -	NaN (93.33%)	NaN (90%) -	NaN (93.33%) -
MW10	3.3965e-3 (3.73e-5) =	3.4133e-3 (8.96e-5) =	3.4078e-3 (4.88e-5)	3.4193e-3 (4.13e-5) =	3.4238e-3 (4.30e-5) =
MW11	NaN (6.67%) -	NaN (83.33%) -	5.9115e-3 (1.16e-4)	5.9215e-3 (1.07e-4) =	5.8850e-3 (9.55e-5) =
MW12	NaN (76.67%) -	NaN (93.33%) =	NaN (93.33%)	NaN (86.67%) -	NaN (96.67%) -
MW13	1.0709e-2 (1.76e-4) =	1.0703e-2 (1.41e-4) =	1.0715e-2 (1.66e-4)	1.0743e-2 (1.17e-4) =	1.1021e-2 (1.21e-3) =
MW14	1.8491e-1 (4.20e-2) -	1.1483e-1 (3.97e-2) =	9.7530e-2 (2.06e-3)	9.8019e-2 (1.51e-3) =	9.7703e-2 (1.92e-3) =
+/-=	5/15/18	5/11/22		2/8/28	4/11/23

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the GLCMEA with $g = 35$ and different δ value is significantly better than, worse than, and similar to the GLCMEA with $g = 35$ and $\delta = 0.05$, respectively. “NaN” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.

TABLE S-IX
THE IGD RESULTS OF GLCMEA AND GLCMEA-LMEA

Problem	GLCMEA-LMEA	GLCMEA
C1_DTLZ1	2.3441e-2 (7.60e-4) -	2.1656e-2 (7.64e-4)
C1_DTLZ3	5.4406e-2 (6.64e-4) -	5.3401e-2 (8.39e-4)
C2_DTLZ2	5.6314e-2 (1.54e-3) -	4.2478e-2 (3.72e-4)
C3_DTLZ4	NaN (0.00%) -	1.1941e-1 (1.36e-1)
DC1_DTLZ1	2.0896e-2 (1.23e-3) -	1.1516e-2 (1.60e-4)
DC1_DTLZ3	5.6859e-2 (2.58e-3) -	3.3915e-2 (4.04e-4)
DC2_DTLZ1	2.1191e-2 (3.51e-4) -	2.0216e-2 (1.84e-4)
DC2_DTLZ3	5.5142e-2 (2.90e-3) -	5.2633e-2 (3.42e-4)
DC3_DTLZ1	3.0771e-2 (6.79e-3) -	6.9864e-3 (1.65e-4)
DC3_DTLZ3	6.2996e-2 (7.07e-3) -	1.9924e-2 (2.12e-4)
LIRCPOP1	NaN (0.00%) -	4.9450e-2 (9.58e-3)
LIRCPOP2	NaN (0.00%) -	3.0733e-2 (4.39e-3)
LIRCPOP3	NaN (0.00%) -	2.4964e-2 (1.01e-2)
LIRCPOP4	NaN (0.00%) -	2.4573e-2 (7.63e-3)
LIRCPOP5	1.6921e-1 (4.26e-2) -	1.2488e-1 (3.96e-2)
LIRCPOP6	1.9349e-1 (5.59e-2) -	1.2337e-1 (6.38e-2)
LIRCPOP7	NaN (0.00%) -	1.2624e-1 (4.81e-1)
LIRCPOP8	NaN (0.00%) -	7.2234e-2 (8.60e-2)
LIRCPOP9	1.5730e-1 (5.57e-2) -	1.0477e-1 (2.91e-2)
LIRCPOP10	6.7891e-2 (5.14e-2) -	2.9075e-2 (1.93e-2)
LIRCPOP11	5.6897e-1 (2.73e-1) -	6.0970e-3 (2.36e-3)
LIRCPOP12	NaN (56.67%) -	4.5125e-2 (1.78e-1)
LIRCPOP13	9.2198e-2 (1.15e-3) +	9.3096e-2 (1.16e-3)
LIRCPOP14	NaN (0.00%) -	9.5092e-2 (1.48e-3)
MW1	4.3662e-3 (1.45e-3) -	1.6091e-3 (1.09e-5)
MW2	4.2330e-3 (1.51e-4) +	5.6942e-3 (5.97e-4)
MW3	5.3557e-2 (1.84e-3) -	5.4699e-3 (2.24e-4)
MW4	4.9491e-2 (2.00e-3) -	4.8342e-2 (1.61e-3)
MW5	NaN (80.00%) -	NaN (93.33%)
MW6	5.5720e-3 (7.10e-4) -	2.7454e-3 (2.80e-5)
MW7	2.0875e-1 (4.53e-3) -	4.5148e-3 (2.16e-4)
MW8	6.0716e-2 (2.12e-3) -	4.2930e-2 (5.77e-4)
MW9	NaN (20.00%) -	NaN (93.33%)
MW10	NaN (96.67%) -	3.4078e-3 (4.88e-5)
MW11	NaN (0.00%) -	5.9115e-3 (1.16e-4)
MW12	NaN (30.00%) -	NaN (93.33%)
MW13	9.5734e-2 (4.83e-2) -	1.0715e-2 (1.66e-4)
MW14	1.1196e-1 (2.27e-2) -	9.7530e-2 (2.06e-3)
+/-/=	2/36/0	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the GLCMEA-LMEA is significantly better than, worse than, and similar to the GLCMEA, respectively. “NaN ” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.

TABLE S-X
THE IGD RESULTS OF GLCMEA AND GLCMEA-UPF

Problem	GLCMEA-UPF	GLCMEA
C1_DTLZ1	2.1772e-2 (8.78e-4) =	2.1656e-2 (7.64e-4)
C1_DTLZ3	5.3360e-2 (7.22e-4) =	5.3401e-2 (8.39e-4)
C2_DTLZ2	4.2618e-2 (5.75e-4) =	4.2478e-2 (3.72e-4)
C3_DTLZ4	9.4637e-2 (1.63e-3) =	1.1941e-1 (1.36e-1)
DC1_DTLZ1	1.1583e-2 (2.59e-4) =	1.1516e-2 (1.60e-4)
DC1_DTLZ3	3.3798e-2 (2.68e-4) =	3.3915e-2 (4.04e-4)
DC2_DTLZ1	2.0338e-2 (3.68e-4) =	2.0216e-2 (1.84e-4)
DC2_DTLZ3	5.2709e-2 (3.25e-4) =	5.2633e-2 (3.42e-4)
DC3_DTLZ1	7.6371e-3 (2.45e-3) -	6.9864e-3 (1.65e-4)
DC3_DTLZ3	1.9947e-2 (2.32e-4) =	1.9924e-2 (2.12e-4)
LIRCPOP1	7.5703e-2 (3.08e-2) -	4.9450e-2 (9.58e-3)
LIRCPOP2	4.7472e-2 (1.46e-2) -	3.0733e-2 (4.39e-3)
LIRCPOP3	4.2959e-2 (1.52e-2) -	2.4964e-2 (1.01e-2)
LIRCPOP4	5.5334e-2 (1.25e-2) -	2.4573e-2 (7.63e-3)
LIRCPOP5	1.1445e-1 (3.27e-2) =	1.2488e-1 (3.96e-2)
LIRCPOP6	1.1883e-1 (5.95e-2) =	1.2337e-1 (6.38e-2)
LIRCPOP7	1.6780e-1 (4.45e-1) -	1.2624e-1 (4.81e-1)
LIRCPOP8	7.3040e-2 (3.94e-2) =	7.2234e-2 (8.60e-2)
LIRCPOP9	9.8108e-2 (1.76e-2) =	1.0477e-1 (2.91e-2)
LIRCPOP10	2.7911e-2 (1.64e-2) =	2.9075e-2 (1.93e-2)
LIRCPOP11	8.1480e-3 (1.20e-2) =	6.0970e-3 (2.36e-3)
LIRCPOP12	2.0741e-2 (1.83e-2) =	4.5125e-2 (1.78e-1)
LIRCPOP13	9.3184e-2 (1.10e-3) =	9.3096e-2 (1.16e-3)
LIRCPOP14	9.5146e-2 (1.09e-3) =	9.5092e-2 (1.48e-3)
MW1	1.6121e-3 (1.20e-5) =	1.6091e-3 (1.09e-5)
MW2	5.5009e-3 (3.32e-4) =	5.6942e-3 (5.97e-4)
MW3	5.3745e-3 (2.40e-4) =	5.4699e-3 (2.24e-4)
MW4	4.8631e-2 (1.73e-3) =	4.8342e-2 (1.61e-3)
MW5	NaN (86.67%) -	NaN (93.33%)
MW6	2.7523e-3 (2.64e-5) =	2.7454e-3 (2.80e-5)
MW7	4.4120e-3 (1.82e-4) =	4.5148e-3 (2.16e-4)
MW8	4.2973e-2 (4.08e-4) =	4.2930e-2 (5.77e-4)
MW9	NaN (80.00%) -	NaN (93.33%)
MW10	3.4146e-3 (4.45e-5) =	3.4078e-3 (4.88e-5)
MW11	5.9282e-3 (1.24e-4) =	5.9115e-3 (1.16e-4)
MW12	NaN (83.33%) -	NaN (93.33%)
MW13	1.0851e-2 (8.85e-4) =	1.0715e-2 (1.66e-4)
MW14	9.7588e-2 (1.85e-3) =	9.7530e-2 (2.06e-3)
+/-/=	0/9/29	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the GLCMEA-UPF is significantly better than, worse than, and similar to the GLCMEA, respectively. “NaN ” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.

TABLE S-XI
THE IGD RESULTS OF GLCMEA, GLCMEA-RANDOM1, AND GLCMEA-RANDOM2

Problem	GLCMEA-random1	GLCMEA-random2	GLCMEA
C1_DTLZ1	2.1630e-2 (8.13e-4) =	2.1685e-2 (7.46e-4) =	2.1656e-2 (7.64e-4)
C1_DTLZ3	5.3464e-2 (6.16e-4) =	5.3432e-2 (8.02e-4) =	5.3401e-2 (8.39e-4)
C2_DTLZ2	4.2592e-2 (5.73e-4) =	4.2676e-2 (4.09e-4) -	4.2478e-2 (3.72e-4)
C3_DTLZ4	1.1910e-1 (1.36e-1) =	9.4422e-2 (1.38e-3) =	1.1941e-1 (1.36e-1)
DC1_DTLZ1	1.1554e-2 (2.27e-4) =	1.1595e-2 (2.75e-4) =	1.1516e-2 (1.60e-4)
DC1_DTLZ3	3.3867e-2 (3.62e-4) =	3.3940e-2 (3.88e-4) =	3.3915e-2 (4.04e-4)
DC2_DTLZ1	2.0238e-2 (2.29e-4) =	2.0195e-2 (2.37e-4) =	2.0216e-2 (1.84e-4)
DC2_DTLZ3	5.2776e-2 (3.73e-4) =	5.2682e-2 (3.28e-4) =	5.2633e-2 (3.42e-4)
DC3_DTLZ1	7.0316e-3 (1.87e-4) =	7.0410e-3 (4.08e-4) =	6.9864e-3 (1.65e-4)
DC3_DTLZ3	1.9939e-2 (1.82e-4) =	1.9936e-2 (1.89e-4) =	1.9924e-2 (2.12e-4)
LIRCOP1	6.1079e-2 (1.49e-2) -	6.3579e-2 (1.69e-2) -	4.9450e-2 (9.58e-3)
LIRCOP2	3.5019e-2 (5.42e-3) -	3.4410e-2 (7.96e-3) -	3.0733e-2 (4.39e-3)
LIRCOP3	3.1555e-2 (1.23e-2) -	3.0753e-2 (8.16e-3) -	2.4964e-2 (1.01e-2)
LIRCOP4	3.0828e-2 (1.12e-2) -	3.1739e-2 (8.06e-3) -	2.4573e-2 (7.63e-3)
LIRCOP5	1.3151e-1 (4.10e-2) =	1.3342e-1 (4.13e-2) =	1.2488e-1 (3.96e-2)
LIRCOP6	1.0410e-1 (5.42e-2) =	1.2622e-1 (5.51e-2) =	1.2337e-1 (6.38e-2)
LIRCOP7	3.7998e-2 (1.65e-2) =	5.0644e-2 (2.57e-2) =	1.2624e-1 (4.81e-1)
LIRCOP8	8.0821e-2 (1.20e-1) =	7.2723e-2 (3.94e-2) =	7.2234e-2 (8.60e-2)
LIRCOP9	1.1258e-1 (3.55e-2) =	1.4298e-1 (4.95e-2) -	1.0477e-1 (2.91e-2)
LIRCOP10	3.3359e-2 (2.34e-2) =	4.4116e-2 (2.81e-2) -	2.9075e-2 (1.93e-2)
LIRCOP11	6.7313e-3 (3.39e-3) =	1.5014e-2 (2.21e-2) -	6.0970e-3 (2.36e-3)
LIRCOP12	1.4594e-2 (6.83e-3) =	2.0024e-2 (1.74e-2) =	4.5125e-2 (1.78e-1)
LIRCOP13	9.3264e-2 (1.11e-3) =	9.3275e-2 (1.22e-3) =	9.3096e-2 (1.16e-3)
LIRCOP14	9.5292e-2 (7.63e-4) =	9.5245e-2 (1.01e-3) =	9.5092e-2 (1.48e-3)
MW1	1.6153e-3 (1.51e-5) =	1.6117e-3 (1.47e-5) =	1.6091e-3 (1.09e-5)
MW2	5.6226e-3 (7.21e-4) =	5.2578e-3 (7.21e-4) +	5.6942e-3 (5.97e-4)
MW3	5.3507e-3 (2.58e-4) =	5.3160e-3 (2.74e-4) +	5.4699e-3 (2.24e-4)
MW4	4.8245e-2 (1.73e-3) =	4.8400e-2 (1.74e-3) =	4.8342e-2 (1.61e-3)
MW5	NaN (86.67%) -	NaN (86.67%) -	NaN (93.33%)
MW6	2.7611e-3 (6.42e-5) =	2.7592e-3 (2.42e-5) =	2.7454e-3 (2.80e-5)
MW7	4.4396e-3 (2.25e-4) =	4.4242e-3 (1.95e-4) =	4.5148e-3 (2.16e-4)
MW8	4.2835e-2 (6.43e-4) =	4.2965e-2 (5.95e-4) =	4.2930e-2 (5.77e-4)
MW9	NaN (90.00%) -	NaN (83.33%) -	NaN (93.33%)
MW10	3.4290e-3 (3.49e-5) -	3.4130e-3 (4.89e-5) =	3.4078e-3 (4.88e-5)
MW11	5.9284e-3 (1.03e-4) =	5.9170e-3 (1.26e-4) =	5.9115e-3 (1.16e-4)
MW12	NaN (90.00%) -	NaN (83.33%) -	NaN (93.33%)
MW13	1.0666e-2 (1.80e-4) =	1.0671e-2 (1.66e-4) =	1.0715e-2 (1.66e-4)
MW14	9.8331e-2 (4.59e-3) =	9.7107e-2 (1.42e-3) =	9.7530e-2 (2.06e-3)
+/-/=	0/8/30	2/11/25	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the compared algorithm is significantly better than, worse than, and similar to the GLCMEA, respectively. “NaN ” indicates that the corresponding algorithm cannot continuously obtain feasible solutions in 30 runs, and the result is represented by “NaN (FR)”.

TABLE S-XII
THE IGD RESULTS OF GLCMEA AND SIX COMPARED ALGORITHMS ON CLSMOP TEST SUITE

Problem	D	CCMO	MTCMO	C_LMEA	C_LMOCSO	DPSEA	POCEA	GLCMEA
CLSMOP1	100	9.3170e-1 (6.68e-2) -	9.2177e-1 (7.62e-2) -	6.9251e-1 (8.20e-2) =	7.0540e-1 (3.08e-4) +	9.2503e-1 (6.99e-2) -	7.0502e-1 (4.91e-3) +	7.4539e-1 (1.09e-1)
	200	9.5903e-1 (9.52e-3) -	9.5548e-1 (1.18e-2) -	7.2839e-1 (6.47e-2) =	7.0539e-1 (4.81e-4) +	9.6925e-1 (6.47e-3) -	6.9225e-1 (6.48e-2) +	7.5388e-1 (1.16e-1)
	500	9.5799e-1 (3.60e-3) -	9.5754e-1 (4.80e-3) -	6.5741e-1 (9.55e-2) =	7.0498e-1 (1.13e-3) +	9.6379e-1 (4.57e-3) -	6.8211e-1 (1.17e-1) +	7.4189e-1 (1.12e-1)
	1000	9.5693e-1 (3.90e-3) -	9.5502e-1 (3.82e-3) -	6.5053e-1 (1.21e-1) =	7.0416e-1 (7.50e-3) +	9.5408e-1 (3.64e-3) -	5.0216e-1 (1.48e-1) +	7.4160e-1 (1.09e-1)
CLSMOP2	100	4.2593e-2 (2.87e-3) =	4.1546e-2 (2.75e-3) =	9.6983e-2 (6.80e-2) -	4.6196e-2 (1.20e-2) =	4.5525e-2 (2.65e-3) -	3.1295e-2 (1.50e-2) +	3.9453e-2 (8.91e-3)
	200	4.9259e-2 (4.94e-3) -	4.8857e-2 (5.49e-3) -	7.5939e-2 (3.94e-2) -	2.0972e-2 (5.40e-3) +	3.5118e-2 (2.21e-3) =	2.6429e-2 (6.68e-3) +	3.7085e-2 (1.13e-2)
	500	2.5976e-2 (2.02e-4) =	2.5976e-2 (2.29e-4) =	5.0904e-2 (1.71e-2) -	1.5501e-2 (3.60e-3) +	2.5533e-2 (2.91e-4) =	2.1313e-2 (1.46e-3) +	2.3539e-2 (3.20e-3)
	1000	1.4932e-2 (1.21e-4) =	1.4960e-2 (1.24e-4) =	3.0629e-2 (7.89e-3) -	1.4322e-2 (1.68e-3) =	1.4452e-2 (1.28e-4) +	1.2816e-2 (5.95e-4) +	1.4933e-2 (4.77e-4)
CLSMOP3	100	1.0834e+0 (5.29e-2) -	1.0801e+0 (5.01e-2) -	8.2892e-1 (3.01e-1) =	4.7564e+0 (1.86e+1) -	1.0989e+0 (4.67e-2) -	9.9215e-1 (3.82e-2) =	7.4740e-1 (3.75e-1)
	200	1.0205e+0 (1.18e-2) =	1.0229e+0 (1.16e-2) -	2.3400e+0 (3.87e+0) -	1.4132e+0 (9.67e-1) =	1.0223e+0 (1.10e-2) -	9.7059e-1 (1.56e-1) -	8.7535e-1 (3.02e-1)
	500	1.0018e+0 (1.89e-3) =	1.0034e+0 (5.57e-3) -	1.1193e+0 (1.73e+0) -	1.5072e+1 (7.20e+1) -	1.0026e+0 (2.20e-3) -	9.8660e-1 (5.28e-2) -	9.7257e-1 (1.27e-1)
	1000	9.9904e-1 (5.30e-4) -	9.9933e-1 (1.39e-3) -	1.2454e+0 (1.40e+0) -	6.1884e+1 (2.32e+2) -	9.9967e-1 (2.36e-3) -	9.9939e-1 (1.41e-3) -	9.4428e-1 (1.67e-1)
CLSMOP4	100	6.1401e-1 (1.39e-2) =	6.1322e-1 (1.45e-2) =	5.6147e-1 (5.33e-2) +	6.8134e-1 (1.24e-3) -	6.0855e-1 (9.84e-3) =	6.9761e-1 (5.59e-3) -	6.1415e-1 (1.77e-2)
	200	6.1952e-1 (1.13e-2) +	6.2198e-1 (9.29e-3) +	6.4559e-1 (3.29e-2) -	6.9452e-1 (7.49e-4) -	6.2939e-1 (5.35e-3) -	7.0377e-1 (1.57e-3) -	6.3658e-1 (8.67e-3)
	500	6.2106e-1 (9.48e-3) +	6.2195e-1 (9.21e-3) +	6.7601e-1 (2.10e-2) -	7.0167e-1 (2.25e-4) -	6.6430e-1 (3.77e-3) =	7.0516e-1 (4.86e-4) -	6.6152e-1 (1.26e-2)
	1000	6.4849e-1 (8.64e-3) +	6.5131e-1 (9.78e-3) +	6.9131e-1 (1.26e-2) -	7.0442e-1 (1.81e-4) -	6.6447e-1 (2.43e-3) +	7.0627e-1 (2.44e-4) -	6.7345e-1 (1.40e-2)
CLSMOP5	100	3.4247e-1 (5.54e-5) -	3.4247e-1 (5.53e-5) -	4.5485e-1 (2.58e-1) -	5.4295e-2 (1.87e-1) +	3.4382e-1 (3.43e-3) -	5.3243e-1 (1.84e-1) -	1.6287e-1 (1.26e-1)
	200	3.4248e-1 (9.22e-5) -	3.4246e-1 (3.90e-5) -	4.9730e-1 (2.38e-1) -	5.3952e-2 (1.87e-1) +	3.4828e-1 (2.11e-2) -	5.9889e-1 (1.58e-1) -	2.2336e-1 (1.24e-1)
	500	3.4245e-1 (4.65e-5) -	3.4244e-1 (1.81e-5) -	4.8686e-1 (2.25e-1) -	2.5915e-1 (3.50e-1) +	3.4295e-1 (4.37e-4) -	7.4209e-1 (2.16e-5) -	2.9388e-1 (1.05e-1)
	1000	3.4240e-1 (2.24e-5) -	3.4240e-1 (1.69e-5) -	5.3818e-1 (1.81e-1) -	5.3612e-1 (3.19e-1) -	3.4252e-1 (1.04e-4) -	7.3808e-1 (2.20e-2) -	2.8330e-1 (1.14e-1)
+/-/=		3/11/6	3/13/4	1/14/5	9/8/3	3/13/4	8/11/1	

The best value in each row is marked in gray. The symbols “+”, “-”, and “=” indicate that the compared algorithm is significantly better than, worse than, and similar to the proposed algorithm, respectively.