

Aquí tenim les correccions del html:

1) Index:

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <https://cincastello.github.io/LlenguatgeDeMarques/Activitat4.%20Material/index.html> (checked with vnu 25.12.2)

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by address

<https://cincastello.github.io/LlenguatgeDeMarques/Activitat4.%20Material/index.html>

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1, column 16; to line 2, column 6
TYPE `html` `<html>` `<head>` `<`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
- Warning** The `type` attribute for the `style` element is not needed and should be omitted.
From line 5, column 6; to line 5, column 28
line 5 `<style type="text/css">`
- Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
From line 11, column 30; to line 11, column 75
dex.html ``
- Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
From line 28, column 156; to line 28, column 191
-sa/4.0/*>``

Document checking completed.

Precios:

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <https://cincastello.github.io/LlenguatgeDeMarques/Activitat4.%20Material/precios.html> (checked with vnu 25.12.2)

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by address

<https://cincastello.github.io/LlenguatgeDeMarques/Activitat4.%20Material/precios.html>

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1, column 16; to line 2, column 6
TYPE `html` `<html>` `<head>` `<`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
- Warning** The `type` attribute for the `style` element is not needed and should be omitted.
From line 5, column 6; to line 5, column 28
line 5 `<style type="text/css">`
- Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
From line 11, column 31; to line 11, column 76
dex.html ``
- Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
From line 31, column 17; to line 31, column 46
<td>``</td>
- Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
From line 37, column 17; to line 37, column 41
<td>``</td>

5.

Error

An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 37, column 17; to line 37, column 41

```
<td><p></td></tr></table></pre>
```

6.

Error

An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 39, column 13; to line 39, column 42

```
</td></tr></table></pre>
```

7.

Error

An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 46, column 17; to line 46, column 41

```
<td></td></tr></table></pre>
```

8.

Error

An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 53, column 17; to line 53, column 42

```
<td><p></td></tr></table></pre>
```

9.

Error

An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 54, column 17; to line 54, column 41

```
</p><p></td></tr></table></pre>
```

10.

Error

An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 55, column 17; to line 55, column 46

```
</p></td></tr></table></pre>
```

11.

Error

An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 68, column 156; to line 68, column 191

```
</a></td></tr></table></pre>
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.
Total execution time 34 milliseconds.

Showing results for <https://cincasteno.grimod.io/LienquageDemarques/Activitat4.7%20material/reservas.html> (checked with vnu 23.12.4)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

```
<input type="text" name="name" id="name" value="" />_
```

6. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.
From line 41, column 17; to line 41, column 78

```
<input type="text" name="apellidos" id="apellidos" value="" />_
```

7. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.
From line 45, column 17; to line 45, column 69

```
<input type="tel" name="telefon" id="telefon" value="" />_
```

8. **Error** Bad value `mail` for attribute `type` on element `input`.
From line 49, column 17; to line 49, column 70

```
<input type="mail" name="correo" id="correo" value="" />_
```

9. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.
From line 49, column 17; to line 49, column 70

```
<input type="mail" name="correo" id="correo" value="" />_
```

10. **Error** Bad value `mail` for attribute `type` on element `input`.
From line 53, column 17; to line 53, column 78

```
<input type="mail" name="confirmar" id="confirmar" value="" />_
```

11. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.
From line 53, column 17; to line 53, column 78

```
<input type="mail" name="confirmar" id="confirmar" value="" />_
```

12. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.
From line 57, column 17; to line 57, column 76

```
<input type="password" name="contra" id="contra" value="" />_
```

13. **Warning** Attribute `...` is not serializable as XML 1.0.
From line 59, column 17; to line 59, column 52

```
<input type="text" list="mydata" ...>_
```

14. **Error** Element `input` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 59, column 17; to line 59, column 52

```
<input type="text" list="mydata" ...>_
```

Contexts in which element `input` may be used:
Where [phrasing content](#) is expected.
Content model for element `ul`:
Zero or more [li](#) and [script-supporting](#) elements.

15. **Error** Element `datalist` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 60, column 17; to line 60, column 38

```
<datalist id="mydata">_
```

Contexts in which element `datalist` may be used:
Where [phrasing content](#) is expected.
Content model for element `ul`:
Zero or more [li](#) and [script-supporting](#) elements.

16. **Error** Element `input` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 67, column 17; to line 67, column 54

```
<input type="number" min="1" max="3" >_
```

Contexts in which element `input` may be used:
Where [phrasing content](#) is expected.
Content model for element `ul`:
Zero or more [li](#) and [script-supporting](#) elements.

17. **Error** Element `p` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 68, column 17; to line 68, column 19

```
<p>Fecha
```

Contexts in which element `p` may be used:
Where [flow content](#) is expected.
As a child of an [hgroup](#) element.
Content model for element `ul`:
Zero or more [li](#) and [script-supporting](#) elements.

18. **Error** Element `input` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 69, column 17; to line 69, column 35

```
<input type="date">_
```

Contexts in which element `input` may be used:
Where [phrasing content](#) is expected.
Content model for element `ul`:
Zero or more [li](#) and [script-supporting](#) elements.

19. **Error** Element `p` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 70, column 17; to line 70, column 19

	<p>Fecha Contexts in which element <code>p</code> may be used: Where <code>flow content</code> is expected. As a child of an <code>hgroup</code> element. Content model for element <code>ul</code>: Zero or more <code>li</code> and <code>script-supporting</code> elements.
20.	Error Element <code>input</code> not allowed as child of element <code>ul</code> in this context. (Suppressing further errors from this subtree.) From line 71, column 17; to line 71, column 35 <input type="date"> Contexts in which element <code>input</code> may be used: Where <code>phrasing content</code> is expected. Content model for element <code>ul</code>: Zero or more <code>li</code> and <code>script-supporting</code> elements.
21.	Error Element <code>label</code> not allowed as child of element <code>ul</code> in this context. (Suppressing further errors from this subtree.) From line 72, column 17; to line 72, column 36 <label for="parqui">Petic Contexts in which element <code>label</code> may be used: Where <code>phrasing content</code> is expected. Content model for element <code>ul</code>: Zero or more <code>li</code> and <code>script-supporting</code> elements.
22.	Error Element <code>label</code> not allowed as child of element <code>ul</code> in this context. (Suppressing further errors from this subtree.) From line 81, column 17; to line 81, column 36 <label for="parqui">Parkin Contexts in which element <code>label</code> may be used: Where <code>phrasing content</code> is expected. Content model for element <code>ul</code>: Zero or more <code>li</code> and <code>script-supporting</code> elements.
23.	Error Element <code>select</code> not allowed as child of element <code>ul</code> in this context. (Suppressing further errors from this subtree.) From line 82, column 17; to line 82, column 65 <select name="parqui" class="medium" id="parqui"> Contexts in which element <code>select</code> may be used: Where <code>phrasing content</code> is expected. Content model for element <code>ul</code>: Zero or more <code>li</code> and <code>script-supporting</code> elements.
24.	Error Element <code>label</code> not allowed as child of element <code>ul</code> in this context. (Suppressing further errors from this subtree.) From line 86, column 17; to line 86, column 36 <label for="parqui">El hot Contexts in which element <code>label</code> may be used: Where <code>phrasing content</code> is expected. Content model for element <code>ul</code>: Zero or more <code>li</code> and <code>script-supporting</code> elements.
25.	Error Element <code>div</code> not allowed as child of element <code>ul</code> in this context. (Suppressing further errors from this subtree.) From line 87, column 17; to line 87, column 21 <div></div> Contexts in which element <code>div</code> may be used: Where <code>flow content</code> is expected. As a child of a <code>dl</code> element. Content model for element <code>ul</code>: Zero or more <code>li</code> and <code>script-supporting</code> elements.
26.	Error Element <code>label</code> not allowed as child of element <code>ul</code> in this context. (Suppressing further errors from this subtree.) From line 88, column 17; to line 88, column 48 <label for="data-hora-arribada">Hora p Contexts in which element <code>label</code> may be used: Where <code>phrasing content</code> is expected. Content model for element <code>ul</code>: Zero or more <code>li</code> and <code>script-supporting</code> elements.
27.	Error Element <code>input</code> not allowed as child of element <code>ul</code> in this context. (Suppressing further errors from this subtree.) From line 89, column 17; to line 89, column 104 <input type="datetime-local" id="data-hora-arribada" name="data_hora_arribada" required> Contexts in which element <code>input</code> may be used: Where <code>phrasing content</code> is expected. Content model for element <code>ul</code>: Zero or more <code>li</code> and <code>script-supporting</code> elements.
28.	Error Element <code>div</code> not allowed as child of element <code>ul</code> in this context. (Suppressing further errors from this subtree.) From line 90, column 17; to line 90, column 21 <div></div> Contexts in which element <code>div</code> may be used: Where <code>flow content</code> is expected. As a child of a <code>dl</code> element. Content model for element <code>ul</code>:

Contexts in which element `div` may be used:

- Where [flow content](#) is expected.
- As a child of a [div](#) element.

Content model for element `div`:

- Zero or more [li](#) and [script-supporting](#) elements.

29. **Error** Element `label` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 91, column 17; to line 91, column 34

```
<label for="desa">Desayu</label>
```

Contexts in which element `label` may be used:

- Where [phrasing content](#) is expected.

Content model for element `ul`:

- Zero or more [li](#) and [script-supporting](#) elements.

30. **Error** Element `select` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 92, column 17; to line 92, column 61

```
<select name="desa" class="medium" id="desa"></select>
```

Contexts in which element `select` may be used:

- Where [phrasing content](#) is expected.

Content model for element `ul`:

- Zero or more [li](#) and [script-supporting](#) elements.

31. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 98, column 17; to line 98, column 54

```
<input type="submit" value="submit" /></input>
```

32. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 99, column 17; to line 99, column 52

```
<input type="reset" value="reset" /></input>
```

33. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 109, column 156; to line 109, column 191

```
</img>
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total asynchronous time: 96 milliseconds

CSS:

 El Servicio de Validación de CSS del W3C

Resultados del Validador CSS del W3C para <https://cincastello.github.io/LenguatgeDeMarques/Activitat4.%20Material/estilos.css> (CSS versión 3 + SVG)

Ir a: Su Hoja de Estilo validada

Resultados del Validador CSS del W3C para <https://cincastello.github.io/LenguatgeDeMarques/Activitat4.%20Material/estilos.css> (CSS versión 3 + SVG)

¡Enhorabuena! No error encontrado.

¡Este documento es **CSS versión 3 + SVG** válido!

Puede mostrar este icono en cualquier página que valide para que los usuarios vean que se ha preocupado por crear una página Web Interoperable. A continuación se encuentra el XHTML que puede usar para añadir el icono a su página Web:

 ``

 ``

(cierra la etiqueta img con > en lugar de /> si utiliza HTML <= 4.01)

 The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Si lo desea, puede descargar una copia de la imagen para guardarla en su directorio web local y cambiar el fragmento anterior de XHTML para referenciar a la imagen en local en lugar de a la de éste servidor.

Si desea crear un enlace con esta página (es decir, con los resultados de la validación) para hacer que sea más fácil revalidar la página en el futuro, o para permitir que otras personas validen su página, el URI es:

<https://jigsaw.w3.org/css-validator/validator?lang=es&profile=css3svg&uri=https%3A%2F%2Fcincastello.github.io%2FLenguatgeDeMarques%2FActivitat4.%20Material%2Festilos.css&usermedium=all&vextwarning=warning=19f>