SURA - Meeting Notes

Shih-Ting (Cindy) Huang

Tasks

Week 1

- ⊠ 1. Go through the HMS description website and examine data retrieval, product information.
- □ 2. Determine the time frame of the data, its structure, and whether we can solely rely on the hazard mapping system (HMS) as a data source.
- [x]3. Download a data sample and map it.

Week 2

| \boxtimes | 1. | Figure out if we can calculate smoke area. |
|-------------|-------------|---|
| | | Investigate how to link information between the smoke and fire detection datasets. |
| | | Create better visualizations of the smoke KML data. |
| \boxtimes | 4. | Create histograms of fire detection times throughout the day and color by satellite/method of |
| | $d\epsilon$ | etection to see if they always collect data at the same times. |
| | 5. | Examine the change of fire points overtime, specifically for the California campfire (November 7th, |
| | 20 | 018 - November 16th, 2018). |
| \boxtimes | 6. | Summary of ecosystem types (variable "ecosys"). |
| | 7. | Look into how to structure the fire dataset. |
| | | Want to use fire as a predictor for the two projects Would be useful to get information on area, intensity, smoke amount |
| | | Check out FEER.v1: do they have data available, or do we only have access to the model? Can we ombine this data with the HMS data based on location? |

Week 3

- \boxtimes 1. Clip data to California's borders
- \boxtimes 2. Smoke dataset visualization
- \square 3. Fire detection points by time
 - Not doable given current file format (KML) and available packages (mapview)

Week 4

- \boxtimes 1. Combine all fire points of the week into one dataset and merge in FRP
- ⊠ 2. Experiment with HDBSCAN to identify clusters where there is persistent fires

Week 5-6

- □ 1. Try HDBSCAN for daily data
- \boxtimes 2. Determine best way to assign minpts value
- ⊠ 3. Plot it onto a map (one dot per daily cluster -> centroid) + maybe original points in the background
 - HDBSCAN clusters don't have centroids because shape is irregular
- \boxtimes 4. Merge in FRP based on clusters and examine variance
- \square 5. Look into POSTGIS

Week 7

- \boxtimes 1. Add in AQ data
 - Clip it to the week
 - Plot the locations of the air quality record points -> look at concentration of PM 2.5
 - Maybe get distance between PM2.5 site and fire cluster and where it is wrt smoke
- ∑ 2. Choose top k most probable points in a cluster: display latitude and longitude
 - So that we can calculate distance between person's home and the cluster point
- □ 3. Research if FRP can tell us anything about emission spread, intensity, etc.
 - date, center point, frp for cluster, num obs, distance to pm2.5 site

Week 8

- \square 1. Cleaner way of calculating each PM2.5 observation to closest cluster of the day
- \square 2. Create 3 indicator variables for if PM2.5 site lies in light, medium, and/or heavy smoke plume that day
- □ 3. Create polygon out of cluster points and calculate area
 - small area, lot of points -> intense fire