



A Interactive model map MapboxGL + pre-rendered tiles




The chosen variable, depth and timestep are served as pre-rendered **WebP** tiles, reprojected from the model's curvilinear grid. Observing platforms sit on a GL symbol layer, a colorbar keys the field, and hovering reports the value under the cursor. **Point** and **area** query modes feed every chart here.

B Point timeseries vs. climatology Timeseries tab



Modelled temperature at a clicked point and depth (pink) against the **day-of-year climatological envelope** — min, mean and max (blue) — with day/night shading, a **NOW** marker, and playback controls that animate the map through the series.

C Historical range & records Model Analysis tab



The whole historical record for one location: every year overlaid on the **P10–P90** envelope and long-term mean, filterable by season and statistic. All-time extremes are surfaced — here **24.542 °C** (2021-07-30) and **2.823 °C** (2017-01-13).

D Depth profile — model vs. profiler ORCA Point Wells




Three stacked depth–time fields: the **model**, the profiler's **casts binned onto the model's own depth levels**, and their **difference**. Here **80** casts give a bias of **+3.159**, **r = 0.655**, RMSE **3.377**.

E Model–sensor agreement Campbell River, 8.5 m



Daily model (orange, with its min–max spread) against the moored sensor (green) at the station's own depth. Skill scores track the visible window: bias **–0.411**, RMSE **0.509**, Pearson **R = 0.979** over **168** matched days.

F Matched-pair regression Comparison → Scatter



Every matched model–observation pair against the **1:1 reference** (dashed) and the linear best fit (orange): **R² = 0.958**, slope **0.927**, intercept **+0.347**. Residual and seasonal-cycle views sit on adjacent tabs.

G Field & sensor picker

Field

Temperature

Model Source

SalishSeaCast

Depth

0.5 m

Search sensors

Organization

Variable

40mbss

ONC 41 m

49.49°N, 124.77°W

Jun 2019 – Dec 2025

Temperature

Salinity

Dissolved Oxygen

Ph Total

Red Island Shoal Buoy

ONC Surface

47.31°N, 54.08°W

Feb 2018 – Jan 2022

Temperature

Variable, model source and depth sit above a **searchable sensor list** filterable by organisation and variable. Each card carries depth, position, record span and the variables that station measures.

H Station metadata

40mbss

ONC

Location

49.49°N, 124.77°W

Depth

41 m

Data range

Jun 2019 – Dec 2025

Variables

Temperature

Salinity

Dissolved Oxygen

Ph Total

ONC data is ordered through Oceans 3.0 (account required). Each link opens Data Search with that instrument selected.

Go to ONC

Close

Per-station detail with **direct links out to the source archive** — ONC Oceans 3.0, ERDDAP, or NetCDF/CSV downloads per variable — so any figure here can be traced back to raw data.