


You are here: <u>Home</u> > <u>Projects</u> > <u>SSL Server Test</u> > libreunir.com

SSL Report: libreunir.com (162.243.102.121)

Assessed on: Thu Mar 27 16:50:42 UTC 2014 | Clear cache

Scan Another »



Authentication



Server Key and Certificate #1

Common names	libreunir.com
Alternative names	libreunir.com www.libreunir.com
Prefix handling	Both (with and without WWW)
Valid from	Sun Apr 07 00:00:00 UTC 2013
Valid until	Mon Apr 07 23:59:59 UTC 2014 (expires in 11 days, 7 hours)
Key	RSA 2048 bits
Weak key (Debian)	No
Issuer	EssentialSSL CA
Signature algorithm	SHA1withRSA
Extended Validation	No
Revocation information	CRL, OCSP
Revocation status	Good (not revoked)
Trusted	Yes



Issuer

Additional Certificates (if supplied)

Certificates provided	3 (3790 bytes)
Chain issues	None
#2	
Subject	EssentialSSL CA SHA1: 73820a20f8f47a457cd0b54cc4e4e31cefa5c1e7
Valid until	Tue Dec 31 23:59:59 UTC 2019 (expires in 5 years and 9 months)
Key	RSA 2048 bits

COMODO Certification Authority

Signature algorithm	SHA1withRSA	
#3		
Subject	COMODO Certification Authority SHA1: 4e154acb683efd5578001432b92afe896812b85e	
Valid until	Sat May 30 10:48:38 UTC 2020 (expires in 6 years and 2 months)	
Key	RSA 2048 bits	
Issuer	UTN - DATACorp SGC	
Signature algorithm	SHA1withRSA	



Certification Paths

Path #1: Trusted

1	Sent by server	libreunir.com SHA1: 3037b39dc975de07e43a2b61ecd873d4693d932d RSA 2048 bits / SHA1withRSA	
2	Sent by server	EssentialSSL CA SHA1: 73820a20f8f47a457cd0b54cc4e4e31cefa5c1e7 RSA 2048 bits / SHA1withRSA	
3	In trust store	COMODO Certification Authority SHA1: 6631bf9ef74f9eb6c9d5a60cba6abed1f7bdef7b RSA 2048 bits / SHA1withRSA	

Path #2: Trusted

1	Sent by server	libreunir.com SHA1: 3037b39dc975de07e43a2b61ecd873d4693d932d RSA 2048 bits / SHA1withRSA
2	Sent by server	EssentialSSL CA SHA1: 73820a20f8f47a457cd0b54cc4e4e31cefa5c1e7 RSA 2048 bits / SHA1withRSA
3	Sent by server	COMODO Certification Authority SHA1: 4e154acb683efd5578001432b92afe896812b85e RSA 2048 bits / SHA1withRSA
4	In trust store	UTN - DATACorp SGC SHA1: 58119f0e128287ea50fdd987456f4f78dcfad6d4 RSA 2048 bits / SHA1withRSA

Configuration



Protocols

TLS 1.2	Yes
TLS 1.1	Yes
TLS 1.0	Yes
SSL 3	No
SSL 2	No



Cipher Suites (SSL 3+ suites in server-preferred order, then SSL 2 suites where used)

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030) ECDH 256 bits (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f) ECDH 256 bits (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028) ECDH 256 bits (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (0xc027) ECDH 256 bits (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_RC4_128_SHA(0xc011) ECDH 256 bits (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA(0xc014) ECDH 256 bits (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA(0xc013) ECDH 256 bits (eq. 3072 bits RSA) FS	128
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 (0x9f) DH 1024 bits (p: 128, g: 1, Ys: 128) FS	256

TLS_DHE_RSA_WITH_AES_256_CBC_SHA (0x39) DH 1024 bits (p: 128, g: 1, Ys 128) FS 256 TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA (0x88) DH 1024 bits (p: 128, g: 1, Ys 128) FS 256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0x9e) DH 1024 bits (p: 128, g: 1, Ys 128) FS 126 TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 (0x67) DH 1024 bits (p: 128, g: 1, Ys 128) FS 126 TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) DH 1024 bits (p: 128, g: 1, Ys 128) FS 126 TLS_DHE_RSA_WITH_SEED_CBC_SHA (0x9a) DH 1024 bits (p: 128, g: 1, Ys 128) FS 126 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) DH 1024 bits (p: 128, g: 1, Ys 128) FS 126		
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA (0x88) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0x9e) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 126 TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 (0x67) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 126 TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 126 TLS_DHE_RSA_WITH_SEED_CBC_SHA (0x9a) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 126 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 126	TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 (0x6b) DH 1024 bits (p: 128, g: 1, Ys: 128) FS	256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0x9e) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128 TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 (0x67) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128 TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128 TLS_DHE_RSA_WITH_SEED_CBC_SHA (0x9a) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128	TLS_DHE_RSA_WITH_AES_256_CBC_SHA (0x39) DH 1024 bits (p: 128, g: 1, Ys: 128) FS	256
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 (0x67) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128 TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128 TLS_DHE_RSA_WITH_SEED_CBC_SHA (0x9a) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128	TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA (0x88) DH 1024 bits (p: 128, g: 1, Ys. 128) FS	256
TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128 TLS_DHE_RSA_WITH_SEED_CBC_SHA (0x9a) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0x9e) DH 1024 bits (p: 128, g: 1, Ys. 128) FS	128
TLS_DHE_RSA_WITH_SEED_CBC_SHA (0x9a) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 126 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 126	TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 (0x67) DH 1024 bits (p: 128, g: 1, Ys: 128) FS	128
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) DH 1024 bits (p: 128, g: 1, Ys: 128) FS 128	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) DH 1024 bits (p: 128, g: 1, Ys: 128) FS	128
	TLS_DHE_RSA_WITH_SEED_CBC_SHA(0x9a) DH 1024 bits (p: 128, g: 1, Ys: 128) FS	128
TLS_RSA_WITH_RC4_128_SHA(0x5)	$TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) \text{DH 1024 bits (p: 128, g: 1, Ys: 128)} \text{FS}$	128
	TLS_RSA_WITH_RC4_128_SHA(0x5)	128



Handshake Simulation

Android 2.3.7 No SNI ²	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Android 4.0.4	TLS 1.0	TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS RC4	128
Android 4.1.1	TLS 1.0	TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS RC4	128
Android 4.2.2	TLS 1.0	TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS RC4	128
Android 4.3	TLS 1.0	TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS RC4	128
Android 4.4.2	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384(0xc030) FS	256
BingBot Dec 2013 No SNI ²	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA(0xc014) FS	256
BingPreview Dec 2013	TLS 1.0	TLS_DHE_RSA_WITH_AES_256_CBC_SHA (0x39) FS	256
Chrome 33 / Win 7 R	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256(0xc02f) FS	128
Firefox 24.2.0 ESR / Win 7	TLS 1.0	TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS RC4	128
Firefox 27 / Win 8 R	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256(0xc02f) FS	128
Googlebot Oct 2013	TLS 1.0	TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS RC4	128
IE 6 / XP No FS ¹ No SNI ²	Protocol	or cipher suite mismatch	Fail ³
IE 7 / Vista	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA(0xc014) FS	256
IE 8 / XP No FS ¹ No SNI ²	TLS 1.0	TLS_RSA_WITH_RC4_128_SHA (0x5) No FS RC4	128
<u>IE 8-10 / Win 7</u> R	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014) FS	256
<u>IE 11 / Win 7</u> R	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (0xc027) FS	128
<u>IE 11 / Win 8.1</u> R	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256(0xc027) FS	128
Java 6u45 No SNI ²	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS	128
Java 7u25	TLS 1.0	TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS RC4	128
Java 8b132	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256(0xc02f) FS	128
OpenSSL 0.9.8y	TLS 1.0	TLS_DHE_RSA_WITH_AES_256_CBC_SHA (0x39) FS	256
OpenSSL 1.0.1e	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384(0xc030) FS	256
Safari 5.1.9 / OS X 10.6.8	TLS 1.0	TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS RC4	128
Safari 6 / iOS 6.0.1 R	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384(0xc028) FS	256
Safari 7 / iOS 7.1 R	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028) FS	256
Safari 6.0.4 / OS X 10.8.4 R	TLS 1.0	TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS RC4	128
<u>Safari 7 / OS X 10.9</u> R	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028) FS	256
Yahoo Slurp Oct 2013	TLS 1.0	TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS RC4	128
YandexBot 3.0 No FS ¹ No SN	² Protocol	or cipher suite mismatch	Fail ³

- (1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
- (2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.
- (3) Only first connection attempt simulated. Browsers tend to retry with a lower protocol version.
- (R) Denotes a reference browser or client, with which we expect better effective security.
- $(AII) \ We \ use \ defaults, but some \ platforms \ do \ not \ use \ their \ best \ protocols \ and \ features \ (e.g., Java \ 6 \ \& \ 7, older \ IE).$



Secure Client-Initiated Renegotiation	No
Insecure Client-Initiated Renegotiation	No
BEAST attack	Mitigated server-side (more info) TLS 1.0: 0xc011
TLS compression	No
RC4	Yes (not with TLS 1.1 and newer) (more info)
Forward Secrecy	Yes (with most browsers) ROBUST (more info)
Next Protocol Negotiation	Yes http/1.1
Session resumption (caching)	Yes
Session resumption (tickets)	Yes
OCSP stapling	No
Strict Transport Security (HSTS)	Yes max-age=31536000
Long handshake intolerance	No
TLS extension intolerance	No
TLS version intolerance	TLS 2.98
SSL 2 handshake compatibility	Yes



Miscellaneous

Test date	Thu Mar 27 16:49:51 UTC 2014
Test duration	50.687 seconds
HTTP status code	200
HTTP server signature	nginx
Server hostname	libreunir.com
PCI compliant	Yes
FIPS-ready	No

SSL Report v1.9.2

 $Copyright @ 2009-2014 \ \underline{Qualys, Inc}. \ All \ Rights \ Reserved.$

Terms and Conditions