User/Customer/Admin UML's'



RegisterWindow UML

MainMenu UML



HomePage/HomePageAdmin UMLs’



ForgotPasswordPage/ ForgotPasswordNext/ ForgotPasswordFinal UMLs’



Flights UML


Flights
-airline: String
-originCity: String
-destinationCity: String
-flightCapacity: int
-flightNumber: int
-departureDate: Date
-arrivalDate: Date
-departureTime: String
-arrivalTime: String
-isFilled: Boolean
#Flights()
#Flights(origin_city: String, destination_city: String, departure_date: java.sql.Date, departure_time: String, seats_available: String)
#Flights(airline: String, originCity: String, destinationCity: String, flightCapacity: int, flightNumber: int, departureDate: Date, arrivalDate: Date, departureTime: String, arrivalTime: String)
+getAirline(): String
+setAirline(airline: String): void
+getOriginCity(): String
+setOriginCity(originCity: String): void
+getDestinationCity(): String
+setDestinationCity(destinationCity: String): void
+getFlightCapacity(): int
+setFlightCapacity(flightCapacity: int): void
+getFlightNumber(): int
+setFlightNumber(flightNumber: int): int
+getDepartureDate(): String
+setDepartureDate(departureDate: String): void
+getArrivalDate(): String
+setArrivalDate(arrivalDate: String): void
+getDepartureTime(): String
+setDepartureTime(departureTime: String): void
+getArrivalTime(): String
+setArrivalTime(arrivalTime: String): void
+getIsFilled(): Boolean
+setIsFilled(isFilled: Boolean): Boolean
+toString(): String