2.1 Functions



Functions

- Take in input arguments (zero or more)
- Perform some computation
  - May have side-effects (such as drawing)
- Return one output value



Functions (Static Methods)

- Applications:
  - Use mathematical functions to calculate formulas
  - Use functions to build modular programs

- Examples:
  - Built-in functions:

    `Math.random(), Math.abs(), Integer.parseInt()`

    These methods return, respectively, a double, double, and int value.

  - I/O libraries:

    `PennDraw.circle(x,y,halfRadius),`
    `PennDraw.line(x0,y0,x1,y1)`

  - User-defined functions:

    `main()`

Penn Engineering

Why do we need functions?

- Break code down into logical sub-steps
- Readability of the code improves
- Testability - focus on getting each individual function correct

Anatomy of a Java Function

- Java functions – It is easy to write your own
  - Example: `double sqrt(double c)`




```
public static double sqrt(double c) {
    ...
}
```

return type — `double`

method name — `sqrt`

arguments — `(double c)`

method signature (excludes return type) — `sqrt(double c)`

Please note that the method signature is defined incorrectly in the figure on pg 188 of your textbook

Anatomy of a Java Function

- Java functions – It is easy to write your own
  - Example: `double sqrt(double c)`




```
public static double sqrt(double c)
{
   if (c < 0) return Double.NaN;
   double err = 1e-15;
   double t = c;
   while (Math.abs(t - c/t) > err * t)
      t = (c/t + t) / 2.0;
   return t;
}
```

local variables

method body

return statement

call on another method

Flow of Control

Functions provide a new way to control the flow of execution



Flow of Control

What happens when a function is called:

- Control transfers to the function
- Argument variables are assigned the values given in the call
- Function code is executed
- Return value is substituted in place of the function call in the calling code
- Control transfers back to the calling code

Note: This is known as "pass by value"



```
public class Newton
{
   public static double sqrt(double c)
   {
      if (c < 0) return Double.NaN;
      double err = 1e-15;
      double t = c;
      while (Math.abs(t - c/t) > err * t)
         t = (c/t + t) / 2.0;
      return t;
   }

   public static void main(String[] args)
   {
      int N = args.length;
      double[] a = new double[N];
      for (int i = 0; i < N; i++)
         a[i] = Double.parseDouble(args[i]);
      for (int i = 0; i < N; i++)
      {
         double x = sqrt(a[i]);

         StdOut.println(x);
      }
   }
}
```

Example

- Function to reverse a word
- Apply this word reversal function to reverse a sentence that is entered via command line arguments.

Live coding time …..

Organizing Your Program

- Functions help you organize your program by breaking it down into a series of steps
  - Each function represents some abstract step or calculation
  - Arguments let you make the function have different behaviors

- **Key Idea**: write something ONCE as a function then reuse it many times

Functions are useful!

- Common adage in programming – DRY principle

•DRY = Don’t Repeat Yourself

As opposed to

WET = Write Everything Twice

- Remember, if you are writing too much code that looks similar, it is time to think about a function!

Scope

Scope: the code that can refer to a particular variable

- A variable's scope is the entire code block (any any nested blocks) after its declaration

Simple example:

```
int count = 1;
for (int i = 0; i < 10; i++) {
      count *= 2;
}
i = 40; // using 'i' here generates
        // a compiler error
```

Best practice: declare variables to limit their scope

Function Challenge 1

Q. What happens when you compile and run the following code?

```
public class Cubes1 {

   public static int cube(int i) {



   }

   public static void main(String[] args) {
      int N = Integer.parseInt(args[0]);
      for (int i = 1; i <= N; i++)
         System.out.println(i + " " + cube(i));
   }
}
```

Scope with Functions



Tracing Functions

```
public class Cubes1 {

   public static int cube(int i) {
      int j = i * i * i;
      return j;
   }

   public static void main(String[] args) {
      int N = Integer.parseInt(args[0]);
      for (int i = 1; i <= N; i++)
         System.out.println(i + " " + cube(i));
   }
}
```

```
% javac Cubes1.java
% java Cubes1 6
1 1
2 8
3 27
4 64
5 125
6 216
```

Penn Engineering

Last In First Out (LIFO) Stack of Plates

Method Overloading

- Two or more methods *in the same class* may also have the same name
- This is called ***method overloading***

absolute value of an `int` *value*

```
public static int abs(int x)
{
   if (x < 0) return -x;
   else       return  x;
}
```

absolute value of a `double` *value*

```
public static double abs(double x)
{
   if (x < 0.0) return -x;
   else         return  x;
}
```

Penn Engineering

Method Overloading

- We need some way to uniquely identify a method
- The name of the method alone isn't enough
  - PennDraw.square(0.5, 0.5, 0.25)



  - PennDraw.square(0.5, 0.5, 0.25, 45)



The methods have the same name, but do different things!

Method Signature

- A method is uniquely identified by
  - its **name** and
  - **its parameter list** (parameter types and their order)
- This is known as its ***signature***

Examples:

```
static    int min(int a, int b)
static double min(double a, double b)
static  float min(float a, float b)
```

Penn Engineering

Return Type is Not Enough

- Suppose we attempt to create an overloaded `circle(double x, double y, double r)` method by using different return types:

```
static void    circle(double x, double y, double r) {...}

//returns true if circle is entirely onscreen, false otherwise
static boolean circle(double x, double y, double r) {...}
```

- This is NOT valid method overloading because the code that calls the function can ignore the return value

```
circle(50, 50, 10);
```

  - The compiler can't tell which `circle()` method to invoke
  - Just because a method returns a value doesn't mean the calling code has to use it

Too Much of a Good Thing

Automatic type promotion and overloading can sometimes interact in ways that confuse the compiler

For example:

```
// version 1
static void printAverage(int a, double b) {
    ...
}

// version 2
static void printAverage(double a, int b) {
    ...
}
```

Why might this be problematic?

Too Much of a Good Thing

```
static void average(int a, double b) { /*code*/ }
static void average(double a, int b) { /*code*/ }
```

- Consider if we do this

```
public static void main (String[] args) {
    ...
    average(5, 7);
    ...
}
```

- The Java compiler can't decide whether to:
  - promote 7 to 7.0 and invoke the first version of `average()`, or
  - promote 5 to 5.0 and invoke the second version
- Take-home lesson: don't be too clever with method overloading

Function Examples

absolute value of an `int` *value*

```
public static int abs(int x)
{
   if (x < 0) return -x;
   else       return  x;
}
```

absolute value of a `double` *value*

```
public static double abs(double x)
{
   if (x < 0.0) return -x;
   else         return  x;
}
```

overloading

primality test

```
public static boolean isPrime(int N)
{
   if (N < 2) return false;
   for (int i = 2; i <= N/i; i++)
      if (N % i == 0) return false;
   return true;
}
```

multiple arguments

hypotenuse of a right triangle

```
public static double hypotenuse(double a, double b)
{  return Math.sqrt(a*a + b*b);  }
```

Penn Engineering

Function Challenge 2

Q. What happens when you compile and run the following code?

```
public class Cubes2 {

   public static int cube(int i) {



   }

   public static void main(String[] args) {
      int N = Integer.parseInt(args[0]);
      for (int i = 1; i <= N; i++)
         System.out.println(i + " " + cube(i));
   }
}
```

Penn Engineering

Function Challenge 3

Q. What happens when you compile and run the following code?

```
public class Cubes3 {

   public static int cube(int i) {


   }


   public static void main(String[] args) {
      int N = Integer.parseInt(args[0]);
      for (int i = 1; i <= N; i++)
         System.out.println(i + " " + cube(i));
   }
}
```

Function Challenge 4

Q. What happens when you compile and run the following code?

```
public class Cubes4 {

   public static int cube(int i) {



   }

   public static void main(String[] args) {
      int N = Integer.parseInt(args[0]);
      for (int i = 1; i <= N; i++)
         System.out.println(i + " " + cube(i));
   }
}
```

Function Challenge 5

Q. What happens when you compile and run the following code?

```
public class Cubes5 {

   public static int cube(int i) {
      return i * i * i;
   }


   public static void main(String[] args) {
      int N = Integer.parseInt(args[0]);
      for (int i = 1; i <= N; i++)
         System.out.println(i + " " + cube(i));
   }
}
```