MORE COMMAND LINE

ALIASES

- Give a short name to use in place of longer command
- Add in ~/.bashrc
- Example:

```
alias la='ls -a'
```

SSH HOSTNAME ALIASES

- Allow you to type short name without username, etc.
- Edit ~/.ssh/config
- For each alias:
 - Host = shortname
 - Hostname = fullhostname
 - User = username

VIM

- Modal: go between insert and command
 - i enters input
 - esc enters command mode
- Can use a instead of i
 - i insert (before)
 - a append (after)
- Save: : w
- Quit: : q

VIM - MOVING THE CURSOR

In comamnd mode:

- Arrow keys
- h (left), j (down), k (up), 1 (right)
- w: forward a word
- W: forward a word (blank delimited)
- b: back a word
- B: back a word (blank delimited)

VIM - MOVING THE CURSOR

- #gg -> goto line #
- gg -> go to beginning of file
- G -> go to end of file

VIM - DELETE

- x: delete character
- dw: delete word
- dd: delete line
- D: delete rest of the line
- Can precede first 3 by number to repeat

VIM - COPY

- yy: yank current line
- yw: yank current word
- can precede both of the above by number to copy multiple
- p: paste (below/after)
- delete commands also copy and can be used with p

OTHERS

- Searching: /desiredword
- Replace: :%s/toreplace/newstring
- Other options for replacing only on this line, etc.
- u: undo
- q!: quit discarding changes

PARAMETERS

- Change how it behaves
- Can add line numbers, change tabstop, syntax highlighting, etc