#47763653提交状态

状态: Accepted

源代码

```
n = int(input())
dui = [0] * ((n+1)//2+1)
for i in range(1, n+1):
    line = [0]+list(map(int, input().split()))
    for j in range(1, n+1):
        k = min(i, j, (n+1)-i, (n+1)-j)
        dui[k] += line[j]
print(max(dui))
```

基本信息

#:	47763653
题目:	25570
提交人:	cislobog_harute
内存:	5016kB
时间:	27ms
语言:	Python3
提交时间:	2024-12-16 10:17:03

Contest status

#	When	Who	Problem	Lang	Verdict	Time	Memory
296783061	Dec/16/2024 10:32 UTC+8	cislobog_harute	1526C1 - Potions (Easy Version)	Python 3	Accepted	62 ms	0 KB
295874914	Dec/10/2024 18:52 UTC+8	cislobog_harute	34B - Sale	Python 3	Accepted	154 ms	0 KB
295874290	Dec/10/2024 18:46 UTC+8	cislobog_harute	34B - Sale	Python 3	Wrong answer on test 3	122 ms	0 KB
295865792	Dec/10/2024 17:28 UTC+8	cislobog_harute	151A - Soft Drinking	Python 3	Accepted	154 ms	0 KB
295864752	Dec/10/2024 17:19 UTC+8	cislobog_harute	1A - Theatre Square	Python 3	Accepted	62 ms	0 KB
295864197	Dec/10/2024 17:13 UTC+8	cislobog_harute	1A - Theatre Square	Python 3	Wrong answer on test 2	46 ms	0 KB
295840290	Dec/10/2024 14:10 UTC+8	cislobog_harute	200B - Drinks	Python 3	Accepted	154 ms	0 KB
295832687	Dec/10/2024 14:01 UTC+8	cislobog_harute	50A - Domino piling	Python 3	Accepted	124 ms	0 KB
294590257	Dec/03/2024 17:03 UTC+8	cislobog_harute	474D - Flowers	Python 3	Accepted	452 ms	41200 KB
294586847	Dec/03/2024 16:34 UTC+8	cislobog_harute	474D - Flowers	Python 3	Wrong answer on test 1	124 ms	4000 KB
292293377	Nov/19/2024 16:16 UTC+8	cislobog_harute	455A - Boredom	Python 3	Accepted	187 ms	12900 KB
289804365	Nov/04/2024 00:49 UTC+8	cislobog_harute	189A - Cut Ribbon	Python 3	Accepted	593 ms	0 KB
289802085	Nov/04/2024 00:32 UTC+8	cislobog_harute	189A - Cut Ribbon	Python 3	Wrong answer on test 2	61 ms	0 KB
289797429	Nov/03/2024 23:58 UTC+8	cislobog_harute	189A - Cut Ribbon	Python 3	Runtime error on test 4	46 ms	0 KB
288691917	Oct/29/2024 16:22 UTC+8	cislobog_harute	545C - Woodcutters	Python 3	Accepted	311 ms	17500 KB
287139921	Oct/21/2024 11:13 UTC+8	cislobog_harute	1879B - Chips on the Board	Python 3	Accepted	359 ms	49200 KB
287136425	Oct/21/2024 09:53 UTC+8	cislobog_harute	158B - Taxi	Python 3	Accepted	154 ms	0 KB
286766970	Oct/19/2024 22:48 UTC+8	cislobog_harute	160A - Twins	Python 3	Accepted	216 ms	0 KB
286020725	Oct/15/2024 17:30 UTC+8	cislobog_harute	34B - Sale	Python 3	Accepted	124 ms	0 KB

```python
def can_win(a, b):
    if a < b:
        return can_win(b,a)
    if a>=b*2:
        return True
    elif a==b:
        return True
    else:
        return not can_win(a-b,b)

a,b=map(int,input().split())
while a:
    if can_win(a,b):
        print('win')
    else:
        print('lose')
    a,b=map(int,input().split())
```

数据有点弱吗？可以申请加强数据

调试代码 提交答案

代码提交状态： Accepted

不安全 cs101.openjudge.cn/practice/solution/47787768/

OpenJudge   题目ID, 标题, 描述   cislobog_harute   信箱   账号

CS101 / 题库（包括计概、数算题目）

题目 排名 状态 提问

#47787768提交状态

查看 提交 统计 提问

状态: Accepted

基本信息

#:	47787768
题目:	22067
提交人:	cislobog_harute
内存:	6740kB
时间:	342ms
语言:	Python3
提交时间:	2024-12-17 15:32:42

源代码

```
import heapq

class PigStack:
    def __init__(self):
        self.stack = []
        self.min_heap = []
        self.popped = set()

    def push(self, weight):
        self.stack.append(weight)
        heapq.heappush(self.min_heap, weight)

    def pop(self):
        if self.stack:
            weight = self.stack.pop()
            self.popped.add(weight)

    def min(self):
        while self.min_heap and self.min_heap[0] in self.popped:
            self.popped.remove(heapq.heappop(self.min_heap))
        if self.min_heap:
            return self.min_heap[0]
        else:
            return None

pig_stack = PigStack()
```

#47788052提交状态

状态: Accepted

源代码

```
import heapq
m, n, p = map(int, input().split())
martix = [list(input().split())for i in range(m)]
dir = [(-1, 0), (1, 0), (0, 1), (0, -1)]
for _ in range(p):
    sx, sy, ex, ey = map(int, input().split())
    if martix[sx][sy] == "#" or martix[ex][ey] == "#":
        print("NO")
        continue
    in_queue, heap, ans = set(), [], []
    heapq.heappush(heap, (0, sx, sy))
    in_queue.add((sx, sy, -1))
    while heap:
        tire, x, y = heapq.heappop(heap)
        if x == ex and y == ey:
            ans.append(tire)
        for i in range(4):
            dx, dy = dir[i]
            x1, y1 = dx+x, dy+y
            if 0 <= x1 < m and 0 <= y1 < n and martix[x1][y1] != "#" and
                t1 = tire+abs(int(martix[x][y])-int(martix[x1][y1]))
                heapq.heappush(heap, (t1, x1, y1))
                in_queue.add((x1, y1, i))
    print(min(ans) if ans else "NO")
```

基本信息

#:	47788052
题目:	20106
提交人:	cislobog_harute
内存:	4724kB
时间:	1635ms
语言:	Python3
提交时间:	2024-12-17 15:43:46

#47788263提交状态

查看 提交 统计 提问

状态: Accepted

源代码

```
from collections import deque

def bfs(x, y):
    visited = {(0, x, y)}
    dx = [0, 0, 1, -1]
    dy = [1, -1, 0, 0]
    queue = deque([(0, x, y)])
    while queue:
        time, x, y = queue.popleft()
        for i in range(4):
            nx, ny = x + dx[i], y + dy[i]
            temp = (time + 1) % k
            if 0 <= nx < r and 0 <= ny < c and (temp, nx, ny) not in vi
                cur = maze[nx][ny]
                if cur == 'E':
                    return time + 1
                elif cur != '#' or temp == 0:
                    queue.append((time + 1, nx, ny))
                    visited.add((temp, nx, ny))
    return 'Oop!'


t = int(input())
for _ in range(t):
    r, c, k = map(int, input().split())
```

基本信息

#: 47788263
题目: 04129
提交人: cislobog_harute
内存: 5064kB
时间: 118ms
语言: Python3
提交时间: 2024-12-17 15:50:23