Writing Proofs

Jonathan R. Bacolod

Sauyo High School

What is a Proof?

Proof: a form of logical reasoning in which each statement is organized and backed up by the reasons

1. Flow-Chart Proof

- 1. Flow-Chart Proof
- 2. Two-Column Proof

- 1. Flow-Chart Proof
- 2. Two-Column Proof
- 3. Paragraph Form Proof

1. Definition of Betweenness: If B is between \overline{AC} , then AC = AB + BC.

- 1. Definition of Betweenness: If B is between \overline{AC} , then $\overline{AC} = AB + BC$.
- 2. Midpoint: If B is the midpoint of \overline{AC} , then AB = BC.

- 1. Definition of Betweenness: If B is between \overline{AC} , then AC = AB + BC.
- 2. Midpoint: If B is the midpoint of \overline{AC} , then AB = BC.
- 3. Segment Bisector: If a line, ray or another segment bisects the segment \overline{AB} at X, then $\overline{AX} \cong \overline{BX}$.

- 1. Definition of Betweenness: If B is between \overline{AC} , then AC = AB + BC.
- 2. Midpoint: If B is the midpoint of \overline{AC} , then AB = BC.
- 3. Segment Bisector: If a line, ray or another segment bisects the segment \overline{AB} at X, then $\overline{AX} \cong \overline{BX}$.
- 4. Right Angle: If $\angle A$ is a right angle, then $m\angle A=90^{\circ}$.

- 1. Definition of Betweenness: If B is between \overline{AC} , then $\overline{AC} = AB + BC$.
- 2. Midpoint: If B is the midpoint of \overline{AC} , then AB = BC.
- 3. Segment Bisector: If a line, ray or another segment bisects the segment \overline{AB} at X, then $\overline{AX} \cong \overline{BX}$.
- 4. Right Angle: If $\angle A$ is a right angle, then $m\angle A=90^{\circ}$.
- 5. Perpendicular Line Segments: If $\overline{AB} \perp \overline{AC}$, then $\angle BAC$ is a right angle.

- 1. Definition of Betweenness: If B is between \overline{AC} , then AC = AB + BC.
- 2. Midpoint: If B is the midpoint of \overline{AC} , then AB = BC.
- 3. Segment Bisector: If a line, ray or another segment bisects the segment \overline{AB} at X, then $\overline{AX} \cong \overline{BX}$.
- 4. Right Angle: If $\angle A$ is a right angle, then $m\angle A=90^{\circ}$.
- 5. Perpendicular Line Segments: If $\overline{AB} \perp \overline{AC}$, then $\angle BAC$ is a right angle.
- 6. Complementary Angles: If $\angle A$ and $\angle B$ are complementary angles, then $m\angle A + m\angle B = 90^{\circ}$.

7. Supplementary Angles: If $\angle A$ and $\angle B$ are supplementary angles, then $m\angle A + m\angle B = 180^{\circ}$.

- 7. Supplementary Angles: If $\angle A$ and $\angle B$ are supplementary angles, then $m\angle A + m\angle B = 180^{\circ}$.
- 8. Linear Pair: If two angles are adjacent such that two of the rays are opposite, then they form a linear pair.

- 7. Supplementary Angles: If $\angle A$ and $\angle B$ are supplementary angles, then $m\angle A + m\angle B = 180^{\circ}$.
- 8. Linear Pair: If two angles are adjacent such that two of the rays are opposite, then they form a linear pair.
- 9. Definition of Congruent Segments: If $\overline{AB} \cong \overline{CD}$, then AB = CD.

- 7. Supplementary Angles: If $\angle A$ and $\angle B$ are supplementary angles, then $m\angle A + m\angle B = 180^{\circ}$.
- 8. Linear Pair: If two angles are adjacent such that two of the rays are opposite, then they form a linear pair.
- 9. Definition of Congruent Segments: If $\overline{AB} \cong \overline{CD}$, then AB = CD.
- 10. Definition of Congruent Angles: If $\angle A \cong \angle B$, then $m\angle A = m\angle B$.

1. Addition Property of Equality: If a = b, then a + c = b + c.

- 1. Addition Property of Equality: If a = b, then a + c = b + c.
- 2. Subtraction Property of Equality: If a = b, then a c = b c.

- 1. Addition Property of Equality: If a = b, then a + c = b + c.
- 2. Subtraction Property of Equality: If a = b, then a c = b c.
- 3. Multiplication Property of Equality: If a = b, then ac = bc.

- 1. Addition Property of Equality: If a = b, then a + c = b + c.
- 2. Subtraction Property of Equality: If a = b, then a c = b c.
- 3. Multiplication Property of Equality: If a = b, then ac = bc.
- 4. Division Property of Equality: If a = b and $c \neq 0$, then $\frac{a}{c} = \frac{b}{c}$.

5. Reflexive Property of Equality: If a is any real number, then a = a.

- 5. Reflexive Property of Equality: If a is any real number, then a = a.
- 6. Symmetric Property: If a = b, then b = a.

- 5. Reflexive Property of Equality: If a is any real number, then a = a.
- 6. Symmetric Property: If a = b, then b = a.
- 7. Transitive Property: If a = b and b = c, then a = c.

- 5. Reflexive Property of Equality: If a is any real number, then a = a.
- 6. Symmetric Property: If a = b, then b = a.
- 7. Transitive Property: If a = b and b = c, then a = c.
- 8. Substitution Property: If a + b = c and b = x, then a + x = c.

1. Reflexive Property of Equality: Any angle or segment is congruent to itself $(\overline{AB} \cong \overline{AB})$.

- 1. Reflexive Property of Equality: Any angle or segment is congruent to itself $(\overline{AB} \cong \overline{AB})$.
- 2. Symmetric Property: If $\angle A \cong \angle B$, then $\angle B \cong \angle A$.

- 1. Reflexive Property of Equality: Any angle or segment is congruent to itself $(\overline{AB} \cong \overline{AB})$.
- 2. Symmetric Property: If $\angle A \cong \angle B$, then $\angle B \cong \angle A$.
- 3. Transitive Property: If $\angle A \cong \angle B$ and $\angle B \cong \angle C$, then $\angle A \cong \angle C$.

Provide the reason for each statement.

Provide the reason for each statement.

1. If $\angle 1$ is a right angle, then $m \angle 1 = 90^{\circ}$.

Provide the reason for each statement.

- 1. If $\angle 1$ is a right angle, then $m \angle 1 = 90^{\circ}$.
 - Definition of Right Angle

Provide the reason for each statement.

- 1. If $\angle 1$ is a right angle, then $m\angle 1 = 90^{\circ}$.
 - Definition of Right Angle
- 2. If $\angle M$ and $\angle N$ are supplementary, then $m\angle M + m\angle N = 180^{\circ}$.

- 1. If $\angle 1$ is a right angle, then $m\angle 1 = 90^{\circ}$.
 - Definition of Right Angle
- 2. If $\angle M$ and $\angle N$ are supplementary, then $m\angle M + m\angle N = 180^{\circ}$.
 - Definition of Supplementary Angles

- 1. If $\angle 1$ is a right angle, then $m\angle 1 = 90^{\circ}$.
 - Definition of Right Angle
- 2. If $\angle M$ and $\angle N$ are supplementary, then $m\angle M + m\angle N = 180^{\circ}$.
 - Definition of Supplementary Angles
- 3. If Y is the midpoint of CE then CY = EY.

- 1. If $\angle 1$ is a right angle, then $m\angle 1 = 90^{\circ}$.
 - Definition of Right Angle
- 2. If $\angle M$ and $\angle N$ are supplementary, then $m\angle M + m\angle N = 180^{\circ}$.
 - Definition of Supplementary Angles
- 3. If Y is the midpoint of CE then CY = EY.
 - Definition of Midpoint

- 1. If $\angle 1$ is a right angle, then $m\angle 1 = 90^{\circ}$.
 - Definition of Right Angle
- 2. If $\angle M$ and $\angle N$ are supplementary, then $m\angle M + m\angle N = 180^{\circ}$.
 - Definition of Supplementary Angles
- 3. If Y is the midpoint of CE then CY = EY.
 - Definition of Midpoint
- 4. If $\overline{LO} \cong \overline{VE}$, then LO = VE.

- 1. If $\angle 1$ is a right angle, then $m\angle 1 = 90^{\circ}$.
 - Definition of Right Angle
- 2. If $\angle M$ and $\angle N$ are supplementary, then $m\angle M + m\angle N = 180^{\circ}$.
 - Definition of Supplementary Angles
- 3. If Y is the midpoint of CE then CY = EY.
 - Definition of Midpoint
- 4. If $\overline{LO} \cong \overline{VE}$, then LO = VE.
 - Definition of Congruent Segments

- 1. If $\angle 1$ is a right angle, then $m\angle 1 = 90^{\circ}$.
 - Definition of Right Angle
- 2. If $\angle M$ and $\angle N$ are supplementary, then $m\angle M + m\angle N = 180^{\circ}$.
 - Definition of Supplementary Angles
- 3. If Y is the midpoint of \overline{CE} then CY = EY.
 - Definition of Midpoint
- 4. If $\overline{LO} \cong \overline{VE}$, then LO = VE.
 - Definition of Congruent Segments
- 5. If 2x = 10 then $\frac{2x}{2} = \frac{10}{2}$.

- 1. If $\angle 1$ is a right angle, then $m\angle 1 = 90^{\circ}$.
 - Definition of Right Angle
- 2. If $\angle M$ and $\angle N$ are supplementary, then $m\angle M + m\angle N = 180^{\circ}$.
 - Definition of Supplementary Angles
- 3. If Y is the midpoint of CE then CY = EY.
 - Definition of Midpoint
- 4. If $\overline{LO} \cong \overline{VE}$, then LO = VE.
 - Definition of Congruent Segments
- 5. If 2x = 10 then $\frac{2x}{2} = \frac{10}{2}$.
 - Division Property of Equality



6. If
$$2x - 3 = 5$$
, then $2x - 3 + 3 = 5 + 3$.

- 6. If 2x 3 = 5, then 2x 3 + 3 = 5 + 3.
 - Addition Property of Equality

- 6. If 2x 3 = 5, then 2x 3 + 3 = 5 + 3.
 - Addition Property of Equality
- 7. If \overrightarrow{LM} bisects \overrightarrow{PG} at L, then $\overrightarrow{LP} \cong \overrightarrow{GL}$.

- 6. If 2x 3 = 5, then 2x 3 + 3 = 5 + 3.
 - Addition Property of Equality
- 7. If \overrightarrow{LM} bisects \overrightarrow{PG} at L, then $\overrightarrow{LP} \cong \overrightarrow{GL}$.
 - Definition of Segment Bisector

- 6. If 2x 3 = 5, then 2x 3 + 3 = 5 + 3.
 - Addition Property of Equality
- 7. If \overrightarrow{LM} bisects \overrightarrow{PG} at L, then $\overrightarrow{LP} \cong \overrightarrow{GL}$.
 - Definition of Segment Bisector
- 8. If x + y = 12 and y = 9, then x + 9 = 12.

- 6. If 2x 3 = 5, then 2x 3 + 3 = 5 + 3.
 - Addition Property of Equality
- 7. If \overrightarrow{LM} bisects \overrightarrow{PG} at L, then $\overrightarrow{LP} \cong \overrightarrow{GL}$.
 - Definition of Segment Bisector
- 8. If x + y = 12 and y = 9, then x + 9 = 12.
 - Substitution Property

- 6. If 2x 3 = 5, then 2x 3 + 3 = 5 + 3.
 - Addition Property of Equality
- 7. If \overrightarrow{LM} bisects \overrightarrow{PG} at L, then $\overrightarrow{LP} \cong \overrightarrow{GL}$.
 - Definition of Segment Bisector
- 8. If x + y = 12 and y = 9, then x + 9 = 12.
 - Substitution Property
- 9. If AB + BC = 2AB and 2AB = AC, then AB + BC = AC.

- 6. If 2x 3 = 5, then 2x 3 + 3 = 5 + 3.
 - Addition Property of Equality
- 7. If \overrightarrow{LM} bisects \overrightarrow{PG} at L, then $\overrightarrow{LP} \cong \overrightarrow{GL}$.
 - Definition of Segment Bisector
- 8. If x + y = 12 and y = 9, then x + 9 = 12.
 - Substitution Property
- 9. If AB + BC = 2AB and 2AB = AC, then AB + BC = AC.
 - Transitive Property

- 6. If 2x 3 = 5, then 2x 3 + 3 = 5 + 3.
 - Addition Property of Equality
- 7. If \overrightarrow{LM} bisects \overrightarrow{PG} at L, then $\overrightarrow{LP} \cong \overrightarrow{GL}$.
 - Definition of Segment Bisector
- 8. If x + y = 12 and y = 9, then x + 9 = 12.
 - Substitution Property
- 9. If AB + BC = 2AB and 2AB = AC, then AB + BC = AC.
 - Transitive Property
- 10. If $\angle X \cong \angle Y$, then $\angle Y \cong \angle X$.

- 6. If 2x 3 = 5, then 2x 3 + 3 = 5 + 3.
 - Addition Property of Equality
- 7. If \overrightarrow{LM} bisects \overrightarrow{PG} at L, then $\overrightarrow{LP} \cong \overrightarrow{GL}$.
 - Definition of Segment Bisector
- 8. If x + y = 12 and y = 9, then x + 9 = 12.
 - Substitution Property
- 9. If AB + BC = 2AB and 2AB = AC, then AB + BC = AC.
 - Transitive Property
- 10. If $\angle X \cong \angle Y$, then $\angle Y \cong \angle X$.
 - Symmetric Property



What is a Postulate?

Postulate: a statement that is accepted without proof

 Linear Pair Postulate: If two angles form a linear pair, then they are supplementary.

- Linear Pair Postulate: If two angles form a linear pair, then they are supplementary.
- 2. Segment Addition Postulate: If B lies on \overline{AC} , then $\overline{AC} = AB + BC$.

- Linear Pair Postulate: If two angles form a linear pair, then they are supplementary.
- 2. Segment Addition Postulate: If B lies on \overline{AC} , then $\overline{AC} = AB + BC$.
- 3. Angle Addition Postulate: If B is in the interior of $\angle AOC$, then $m\angle AOC = m\angle AOB + m\angle BOC$.

What is a Theorem?

Theorem: a statement that is accepted after it is proved deductively

 Vertical Angle Theorem: If two angles are vertical, then they are congruent.

- 1. Vertical Angle Theorem: If two angles are vertical, then they are congruent.
- Complement Theorem: If two angles are complement of the same (or congruent) angles, then they are congruent.

- 1. Vertical Angle Theorem: If two angles are vertical, then they are congruent.
- Complement Theorem: If two angles are complement of the same (or congruent) angles, then they are congruent.
- Supplement Theorem: If two angles are supplement of the same (or congruent) angles, then they are congruent.

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.

- 1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - Vertical Angle Theorem

- 1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - Vertical Angle Theorem
- 2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.

- 1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - Vertical Angle Theorem
- 2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - Linear Pair Postulate

- 1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - Vertical Angle Theorem
- 2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - Linear Pair Postulate
- 3. If $m \angle J + m \angle K = 90^{\circ}$ and $m \angle K + m \angle L = 90^{\circ}$, then $\angle J \cong \angle L$.

- 1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - Vertical Angle Theorem
- 2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - Linear Pair Postulate
- 3. If $m \angle J + m \angle K = 90^{\circ}$ and $m \angle K + m \angle L = 90^{\circ}$, then $\angle J \cong \angle L$.
 - Complement Theorem

- 1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - Vertical Angle Theorem
- 2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - Linear Pair Postulate
- 3. If $m \angle J + m \angle K = 90^{\circ}$ and $m \angle K + m \angle L = 90^{\circ}$, then $\angle J \cong \angle L$.
 - Complement Theorem
- 4. If Y lies on \overline{XZ} , then XZ = XY + YZ.

- 1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - Vertical Angle Theorem
- 2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - Linear Pair Postulate
- 3. If $m \angle J + m \angle K = 90^{\circ}$ and $m \angle K + m \angle L = 90^{\circ}$, then $\angle J \cong \angle L$.
 - Complement Theorem
- 4. If Y lies on XZ, then XZ = XY + YZ.
 - Segment Addition Postulate

- 1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - Vertical Angle Theorem
- 2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - Linear Pair Postulate
- 3. If $m \angle J + m \angle K = 90^{\circ}$ and $m \angle K + m \angle L = 90^{\circ}$, then $\angle J \cong \angle L$.
 - Complement Theorem
- 4. If Y lies on XZ, then XZ = XY + YZ.
 - Segment Addition Postulate
- 5. If $m\angle D + m\angle E = 180^{\circ}$ and $m\angle E + m\angle F = 180^{\circ}$, then $\angle D \cong \angle F$.



- 1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - Vertical Angle Theorem
- 2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - Linear Pair Postulate
- 3. If $m \angle J + m \angle K = 90^{\circ}$ and $m \angle K + m \angle L = 90^{\circ}$, then $\angle J \cong \angle L$.
 - Complement Theorem
- 4. If Y lies on XZ, then XZ = XY + YZ.
 - Segment Addition Postulate
- 5. If $m\angle D + m\angle E = 180^{\circ}$ and $m\angle E + m\angle F = 180^{\circ}$, then $\angle D \cong \angle F$.
 - Supplement Theorem



Thank you for watching.