

Graphs of Linear Functions

Jonathan R. Bacolod

Sauyo High School

How to Graph Linear Functions?

Graphing linear functions can be done using any of these methods:

How to Graph Linear Functions?

Graphing linear functions can be done using any of these methods:

1. Using two points

How to Graph Linear Functions?

Graphing linear functions can be done using any of these methods:

1. Using two points
2. Using the x- and y-intercepts

How to Graph Linear Functions?

Graphing linear functions can be done using any of these methods:

1. Using two points
2. Using the x- and y-intercepts
3. Using the slope and a point

How to Graph Linear Functions?

Graphing linear functions can be done using any of these methods:

1. Using two points
2. Using the x- and y-intercepts
3. Using the slope and a point
4. Using the slope and the y-intercept

How to Graph Linear Functions Using Two Points?

1. Assign any two values for x .

How to Graph Linear Functions Using Two Points?

1. Assign any two values for x .
2. Find the values for y to determine the ordered pairs of two points.

How to Graph Linear Functions Using Two Points?

1. Assign any two values for x .
2. Find the values for y to determine the ordered pairs of two points.
3. Plot the two points and connect them.

Example 1

Graph the function $f(x) = 2x + 1$.

How to Graph Linear Functions Using Two Points?

1. Assign any two values for x .

Example 1

Graph the function $f(x) = 2x + 1$.

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$

Let $x = 1$

How to Graph Linear Functions Using Two Points?

1. Assign any two values for x .
2. Find the values for y to determine the ordered pairs of two points.

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1 \quad \text{Substitution}$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1 \quad \text{Substitution}$$

$$f(0) = 0 + 1$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1 \quad \text{Substitution}$$

$$f(0) = 0 + 1$$

$$f(0) = 1$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1 \quad \text{Substitution}$$

$$f(0) = 0 + 1$$

$$f(0) = 1$$

\therefore the first ordered pair is $(0, 1)$.

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 1$:

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 1$:

$$f(1) = 2(1) + 1$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 1$:

$$f(1) = 2(1) + 1 \quad \text{Substitution}$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 1$:

$$f(1) = 2(1) + 1 \quad \text{Substitution}$$

$$f(1) = 2 + 1$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 1$:

$$f(1) = 2(1) + 1 \quad \text{Substitution}$$

$$f(1) = 2 + 1$$

$$f(1) = 3$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 1$:

$$f(1) = 2(1) + 1 \quad \text{Substitution}$$

$$f(1) = 2 + 1$$

$$f(1) = 3$$


\therefore the second ordered pair is $(1, 3)$.

How to Graph Linear Functions Using Two Points?

1. Assign any two values for x .
2. Find the values for y to determine the ordered pairs of two points.
3. Plot the two points and connect them.


Example 1

Plot $(0, 1)$ and $(1, 3)$.




Example 1

Plot $(0, 1)$ and $(1, 3)$.




Example 1

Plot $(0, 1)$ and $(1, 3)$.




Example 1

Plot $(0, 1)$ and $(1, 3)$.




Example 1

Plot $(0, 1)$ and $(1, 3)$.



Example 1

Plot $(0, 1)$ and $(1, 3)$.



Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

How to Graph Linear Functions Using Two Points?

1. Assign any two values for x .

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = -2$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = -2$

Let $x = 2$

How to Graph Linear Functions Using Two Points?

1. Assign any two values for x .
2. Find the values for y to determine the ordered pairs of two points.

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = -2$:

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = -2$:

$$f(-2) = -\frac{1}{2}(-2) + 3$$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = -2$:

$$f(-2) = -\frac{1}{2}(-2) + 3 \quad \text{Substitution Property}$$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = -2$:

$$f(-2) = -\frac{1}{2}(-2) + 3 \quad \text{Substitution Property}$$

$$f(-2) = 1 + 3$$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = -2$:

$$f(-2) = -\frac{1}{2}(-2) + 3 \quad \text{Substitution Property}$$

$$f(-2) = 1 + 3 \quad \text{Simplification}$$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = -2$:

$$f(-2) = -\frac{1}{2}(-2) + 3 \quad \text{Substitution Property}$$

$$f(-2) = 1 + 3 \quad \text{Simplification}$$

$$f(-2) = 4 \quad \text{Simplification}$$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = -2$:

$$f(-2) = -\frac{1}{2}(-2) + 3 \quad \text{Substitution Property}$$

$$f(-2) = 1 + 3 \quad \text{Simplification}$$

$$f(-2) = 4 \quad \text{Simplification}$$

\therefore the first ordered pair is $(-2, 4)$.

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = 2$:

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = 2$:

$$f(2) = -\frac{1}{2}(2) + 3$$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = 2$:

$$f(2) = -\frac{1}{2}(2) + 3 \quad \text{Substitution Property}$$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = 2$:

$$f(2) = -\frac{1}{2}(2) + 3 \quad \text{Substitution Property}$$

$$f(2) = -1 + 3$$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = 2$:

$$f(2) = -\frac{1}{2}(2) + 3 \quad \text{Substitution Property}$$

$$f(2) = -1 + 3 \quad \text{Simplification}$$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = 2$:

$$f(2) = -\frac{1}{2}(2) + 3 \quad \text{Substitution Property}$$

$$f(2) = -1 + 3 \quad \text{Simplification}$$

$$f(2) = 2 \quad \text{Simplification}$$

Example 2

Graph the function $f(x) = -\frac{1}{2}x + 3$.

Let $x = 2$:

$$f(2) = -\frac{1}{2}(2) + 3 \quad \text{Substitution Property}$$

$$f(2) = -1 + 3 \quad \text{Simplification}$$

$$f(2) = 2 \quad \text{Simplification}$$


\therefore the second ordered pair is $(2, 2)$.

How to Graph Linear Functions Using Two Points?

1. Assign any two values for x .
2. Find the values for y to determine the ordered pairs of two points.
3. Plot the two points and connect them.


Example 2

Plot $(-2, 4)$ and $(2, 2)$.




Example 2

Plot $(-2, 4)$ and $(2, 2)$.




Example 2

Plot $(-2, 4)$ and $(2, 2)$.




Example 2

Plot $(-2, 4)$ and $(2, 2)$.




Example 2

Plot $(-2, 4)$ and $(2, 2)$.




Example 2


Plot $(-2, 4)$ and $(2, 2)$.




What are the x- and y-intercepts?



What are the x- and y-intercepts?



What are the x- and y-intercepts?



How to Graph Linear Functions Using the x- and y-intercepts?

1. Let $f(x) = 0$ to find the x-intercept.

How to Graph Linear Functions Using the x- and y-intercepts?

1. Let $f(x) = 0$ to find the x-intercept.
2. Let $x = 0$ to find the y-intercept.

How to Graph Linear Functions Using the x- and y-intercepts?

1. Let $f(x) = 0$ to find the x-intercept.
2. Let $x = 0$ to find the y-intercept.
3. Plot the two points and connect them.

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

How to Graph Linear Functions Using the x- and y-intercepts?

1. Let $f(x) = 0$ to find the x-intercept.

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4$$

Substitution Property

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4 \quad \text{Substitution Property}$$

$$0 + 4 = \frac{4}{3}x - 4 + 4$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4 \quad \text{Substitution Property}$$

$$0 + 4 = \frac{4}{3}x - 4 + 4 \quad \text{Addition Property}$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4 \quad \text{Substitution Property}$$

$$0 + 4 = \frac{4}{3}x - 4 + 4 \quad \text{Addition Property}$$

$$4 = \frac{4}{3}x$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4 \quad \text{Substitution Property}$$

$$0 + 4 = \frac{4}{3}x - 4 + 4 \quad \text{Addition Property}$$

$$4 = \frac{4}{3}x \quad \text{Simplification}$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4 \quad \text{Substitution Property}$$

$$0 + 4 = \frac{4}{3}x - 4 + 4 \quad \text{Addition Property}$$

$$4 = \frac{4}{3}x \quad \text{Simplification}$$

$$\left(\frac{3}{4}\right) 4 = \left(\frac{3}{4}\right) \frac{4}{3}x$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4 \quad \text{Substitution Property}$$

$$0 + 4 = \frac{4}{3}x - 4 + 4 \quad \text{Addition Property}$$

$$4 = \frac{4}{3}x \quad \text{Simplification}$$

$$\left(\frac{3}{4}\right) 4 = \left(\frac{3}{4}\right) \frac{4}{3}x \quad \text{Multiplication Property}$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4 \quad \text{Substitution Property}$$

$$0 + 4 = \frac{4}{3}x - 4 + 4 \quad \text{Addition Property}$$

$$4 = \frac{4}{3}x \quad \text{Simplification}$$

$$\left(\frac{3}{4}\right)4 = \left(\frac{3}{4}\right)\frac{4}{3}x \quad \text{Multiplication Property}$$

$$3 = x \quad \text{Simplification}$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4 \quad \text{Substitution Property}$$

$$0 + 4 = \frac{4}{3}x - 4 + 4 \quad \text{Addition Property}$$

$$4 = \frac{4}{3}x \quad \text{Simplification}$$

$$\left(\frac{3}{4}\right) 4 = \left(\frac{3}{4}\right) \frac{4}{3}x \quad \text{Multiplication Property}$$

$$3 = x \quad \text{Simplification}$$

$$x = 3 \quad \text{Reflexive Property}$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $f(x) = 0$:

$$0 = \frac{4}{3}x - 4 \quad \text{Substitution Property}$$

$$0 + 4 = \frac{4}{3}x - 4 + 4 \quad \text{Addition Property}$$

$$4 = \frac{4}{3}x \quad \text{Simplification}$$

$$\left(\frac{3}{4}\right) 4 = \left(\frac{3}{4}\right) \frac{4}{3}x \quad \text{Multiplication Property}$$

$$3 = x \quad \text{Simplification}$$

$$x = 3 \quad \text{Reflexive Property}$$

\therefore the x-intercept a is 3 and the point is $(3, 0)$.

How to Graph Linear Functions Using the x- and y-intercepts?

1. Let $f(x) = 0$ to find the x-intercept.
2. Let $x = 0$ to find the y-intercept.

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $x = 0$:

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $x = 0$:

$$f(0) = \frac{4}{3}(0) - 4$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $x = 0$:

$$f(0) = \frac{4}{3}(0) - 4 \quad \text{Substitution Property}$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $x = 0$:

$$f(0) = \frac{4}{3}(0) - 4 \quad \text{Substitution Property}$$

$$f(0) = 0 - 4$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $x = 0$:

$$f(0) = \frac{4}{3}(0) - 4 \quad \text{Substitution Property}$$

$$f(0) = 0 - 4 \quad \text{Simplification}$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $x = 0$:

$$f(0) = \frac{4}{3}(0) - 4 \quad \text{Substitution Property}$$

$$f(0) = 0 - 4 \quad \text{Simplification}$$

$$f(0) = -4 \quad \text{Simplification}$$

Example 1

Graph the function $f(x) = \frac{4}{3}x - 4$.

Let $x = 0$:

$$f(0) = \frac{4}{3}(0) - 4 \quad \text{Substitution Property}$$

$$f(0) = 0 - 4 \quad \text{Simplification}$$

$$f(0) = -4 \quad \text{Simplification}$$


\therefore the y-intercept b is -4 and the point is $(0, -4)$.

How to Graph Linear Functions Using the x- and y-intercepts?

1. Let $f(x) = 0$ to find the x-intercept.
2. Let $x = 0$ to find the y-intercept.
3. Plot the two points and connect them.


Example 1

Plot $(3, 0)$ and $(0, -4)$.




Example 1

Plot $(3, 0)$ and $(0, -4)$.




Example 1

Plot $(3, 0)$ and $(0, -4)$.




Example 1

Plot $(3, 0)$ and $(0, -4)$.




Example 1

Plot $(3, 0)$ and $(0, -4)$.



Example 1

Plot $(3, 0)$ and $(0, -4)$.



Example 2

Graph the function $f(x) = 2x + 1$.

How to Graph Linear Functions Using the x- and y-intercepts?

1. Let $f(x) = 0$ to find the x-intercept.

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1$$

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1$$

Substitution Property

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1$$

Substitution Property

$$0 - 1 = 2x + 1 - 1$$

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1 \quad \text{Substitution Property}$$

$$0 - 1 = 2x + 1 - 1 \quad \text{Subtraction Property}$$

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1 \quad \text{Substitution Property}$$

$$0 - 1 = 2x + 1 - 1 \quad \text{Subtraction Property}$$

$$-1 = 2x$$

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1 \quad \text{Substitution Property}$$

$$0 - 1 = 2x + 1 - 1 \quad \text{Subtraction Property}$$

$$-1 = 2x \quad \text{Simplification}$$

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1 \quad \text{Substitution Property}$$

$$0 - 1 = 2x + 1 - 1 \quad \text{Subtraction Property}$$

$$-1 = 2x \quad \text{Simplification}$$

$$\frac{-1}{2} = \frac{2x}{2}$$

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1 \quad \text{Substitution Property}$$

$$0 - 1 = 2x + 1 - 1 \quad \text{Subtraction Property}$$

$$-1 = 2x \quad \text{Simplification}$$

$$\frac{-1}{2} = \frac{2x}{2} \quad \text{Division Property}$$

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1 \quad \text{Substitution Property}$$

$$0 - 1 = 2x + 1 - 1 \quad \text{Subtraction Property}$$

$$-1 = 2x \quad \text{Simplification}$$

$$\frac{-1}{2} = \frac{2x}{2} \quad \text{Division Property}$$

$$-\frac{1}{2} = x \quad \text{Simplification}$$

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1 \quad \text{Substitution Property}$$

$$0 - 1 = 2x + 1 - 1 \quad \text{Subtraction Property}$$

$$-1 = 2x \quad \text{Simplification}$$

$$\frac{-1}{2} = \frac{2x}{2} \quad \text{Division Property}$$

$$-\frac{1}{2} = x \quad \text{Simplification}$$

$$x = -\frac{1}{2} \quad \text{Reflexive Property}$$

Example 2

Graph the function $f(x) = 2x + 1$.

Let $f(x) = 0$:

$$0 = 2x + 1 \quad \text{Substitution Property}$$

$$0 - 1 = 2x + 1 - 1 \quad \text{Subtraction Property}$$

$$-1 = 2x \quad \text{Simplification}$$

$$\frac{-1}{2} = \frac{2x}{2} \quad \text{Division Property}$$

$$-\frac{1}{2} = x \quad \text{Simplification}$$

$$x = -\frac{1}{2} \quad \text{Reflexive Property}$$

$\therefore a$ is $-\frac{1}{2}$ and the point is $\left(-\frac{1}{2}, 0\right)$.

How to Graph Linear Functions Using the x- and y-intercepts?

1. Let $f(x) = 0$ to find the x-intercept.
2. Let $x = 0$ to find the y-intercept.

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1 \quad \text{Substitution Property}$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1 \quad \text{Substitution Property}$$

$$f(0) = 0 + 1$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1 \quad \text{Substitution Property}$$

$$f(0) = 0 + 1 \quad \text{Simplification}$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1 \quad \text{Substitution Property}$$

$$f(0) = 0 + 1 \quad \text{Simplification}$$

$$f(0) = 1 \quad \text{Simplification}$$

Example 1

Graph the function $f(x) = 2x + 1$.

Let $x = 0$:

$$f(0) = 2(0) + 1 \quad \text{Substitution Property}$$

$$f(0) = 0 + 1 \quad \text{Simplification}$$

$$f(0) = 1 \quad \text{Simplification}$$


\therefore the y-intercept b is 1 and the point is $(0, 1)$.

How to Graph Linear Functions Using the x- and y-intercepts?

1. Let $f(x) = 0$ to find the x-intercept.
2. Let $x = 0$ to find the y-intercept.
3. Plot the two points and connect them.


Example 1

Plot $\left(-\frac{1}{2}, 0\right)$ and $(0, 1)$.




Example 1

Plot $\left(-\frac{1}{2}, 0\right)$ and $(0, 1)$.




Example 1

Plot $\left(-\frac{1}{2}, 0\right)$ and $(0, 1)$.




Example 1

Plot $\left(-\frac{1}{2}, 0\right)$ and $(0, 1)$.




Example 1

Plot $\left(-\frac{1}{2}, 0\right)$ and $(0, 1)$.



Example 1

Plot $\left(-\frac{1}{2}, 0\right)$ and $(0, 1)$.



How to Graph Linear Functions Using the Slope and a Point?

1. Plot the given point.

How to Graph Linear Functions Using the Slope and a Point?

1. Plot the given point.
2. Use the slope to get the other point.

How to Graph Linear Functions Using the Slope and a Point?

1. Plot the given point.
2. Use the slope to get the other point.
3. Connect the two points.

Example 1


Graph the linear function given the point $(1, 3)$ and the slope $\frac{2}{3}$.

How to Graph Linear Functions Using the Slope and a Point?

1. Plot the given point.


Example 1

Plot $(1, 3)$.




Example 1

Plot $(1, 3)$.



Example 1

Plot $(1, 3)$.




How to Graph Linear Functions Using the Slope and a Point?

1. Plot the given point.
2. Use the slope to get the other point.


Example 1

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = \frac{2}{3}$$




Example 1

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = \frac{2}{3}$$




Example 1

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = \frac{2}{3}$$




Example 1

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = \frac{2}{3}$$



Example 1

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = \frac{2}{3}$$




How to Graph Linear Functions Using the Slope and a Point?

1. Plot the given point.
2. Use the slope to get the other point.
3. Connect the two points.


Example 1

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = \frac{2}{3}$$



Example 1

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = \frac{2}{3}$$



Example 2


Graph the linear function given the point $(-2, 2)$ and the slope -3 .

How to Graph Linear Functions Using the Slope and a Point?

1. Plot the given point.


Example 2

Plot $(-2, 2)$.




Example 2

Plot $(-2, 2)$.



Example 2

Plot $(-2, 2)$.




How to Graph Linear Functions Using the Slope and a Point?

1. Plot the given point.
2. Use the slope to get the other point.


Example 2

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = -3 = \frac{-3}{1}$$




Example 2

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = -3 = \frac{-3}{1}$$




Example 2

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = -3 = \frac{-3}{1}$$




Example 2

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = -3 = \frac{-3}{1}$$



Example 2

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = -3 = \frac{-3}{1}$$




How to Graph Linear Functions Using the Slope and a Point?

1. Plot the given point.
2. Use the slope to get the other point.
3. Connect the two points.


Example2

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = -3 = \frac{-3}{1}$$



Example2

$$\text{Slope } m = \frac{\text{rise}}{\text{run}} = -3 = \frac{-3}{1}$$



How to Graph Linear Functions Using the Slope and the y-intercept?

1. Determine the slope and the y-intercept, then plot the y-intercept.

How to Graph Linear Functions Using the Slope and the y-intercept?

1. Determine the slope and the y-intercept, then plot the y-intercept.
2. Use the slope to get the other point.

How to Graph Linear Functions Using the Slope and the y-intercept?

1. Determine the slope and the y-intercept, then plot the y-intercept.
2. Use the slope to get the other point.
3. Connect the two points.

Example 1

Graph the linear function $f(x) = -2x + 3$.

Example 1

Step 1: Determine the slope and the y-intercept, then plot the y-intercept.

$$f(x) = -2x + 3$$

Example 1

Step 1: Determine the slope and the y-intercept, then plot the y-intercept.

$$f(x) = -2x + 3$$

$$m = -2,$$

Example 1

Step 1: Determine the slope and the y-intercept, then plot the y-intercept.

$$f(x) = -2x + 3$$


$$m = -2, b = 3$$

Example 1

Step 1: Determine the slope and the y-intercept, then plot the y-intercept.

$$f(x) = -2x + 3$$

$$m = -2, b = 3$$




Example 1

Step 1: Determine the slope and the y-intercept, then plot the y-intercept.

$$f(x) = -2x + 3$$

$$m = -2, b = 3$$




Example 1

Step 2: Use the slope to get the other point.

$$f(x) = -2x + 3$$

$$m = -2, b = 3$$




Example 1

Step 2: Use the slope to get the other point.

$$f(x) = -2x + 3$$

$$m = -2, b = 3$$




Example 1

Step 3: Connect the two points.

$$f(x) = -2x + 3$$

$$m = -2, b = 3$$



Example 2

Graph the linear function $g(x) = 2x - 5$.

Example 2

Step 1: Determine the slope and the y-intercept, then plot the y-intercept.

$$g(x) = 2x - 5$$

Example 2

Step 1: Determine the slope and the y-intercept, then plot the y-intercept.

$$g(x) = 2x - 5$$

$$m = 2,$$

Example 2

Step 1: Determine the slope and the y-intercept, then plot the y-intercept.

$$g(x) = 2x - 5$$


$$m = 2, b = -5$$

Example 2

Step 1: Determine the slope and the y-intercept, then plot the y-intercept.

$$g(x) = 2x - 5$$

$$m = 2, b = -5$$




Example 2

Step 1: Determine the slope and the y-intercept, then plot the y-intercept.

$$g(x) = 2x - 5$$

$$m = 2, b = -5$$




Example 2

Step 2: Use the slope to get the other point.

$$g(x) = 2x - 5$$

$$m = 2, b = -5$$




Example 2

Step 2: Use the slope to get the other point.

$$g(x) = 2x - 5$$


$$m = 2, b = -5$$



Example 2

Step 3: Connect the two points.

$$g(x) = 2x - 5$$
$$m = 2, b = -5$$



Thank you for watching.