

Postulates and Theorems

Jonathan R. Bacolod

Sauyo High School

What is a Postulate?

Postulate: a statement that is accepted without proof

What is a Postulate?

Postulate: a statement that is accepted without proof

The most often used postulates in Geometry are the axioms or properties of equality and congruence.

Properties of Equality

Properties of Equality

1. Addition Property of Equality: If $a = b$, then $a + c = b + c$.

Properties of Equality

1. Addition Property of Equality: If $a = b$, then $a + c = b + c$.
2. Subtraction Property of Equality: If $a = b$, then $a - c = b - c$.

Properties of Equality

1. Addition Property of Equality: If $a = b$, then $a + c = b + c$.
2. Subtraction Property of Equality: If $a = b$, then $a - c = b - c$.
3. Multiplication Property of Equality: If $a = b$, then $ac = bc$.

Properties of Equality

1. Addition Property of Equality: If $a = b$, then $a + c = b + c$.
2. Subtraction Property of Equality: If $a = b$, then $a - c = b - c$.
3. Multiplication Property of Equality: If $a = b$, then $ac = bc$.
4. Division Property of Equality: If $a = b$ and $c \neq 0$, then $\frac{a}{c} = \frac{b}{c}$.

Properties of Equality

Properties of Equality

5. Reflexive Property of Equality: If a is any real number, then $a = a$.

Properties of Equality

- 5. Reflexive Property of Equality: If a is any real number, then $a = a$.
- 6. Symmetric Property: If $a = b$, then $b = a$.

Properties of Equality

- 5. Reflexive Property of Equality: If a is any real number, then $a = a$.
- 6. Symmetric Property: If $a = b$, then $b = a$.
- 7. Transitive Property: If $a = b$ and $b = c$, then $a = c$.

Properties of Equality

5. Reflexive Property of Equality: If a is any real number, then $a = a$.
6. Symmetric Property: If $a = b$, then $b = a$.
7. Transitive Property: If $a = b$ and $b = c$, then $a = c$.
8. Substitution Property: If $a + b = c$ and $b = x$, then $a + x = c$.

Properties of Congruence

Properties of Congruence

1. Reflexive Property: Any angle or segment is congruent to itself ($\overline{AB} \cong \overline{AB}$).

Properties of Congruence

1. Reflexive Property: Any angle or segment is congruent to itself ($\overline{AB} \cong \overline{AB}$).
2. Symmetric Property: If $\angle A \cong \angle B$, then $\angle B \cong \angle A$.

Properties of Congruence

1. Reflexive Property: Any angle or segment is congruent to itself ($\overline{AB} \cong \overline{AB}$).
2. Symmetric Property: If $\angle A \cong \angle B$, then $\angle B \cong \angle A$.
3. Transitive Property: If $\angle A \cong \angle B$ and $\angle B \cong \angle C$, then $\angle A \cong \angle C$.

Example 1

Provide the reason for each statement.

Example 1

Provide the reason for each statement.

1. If $2x - 3 = 5$, then $2x - 3 + 3 = 5 + 3$.

Example 1

Provide the reason for each statement.

1. If $2x - 3 = 5$, then $2x - 3 + 3 = 5 + 3$.

► Addition Property of Equality

Example 1

Provide the reason for each statement.

1. If $2x - 3 = 5$, then $2x - 3 + 3 = 5 + 3$.

► Addition Property of Equality

2. If $2x = 10$ then $\frac{2x}{2} = \frac{10}{2}$.

Example 1

Provide the reason for each statement.

1. If $2x - 3 = 5$, then $2x - 3 + 3 = 5 + 3$.

► Addition Property of Equality

2. If $2x = 10$ then $\frac{2x}{2} = \frac{10}{2}$.

► Division Property of Equality

Example 1

Provide the reason for each statement.

1. If $2x - 3 = 5$, then $2x - 3 + 3 = 5 + 3$.

► Addition Property of Equality

2. If $2x = 10$ then $\frac{2x}{2} = \frac{10}{2}$.

► Division Property of Equality

3. If $x + y = 12$ and $y = 9$, then $x + 9 = 12$.

Example 1

Provide the reason for each statement.

1. If $2x - 3 = 5$, then $2x - 3 + 3 = 5 + 3$.

▶ Addition Property of Equality

2. If $2x = 10$ then $\frac{2x}{2} = \frac{10}{2}$.

▶ Division Property of Equality

3. If $x + y = 12$ and $y = 9$, then $x + 9 = 12$.

▶ Substitution Property

Example 1

Provide the reason for each statement.

1. If $2x - 3 = 5$, then $2x - 3 + 3 = 5 + 3$.

► Addition Property of Equality

2. If $2x = 10$ then $\frac{2x}{2} = \frac{10}{2}$.

► Division Property of Equality

3. If $x + y = 12$ and $y = 9$, then $x + 9 = 12$.

► Substitution Property

4. If $AB + BC = 2AB$ and $2AB = AC$, then $AB + BC = AC$.

Example 1

Provide the reason for each statement.

1. If $2x - 3 = 5$, then $2x - 3 + 3 = 5 + 3$.

► Addition Property of Equality

2. If $2x = 10$ then $\frac{2x}{2} = \frac{10}{2}$.

► Division Property of Equality

3. If $x + y = 12$ and $y = 9$, then $x + 9 = 12$.

► Substitution Property

4. If $AB + BC = 2AB$ and $2AB = AC$, then $AB + BC = AC$.

► Transitive Property

Example 1

Provide the reason for each statement.

1. If $2x - 3 = 5$, then $2x - 3 + 3 = 5 + 3$.

► Addition Property of Equality

2. If $2x = 10$ then $\frac{2x}{2} = \frac{10}{2}$.

► Division Property of Equality

3. If $x + y = 12$ and $y = 9$, then $x + 9 = 12$.

► Substitution Property

4. If $AB + BC = 2AB$ and $2AB = AC$, then $AB + BC = AC$.

► Transitive Property

5. If $\angle X \cong \angle Y$, then $\angle Y \cong \angle X$.

Example 1

Provide the reason for each statement.

1. If $2x - 3 = 5$, then $2x - 3 + 3 = 5 + 3$.

► Addition Property of Equality

2. If $2x = 10$ then $\frac{2x}{2} = \frac{10}{2}$.

► Division Property of Equality

3. If $x + y = 12$ and $y = 9$, then $x + 9 = 12$.

► Substitution Property

4. If $AB + BC = 2AB$ and $2AB = AC$, then $AB + BC = AC$.

► Transitive Property

5. If $\angle X \cong \angle Y$, then $\angle Y \cong \angle X$.

► Symmetric Property

Some Postulates in Geometry

Some Postulates in Geometry

1. Linear Pair Postulate: If two angles form a linear pair, then they are supplementary.

Some Postulates in Geometry

1. Linear Pair Postulate: If two angles form a linear pair, then they are supplementary.
2. Segment Addition Postulate: If B lies on \overline{AC} , then $AC = AB + BC$.

Some Postulates in Geometry

1. Linear Pair Postulate: If two angles form a linear pair, then they are supplementary.
2. Segment Addition Postulate: If B lies on \overline{AC} , then $AC = AB + BC$.
3. Angle Addition Postulate: If B is in the interior of $\angle AOC$, then $m\angle AOC = m\angle AOB + m\angle BOC$.

What is a Theorem?

Theorem: a statement that is accepted after it is proved deductively

Some Theorems in Geometry

Some Theorems in Geometry

1. Vertical Angle Theorem: If two angles are vertical, then they are congruent.

Some Theorems in Geometry

1. Vertical Angle Theorem: If two angles are vertical, then they are congruent.
2. Complement Theorem: If two angles are complement of the same (or congruent) angles, then they are congruent.

Some Theorems in Geometry

1. Vertical Angle Theorem: If two angles are vertical, then they are congruent.
2. Complement Theorem: If two angles are complement of the same (or congruent) angles, then they are congruent.
3. Supplement Theorem: If two angles are supplement of the same (or congruent) angles, then they are congruent.

Example 2

Provide the reason for each statement.

Example 2

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.

Example 2

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.

▶ Vertical Angle Theorem

Example 2

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
▶ Vertical Angle Theorem
2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.

Example 2

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - ▶ Vertical Angle Theorem
2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - ▶ Linear Pair Postulate

Example 2

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
▶ Vertical Angle Theorem
2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
▶ Linear Pair Postulate
3. If $m\angle J + m\angle K = 90^\circ$ and $m\angle K + m\angle L = 90^\circ$, then $\angle J \cong \angle L$.

Example 2

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - ▶ Vertical Angle Theorem
2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - ▶ Linear Pair Postulate
3. If $m\angle J + m\angle K = 90^\circ$ and $m\angle K + m\angle L = 90^\circ$, then $\angle J \cong \angle L$.
 - ▶ Complement Theorem

Example 2

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - ▶ Vertical Angle Theorem
2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - ▶ Linear Pair Postulate
3. If $m\angle J + m\angle K = 90^\circ$ and $m\angle K + m\angle L = 90^\circ$, then $\angle J \cong \angle L$.
 - ▶ Complement Theorem
4. If Y lies on \overline{XZ} , then $XZ = XY + YZ$.

Example 2

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - ▶ Vertical Angle Theorem
2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - ▶ Linear Pair Postulate
3. If $m\angle J + m\angle K = 90^\circ$ and $m\angle K + m\angle L = 90^\circ$, then $\angle J \cong \angle L$.
 - ▶ Complement Theorem
4. If Y lies on \overline{XZ} , then $XZ = XY + YZ$.
 - ▶ Segment Addition Postulate

Example 2

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - ▶ Vertical Angle Theorem
2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - ▶ Linear Pair Postulate
3. If $m\angle J + m\angle K = 90^\circ$ and $m\angle K + m\angle L = 90^\circ$, then $\angle J \cong \angle L$.
 - ▶ Complement Theorem
4. If Y lies on \overline{XZ} , then $XZ = XY + YZ$.
 - ▶ Segment Addition Postulate
5. If $m\angle D + m\angle E = 180^\circ$ and $m\angle E + m\angle F = 180^\circ$, then $\angle D \cong \angle F$.

Example 2

Provide the reason for each statement.

1. If $\angle X$ and $\angle Y$ are vertical angles, then $\angle X \cong \angle Y$.
 - ▶ Vertical Angle Theorem
2. If $\angle M$ and $\angle N$ form a linear pair, then $\angle M$ and $\angle N$ are supplementary.
 - ▶ Linear Pair Postulate
3. If $m\angle J + m\angle K = 90^\circ$ and $m\angle K + m\angle L = 90^\circ$, then $\angle J \cong \angle L$.
 - ▶ Complement Theorem
4. If Y lies on \overline{XZ} , then $XZ = XY + YZ$.
 - ▶ Segment Addition Postulate
5. If $m\angle D + m\angle E = 180^\circ$ and $m\angle E + m\angle F = 180^\circ$, then $\angle D \cong \angle F$.
 - ▶ Supplement Theorem

Thank you for watching.