

# Rectangular Coordinate System

Jonathan R. Bacolod

Sauyo High School

# What is a Rectangular Coordinate System?

Rectangular Coordinate System:

# What is a Rectangular Coordinate System?

Rectangular Coordinate System:

- ▶ also called *Cartesian Plane*, named after Rene Descartes

# What is a Rectangular Coordinate System?

Rectangular Coordinate System:


- ▶ also called *Cartesian Plane*, named after Rene Descartes
- ▶ is a system for graphing number pairs

# What is a Rectangular Coordinate System?

Rectangular Coordinate System:

- ▶ also called *Cartesian Plane*, named after Rene Descartes
- ▶ is a system for graphing number pairs
- ▶ constructed by drawing two perpendicular lines which divide the plane into four regions


# What is a Rectangular Coordinate System?



# What are the Parts of the Rectangular Coordinate System?


- ▶ Origin: the point of intersection of the two perpendicular lines

# What are the Parts of the Rectangular Coordinate System?





# What are the Parts of the Rectangular Coordinate System?



# What are the Parts of the Rectangular Coordinate System?

- ▶ Origin: the point of intersection of the two perpendicular lines
- ▶ Coordinate Axes: the two perpendicular lines


# What are the Parts of the Rectangular Coordinate System?

- ▶ Origin: the point of intersection of the two perpendicular lines
- ▶ Coordinate Axes: the two perpendicular lines
  - ▶ X-Axis: the horizontal line


# What are the Parts of the Rectangular Coordinate System?

- ▶ Origin: the point of intersection of the two perpendicular lines
- ▶ Coordinate Axes: the two perpendicular lines
  - ▶ X-Axis: the horizontal line
  - ▶ Y-Axis: the vertical line


# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?



# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?







# What are the Parts of the Rectangular Coordinate System?



# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?

- ▶ Origin: the point of intersection of the two perpendicular lines
- ▶ Coordinate Axes: the two perpendicular lines
  - ▶ X-Axis: the horizontal line
  - ▶ Y-Axis: the vertical line
- ▶ Quadrants: the four regions that divide the plane


# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?



# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?







# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?



# What are the Parts of the Rectangular Coordinate System?



# What are the Parts of the Rectangular Coordinate System?



# What are the Parts of the Rectangular Coordinate System?

- ▶ Coordinates: the ordered pair of real numbers that corresponds to each point in the plane

# What are the Parts of the Rectangular Coordinate System?


- ▶ Coordinates: the ordered pair of real numbers that corresponds to each point in the plane
  - ▶ X-Coordinate or Abscissa: the first number of the ordered pair

# What are the Parts of the Rectangular Coordinate System?


- ▶ Coordinates: the ordered pair of real numbers that corresponds to each point in the plane
  - ▶ X-Coordinate or Abscissa: the first number of the ordered pair
  - ▶ Y-Coordinate or Ordinate: the second number of the ordered pair




# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?




# What are the Parts of the Rectangular Coordinate System?



# What are the Parts of the Rectangular Coordinate System?



# What are the Parts of the Rectangular Coordinate System?



# Example 1


Plot each point.

1.  $A(4, 5)$

2.  $B(7, -6)$

3.  $C(-8, 4)$

4.  $D(-7, -7)$



# Example 1


Plot each point.

1.  $A(4, 5)$

2.  $B(7, -6)$

3.  $C(-8, 4)$

4.  $D(-7, -7)$





# Example 1


Plot each point.

1.  $A(4, 5)$

2.  $B(7, -6)$

3.  $C(-8, 4)$

4.  $D(-7, -7)$



# Example 1


Plot each point.

1.  $A(4, 5)$

2.  $B(7, -6)$

3.  $C(-8, 4)$

4.  $D(-7, -7)$



# Example 1


Plot each point.

1.  $A(4, 5)$

2.  $B(7, -6)$

3.  $C(-8, 4)$

4.  $D(-7, -7)$



# Example 1


Plot each point.

1.  $A(4, 5)$

2.  $B(7, -6)$

3.  $C(-8, 4)$

4.  $D(-7, -7)$



# Example 1


Plot each point.

1.  $A(4, 5)$

2.  $B(7, -6)$

3.  $C(-8, 4)$

4.  $D(-7, -7)$



# Example 1


Plot each point.

1.  $A(4, 5)$

2.  $B(7, -6)$

3.  $C(-8, 4)$

4.  $D(-7, -7)$



# Example 1


Plot each point.

1.  $A(4, 5)$

2.  $B(7, -6)$


3.  $C(-8, 4)$

4.  $D(-7, -7)$



# Example 2


State the coordinates of each point.





# Example 2


State the coordinates of each point.



1.  $E$

# Example 2


State the coordinates of each point.



1.  $E(2,$

# Example 2


State the coordinates of each point.



1.  $E(2, 6)$

# Example 2

State the coordinates of each point.




1.  $E(2, 6)$

2.  $F$

# Example 2


State the coordinates of each point.



1.  $E(2, 6)$
2.  $F(5,$

# Example 2

State the coordinates of each point.




1.  $E(2, 6)$

2.  $F(5, -8)$

# Example 2

State the coordinates of each point.




1.  $E(2, 6)$

2.  $F(5, -8)$

3.  $G$

# Example 2

State the coordinates of each point.



1.  $E(2, 6)$


2.  $F(5, -8)$

3.  $G(-4,$



# Example 2

State the coordinates of each point.




1.  $E(2, 6)$

2.  $F(5, -8)$

3.  $G(-4, 5)$

# Example 2

State the coordinates of each point.



1.  $E(2, 6)$


2.  $F(5, -8)$

3.  $G(-4, 5)$

4.  $H$

# Example 2

State the coordinates of each point.



1.  $E(2, 6)$


2.  $F(5, -8)$

3.  $G(-4, 5)$

4.  $H(-8,$

# Example 2

State the coordinates of each point.



1.  $E(2, 6)$

2.  $F(5, -8)$

3.  $G(-4, 5)$

4.  $H(-8, -3)$


# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$

# Example 3


State the quadrant or axis that each point lies in.



1.  $I(0, -5)$

# Example 3

State the quadrant or axis that each point lies in.



1.  $I(0, -5)$

# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$  *y* – axis




# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$  *y* – axis
2.  $J(3, 5)$

# Example 3


State the quadrant or axis that each point lies in.



1.  $I(0, -5)$  *y* - axis
2.  $J(3, 5)$

# Example 3

State the quadrant or axis that each point lies in.



1.  $I(0, -5)$  *y* - axis
2.  $J(3, 5)$

# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$  *y* – axis
2.  $J(3, 5)$  *QI*


# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$  *y* – axis
2.  $J(3, 5)$  *QI*
3.  $K(0, 2)$

# Example 3


State the quadrant or axis that each point lies in.



1.  $I(0, -5)$  *y* - axis
2.  $J(3, 5)$  *QI*
3.  $K(0, 2)$

# Example 3

State the quadrant or axis that each point lies in.



1.  $I(0, -5)$  *y* - axis
2.  $J(3, 5)$  *QI*
3.  $K(0, 2)$

# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$  *y* – axis
2.  $J(3, 5)$  *QI*
3.  $K(0, 2)$  *y* – axis




# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$  *y* – axis
2.  $J(3, 5)$  *QI*
3.  $K(0, 2)$  *y* – axis
4.  $L(4, -5)$

# Example 3


State the quadrant or axis that each point lies in.



1.  $I(0, -5)$   $y$  - axis
2.  $J(3, 5)$   $QI$
3.  $K(0, 2)$   $y$  - axis
4.  $L(4, -5)$

# Example 3

State the quadrant or axis that each point lies in.



1.  $I(0, -5)$   $y$  - axis
2.  $J(3, 5)$   $QI$
3.  $K(0, 2)$   $y$  - axis
4.  $L(4, -5)$

# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$  *y* – axis
2.  $J(3, 5)$  *QI*
3.  $K(0, 2)$  *y* – axis
4.  $L(4, -5)$  *QIV*


# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$  *y* - axis
2.  $J(3, 5)$  *QI*
3.  $K(0, 2)$  *y* - axis
4.  $L(4, -5)$  *QIV*
5.  $M(-3, 0)$

# Example 3


State the quadrant or axis that each point lies in.



1.  $I(0, -5)$   $y$  - axis
2.  $J(3, 5)$   $QI$
3.  $K(0, 2)$   $y$  - axis
4.  $L(4, -5)$   $QIV$
5.  $M(-3, 0)$

# Example 3

State the quadrant or axis that each point lies in.



1.  $I(0, -5)$   $y$  - axis
2.  $J(3, 5)$   $QI$
3.  $K(0, 2)$   $y$  - axis
4.  $L(4, -5)$   $QIV$
5.  $M(-3, 0)$

# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$   $y$  - axis
2.  $J(3, 5)$   $QI$
3.  $K(0, 2)$   $y$  - axis
4.  $L(4, -5)$   $QIV$
5.  $M(-3, 0)$   $x$  - axis




# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$   $y$  - axis
2.  $J(3, 5)$   $QI$
3.  $K(0, 2)$   $y$  - axis
4.  $L(4, -5)$   $QIV$
5.  $M(-3, 0)$   $x$  - axis
6.  $N(-5, 1)$

# Example 3


State the quadrant or axis that each point lies in.



1.  $I(0, -5)$   $y$  - axis
2.  $J(3, 5)$   $QI$
3.  $K(0, 2)$   $y$  - axis
4.  $L(4, -5)$   $QIV$
5.  $M(-3, 0)$   $x$  - axis
6.  $N(-5, 1)$

# Example 3

State the quadrant or axis that each point lies in.



1.  $I(0, -5)$   $y$  - axis
2.  $J(3, 5)$   $QI$
3.  $K(0, 2)$   $y$  - axis
4.  $L(4, -5)$   $QIV$
5.  $M(-3, 0)$   $x$  - axis
6.  $N(-5, 1)$

# Example 3

State the quadrant or axis that each point lies in.

1.  $I(0, -5)$   $y$  - axis
2.  $J(3, 5)$   $QI$
3.  $K(0, 2)$   $y$  - axis
4.  $L(4, -5)$   $QIV$
5.  $M(-3, 0)$   $x$  - axis
6.  $N(-5, 1)$   $QII$


# Example 3

State the quadrant or axis that each point lies in.

- |                          |                          |
|--------------------------|--------------------------|
| 1. $I(0, -5)$ $y$ - axis | 5. $M(-3, 0)$ $x$ - axis |
| 2. $J(3, 5)$ $QI$        | 6. $N(-5, 1)$ $QII$      |
| 3. $K(0, 2)$ $y$ - axis  | 7. $O(1, 0)$             |
| 4. $L(4, -5)$ $QIV$      |                          |

# Example 3


State the quadrant or axis that each point lies in.



- |                          |                          |
|--------------------------|--------------------------|
| 1. $I(0, -5)$ $y$ - axis | 5. $M(-3, 0)$ $x$ - axis |
| 2. $J(3, 5)$ $QI$        | 6. $N(-5, 1)$ $QII$      |
| 3. $K(0, 2)$ $y$ - axis  | 7. $O(1, 0)$             |
| 4. $L(4, -5)$ $QIV$      |                          |

# Example 3

State the quadrant or axis that each point lies in.



- |                          |                          |
|--------------------------|--------------------------|
| 1. $I(0, -5)$ $y$ - axis | 5. $M(-3, 0)$ $x$ - axis |
| 2. $J(3, 5)$ $QI$        | 6. $N(-5, 1)$ $QII$      |
| 3. $K(0, 2)$ $y$ - axis  | 7. $O(1, 0)$             |
| 4. $L(4, -5)$ $QIV$      |                          |

# Example 3

State the quadrant or axis that each point lies in.

- |                          |                          |
|--------------------------|--------------------------|
| 1. $I(0, -5)$ $y$ - axis | 5. $M(-3, 0)$ $x$ - axis |
| 2. $J(3, 5)$ $QI$        | 6. $N(-5, 1)$ $QII$      |
| 3. $K(0, 2)$ $y$ - axis  | 7. $O(1, 0)$ $x$ - axis  |
| 4. $L(4, -5)$ $QIV$      |                          |




# Example 3

State the quadrant or axis that each point lies in.

- |                          |                          |
|--------------------------|--------------------------|
| 1. $I(0, -5)$ $y$ - axis | 5. $M(-3, 0)$ $x$ - axis |
| 2. $J(3, 5)$ $QI$        | 6. $N(-5, 1)$ $QII$      |
| 3. $K(0, 2)$ $y$ - axis  | 7. $O(1, 0)$ $x$ - axis  |
| 4. $L(4, -5)$ $QIV$      | 8. $P(-3, -5)$           |

# Example 3


State the quadrant or axis that each point lies in.



- |                          |                          |
|--------------------------|--------------------------|
| 1. $I(0, -5)$ $y$ - axis | 5. $M(-3, 0)$ $x$ - axis |
| 2. $J(3, 5)$ $QI$        | 6. $N(-5, 1)$ $QII$      |
| 3. $K(0, 2)$ $y$ - axis  | 7. $O(1, 0)$ $x$ - axis  |
| 4. $L(4, -5)$ $QIV$      | 8. $P(-3, -5)$           |

# Example 3

State the quadrant or axis that each point lies in.



- |                          |                          |
|--------------------------|--------------------------|
| 1. $I(0, -5)$ $y$ - axis | 5. $M(-3, 0)$ $x$ - axis |
| 2. $J(3, 5)$ $QI$        | 6. $N(-5, 1)$ $QII$      |
| 3. $K(0, 2)$ $y$ - axis  | 7. $O(1, 0)$ $x$ - axis  |
| 4. $L(4, -5)$ $QIV$      | 8. $P(-3, -5)$           |

# Example 3

State the quadrant or axis that each point lies in.

- |                          |                          |
|--------------------------|--------------------------|
| 1. $I(0, -5)$ $y$ - axis | 5. $M(-3, 0)$ $x$ - axis |
| 2. $J(3, 5)$ $QI$        | 6. $N(-5, 1)$ $QII$      |
| 3. $K(0, 2)$ $y$ - axis  | 7. $O(1, 0)$ $x$ - axis  |
| 4. $L(4, -5)$ $QIV$      | 8. $P(-3, -5)$ $QIII$    |

**Thank you for watching.**