#### Factoring the Difference of Two Squares

Jonathan R. Bacolod

Sauyo High School

#### What is a Perfect Square?

When a polynomial is multiplied by itself, then it is a perfect square.

## What is a Difference of Two Squares?

The difference of two squares is a squared polynomial subtracted from another squared polynomial.

 Factor out the Greatest Common Monomial Factor (GCMF).

- Factor out the Greatest Common Monomial Factor (GCMF).
- 2. Is the first term a perfect square?

- Factor out the Greatest Common Monomial Factor (GCMF).
- 2. Is the first term a perfect square?
- 3. Is the second term a perfect square?

- 1. Factor out the Greatest Common Monomial Factor (GCMF).
- 2. Is the first term a perfect square?
- 3. Is the second term a perfect square?
- 4. Do the terms have subtraction as the operation?

Use the formula:

$$a^2 - b^2 = (a + b)(a - b)$$
or
 $1st^2 - 2nd^2 = (1st + 2nd)(1st - 2nd)$ 

 Factor out the Greatest Common Monomial Factor (GCMF).

- Factor out the Greatest Common Monomial Factor (GCMF).
- 2. Write the first term as a perfect square.

- Factor out the Greatest Common Monomial Factor (GCMF).
- 2. Write the first term as a perfect square.
- 3. Write the second term as a perfect square.

- 1. Factor out the Greatest Common Monomial Factor (GCMF).
- 2. Write the first term as a perfect square.
- 3. Write the second term as a perfect square.
- 4. Factor it out as a product of two binomials with alternating signs in the middle, positive and negative.

- 1. Factor out the Greatest Common Monomial Factor (GCMF).
- 2. Write the first term as a perfect square.
- Write the second term as a perfect square.
- Factor it out as a product of two binomials with alternating signs in the middle, positive and negative.
- Factor out any binomial that can still be factored further.



#### Thank you for watching.