

Multiplication and Division of Rational Algebraic Expressions

Jonathan R. Bacolod

Sauyo High School

How to Multiply Rational Algebraic Expressions?

If m , n , p , and q are polynomials, such that $n \neq 0$ and $q \neq 0$, then

$$\frac{m}{n} \cdot \frac{p}{q} = \frac{mp}{nq}$$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.
2. Divide by the common factors.

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.
2. Divide by the common factors.
3. Multiply the remaining numerators and denominators.

Example 1

Multiply $\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2}$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2}$$

To Factor a Binomial:

1. Factor out the GCMF.

To Factor a Binomial:

1. Factor out the GCMF.
2. Check if it is a difference of two squares.

To Factor a Binomial:

1. Factor out the GCMF.
2. Check if it is a difference of two squares.
3. Check if it is a sum or difference of two cubes.

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{(\quad)(\quad)}{\quad} \cdot \underline{\hspace{2cm}}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{(x \quad)(x \quad)}{\quad} \cdot \underline{\hspace{2cm}}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{(x - 2)(x + 2)}{2} \cdot \frac{4x}{x + 2}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{(x + 2)(x - 2)}{2} \cdot \frac{4x}{x + 2}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{(x + 2)(x - 2)}{2} \cdot \underline{\hspace{2cm}}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{(x + 2)(x - 2)}{2} \cdot \underline{\hspace{2cm}}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{(x + 2)(x - 2)}{2} \cdot \frac{(2^2)(x)}{1}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{(x + 2)(x - 2)}{2} \cdot \frac{(2^2)(x)}{x + 2}$$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.
2. Divide by the common factors.

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{(x + 2)(x - 2)}{2} \cdot \frac{(2^2)(x)}{x + 2}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{\cancel{(x + 2)}^1 (x - 2)}{2} \cdot \frac{(2^2)(x)}{x + 2}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{\cancel{(x+2)}^1 (x-2)}{2} \cdot \frac{(2^2)(x)}{\cancel{(x+2)}^1}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{\cancel{(x+2)}^1 (x-2)}{\underset{\uparrow}{2}^1} \cdot \frac{(2^2)(x)}{\cancel{(x+2)}^1}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{\overset{1}{\cancel{(x+2)}}(x-2)}{\underset{2}{\cancel{2}}} \cdot \frac{\overset{2}{\cancel{(2^2)}}(x)}{\overset{1}{\cancel{(x+2)}}}$$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.
2. Divide by the common factors.
3. Multiply the remaining numerators and denominators.

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{\overset{1}{\cancel{(x+2)}}(x-2)}{\overset{1}{\cancel{2}}} \cdot \frac{\overset{2}{\cancel{(2^2)}}(x)}{\overset{1}{\cancel{(x+2)}}}$$

Example 1

$$\begin{aligned}\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} &= \frac{\cancel{(x+2)}^1 (x-2)}{\underset{\nearrow 1}{2}} \cdot \frac{(\overset{\nearrow 2}{2^2})(x)}{\cancel{(x+2)}^1} \\ &= \underline{2x(x-2)}\end{aligned}$$

Example 1

$$\begin{aligned}\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} &= \frac{\cancel{(x+2)}^1 (x-2)}{\cancel{2}^1} \cdot \frac{\cancel{(2^2)}^2 (x)}{\cancel{(x+2)}^1} \\ &= \frac{2x(x-2)}{1}\end{aligned}$$

Example 1

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = \frac{\overset{1}{\cancel{(x+2)}}(\overset{1}{x-2})}{\underset{\overset{1}{\cancel{2}}}{2}} \cdot \frac{\overset{2}{\cancel{(2^2)}}(\overset{2}{x})}{\overset{1}{\cancel{(x+2)}}} = \frac{2x(x-2)}{1}$$

$$\frac{x^2 - 4}{2} \cdot \frac{4x}{x + 2} = 2x(x - 2)$$

Example 2

Multiply $\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

To Factor a Binomial:

1. Factor out the GCMF.

To Factor a Binomial:

1. Factor out the GCMF.
2. Check if it is a difference of two squares.

To Factor a Binomial:

1. Factor out the GCMF.
2. Check if it is a difference of two squares.
3. Check if it is a sum or difference of two cubes.

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

To Factor a Trinomial:

1. Factor out the GCMF.

To Factor a Trinomial:

1. Factor out the GCMF.
2. Check if it is a perfect square trinomial.

To Factor a Trinomial:

1. Factor out the GCMF.
2. Check if it is a perfect square trinomial.
3. Check if it is a trinomial with 1 as leading coefficient.

To Factor a Trinomial:

1. Factor out the GCMF.
2. Check if it is a perfect square trinomial.
3. Check if it is a trinomial with 1 as leading coefficient.
4. Check if it is a general trinomial.

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$
$$= \frac{x+1}{}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

$$= \frac{x+1}{3x}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

$$= \frac{x+1}{3x(x$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

$$= \frac{x+1}{3x(x-5)}.$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

$$= \frac{x+1}{3x(x-5)} \cdot 8$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

$$= \frac{x+1}{3x(x-5)} \cdot 8(x$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$
$$= \frac{x+1}{3x(x-5)} \cdot \frac{8(x-10)}{}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$
$$= \frac{x+1}{3x(x-5)} \cdot \frac{8(x-10)}{(\quad)(\quad)}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$
$$= \frac{x+1}{3x(x-5)} \cdot \frac{8(x-10)}{(x \quad)(x \quad)}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$
$$= \frac{x+1}{3x(x-5)} \cdot \frac{8(x-10)}{(x-10)(x \quad)}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$
$$= \frac{x+1}{3x(x-5)} \cdot \frac{8(x-10)}{(x-10)(x+1)}$$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.
2. Divide by the common factors.

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$
$$= \frac{x+1}{3x(x-5)} \cdot \frac{8(x-10)}{(x-10)(x+1)}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$
$$= \frac{\cancel{x+1}^1}{3x(x-5)} \cdot \frac{8(x-10)}{(x-10)(x+1)}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$
$$= \frac{\cancel{x+1}^1}{3x(x-5)} \cdot \frac{8(x-10)}{(x-10)\cancel{(x+1)}^1}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

$$= \frac{\cancel{x+1}^1}{3x(x-5)} \cdot \frac{8\cancel{(x-10)}^1}{(x-10)\cancel{(x+1)}^1}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

$$= \frac{\cancel{x+1}^1}{3x(x-5)} \cdot \frac{8\cancel{(x-10)}^1}{(\cancel{x-10})^1(\cancel{x+1})^1}$$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.
2. Divide by the common factors.
3. Multiply the remaining numerators and denominators.

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

$$= \frac{\cancel{x+1}^1}{3x(x-5)} \cdot \frac{8\cancel{(x-10)}^1}{(\cancel{x-10})^1(\cancel{x+1})^1}$$

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

$$= \frac{\cancel{x+1}^1}{3x(x-5)} \cdot \frac{8\cancel{(x-10)}^1}{(\cancel{x-10})^1(\cancel{x+1})^1}$$

8

Example 2

$$\frac{x+1}{3x^2-15x} \cdot \frac{8x-80}{x^2-9x-10}$$

$$= \frac{\cancel{x+1}^1}{3x(x-5)} \cdot \frac{8(\cancel{x-10})^1}{(\cancel{x-10})^1(\cancel{x+1})^1}$$

$$= \frac{8}{3x(x-5)}$$

How to Divide Rational Algebraic Expressions?

If m , n , p , and q are polynomials, such that $n \neq 0$, $p \neq 0$, and $q \neq 0$, then

$$\frac{m}{n} \div \frac{p}{q} = \frac{m}{n} \cdot \frac{q}{p} = \frac{mq}{np}$$

How to Divide Rational Algebraic Expressions?

1. Copy the dividend.

How to Divide Rational Algebraic Expressions?

1. Copy the dividend.
2. Get the reciprocal of the divisor.

How to Divide Rational Algebraic Expressions?

1. Copy the dividend.
2. Get the reciprocal of the divisor.
3. Proceed to multiplication.

Example 1

Divide $\frac{4x}{x-6} \div \frac{8x^2}{8x-48}$

To Factor a Binomial:

1. Factor out the GCMF.

To Factor a Binomial:

1. Factor out the GCMF.
2. Check if it is a difference of two squares.

To Factor a Binomial:

1. Factor out the GCMF.
2. Check if it is a difference of two squares.
3. Check if it is a sum or difference of two cubes.

How to Divide Rational Algebraic Expressions?

1. Copy the dividend.

Example 1

$$\frac{4x}{x-6} \div \frac{8x^2}{8x-48}$$

Example 1

$$\frac{4x}{x-6} \div \frac{8x^2}{8x-48} = \frac{4x}{x-6}$$

How to Divide Rational Algebraic Expressions?

1. Copy the dividend.
2. Get the reciprocal of the divisor.

Example 1

$$\frac{4x}{x-6} \div \frac{8x^2}{8x-48} = \frac{4x}{x-6}.$$

Example 1

$$\frac{4x}{x-6} \div \frac{8x^2}{8x-48} = \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2}$$

How to Divide Rational Algebraic Expressions?

1. Copy the dividend.
2. Get the reciprocal of the divisor.
3. Proceed to multiplication.

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.

Example 1

$$\frac{4x}{x-6} \div \frac{8x^2}{8x-48} = \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2}$$
$$=$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= (2^2)\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \underline{(2^2)(x)}\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(x)}{x-6}.\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(x)}{x-6} \cdot 2^3\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(x)}{x-6} \cdot 2^3(x)\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(x)}{x-6} \cdot \frac{2^3(x-6)}{8x^2}\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(x)}{x-6} \cdot \frac{2^3(x-6)}{(2^3)}\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(x)}{x-6} \cdot \frac{2^3(x-6)}{(2^3)(x^2)}\end{aligned}$$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.
2. Divide by the common factors.

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(x)}{x-6} \cdot \frac{2^3 \overset{1}{\cancel{(x-6)}}}{(2^3)(x^2)}\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(x)}{x-6} \cdot \frac{2^3 \overset{1}{\cancel{}}(x-6)}{\overset{1}{\cancel{}}(2^3)(x^2)}\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(\cancel{x})^1}{x-6} \cdot \frac{2^3(x-6)^1}{(\cancel{2^3})^1(\cancel{x^2})}\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(\cancel{x})^1}{x-6} \cdot \frac{2^3(x-6)^1}{(\cancel{2^3})(\cancel{x^2})^x}\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(\cancel{x})^1}{x-6} \cdot \frac{2^3(\cancel{x-6})^1}{(\cancel{2^3})(\cancel{x^2})^x}\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(\cancel{x})^1}{\cancel{x}^1 \cancel{6}^1} \cdot \frac{2^3(\cancel{x}^1 \cancel{6})^1}{(2^3)(\cancel{x}^1)^x}\end{aligned}$$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.
2. Divide by the common factors.
3. Multiply the remaining numerators and denominators.

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(\cancel{x})^1}{\cancel{x}^1 \cancel{6}^1} \cdot \frac{2^3(\cancel{x-6})^1}{(2^3)(\cancel{x^2})^x}\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(\cancel{x})^1}{\cancel{x}^1 \cancel{6}^1} \cdot \frac{2^3(\cancel{x-6})^1}{(2^3)(\cancel{x^2})^x} \\ \frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(\cancel{x})^1 \cdot \cancel{2^3}^1 (\cancel{x-6})^1}{\cancel{x-6}^1 \cdot (\cancel{2^3})^1 (\cancel{x^2})^x} \\ \frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= 4\end{aligned}$$

Example 1

$$\begin{aligned}\frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4x}{x-6} \cdot \frac{8x-48}{8x^2} \\ &= \frac{(2^2)(\cancel{x})^1}{\cancel{x}^1 \cancel{6}^1} \cdot \frac{2^3(\cancel{x-6})^1}{(\cancel{2^3})^1 (\cancel{x^2})^x} \\ \frac{4x}{x-6} \div \frac{8x^2}{8x-48} &= \frac{4}{x}\end{aligned}$$

Example 2

Divide $\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$

To Factor a Binomial:

1. Factor out the GCMF.

To Factor a Binomial:

1. Factor out the GCMF.
2. Check if it is a difference of two squares.

To Factor a Binomial:

1. Factor out the GCMF.
2. Check if it is a difference of two squares.
3. Check if it is a sum or difference of two cubes.

To Factor a Trinomial:

1. Factor out the GCMF.

To Factor a Trinomial:

1. Factor out the GCMF.
2. Check if it is a perfect square trinomial.

To Factor a Trinomial:

1. Factor out the GCMF.
2. Check if it is a perfect square trinomial.
3. Check if it is a trinomial with 1 as leading coefficient.

To Factor a Trinomial:

1. Factor out the GCMF.
2. Check if it is a perfect square trinomial.
3. Check if it is a trinomial with 1 as leading coefficient.
4. Check if it is a general trinomial.

How to Divide Rational Algebraic Expressions?

1. Copy the dividend.

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

$$= \frac{x^2 - 2x - 15}{8x + 20}$$

How to Divide Rational Algebraic Expressions?

1. Copy the dividend.
2. Get the reciprocal of the divisor.

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

$$= \frac{x^2 - 2x - 15}{8x + 20}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \end{aligned}$$

How to Divide Rational Algebraic Expressions?

1. Copy the dividend.
2. Get the reciprocal of the divisor.
3. Proceed to multiplication.

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \underline{\underline{(\quad)(\quad)}} \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \underline{(x \quad \quad)(x \quad \quad)} \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \underline{(x - 5)(x \quad)} \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \underline{(x - 5)(x + 3)} \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \frac{(x - 5)(x + 3)}{4} \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \frac{(x - 5)(x + 3)}{4(2x} \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \frac{(x - 5)(x + 3)}{4(2x + 5)}. \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \frac{(x - 5)(x + 3)}{4(2x + 5)} \cdot 2 \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \frac{(x - 5)(x + 3)}{4(2x + 5)} \cdot \frac{2(2x + 5)}{2x(x - 5)} \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \frac{(x - 5)(x + 3)}{4(2x + 5)} \cdot \frac{2(2x + 5)}{2x^2 - 10x} \end{aligned}$$

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \frac{(x - 5)(x + 3)}{4(2x + 5)} \cdot \frac{2(2x + 5)}{2x} \end{aligned}$$

Example 2

$$\begin{aligned}& \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\&= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\&= \frac{(x - 5)(x + 3)}{4(2x + 5)} \cdot \frac{2(2x + 5)}{2x(x}\end{aligned}$$

Example 2

$$\begin{aligned}& \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\&= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\&= \frac{(x - 5)(x + 3)}{4(2x + 5)} \cdot \frac{2(2x + 5)}{2x(x - 5)}\end{aligned}$$

Example 2

$$\begin{aligned}& \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\&= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\&= \frac{(x - 5)(x + 3)}{(2^2)(2x + 5)} \cdot \frac{2(2x + 5)}{2x(x - 5)}\end{aligned}$$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.
2. Divide by the common factors.

Example 2

$$\begin{aligned} & \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\ &= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\ &= \frac{(x - 5)(x + 3)}{(2^2)(2x + 5)} \cdot \frac{2(2x + 5)}{2x(x - 5)} \end{aligned}$$

Example 2

$$\begin{aligned}& \frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10} \\&= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x} \\&= \frac{(x - 5)(x + 3)}{(2^2)(2x + 5)} \cdot \frac{2(2x + 5)}{2x(x - 5)}\end{aligned}$$

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

$$= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x}$$

$$= \frac{\cancel{(x-5)}^1 (x+3)}{(2^2)(2x+5)} \cdot \frac{2(2x+5)}{2x\cancel{(x-5)}^1}$$

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

$$= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x}$$

$$= \frac{(x-5)(x+3)}{(2^2)(2x+5)} \cdot \frac{2(2x+5)}{2x(x-5)}$$

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

$$= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x}$$

$$= \frac{\cancel{(x-5)}^1 (x+3)}{\cancel{(2^2)}^2 (2x+5)} \cdot \frac{\overset{1}{2} \cancel{(2x+5)}}{2x \cancel{(x-5)}^1}$$

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

$$= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x}$$

$$= \frac{\cancel{(x-5)}^1 (x+3)}{\cancel{(2^2)}^2 (2x+5)} \cdot \frac{\cancel{2}^1 \cancel{(2x+5)}^1}{2x \cancel{(x-5)}^1}$$

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

$$= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x}$$

$$= \frac{(x-5)(x+3)}{(2^2)(2x+5)} \cdot \frac{2(2x+5)}{2x(x-5)}$$

How to Multiply Rational Algebraic Expressions?

1. Rewrite each numerator and denominator in prime factored form.
2. Divide by the common factors.
3. Multiply the remaining numerators and denominators.

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

$$= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x}$$

$$= \frac{(x-5)(x+3) \cdot \overset{1}{2}(2x+5)}{(2^2)(2x+5) \cdot 2x(x-5)}$$

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

$$= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x}$$

$$= \frac{(x-5)(x+3) \cdot \overset{1}{2}(2x+5)}{(2^2)(2x+5) \cdot 2x(x-5)}$$

$$= \underline{x + 3}$$

Example 2

$$\frac{x^2 - 2x - 15}{8x + 20} \div \frac{2x^2 - 10x}{4x + 10}$$

$$= \frac{x^2 - 2x - 15}{8x + 20} \cdot \frac{4x + 10}{2x^2 - 10x}$$

$$= \frac{(x-5)(x+3)}{(2^2)(2x+5)} \cdot \frac{2(2x+5)}{2x(x-5)}$$

$$= \frac{x+3}{4x}$$

Thank you for watching.